

# HERCULUX Chengdu HercuLux Photoelectric Technology Co.,Ltd Product Approval

Approval number :

Customer:

Manufacturer: Chengdu HercuLux Photoelectric Technology Co.,Ltd

PN	Code	Product
HK-HG-62@30-15-D9-21-1g-1_PC	1. 01. 92023_PC	HK Dark 62@30-15 degree lens
HK-HG-62@30-24-D9-21-1g-1_PC	1. 01. 92040_PC	HK Dark 62@30-24 degree lens
HK-HG-62@30-36-D9-21-1g-1_PC	1. 01. 92072_PC	HK Dark 62@30-36 degree lens
HK-HG-62@30-50-D9-21-1g-1_PC	1. 01. 92180_P	HK Dark 62@30-50 degree lens



	Supplier co	onfirmation	Client confirmation				
Proposed		DATE	Qualified□				
Project manager		DATE	Unqualified□		DATE		
Audit		DATE	Audit		DATE		
Approved		DATE	Approved		DATE		
Stamp		DATE	Stamp		DATE		

( Confirmation of acceptance by both parties must be signed and sealed )

Factory: Chengdu Shuangliu District, Iot industrial park 2 road HercuLux Photoelectric Park

Phone: 028-85887727 ( 801 ) 028-85887990 ( 801 ) Fax: 028-85887730 http://www.herculux.cn/

Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building, 501-

TEL: 0755-2937 1541 FAX: 0755-2907 5140

\*Approval In duplicate, for both supplier and customer.

# HERCULUX 恒坤光电

# Disclaimer

Please use this product within the permitted range and environment according to the structure and material of the product. If the usage exceeds the recommended value, please test and verify by yourself. If the product is damaged due to out-of-range use, our company will not be responsible for the warranty.

#### Product material:

Customized products: The specifications and models of materials used are subject to the agreement between the two parties.

Conventional products: As a product that we continuously research and improve, under the premise of ensuring the quality and availability of the product, our company reserves the right to change the material. If the material specification and model change, without prior notice.

## product data:

The measurement data and dimensional tolerances of the 2D drawings in the product data sheet of this acknowledgement are for reference only, and the final size shall prevail in kind.

The measurement data presented in this acknowledgment is a performance test of the product based on our company's internal test conditions and quality requirements, and the reported data is a typical value of the average results of multiple measurements. Therefore, in some cases, the actual product may deviate from the data provided. We reserve the right to notify you in advance of this data.

# Product changes and improvements:

Changes and improvements of customized products are subject to the agreement between the two parties in the contract or technical documents.

As the conventional products that we continue to research and improve, our company reserves the right to make technical changes to its products, and reserves the right to make changes to data resulting from improvements withou t prior notice.

### Operation cautions:

- 1. Please wear clean gloves during product assembly to prevent product surface contamination.
- 2. Try to avoid touching the optical surface of the lens when taking the lens.
- 3. When the surface of the product is polluted, please wipe it gently with a soft cotton cloth dipped in analytically pure neutral solvent. It is forbidden to use industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA monomerm, etc.) wipe.
- 4.The lens made of PC should not be exposed to direct sunlight in the storage and use environment. If the lens turns yellow or cracks due to long-term sunlight exposure, our company will not be responsible for the warranty.




# HERCULUX 恒坤光电 Basic product information

TEL: 0755-2937 1541 FAX: 0755-2907 5140 http://www.herculux.cn/ Date updated: 2024/12/11

Product Picture:	
Size(L*W*H/Φ*H):	
512C(Ε VV 11) Φ 11).	Ф:62mm; H:30mm
Material:	
Material:	PC  Material extreme temperature resistance: -40°C to +120°C
Material: Effiency:	PC \ Material extreme temperature resistance : -40°C to +120°C
Material: Effiency: Temperature(Topr):	PC  Material extreme temperature resistance : -40°C to +120°C long-term use temperature : -40°C to +100°C






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2 $\mu$ m

Optical design						HK-H	HG-62@	930-15-D9-	21-1g-	1_PC
Structure design				HK Dark 62	2@30-15 degree lens		1.	01.92023_F	C	
Review						mber o	f drawi	qty	we	ight
Validation	ion			Material:			CDHK			

MT5	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~450	>450
Tolerance table	lerance val	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1.2	±2.0






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2 $\mu$ m

Opt	tical design						HK-F	1G-62(	@30-24-D9-2	21-1g-	1_PC
Stru	cture design				HK Dark 6	2@30-24 degree lens		1	.01.92040_P	С	
	Review						mber o	f drawi	qty	we	ight
٧	/alidation			Material:	PC	CDHK					

MT5	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~450	>450
Tolerance table	lerance val	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1.2	±2.0






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2 $\mu$ m

Optical	design							HK-HG-62@30-36-D9-21-1g-1_P				
Structur	e design					HK Dark 6	2@30-36 degree lens		1	.01.92072_F	)C	
Rev	riew							mber o	f drawi	qty	wei	ight
Valid	lation					Material:	PC			CDHK		
~ 2EO	2500			150								

MT5	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~450	>450
Tolerance table	lerance val	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1.2	±2.0






- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- \*4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2 $\mu$ m


	Optical desig	า						HK-H	IG-62(	@30-50-D9-2	21-1g-:	1_PC
	Structure desi	cture design					2@30-50 degree lens		1	.01.92180_P	С	
	Review						mber o	f drawi	qty	we	ight	
	Validation	Validation				Material:	PC			CDHK		
~	JEN 250	~ .450		150		•						

MT5	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~450	>450
Tolerance table	lerance val	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1.2	±2.0





IES----



Intensity data: (deg , cd) C0-180

A	1	A	I	A	I	A	1	λ	1	A	I
-90.0	2.169	-58.5	15.99	-27.0	160.9	4.5	350.1	36.0	90.20	67.5	12.79
-08.5	2.169	-57.0	16.99	-25.5	186.9	6.0	346.3	37.5	75.67	69.0	11.81
-87.0	2.227	-55.5	17.94	-24.0	209.5	7.5	341.5	39.0	64.13	70.5	10.91
-85.5	2.625	-54.0	18.83	-22.5	235.9	9.0	336.0	40.5	55.02	72.0	10.06
-84.0	3.169	-52.5	19.76	-21.0	257.0	10.5	328.8	42.0	47.68	73.5	9.223
-82.5	3.712	-51.0	20.82	-19.5	274.5	12.0	321.5	43.5	41.90	75.0	8.441
-81.0	4.244	-49.5	22.11	-18.0	289.1	13.5	315.7	45.0	37.16	76.5	7.714
-79.5	4.765	-48.0	23.65	-16.5	300.5	15.0	310.2	46.5	33.26	78.0	7.038
-78.0	5.299	-46.5	25.57	-15.0	309.8	16.5	304.9	48.0	30.07	79.5	6.382
-76.5	5.932	-45.0	27.92	-13.5	317.7	18.0	299.3	49.5	27.44	81.0	5.767
-75.0	6.512	-43.5	30.79	-12.0	324.8	19.5	293.0	51.0	25.35	82.5	5.186
-73.5	7.138	-42.0	34.32	-10.5	331.8	21.0	285.6	52.5	23.74	84.0	4.673
-72.0	7.806	-40.5	38.73	-9.0	338.4	22.5	276.2	54.0	22.49	85.5	4.165
-70.5	8.543	-39.0	44.06	-7.5	344.6	24.0	263.6	55.5	21.47	87.0	3.633
-69.0	9.313	-37.5	50.67	-6.0	350.0	25.5	246.7	57.0	20.53	88.5	3.026
-67.5	10.10	-36.0	58.79	-4.5	354.1	27.0	225.6	58.5	19.54	90.0	2.502
-66.0	10.97	-34.5	68.94	-3.0	356.8	28.5	201.5	60.0	18.44	Section of the sectio	Contraction of the Contraction o
-64.5	11.92	-33.0	81.33	-1.5	358.0	30.0	176.1	61.5	17.20		
-63.0	12.90	-31.5	96.56	0.0	357.7	31.5	151.0	63.0	16.02	(i)	É
-61.5	13.91	-30.0	114.8	1.5	356.1	33.0	128.0	64.5	14.90		
-60.0	14.96	-28.5	136.6	3.0	353.5	34.5	107.6	66.0	13.81		

Electricity Parameter:

Current I: 0.1000A Power: 3.200W Voltage V: 32.00V PF: 0.000


Optical Parameter (Distance=2.410m):

Equivalent Luminous flux: Φeff = 342.41m Efficiency: Eff=107.031m/W


Diffuse angle: 8(25%): 68.1deg8(50%): 55.7deg8(75%): 43.4deg8(50%): 55.7deg
Diffuse angle: 8(25%): 68.1deg8(50%): 55.7deg8(75%): 43.4deg8(50%): 55.7deg
Imax=358.1cd (C=0.0deg,G=-1.0deg) C0-180Plane Imax= 358.1cd(G=-1.0deg)

C0-180Plane I0= 357.7cd





IES----



Intensity data: (deg , cd) C0-180

A	I	A	I	A	I	λ	I	A	I	A	I
-90.0	1.220	-58.5	8.571	-27.0	44.54	4.5	1496	36.0	25.26	67.5	6.554
-88.5	1.231	-57.0	9.080	-25.5	54.36	6.0	1439	37.5	22.47	69.0	6.056
-87.0	1.231	-55.5	9.542	-24.0	68.41	7.5	1358	39.0	20.19	70.5	5.580
-85.5	1.289	-54.0	9.995	-22.5	90.10	9.0	1256	40.5	18.37	72.0	5.132
-84.0	1.482	-52.5	10.45	-21.0	122.0	10.5	1136	42.0	16.85	73.5	4.677
-82.5	1.709	-51.0	10.87	-19.5	165.2	12.0	1003	43.5	15.51	75.0	4.256
-81.0	1.981	-49.5	11.33	-18.0	221.9	13.5	859.5	45.0	14.38	76.5	3.830
-79.5	2.322	-48.0	11.82	-16.5	297.5	15.0	714.3	46.5	13.47	78.0	3.441
-78.0	2.663	-46.5	12.35	-15.0	392.4	16.5	576.2	48.0	12.70	79.5	3.038
-76.5	3.046	-45.0	12.98	-13.5	508.5	18.0	452.1	49.5	12.07	81.0	2.650
-75.0	3.433	-43.5	13.74	-12.0	643.4	19.5	335.8	51.0	11.54	82.5	2.255
-73.5	3.852	-42.0	14.74	-10.5	791.0	21.0	248.6	52.5	11.09	84.0	1.901
-72.0	4.239	-40.5	15.89	-9.0	939.7	22.5	181.8	54.0	10.68	85.5	1.581
-70.5	4.681	-39.0	17.17	-7.5	1081	24.0	131.6	55.5	10.29	87.0	1.329
-69.0	5.134	-37.5	18.63	-6.0	1209	25.5	95.36	57.0	9.910	88.5	1.122
-67.5	5.599	-36.0	20.33	-4.5	1322	27.0	71.34	58.5	9.519	90.0	0.9761
-66.0	6.063	-34.5	22.42	-3.0	1413	28.5	56.09	60.0	9.061		
-64.5	6.559	-33.0	25.01	-1.5	1480	30.0	45.77	61.5	8.588	ii .	
-63.0	7.047	-31.5	28.21	0.0	1520	31.5	38.30	63.0	8.095		
-61.5	7.557	-30.0	32.27	1.5	1537	33.0	32.80	64.5	7.583		
-60.0	8.060	-28.5	37.55	3.0	1528	34.5	28.58	66.0	7.055		


# Electricity Parameter:

Current I: 0.1000A Power: 3.200W Voltage V: 32.00V PF: 0.000


## Optical Parameter (Distance=2.410m):

Equivalent Luminous flux: Oeff = 362.81m Efficiency: Eff=113.401m/W

CO-180Plane IO= 1520cd



IES----



Intensity data: (deg , cd) C0-180

A	I	λ	1	A	1	A	I	A	I	λ	I
-90.0	1.344	-58.5	10.75	-27.0	91.83	4.5	726.8	36.0	35.78	67.5	8.407
-88.5	1.332	-57.0	11.35	-25.5	122.2	6.0	711.5	37.5	30.60	69.0	7.787
-87.0	1.333	-55.5	11.95	-24.0	160.0	7.5	692.3	39.0	27.07	70.5	7.187
-85.5	1.470	-54.0	12.50	-22.5	201.3	9.0	671.4	40.5	24.50	72.0	6.589
-84.0	1.731	-52.5	13.05	-21.0	249.6	10.5	646.0	42.0	22.41	73.5	5.986
-82.5	2.072	-51.0	13.59	-19.5	302.7	12.0	616.3	43.5	20.70	75.0	5.418
-81.0	2.457	-49.5	14.13	-18.0	357.3	13.5	583.6	45.0	19.29	76.5	4.865
-79.5	2.865	-48.0	14.74	-16.5	412.5	15.0	548.3	46.5	18.02	78.0	4.348
-78.0	3.296	-46.5	15.46	-15.0	466.3	16.5	509.3	48.0	16.96	79.5	3.842
-76.5	3.771	-45.0	16.34	-13.5	517.5	18.0	466.6	49.5	16.06	81.0	3.366
-75.0	4.257	-43.5	17.36	-12.0	563.2	19.5	419.9	51.0	15.25	82.5	2.933
-73.5	4.734	-42.0	18.60	-10.5	604.2	21.0	369.3	52.5	14.50	84.0	2.534
-72.0	5.246	-40.5	20.07	-9.0	640.3	22.5	311.5	54.0	13.81	85.5	2.180
-70.5	5.814	-39.0	21.86	-7.5	670.2	24.0	260.4	55.5	13.14	87.0	1.891
-69.0	6.394	-37.5	24.02	-6.0	694.0	25.5	211.0	57.0	12.52	88.5	1.688
-67.5	7.016	-36.0	26.76	-4.5	712.2	27.0	166.7	58.5	11.91	90.0	1.595
-66.0	7.628	-34.5	30.39	-3.0	726.3	28.5	127.9	60.0	11.34		
-64.5	8.295	-33.0	35.29	-1.5	736.6	30.0	96.49	61.5	10.78		ō.
-63.0	8.906	-31.5	42.47	0.0	742.3	31.5	72.36	63.0	10.21		
-61.5	9.540	-30.0	53.30	1.5	741.7	33.0	55.08	64.5	9.615		8
-60.0	10.14	-28.5	69.29	3.0	736.7	34.5	43.48	66.0	9.024		

## Electricity Parameter:

Current I: 0.1000A Power: 3.200W Voltage V: 32.00V PF: 0.000

# Optical Parameter (Distance=2.410m):

Equivalent Luminous flux: Deff = 353.0lm Efficiency: Eff=110.32lm/W


C0-180Plane IO- 742.3cd


I

I

3







Intensity data: (deg , cd) C0-180

A	1	A	1	A	1	A	1	A	1	λ	I
-90.0	2.169	-58.5	15.99	-27.0	160.9	4.5	350.1	36.0	90.20	67.5	12.79
-88.5	2.169	-57.0	16.99	-25.5	186.9	6.0	346.3	37.5	75.67	69.0	11.81
-87.0	2.227	-55.5	17.94	-24.0	209.5	7.5	341.5	39.0	64.13	70.5	10.91
-85.5	2.625	-54.0	18.83	-22.5	235.9	9.0	336.0	40.5	55.02	72.0	10.06
-84.0	3.169	-52.5	19.76	-21.0	257.0	10.5	328.8	42.0	47.68	73.5	9.223
-82.5	3.712	-51.0	20.82	-19.5	274.5	12.0	321.5	43.5	41.90	75.0	8.441
-81.0	4.244	-49.5	22.11	-18.0	289.1	13.5	315.7	45.0	37.16	76.5	7.714
-79.5	4.765	-48.0	23.65	-16.5	300.5	15.0	310.2	46.5	33.26	78.0	7.038
-78.0	5.299	-46.5	25.57	-15.0	309.8	16.5	304.9	48.0	30.07	79.5	6.382
-76.5	5.932	-45.0	27.92	-13.5	317.7	18.0	299.3	49.5	27.44	81.0	5.767
-75.0	6.512	-43.5	30.79	-12.0	324.8	19.5	293.0	51.0	25.35	82.5	5.186
-73.5	7.138	-42.0	34.32	-10.5	331.8	21.0	285.6	52.5	23.74	84.0	4.673
-72.0	7.806	-40.5	38.73	-9.0	338.4	22.5	276.2	54.0	22.49	85.5	4.165
-70.5	8.543	-39.0	44.06	-7.5	344.6	24.0	263.6	55.5	21.47	87.0	3.633
-69.0	9.313	-37.5	50.67	-6.0	350.0	25.5	246.7	57.0	20.53	88.5	3.026
-67.5	10.10	-36.0	58.79	-4.5	354.1	27.0	225.6	58.5	19.54	90.0	2.502
-66.0	10.97	-34.5	68.94	-3.0	356.8	28.5	201.5	60.0	18.44		22000000
-64.5	11.92	-33.0	81.33	-1.5	358.0	30.0	176.1	61.5	17.20	ii i	
-63.0	12.90	-31.5	96.56	0.0	357.7	31.5	151.0	63.0	16.02		
-61.5	13.91	-30.0	114.8	1.5	356.1	33.0	128.0	64.5	14.90	0	
-60.0	14.96	-28.5	136.6	3.0	353.5	34.5	107.6	66.0	13.81		

# Electricity Parameter:

Current I: 0.1000A Power: 3.200W Voltage V: 32.00V PF: 0.000

# Optical Parameter (Distance=2.410m):

Equivalent Luminous flux: Deff = 342.41m Efficiency: Eff=107.031m/W

C0-180Plane IO- 357.7cd



		Stan	idard ze	Upper Size limit	Low size I		Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks
	highly	29	9.5			\	29. 34	29. 33	29.36	29. 34		Test
1.Size	The diamete of	r 6	2				61.72	61. 78	61.76	61. 72		environment: In 20 °C -25 °C environment
	The thicknes of the	s 2	.5			\	2. 57	2. 58	2. 58	2. 55		to achieve thermal equilibrium after the test.
				Gate sh	near ca	an no	t affect the	appearanc	e of the lan	np		
				See at	tachm	ent "	Appearanc	e Inspection	n Standards	s"		
2.Appeara	nce i	See		E		١	lo burr	No burr	No burr	No bu	rr	OK
Quality		Appeara Inspecti Standaro	on		•	N	o stains	No stains	No stains	No stai	ns	OK .
3.Material				PC				Color	Tra	nsparent		OK
	Testing	LED						D9	I.			I.
4.Optical index	are de	signed ut a hor at the	with a neyco focal	mb on top o	r designof the Dark	n for hor lens, serie	good anti- neycomb to it is easy t	glare effect the lens. o overheat	t, so we do the honeyo	not recomi	mend the h	to add a nigh output
	FWI		See	light distrib	ution c	urve		I	I			
	K-valu (CD/LM)					_	9.7	9. 7	9.7	9. 6		
	angle						13.6°	13.6°	13.6°	13.7°		
	Efficien	ıc;					93. 00%	93.00%	93. 00%	93.00%		
	Faci	ula					See the	e signature	sample			
Comprehe	ensive jud	Igment						Qualified				
Remarks: 1. Tool Number: V- Vernier Caliper 2D- Quadratic H-Height Gauge M-Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual. 2. Ambient temperature on the size of the product refer to the table on the right			ch (	ength 1 - anges (mm) 0.8 - 0.6 - 0.4 - 0.2 -	PC pro			nges with	temperatu 30	\$i \$	ze: 1 ze: 2 ze: 2	00mm 00mm 50mm 00mm 50mm
Precaution			·							(°C)		

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being
- contaminated.

  2. Try to avoid touching the total reflection surface when taking the lens.

  3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



		Standard	Upper	Lower	Test	Test	Test	Test	Jud gme	Remarks
		size	Size limit	size limit	result1	result2	result3	result4	nt	Remarks
	highly	29.5			29. 35	29. 39	29. 41	29. 34		Test
1.Size	The diameter of	62			61.69	61. 68	61.7	61. 66		environment In 20 °C -25 °C environment
	The thickness of the	2.5			2. 56	2. 6	2. 57	2. 58		to achieve thermal equilibrium after the test
			Gate sh	ear can n	ot affect the	appearanc	e of the lar	np		
			See at	tachment	"Appearanc	e Inspection	n Standard:	s"		
2.Appeara	nca i i	See tachment opearance	E		No burr	No burr	No burr	No bu	ırr	OK
Quality	In	spection andards"		1	lo stains	No stains	No stains	No sta	ins	
3.Material			PC	•		Color	Tra	insparent		OK
	Testing	LED				D9	•			
4.Optical index	If you put	a honeyco at the focal	mb on top	ho of the lens Dark seri	or good anti- neycomb to , it is easy t es, which m	the lens. o overheat	the honeyo	omb due t	o the I	nigh output
	K-value (CD/LM)				4. 2	4. 1	4. 1	4. 1		
	angle				25. 1°	25.4°	25.3°	25. 4°		
	Efficienc				93. 00%	93. 00%	93. 00%	93.00%		
	Facul	а			See th	e signature	sample	I.		
Comprehe	ensive judg	ment				Qualified				
				C produ	ct size cha	nges with t	temperatu	re table		
Remarks:  1. Tool Not Vernier Ca Quadratic Gauge M-P-Needle R-Radius (2. Ambie on the size refer to the right	liper 2D- H-Height Γool Micro Γ-Thick Ga Gauge E-V nt tempera of the pro	ch (scope auge (isual, ature aduct	ength 1 - anges (mm) 0.8 - 0.6 - 0.4 - 0.2 -	0	10	20	30	* S	ize: 5 ize: 1 ize: 1 ize: 2 ize: 2 ize: 3	00mm 50mm 00mm 50mm
Precaution								70 (d.E.)		

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being
- contaminated.

  2. Try to avoid touching the total reflection surface when taking the lens.

  3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



"Ap		Gate s See a	hear can r ttachment	29. 31 61. 62 2. 43 ot affect the "Appearance"			•	Jud gme nt	Test environment: In 20 °C -25 °C environment to achieve thermal equilibrium
The ameter of The ickness of the attraction	See ttachmer ppearannspection	Gate s See a	ttachment	61. 62  2. 43  ot affect the "Appearance"	61. 58 2. 49 appearance Inspection	61. 6  2. 5  e of the land	61. 59 2. 51		environment: In 20 °C -25 °C environment to achieve thermal equilibrium
ameter of The ickness of the  atta "Applins Sta	See ttachmer ppearance propertion	Gate s See a	ttachment	2. 43 ot affect the "Appearance"	2.49 appearance	2. 5 e of the lands	2. 51		In 20 °C -25 °C environment to achieve thermal equilibrium
atta "App Ins Sta	See ttachmer ppearand nspection	Gate s See a	ttachment	ot affect the "Appearance No burr	appearance Inspection	e of the lan	np 5"		thermal
"Ap Ins Sta	ttachmer ppearant nspection	See a	ttachment	"Appearance" No burr	e Inspection	n Standards	5"		
"Ap Ins Sta	ttachmer ppearant nspection	nt ce E n		No burr					
"Ap Ins Sta	ttachmer ppearant nspection	ce E n s"			No burr	No burr	No bu		l
Ins Sta	nspection	n 8"						rr	ОК
esting L		PC		No stains	No stains	No stains	No stai	ns	OK .
esting L					Color	Tra	nsparent		OK
	LED				D9				
you put	at the fo	eycomb on top ocal point of the	of the lens e Dark ser	oneycomb to s, it is easy t ies, which m	the lens. o overheat	the honeyo	omb due to	o the h	nigh output
K-value CD/LM)				2. 1	2	2	2		
angle				38.5°	39.5°	39. 2°	39.5°		$\overline{}$
icienc	c			93. 00%	93. 00%	93. 00%	93.00%		
Facula	ıla			See the	e signature	sample			
ive judgr	gment				Qualified				
			PC produ	ct size char	agos with t	omnoratu	ro tablo		_
Remarks:  1. Tool Number: V- Vernier Caliper 2D- Quadratic H-Height Gauge M-Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual.  2. Ambient temperature on the size of the product refer to the table on the right						30	\$i \$	ze: 10 ze: 15 ze: 20 ze: 25	00mm 50mm 00mm 50mm
	2D- eight Micro ck G	2D- eight Microscope ck Gauge ee E-Visual. mperature ne product	er: V- 2D- sight Microscope ck Gauge ee E-Visual. mperature ne product  changes (mm) 0.8 0.6 0.6 0.4	changes 2D- 2D- (mm) 0.8 eight Microscope ck Gauge ce E-Visual. mperature ne product e on the  changes 0.6 0.6 0.7 0.8 0.8 0.6 0.7 0.8 0.8 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9	cr: V- changes 2D- (mm) 0.8 eight 0.6 Microscope ck Gauge e E-Visual. mperature ne product e on the 0.8	changes 2D- (mm) 0.8 eight Microscope ck Gauge e E-Visual. mperature ne product e on the 0	changes 2D- (mm) 0.8  ight Microscope ck Gauge e E-Visual. mperature ne product e on the  0 10 20 30	cr: V- 2D- (mm) 0.8  Sight Microscope ck Gauge ee E-Visual. mperature he product e on the  changes 0.8  Sight Sigh	changes 2D- (mm) 0.8  sight Microscope ck Gauge e E-Visual. mperature ne product e on the 0 0 10 20 30 40

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being
- contaminated.

  2. Try to avoid touching the total reflection surface when taking the lens.

  3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



		S	Standard size	Upper Size limit	Lowe size lin		Test result1	Test result2	Test result3	Test result4	Jud gme nt	Remarks
	high	ly	29.5			/	29. 4	29. 35	29. 33	29. 36		Test
1.Size	The diame of		62			/	61. 8	61. 82	61. 96	61. 75		environment: In 20 °C -25 °C environment
	The thickno of th	ess	2.5			/	2. 67	2. 68	2. 66	2. 65		to achieve thermal equilibrium after the test
				Gate sh	ear can	no	t affect the	appearanc	e of the lan	np		
				See at	tachmer	nt "A	Appearanc	e Inspection	n Standards	s"		
2.Appeara	nce	attac	ee hment arance	E		Ν	lo burr	No burr	No burr	No bu	rr	OK
Quality		Inspe	ection dards"	_		No	o stains	No stains	No stains	No stai	ins	0.1
3.Material				PC	•			Color	Tra	insparent		OK
	Testi	ng LEI	D					D9				
4.Optical index	If you put a honeyco at the foca			mb on top	of the le Dark s	hon ns, erie	eycomb to		the honeyo	omb due t	o the l	nigh output
	K-va: (CD/L											
	angl	le				/	55. 7°	55. 7°	55. 4°	55. 5°		
	Effici	enc;					90.00%	90.00%	90.00%	90.00%		
	Fa	acula					See the	e signature	sample	I.	1	
Comprehe	ensive j	udgme	ent					Qualified				
				F	C prod	luct	t size char	nges with t	temperatu	re table		_
Remarks:  1. Tool Ni Vernier Ca Quadratic Gauge M- P-Needle R-Radius 2 Ambie on the size refer to the right	Aliper 20 H-Heig Tool Mi T-Thick Gauge ant temp	D- ht crosco Gaug E-Visu peratui produ	ch (ppe le lal. re ct	ngth 1 - anges mm) 0.8 - 0.6 - 0.4 - 0.2 -	0	1	0	20	30		ize: 1 ize: 2 ize: 2	00mm 50mm 00mm
	ıs:											

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being
- contaminated.

  2. Try to avoid touching the total reflection surface when taking the lens.

  3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



P	N	HK-HG-62@30-15-D9-21	-1g-1_PC	Product Name	HK Dark 62@30-	15 degr	ee lens
Product	material			PC			
Package	diagram	© □ \ Single Va	cuum packa	ge Box	x package		>
Product	packing	9	A/ Box	4	pcs/Layer		
		9	Layer/Box	324	A/ Carton		
	NO.	Part No	Part name	Size	Dosage	Unit	Remarks
	1	2. 07. 0078	Blister box	23cm*21cm	36	BAG	
Packagin	2	2. 08. 0001	PE film	25cm*27cm	36	PCS	
g Materials	3	2. 06. 0005	Reel label paper	62mm*42mm	36	PCS	
Materials	4	2. 06. 0005	Box label paper	62mm*70mm	1	PCS	
	5	2. 06. 0003	big plate	46cm*42cm	10	PCS	
	6	2. 06. 0011	big flat carton	48cm*44cm*37cm	n 1	PCS	
Remarks		The loose packing is not subje	ct to this specif	ication. Customer's	requirements shall	prevail	




### Special notice


When gule pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:


# Syntheti











# Please note:

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.



#### Appearance inspection standards

#### 1 Operating procedures

1.1.1Sampling standards, sampling plan and AQL

Test level: GB/T2828.1-2012The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level  $\Pi$  level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code description	Unit	Code	Code description	Unit
N	Amount/pcs	pcs	D	Diameter	mm
L	Length	mm	Н	Depth	mm
W	Width	mm	DS	Distance	mm
S	Proportion	mm²	SS	Offset	mm

#### 3 Test conditions

- 3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;
- 3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.
  - 3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

## 4 Appearance inspection standards

Test items	ludging standard	Inspection equipment	Defec	t level	
restitems	Judging standard	Testing method	MI	MA	CR
	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.				
Check the sample	Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;	Sample comparison , visual			<b>√</b>
	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		<b>√</b>	

Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		√	
Fingerprints are not allowed on all products	Visual		√	
The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				<b>√</b>
Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			<b>√</b>
Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.  Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.	Visual, point card		<b>V</b>	
Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces , The signature sample shall prevail	Visual, point card		<b>√</b>	
When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		<b>√</b>	
Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;      The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two	. Visual		<b>√</b>	
No bubbles are allowed	Visual		<b>√</b>	
Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	<b>V</b>		
No damage is allowed	Visual			√
Optical surface may not have cold glue, non- optical surface cold glue should meet the visual is not obvious.	Visual	<b>√</b>		
1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;  2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation  3: Three molds and hot runner gate shall not appear residue.	Visual			<b>v</b>
Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires D $\leq$ 1 mm and no more than 1 area within a 50x50 mm area	Visual		<b>V</b>	
	surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.  Fingerprints are not allowed on all products  The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on  Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.  Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.  Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.  Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces, The signature sample shall prevail.  When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance. Part shrink reference point defects  1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;  2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two  Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1;  Exceeded foreign matter black spots is judged bad.  Not damage is allowed  Optical surface may not have cold glue, nonoptical surface eold glue should meet the visual is not obvious.  1: Do not affect the product size, shall not penetrate the processing is completed. Beading must not affect product installation  3: Three molds and hot runner gate shall not appear residue.  Scrub surface should be uniform, off the scrub phenomenon should not	surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.  Fingerprints are not allowed on all products  The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on  Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.  Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.  Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.  Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces, The signature sample shall prevail.  When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance. Part shrink reference point defects.  1: Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;  Visual  2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two  No bubbles are allowed  Visual  Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1;  Exceeded foreign matter black spots is judged bad.  No damage is allowed  Visual  Optical surface may not have cold glue, nonoptical surface business the structure cold glue should meet the cubical surface burns shall not occur after the processing is completed. Beading must not affect product instal	surface scratches should be visually insignificant and the length is less than 1/10 point card, calipers  Fingerprints are not allowed on all products  The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.  Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface transment should be consistent with the product size does not allow size of the assembly and the exposed surfaces of the assembly and the exposed surface of the assembly and the exposed surface of the product size of the assembly and the exposed surface of the product size of the assembly and the exposed surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance of the assembly and the exposed surface. Part shrink reference point defects.  1: Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;  2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two  No bubbles are allowed  Visual  Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1;  Exceeded foreign matter black spots is judged bad.  No damage is allowed  Optical surface may not have cold glue, non-optical surface cold glue should meet the visual is not obvious.  1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;  2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation  3: Three meids and hot runner gate s	surface scratches should be visually insignificant and the length is less than 1/100 of the maximum surface size.  Fingerprints are not allowed on all products  The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on  Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.  Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface the product size tolerances; thimble printing ahould be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.  Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.  Insufficient filling shall not affect the appearance of the exposed surface after assembly and the exposed surfaces. The signature sample shall prevail.  When the entire surface of the product shirts, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance. Part shrink reference point defercts.  1: Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;  2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two  No bubbles are allowed  No damage is allowed  Visual  Visual  Voicial  Visual  Visual