

HERCULUX Chengdu HercuLux Photoelectric 🛂 🗓 🗛 🌀 Technology Co.,Ltd



Product Approval

Approval number:


Customer:

Product: HK Sky 5in1 Strip wall washers Lens

1.02.44044 Material Code:

PN: HK-TJ-100@16-15X14-3030-01-1g-5

Manufacturer: Chengdu HercuLux Photoelectric Technology Co.,Ltd



	Supplier co	onfirmation	Client confirmation			
Proposed		DATE	Qualified□		5.475	
Project manager		DATE	Unqualified□		DATE	
Audit		DATE	Audit		DATE	
Approved		DATE	Approved		DATE	
Stamp		DATE	Stamp		DATE	

(Confirmation of acceptance by both parties must be signed and sealed)

Factory: Chengdu Shuangliu District, Iot industrial park 2 road HercuLux Photoelectric Park

Phone: 028-85887727 (801) 028-85887990 (801) Fax: 028-85887730 http://www.herculux.com/ Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building,

TEL: 0755-2937 1541 FAX: 0755-2907 5140

*Approval In duplicate, for both supplier and customer.

Disclaimer



Please use this product within the permitted range and environment according to the structure and material of the product. If the usage exceeds the recommended value, please test and verify by yourself. If the product is damaged due to out-of-range use, our company will not be responsible for the warranty.

Product material:

Customized products: The specifications and models of materials used are subject to the agreement between the two parties.

Conventional products: As a product that we continuously research and improve, under the premise of ensuring the quality and availability of the product, our company reserves the right to change the material. If the material specification and model change, without prior notice.

product data:

The measurement data and dimensional tolerances of the 2D drawings in the product data sheet of this acknowledgement are for reference only, and the final size shall prevail in kind.

The measurement data presented in this acknowledgment is a performance test of the product based on our company's internal test conditions and quality requirements, and the reported data is a typical value of the average results of multiple measurements. Therefore, in some cases, the actual product may deviate from the data provided. We reserve the right to notify you in advance of this data.

Product changes and improvements:

Changes and improvements of customized products are subject to the agreement between the two parties in the contract or technical documents.

As the conventional products that we continue to research and improve, our company reserves the right to make technical changes to its products, and reserves the right to make changes to data resulting from improvements withou t prior notice.

Operation cautions:

- 1. Please wear clean gloves during product assembly to prevent product surface contamination.
- 2. Try to avoid touching the optical surface of the lens when taking the lens.
- 3. When the surface of the product is polluted, please wipe it gently with a soft cotton cloth dipped in analytically pure neutral solvent. It is forbidden to use industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA monomerm, etc.) wipe.
- 4.The lens made of PC should not be exposed to direct sunlight in the storage and use environment. If the lens turns yellow or cracks due to long-term sunlight exposure, our company will not be responsible for the warranty.




HERCULUX Basic product information

TEL: 0755-2937 1541 FAX: 0755-2907 5140 http://www.herculux.com/ Date updated: 2024/11/15

Product Picture:	
Size(L*W*H/Φ*H):	L:100mm*W:20mm*H:12.3mm
Material:	PC
Effiency:	\
Temperature(Topr):	Material extreme temperature resistance : -40°C to +120°C long-term use temperature : -40°C to +100°C
FWHM:	15°X14°
Matched LES:	3030
Recommended MAX power:	\





Technical remark:

- 1. The 3D map is not indicated for rounded corners and draft angle.
- 2. The dimensional tolerances are not specified according to GB/T 14486 2008 MT5.
- 3, The surface has no flash, shrinkage, bubbles and other defects.
- *4. When the lamp adopts rubber ring for waterproofing: the roughness of the contact surface between the radiator and the rubber ring is required: Ra<3.2µm

Optical	desig					HK-TJ-100@16-15X14-3030-01-1g-5					
ructur	e desi				HK Sky 5in1	1.02.44044					
Rev	iew				Lens Υ		mber o	f drawi	qty	wei	ight
Valid	ation				Material:	PC	CDHK		CDHK		
~250	250^	~450	>	450							

MT5	Basic size	<3	3~10	10~24	24~65	65~140	140~250	250~	~450	>4!	50
Tolerance table	lerance val	±0.1	±0.15	±0.2	±0.35	±0.50	±0.80	±1	,	±2.	.0





灯具信息

灯具名称:		灯具类别:	测试编号:
光源名称:		光源类别:	测试日期: 2024/11/07
生产厂商:		保护角(°):	测试设备: GON-2000
测试实验室:		工作頻率(Hz):	色温(K): Ra:
灯具尺寸(W*L*H):0.000m*0.000m*0.000m		光口面积(m2):0.000	灯具重量(kg):0.000
测试系统: C, y	测试步距(°):C=15.0 γ=1.0	测试温度(°C):25	测试湿度(%):50.0

特性参数

光源参数	ţ	丁具参数
光源标称光通量(1m):365.8401m	灯具光通量(1m): 365.841	扩散角(10%Imax): 51.1(°)
光源标称功率(W):	灯具效率(%): 100.00	下射光通量及占比: 340.2851m 93.01%
光源额定电压(V):	灯具能效比(1m/W): 115.189	上射光通量及占比: 25.5551m 6.99%
光源实测功率(W): 3.176	最大光强(cd): 1586.222	最大允许距高比: C0_180=0.41 C90_270=0.31
灯具内光源个数: 1	最大光强角度(°): C=0.0 γ=5.0	CIE分类: Semi-Direct
光源实測电参数(V, A, pf):27.4, 0.115, 1.000	光束角(50%Imax): 20.5(*)	ErP有效光通量(90°): 281.2511m
光源尺寸(W*L*H): 0.000m*0.000m*0.000m	Left=-4.1°, Right=16.4°	照度波动比IRF(%): 705.386







			Ctondord	Llanar	Lawar	Took	Took	Tool	Tool	Jud	
			Standard size	Upper Size limit	Lower size limi	Test it result1	Test result2	Test result3	Test result4	gme nt	Remarks
	Lengt	h	50			99.9	99.94	99.94	99.95		Test environment: In 20 ℃
1.Size	Width		45			20.05	20.01	20.02	20.09		-25 °C environment to achieve thermal
	diamet	er	2			1.95	1.94	1.93	1.92		equilibrium after the test.
				Gat	e shear c	an not affec	t the appear	ance of the	lamp		
			-	Sec	e attachm	nent "Appea	ance Inspe	ction Stand	ards"		
2.Appear	ance		see achment pearance	E		No burr	No burr	No burr	No bu	rr	OK
Quality		Ins	spection			No stains	No stains	No stains	No stai	ns	
3.Materia	al			PC			Color	Tra	nsparent		OK
	Testing I	.ED					3030)			
	the p	The size and rated power of the light-emitting surface (LES) of the COB recommended by this lens should conform to the parameters in the product basic information table. If it is required to be out of range. According to the heat dissipation capability of the lamp and the actual conditions of the use environment, the lens should be fully tested and tested to prevent the lens life.									
4.Optica	FWH	Л		See light distribution curve							
I index	angle (5	angle (50%)		_		20. 5*18.					
	angle (1	0%)				51. 1*41. 2					
	K-val	ue									
	Efficie	ncy		_							
	Facula	See t	he signatu	re sample		`					
	ehensive ment						Q	ualified			
Remarks: 1. Tool Number: V-Vernier Caliper 2D-Quadratic H- Height Gauge M-Tool Microscope P-Needle T- Thick Gauge R-Radius Gauge E-Visual. 2. Ambient temperature on the size of the product refer to the table on the right			e on	Length changes (mm)	1 _	oduct size	changes w	*	Size: 100mi Size: 150mi Size: 200mi	50mn m m	n

- 1. Please wear clean gloves during the lens assembly process to prevent the lens surface from being contaminated.
- 2. Try to avoid touching the total reflection surface when taking the lens.3. The lens surface is contaminated. Only use a soft cotton cloth dipped in analytically pure neutral solvent to wipe gently. Do not wipe with industrial solvents (alcohol, isopropanol, acetone, ether, toluene, xylene, carbon tetrachloride, MMA Body, etc.).
- 4. The working temperature of the lens should be within the temperature resistance limit of the lens material. Exceeding the temperature resistance limit will cause the lens to crack or melt and affect the service life of the lens. It is recommended that the upper surface temperature of the LED colloid should be less than 120 degrees.



P	N	HK-TJ-100@16-15X14-30	30-01-1g-5	Product Name	HK Sky 5in1 Strip wa	all wash	ers Lens
Product	material			PC			
Package diagram			•	—		<i></i>	
Product	packing		PCS/BAG		BAG/LAYER		
			Layer/Box		Piece/Box		
	NO.	Material Code	Item name	Specification	Single box usage	Unit	Remarks
	1		Plastic bags			BAG	
Packagin	2	2.06.0005	Box label	6.2cm*7.6cm		PCS	
g Materials	3	2.06.0007	Partition	39*29cm		PCS	
ivialeriais	4	2.06.0008	Carton	40*30*26cm		PCS	
	5						
	6						
Remarks		The loose packing is not subje	ct to this specif	ication. Customer	s requirements shall p	revail	




Special notice


When gule pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:


Syntneti











Please note:

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.



Appearance inspection standards

1 Operating procedures

1.1.1Sampling standards, sampling plan and AQL

Test level : GB/T2828.1-2012The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level Π level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code	Unit	Code	Code	Unit
	description			description	
N	Amount/pcs	pcs	D	Diameter	mm
L	Length	mm	Н	Depth	mm
W	Width	mm	DS	Distance	mm
S	Proportion	mm²	SS	Offset	mm

3 Test conditions

- 3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;
- 3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.
 - 3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

4 Appearance inspection standards

Test items	ludging standard	Inspection equipment	Defec	Defect level		
rescitents	Judging standard	Testing method	MI	MA	CR	
	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.					
Check the sample	1: Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;	Sample comparison , visual			√	

1		1	Ī	1	
	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		√	
Scratch	1: Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		√	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				√
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			√
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side. Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.	Visual, point card		√	
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces, The signature sample shall prevail.	Visual, point card		√	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	 1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided; 2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two 	Visual		٧	

Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or D ≤ 0.3mm black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	V		
Damaged	No damage is allowed	Visual			√
Cold glue	Optical surface may not have cold glue, non- optical surface cold glue should meet the visual is not obvious.	Visual	√		
	1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;				
Bad incision	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation	Visual			√
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires D ≤ 1 mm and no more than 1 area within a 50x50 mm area	Visual		√	