2025 NEW

PRODUCT MANUAL

产品手册

目录

CONTENTS

打印画系列
Printed Art Series P01~P06

竹木格栅系列
Bamboo and Wood Lattice Series PO7~P12

竹纤维集成墙板系列
Bamboo Fiber Integrated Wall Panel Series P13~P20

碳晶板系列
Carbon Crystal Panel Series P21~P39

UV板系列
UV Series P40~P47

SPC石晶墙板系列
SPC Wall Panel Series P48~P55

艺术装饰吸音板系列
Art Decorative Acoustic Panel Series P56~P65

户外PE木塑系列
Outdoor PE Wood Plastic Series P66~P76

打印画墙板系列

THE PRINTING WALL PANEL SERIES



画面高清细腻色彩丰富

HIGH DEFINITION AND DELICATE IMAGES WITH RICH COLORS

打印画墙板系列，采用尖端的3D喷墨打印技术，将客户的个性化需求与高品质材料相结合，创造出独一无二的墙面装饰。图案选择广泛，无论是自然风光、抽象艺术还是个人照片，都可以通过高清打印技术完美呈现。此外，尺寸定制服务确保了每一块墙板都能完美契合您的空间需求。

The printing wall panel series adopts cutting-edge 3D stereoscopic inkjet printing technology, combining customers' personalized needs with high-quality materials to create unique wall decorations. The pattern selection is extensive, whether it is natural scenery, abstract art, or personal photos, they can all be perfectly presented through high-definition printing technology. In addition, we offer private customization services to ensure that every wall panel perfectly meets your spatial needs.

花色展示 / Flower color display

宇宙黑金 抽象出这些宇宙元素，比如使用深黑来模拟暗物质，星光点的微光效果，以及模拟银河系的动态形状，赋予产品独特的宇宙气质。

Cosmic Black Gold Selected some cosmic elements, blended with deep black dark matter and sparkling stars, and simulated the flow state of the Milky Way, giving "cosmic black gold" a unique cosmic temperament.





花色展示 / Flower color display

兰杜金，是一款以细腻的白色线条为基础，金色闪烁的大构图为特色的新产品。整体感觉舒适顺滑，用途广泛。

Landujin is a new product characterized by delicate white lines and a large, shimmering gold design. It has a comfortable and smooth overall feel is widely usable.









花色展示 / Flower color display



镀金胭脂河水磨石的特点是其独特的胭脂红色， 像女性化妆品中使用的胭脂，自然且充满魅力。设计中， 这种自然色彩应得到充分保留 和增强，以成为大理石材料的亮点。

The characteristic of gold-plated rouge water millstone is its unique rouge red color, similar to the rouge used in women's cosmetics, which is natural and full of charm. In design, this natural color should be fully preserved and enhanced to become a highlight of the marble material.





更多花色 / More patterns

NO.01



NO.02

NO.03

NO.04

NO.05

NO.06



NO.07

NO.08

更多花色 / More patterns



NO.09

NO.10

NO.11

NO.12

NO.13

NO.14

NO.15

更多花色
请扫码选择

More patterns Please
scan the code to choose

竹木纤维格栅板

BAMBOO WOOD FIBER GRATING BOARD

款式丰富颜色多样

RICH IN STYLES AND DIVERSE COLORS

竹木纤维格栅板是以竹子、木粉等天然材料为基础，结合环保树脂等高分子材料加工而成的建材产品。板材坚固耐用，得益于原料优质和精细工艺。其防水、防火、防腐、耐磨等特性增强了使用寿命和稳定性。加工性能良好，可用普通工具进行锯切、钻孔、上钉等操作，方便实用。它可广泛应用于各种装修和建筑领域。

Bamboo wood fiber grating board is a building material product made from natural materials such as bamboo and wood powder, combined with environmentally friendly resins and other polymer materials. The board is sturdy and durable, thanks to high-quality raw materials and exquisite craftsmanship. Its waterproof, fireproof, anti-corrosion, wear-resistant and other characteristics enhance its service life and stability. Good processing performance, can be used for sawing, drilling, nailing and other operations with ordinary tools, convenient and practical. It can be widely used in various decoration and construction fields.

产品参数 / Product parameters



产品名称 Product name	155对扣格栅板 155 pairs of perforated grille panels
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	155*18mm 155*18mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

颜色展示 / Color display

安装部件 / Install parts

集成墙板
Integrated wall panels

装饰线条
Decorative trim

不锈钢卡扣
Stainless steel clips

自攻丝钉子
Self-tapping screws

安装指南及效果展示 / Installation Guide and Effect Demonstration



1> 测量墙面长宽
Measure the length and width of the wall



2> 裁剪板材
Trimming sheets

3> 板材修边
Trimming of sheet material



4> 背面打上结构胶
Apply structural adhesive to the back

5> 直接上墙
Directly hit the wall



6> 卡扣枪钉固定
Card clip gun nail fixation

7> 拍打固定
Patting and fixing

8> 完成
Complete

格栅效果展示 / Grating effect demonstration

更多格栅款式 / More grille styles

产品名称 Product name	54小弧形板 54 arc-shaped boards
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	54*13.5mm 54*13.5mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	82小弧形板 82 arc-shaped boards
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	82*13.5mm 82*13.5mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	128四杠格栅板 128 four-bar grating plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	128*18mm 128*18mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	150C格栅板 150C Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	158*7mm 158*7mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	159高长城(18) 159 Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	159*18mm 159*18mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	159高长城(25) 159 Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	159*25mm 159*25mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	160实心对扣格栅板 160 Solid Interlocking Grating Panels
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	160*18mm 160*18mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	187高长城 187 Great Wall
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	187*30mm 187*30mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	195A大长城 195A Great Wall
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	202*15mm 202*15mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	202B高长城 202B Great Wall
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	202*28mm 202*28mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

更多格栅款式 / More grille styles

产品名称 Product name	160对扣格栅板 160 pairs of snap-on grilles
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	168*23.7mm 168*23.7MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	195C大长城(12) 195C Great Wall (12)
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	202*12mm 202*12MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	228格栅板 228 Grating Plates
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	228*15mm 228*15MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	155对扣格栅板 155 pairs of perforated grille panels
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	155*23.7mm 155*23.7MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	230格栅板 230 Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	230*9mm 230*9MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	160内弧格栅板 160 inner arc grating plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	160*15mm 160*15MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	160半圆格栅板 160 Semicircle Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	160*15mm 160*15MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	162七杠格栅板 162 seven-bar grating plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	162*13.5mm 162*13.5MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	150四圆格栅板 150 four-circle grille plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	156*16mm 156*16MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

产品名称 Product name	150A格栅板 150A Grating Plate
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	158*9mm 158*9MM
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

竹木纤维集成墙板

BAMBOO WOOD FIBER NTEGRATED WALL PANEL

是真正的环保墙板

IT IS A TRULY ENVIRONMENTALLY FRIENDLY WALL PANEL

墙板在制作中采用天然纤维，竹纤维与PVC的原生料高温挤压而成。采用德国进口的PUR热熔剂，与PVC膜纸，布艺，皮革等高端装饰面材结合形成了新一代的装饰材料，零甲醛、简约、大气。是高端场所，酒店，公寓，家庭别墅的装修首先材料。

Wall panels are made by high-temperature extrusion of natural fibers, bamboo fibers, and PVC raw materials. Using PUR hot melt flux imported from Germany, combined with high-end decorative materials such as PVC film paper, fabric, leather, etc., a new generation of decorative materials has been formed, which is zero formaldehyde, simple, and atmospheric. The decoration of high-end venues, hotels, apartments, family villas is the first material.

产品参数 / Product parameters

◆ 小V缝拼接

V-shaped small seam

产品名称 Product name	竹木纤维集成墙板8MM Carbon crystal panel·Wood grain
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	600*8mm/400*8mm 600*8mm/400*8mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	



防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

安装部件 / Install components

集成墙板
Integrated wall panels

装饰线条
Decorative trim

不锈钢卡扣
Stainless steel clips

自攻丝钉子
Self-tapping screws

产品参数 / Product parameters

◆ 小V缝拼接

V-shaped small seam

产品名称 Product name	竹木纤维集成墙板9MM Carbon crystal panel·Wood grain
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	600*9mm/400*8mm 600*9mm/400*9mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	



防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

安装部件 / Install components

集成墙板
Integrated wall panels

装饰线条
Decorative trim

不锈钢卡扣
Stainless steel clips

自攻丝钉子
Self-tapping screws

产品参数 / Product parameters



◆ 平嵌缝拼接

Butt joint

产品名称 Product name	竹木纤维集成墙板9MM Carbon crystal panel·Wood grain
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	600*9mm/400*9/300*9mm 600*9mm/400*9/300*9mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

安装部件 / Install components

集成墙板
Integrated wall panels

装饰线条
Decorative trim

不锈钢卡扣
Stainless steel clips

自攻丝钉子
Self-tapping screws

产品参数 / Product parameters

◆ 锁扣无缝拼接

Seamless splicing with snap fasteners

产品名称 Product name	竹木纤维集成墙板9MM Carbon crystal panel·Wood grain
基材材质 Substrate material	竹木纤维+PVC Bamboo and wood fibers + PVC
产品规格 Product specifications	600*9mm 600*9mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	PVC膜纸 PVC film paper
截面尺寸 Cross-sectional dimensions	



防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

安装部件 / Install components

集成墙板
Integrated wall panels

装饰线条
Decorative trim

不锈钢卡扣
Stainless steel clips

自攻丝钉子
Self-tapping screws

配套线条及配件展示 / Display of matching lines and accessories

25框线 L-01



阳角线 L-02



30平线 L-03

35框线 L-04



40多功能线条 L-05

40哑口线条 L-06

60框线 L-07

60平面墙裙 L-08



60平线 L-09

60墙裙 L-10

60哑口线 L-11



70顶线 L-12

80实心踢脚线 L-13

100顶线 L-14

100踢脚线 L-15

阴角线 L-16

30*40阳角 L-17



金属线条 L-18

不锈钢卡扣 L-19

自攻丝钉子 L-20

安装指南 / Installation Guide

安装步骤 / Installation steps



1>墙板裁切
根据需要量取尺寸
用木锯裁切即可

1> Wall panel cutting Measure the size as needed Cut with a handsaw

2>背面打胶
在墙板背面均匀点涂结构胶

2> Apply adhesive on the back Apply structural adhesive evenly on the back of the wall panel

3>安装上墙
将墙板按照顺序，对准子母扣，拼接上墙

3> Install on the wall Install the wall panels in sequence, align the male and female clips, and connect them to the wall

4>紧密拼接
如图用锤子敲击使墙板拼接紧密

4>Close Joint Strike with a hammer to make the wall panels fit tightly



5>枪钉固定
在空闲一侧安装金属卡扣，用钉枪固定

5>Fixed with brads Install metal clips on the idle side and fix them with a brad

折角步骤 / Folding steps



1>用尺子测量，标记需要折弯的位置，并用开槽机沿标记给墙板开槽。

1>Measure with a ruler, mark the position to be bent, and use a grooving machine to make grooves along the marks on the panel.



2>用热风机给开槽部位均分加热，等温度升高，折弯到需要的角度。

2> Heat the grooved areas evenly with a heat gun, then bend to the desired angle as the temperature rises.

3>折弯到需要的角度，静置一会，冷却固定后便可进行安装操作。

3>Bend to the desired angle, let it sit for a while, and once it cools down and stabilizes, it can be installed

案例展示 / Case presentation



碳晶板

CARBON CRYSTAL BOARD

是目前非常符合碳中和的一种装饰材料

IS CURRENTLY A DECORATIVE MATERIAL THAT IS VERY IN LINE WITH THE CURRENT ENVIRONMENTAL TREND

碳晶板，是目前非常环保，符合碳中和的一种装饰材料。该产品的起源是竹纤维墙板，通过技术的改进，在基材中加入竹炭成分，在拥有传统木饰面绿色健康环保，防水防潮，安装便捷，快速施工等特点外，还能吸附周围环境的有害物质。同时对模具外形工艺进行改进，通过纳米技术，在基材表面添加了共挤金刚层，大大提高了板材表面硬度。

Carbon crystal panels, which are currently very environmentally friendly and comply with carbon neutrality, are a type of decorative material. The origin of this product bamboo fiber wall panels, which, through technological improvements, have added bamboo charcoal components to the substrate. In addition to possessing the green, healthy, and eco-friendly of traditional wood veneers, being waterproof, moisture-proof, easy to install, and quick to construct, they can also absorb harmful substances from the surrounding environment. the same time, improvements have been made to the mold shaping process, and through nanotechnology, a co-extruded diamond layer has been added to the surface the substrate, significantly enhancing the surface hardness of the panels.

木纹系列 / Wood grain series

产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue

样品展示 / Sample display

M01

M02

M03

M04

M05

M06

M07

M08

M09

M10

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

案例展示 / Case presentation

石纹系列 / Stone Texture Series

产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue

样品展示 / Sample display

SW01

SW02

SW03

SW04

SW05

SW06

SW07

SW08

SW09

SW10

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

案例展示 / Case presentation

布纹系列 / Brocade Series

产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue



样品展示 / Sample display

BW01

BW02

BW03

BW04

BW05

BW06

BW07

BW08

BW09



BW10

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

案例展示 / Case presentation



肤感纯色系列 / Skin Feel Pure Color Series



产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue



样品展示 / Sample display

FG01

FG02

FG03



FG04

FG05

FG06



FG07



FG08



FG09

FG10

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

PET金属系列 / PET Metal Series

产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue



样品展示 / Sample display

PET-01

PET-02

PET-03

PET-04

PET-05

PET-06

PET-07

PET-08

PET-09


PET-10

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

案例展示 / Case presentation



镜面水波纹系列 / Mirror Surface Water Wave Series



产品名称 Product name	碳晶板·木纹 Carbon crystal panel·Wood grain
基材材质 Substrate material	竹炭纤维+共挤金刚层 Bamboo charcoal fiber co-extruded diamond layer
产品规格 Product specifications	8mm/5mm 8mm/5mm
产品尺寸 Product size	1220*2440/2600/2800/定制长度 1220*2440/2600/2800/Custom Length
产品颜色 Product color	PVC膜纸 PVC film paper
覆膜类型 Film type	冷胶/热胶 Cold glue/Hot glue



样品展示 / Sample display


JM01

JM02


JM03

JM04


JM05

JM06


JM07


JM08

BW01

BW02

* 产品颜色丰富，样品颜色只做部分展示，更多颜色请联系客户经理了解

* The product colors are rich, and only some of the sample colors are displayed
For more colors, please contact the account manager

案例展示 / Case presentation



产品特征 / Product Features

防火阻燃
Fireproof and flame retardant

环保无甲醛
Environmentally friendly and formaldehyde free

耐热/防水/防裂
Heat resistant/waterproof crack resistant

抗菌耐污
Antibacterial and stain resistant

安装简单
Simple installation

可塑性强
Plasticity

测试项目 Test project	单位 Unit	测试标准 Testing standards	数据值 Data value
厚度 Thickness	mm		5mm/8mm
防火等级 Fire rating	/	GB8624-2012	符合A级不燃 Compliant with Class A non-combustible
甲醛释放量(室内用) Formaldehyde emission (indoor use)	mg/L	GB/T17657-2013	未检出 Not detected
重金属含量(镉) Heavy metal content (cadmidm)	mg/kg	GB 18584-2001	未检出 Not detected
重金属含量(汞) Heavy metal content (mercury)	mg/kg	GB 18584-2001	未检出 Not detected
重金属含量(铅) Heavy metal content (lead)	mg/kg	GB 18584-2001	未检出 Not detected
尺寸稳定性 Dimensional stability	%	GB/T17657-1999	≤0.2%
吸水厚度膨胀率 Water absorption thickness expansion rate	%	GB/T17657-1999	4N表面无大于90%的连续划痕 No more than 90% continuous scratches on the 4N surface
板面握螺钉力 The force of the panel gripping screws	N	GB/T17657-1999	1120
含水率 Moisture content	%	GB/T17657-1999	0.6
TVOC(72h)	mg/m^3	GB/T29899-2013	0.002
抗冲击性能 lmpact resistance performance	mm	GB/T 17657-2013	无裂纹 Crack-free
耐开裂性能 Crack resistance performance	级	GB/T 17657-2013	5级 Grade 5

碳晶板适用场景 / Scenarios suitable for carbon crystal panels



医院
Hospital



酒店
Hotel



校园
Campus

写字楼
Office building



走廊
Corridor



民宿
B&B

碳晶板使用展示 / Display of Carbon Crystal Plate Usage

板材直拼 / Splicing type of products



锁扣无缝 / Seamless lock buckle

平嵌缝 / Embedded seam

小V缝 / V shape

折角折弯 / Special effects

折弯 / bend

折角 / Fold right angle

注：部分膜纸类型不适用，详情请联系销售经理咨询

Note: Some types of membrane paper are not applicable, please contact the sales manager for details.

搭配金属线条使用 / Paired with metal lines for use



[加工上的注意事项]

不当的施工工艺可能导致产品龟裂，裁切缺口或打洞部分的接合点，请务必施加6R以上的R角加工。详情请参照施工手册说明

[Precautions for Processing]

Improper construction techniques may cause product cracking, cutting gaps, or drilling joints. Please be sure to apply an R-angle processing of 6R or higher. Please refer to the construction manual for details

内工字线
Unilateral connection line (NSDE)

土字线
Tu Line



单工线
Unilateral connection line



灯带工字
Light bilateral connection H line



灯带收边
Edge light strip line



收边条
Closing line



双工线
Bilateral connection H line



尖阳角
Outer corner



阴角线
Concave line



碳晶板安装步骤 / Installation steps for carbon crystal panels

1> 基础层处理 / Basic layer processing

现场墙面平整度，板材拼接分隔位置及收边方式确认。
A.板材建议粘贴于高密度硅酸钙板(推荐8MM以上，表面界面剂涂刷)瓷砖面、镁水泥板(推荐9MM以上)。
B.请勿直接粘贴于未整平处理的混凝土墙面或砂浆墙面。
C.将欲粘贴墙面清洁干净，确认墙面为完全干燥且无任何污染物与脏污。
D.基层板材安装牢固、表面平整(平整程度误差小于2MM)。
E.基层板材之间接缝平直、宽窄均匀，阴阳角接缝处理得当。(接缝高低偏差小于0.5MM，平直度小于2MM)。
F.大面积施工前需先在施工墙面上预布几点胶水，待胶水固化后查看其结合情况，情况良好方可大面积施工。

Confirm the flatness of the on-site wall, the position of the panel splicing separation, and the edge finishing method.
A. The board is recommended to be pasted on high-density calcium silicate board (recommended to be above 8MM, with surface interface agent coating), ceramic tile surface, and magnesium cement board (recommended to be above 9MM).
B. Please do not directly stick it to unpaved concrete walls or mortar walls.
C. Clean the wall to be pasted clean, confirm that the wall is completely dry and free of any pollutants or dirt.
D, The installation of the base board is firm and the surface is flat (with a flatness error of less than 2MM).
E, The joints between the base boards are straight, with uniform width and proper treatment of internal and external corner joints. (The height deviation of the joint is less than 0.5MM, and the flatness is less than 2MM)
F. Before large-scale construction, it is necessary to pre lay a few glue points on the construction wall. After the glue solidifies, check its bonding condition. Only when the condition is good can large-scale construction be carried out

2> 预排版 / Pre layout

安装时要将饰面层和基础安装层接口错开(以20OM-30OMM为宜)，接口处不得紧贴，必须预留3M缝隙，使用收纳铝合金边条时，也需要预留缝空隙。

During installation, the interface between the decorative layer and the foundation installation layer should be staggered (preferably between 200M-300mm), and the interface should not be tightly attached. A 3M gap must be reserved. When using aluminum alloy edge strips for storage, a gap should also be reserved.

3> 裁切 / Cutting

请使用夹板辅助切割，刀片转向务必从正面切入，至背面切出。(表面贴有保护膜)开孔。裁切请务必使用6R(12》以上的刀具自正面边角部分开孔后进行操作。

Please use a clamp to assist in cutting, and make sure to turn the blade from the front to the back for cutting. Open holes with protective film on the surface. Please make sure to use 6R (12) or above for cutting. Operate the tool after making holes in the front corner.

板中开孔顺序
Opening sequence in the board

1.使用钻孔机在四个角钻孔
2.使用手提切割机

1,Use a drilling machine to drill holes at the four corners
2,Use a handheld cutting machine

边缘裁切顺序
Edge cutting sequence

1.使用钻孔机在转角处钻一个孔
2.使用合适的推锯切割

1, Use a drilling machine to drill a hole at the corner
2, Use a suitable push saw to cut

刀具建议
Tool suggestions

A.推台锯刀员
B.开孔刀具、裁纸刀、手提切割机、电动修边机
C.锯片推荐使用合金钢锯片
D.锯片齿形为平齿，齿数为120齿

A. Pushing table saw operator
B. Hole cutting tool, paper cutting tool, handheld cutting machine, electric trimming machine
C. Recommended use of alloy steel saw blades for saw blades
D. The saw blade has a flat tooth profile and 120 teeth

注意：请务必穿戴适当的安全装备，如防尘面具、眼睛和听力保护装置以及手套。
Note: Be sure to wear appropriate safety equipment, such as a dust mask, eye and hearing protection, and gloves.

4> 激光找平 / Laser leveling

请使用激光校正仪，标注合适的位置，方便板材垂直上墙。
Please use a laser calibrator to mark the appropriate position for the board to be vertically mounted on the wall.

碳晶板安装步骤 / Installation steps for carbon crystal panels

5> 上粘合剂(结构胶) / With adhesive



如图所示，使用专用胶在板材背后涂布，务必做到点状均匀涂布，可根据墙体实际情况，增加减少粘合剂用量。

As shown in the figure, apply the dedicated adhesive to the back of the panel, ensuring that it is applied evenly in dots. The amount of can be increased or decreased depending on the actual conditions of the wall.

6> 安装上墙 / Install on the wall



7> 清洁完成

施工完成后，请放置一天(24小时)以上，再将表面保护膜剔除。

After the construction is completed, please leave it for more than one day (24 hours) before removing the surface protective film.

UV板系列

UV BOARD SERIES

画面高清细腻色彩丰富

HIGH DEFINITION AND DELICATE IMAGES WITH RICH COLORS

UV 装饰板是一种高品质的装饰材料，它的表面涂层采用了 V 漆，通过 UV 光固化机的干燥处理，使板材具有出色的柔韧性、抗化学性强，使用寿命长等特点。同时，表面采用高分子转印膜，通过先进的转印技术，赋予板材几百种不同的花色选择，款式新颖多样，满足不同装饰需要，非常适合用于室内外装饰领域。

UV Decorative Board is a high-quality decorative material, with a surface coating of V paint. Through drying treatment with a UV light curing machine, the board has excellent flexibility, strong chemical resistance, and long service life. At the same time, the surface is coated with polymer transfer film, and through advanced transfer printing technology, hundreds of different color options are given to the board, with novel and diverse styles that meet different decorative needs, making it very suitable for indoor and outdoor decoration fields.

花色展示 / Flower color display

产品名称：UV装饰板
Product Name: UV Decorative Panel.

花色款式：仿真石纹
Pattern: Simulated Stone Texture.

产品尺寸：1220*2900MM
Product Size: 1220*2900mm

产品厚度：2~8MM
Product Thickness: 2~8mm.

包装方式：托盘/纸箱
Packing Method: Pallet/Paper Box.





花色展示 / Flower color display

花色展示 / Flower color display

花色展示 / Flower color display

产品名称：UV装饰板
Product Name: UV Decorative Panel.

花色款式：仿真石纹
Pattern: Simulated Stone Texture.

产品尺寸：1220*2900MM
Product Size: 1220*2900mm

产品厚度：2~8MM
Product Thickness: 2~8mm.

包装方式：托盘/纸箱
Packing Method: Pallet/Paper Box.



花色展示 / Flower color display





产品名称：UV装饰板
Product Name: UV Decorative Panel.

花色款式：仿真石纹
Pattern: Simulated Stone Texture.

产品尺寸：1220*2900MM
Product Size: 1220*2900mm

产品厚度：2~8MM
Product Thickness: 2~8mm.

包装方式：托盘/纸箱
Packing Method: Pallet/Paper Box.

花色展示 / Flower color display



产品名称：UV装饰板
Product Name: UV Decorative Panel.

花色款式：仿真石纹
Pattern: Simulated Stone Texture.

产品尺寸：1220*2900MM
Product Size: 1220*2900mm

产品厚度：2~8MM
Product Thickness: 2~8mm.

包装方式：托盘/纸箱
Packing Method: Pallet/Paper Box.

更多花色 / More patterns

NO.01

NO.02

NO.03



NO.04

NO.05



NO.06



NO.07

NO.08

NO.09



NO.10



NO.11



NO.12

NO.13

NO.14



NO.15

更多花色

请联系客服了解

More patterns Please contact customer service for details

SPC石晶墙板

SPC CRYSTAL WALL PANEL

新推出的厨房/卫生间墙面专用材料

NEWLY LAUNCHED KITCHEN/BATHROOM WALL SPECIAL MATERIAL

SPC石晶墙板它是由SPC基料+彩膜+耐磨层一起挤出压合而成，表面涂有哑光、高光UV，让产品表面色泽度更加饱满、耐划。同时用雕刻工艺，展现不同的瓷砖造型。匹配了瓷砖的感观效果，又拥有比瓷砖更高的使用空间与商业价值。

SPC crystal wall panel is made by extruding and pressing SPC base material, color film, and wear-resistant layer together. The surface is coated with matte, high gloss UV, making the surface color of the product more full and scratch resistant. Simultaneously using carving techniques to showcase different ceramic tile shapes. Matched with the sensory effect of tiles, it also has higher usage space and commercial value than tiles.

SPC石晶墙板 / SPC Wall Panel

产品名称 Product Name	SPC石晶墙板 SPC Wall Panel
基材材质 Substrate Material	SPC基料+彩膜+耐磨层 SPC base material color film wear-resistant layer
产品规格 Product Specifications	2mm/3mm/4mm/5mm/6mm
产品尺寸 Product Size	600/1200/1220mm(长度可定制) Customizable length
产品规格 Product color	上百种颜色款式 Hundreds of color styles
特殊工艺 Special process	可开槽/可做雕刻线 Slotting/Engraving lines available



产品规格 / Product specifications

名称 Name	尺寸 Size	厚度 Thickness	开槽 Slotting	包装方式 Packaging method	包装数量 Number of pieces per tray
SPC石晶墙板 SPC Wall Panel	600/1200/1220mm	2mm	不可开槽 NO	托盘包装 Pallet	100
	600/1200/1220mm	3mm	不可开槽 NO		
	600/1200/1220mm	4mm	可开槽 YES		
	600/1200/1220mm	5mm	可开槽 YES		
	600/1200/1220mm	6mm	可开槽 YES		

产品花色 / Product pattern

雕刻线款式推荐 / Carving line

300*600mm
3-1



50*400mm
3-2



200*800mm
3-3



100*300mm
4-1



100*200mm
4-2



75*300mm
4-3



75*200mm
4-4



300*100mm
4-5



100*100mm
5_1



150*100mm
5-2



50*200mm
5-3



50*260mm
5-4



50*100mm
7-1



55*150mm
7-2



70*70mm
8-1

产品拼接方式及安装 / Product splicing method and installation



锁扣拼接 / Lock buckle assembly



直拼拼接 / Direct assembly



1、测量墙面尺寸

1.Measure the wall dimensions



2、裁切墙板

2. Trim the wall panels



3、背面带胶

3. adhesive on the back

4、对齐锁扣拼接

4. Align and lock the joints

5、敲打使墙板紧凑

5. Tap to compact the wall panels

6、用胶填充缝隙

6. Fill the gaps with glue

全季酒店案例

Showcase of the four-star hotel usage
木纹　单张规格：2400*600mm 工艺：线条雕刻
Wood grain SPC Wall Panel
Size:2400x600mm　Craftsmanship: Line carving



应用区域：卫生间、淋浴房　Application Area: Bathroom, Shower Room







瀚海国际酒店案例

Showcase of the four-star hotel usage
木纹　单张规格：2400*600mm 工艺：线条雕刻
Wood grain SPC Wall Panel
Size:2400x600mm　Craftsmanship: Line carving



应用区域：卫生间、淋浴房、客房　Application Area: Bathroom, Shower Room





绿茵岛咖啡酒店案例

Showcase of the four-star hotel usage
木纹　单张规格：2400*600mm 工艺：线条雕刻
Wood grain SPC Wall Panel
Size:2400x600mm　Craftsmanship: Line carving



应用区域：卫生间、淋浴房 Application Area: Bathroom, Shower Room







汉庭酒店案例

Showcase of the four-star hotel usage
米色砖纹 单张规格：2400*600mm 工艺：线条雕刻
Beige brick pattern SPC wall panel
Size:2400x600mm　Craftsmanship: Line carving



应用区域：卫生间、淋浴房 Application Area: Bathroom, Shower Room



桔子酒店案例

Showcase of the four-star hotel usage

木纹　单张规格：2400*600mm 工艺：线条雕刻

Green brick pattern SPC wall panel

Size:2400x600mm　Craftsmanship: Line carving



应用区域：卫生间、淋浴房　Application Area: Bathroom, Shower Room







锦江之星酒店案例

Showcase of the four-star hotel usage

绿色翡翠　　单张规格：2400*600mm 工艺：线条雕刻

Green jade　Size: 2400x600mm　Craftsmanship: Line carving

艺术装饰吸音板

ACOUSTIC PANEL SERIES



款式丰富颜色多样

RICH IN STYLES AND DIVERSE COLORS

吸音板系列新品的开发，集装饰与吸音两大功能于一体，揉进了诸多个性化文化艺术元素，各款式产品丰富多彩，能让设计师们脑洞大开，随意勾勒室内装饰的美丽画卷！

The development of the new series of sound-absorbing panels integrates decoration and sound absorption functions, incorporating various personalized cultural elements. The products come in variety of styles, allowing designers to unleash their creativity and freely sketch the beautiful picture of interior decoration!

吸音板系列 / Acoustic Panel Series



产品名称 Product Name	聚酯纤维吸音板 Polyester fiber acoustic panel
产品材质 Product Material	聚酯纤维+MDF/WPC+覆膜 Polyester fiber+MDF/WPC+Veneer covered
产品规格 Product Specifications	2400/2700/3000/600*600*21mm 2400/2700/3000/600*600*21mm
产品颜色 Product Color	科技木皮、天然木皮、或PVC膜等 Technology veneer, natural veneer, PVC film, etc.
截面尺寸 Cross-sectional Size	见下部展示 See the following part for demonstration

- 有效降噪吸音
  Effective noise reduction and sound absorption
- 丰富的色彩和造型
  Rich colors and shapes
- 阻燃性
  flame retardancy

截面尺寸展示 / Section size display



花色展示 / Flower color display

PVC木纹膜(直条形) / PVC Wood Grain Film(Straight Strip)

皇家柚木
Roval Teak

细丝尤加木
Fine silk Eucalvptus Wood

胡桃木
Walnut Wood

秋香木
Autumn Fragrant Wood

黄枫木
Yellow Maple Wood

欧洲胡桃
European Walnuts

工程案例 / Engineering Case Diagram

花色展示 / Flower color display

科技木皮(直条形) / Technology veneer (strip shape)

美国橡木
American Oak

胡桃木
Wainut Wood

洗白白橡
Wash White Oak

红橡木
Red Oak

樱桃木
Cherry Wood

烟熏橡木
Smoked Oak

酸枝木
Sour Twig Wood

黑橡木
Black Oak

白橡木
White Oak

工程案例 / Engineering Case Diagram



花色展示 / Flower color display

天然木皮(直条形) / Natural Wood Veneer (Straight Strip)

红胡桃
Red Walnut

凤凰木
Delonix

琥珀木
Amber Wood

红橡木
Red Oak

白橡木
White Oak

香杉木
Cedar Wood

红桦木
Red Beech Wood

胡桃木
Wainut Wood

工程案例 / Engineering Case Diagram



花色展示 / Flower color display

PVC木纹摸(曲线木条形) / PVC Wood Grain Mould (Curved Wood Strip Shape)

样式一 / Style one



样式二 / Style two



花色展示 / Flower color display

方形吸音板 / Square sound-absorbing panel

模块化方形吸音板，采用WPC材质，具有防火、防水、防虫、无甲醛释放等材质优点，是优质环保型材料。在WPC板材上雕刻细槽，细槽的方向不同且错落有致，板与板之间不同的拼接方式，都能够拼凑出不同的花型，形成不同的美图效果。且通过基板和饰面的色彩对比，大大提高了立体感。WPC板材的饰面贴合PVC膜，色彩鲜明，风格各异，选择多多!WPC板材细槽底部通过打孔穿透板材，背面打钉固定聚酯纤维板，起到吸音作用。细槽与细槽之间鼓起的轨道，形成片状结构，起到声音扩散的作用，能让空间内的任何位置的听觉效果基本一致。方形模块化吸音板，便于运输和安装，能够集吸音、静音扩散、魔幻式装饰于一体的超级理想的室内装修材料!

The sound absorption function of polyester fiber is fully utilized,and WPC wood plastic board is used for hollow carving. WPC carving is nailed and fixed on the polyester fiber board, and the hollow carving can retain the beautiful carving pattern without affecting the sound absorption function of the polyester fiber board. The wood plastic board is decorated with PVC film, which is beautiful and practical, and can form a good three-dimensional beauty through color comparison with polyester fiber. The carving style is aesthetically diverse and can be customized according todifferent customer preferences, showcasing nobility!Polyester carved sound-absorbing board combines two materials with different functions to achieve a perfect combination of sound absorption and decoration.

方形 1
Square 1

方形 2
Square 2

方形 3
Square 3

方形 4
Square 4



方形 5
Square 5

方形 6
Square 6

花色展示 / Flower color display

工程案例 / Engineering Case Diagram





花色展示 / Flower color display

雕花吸音板 / Carved sound-absorbing panel

充分利用了聚酯纤维的吸音功能，再采用WPC木塑板材镂空雕花，WPC雕花打钉固定在聚酯纤维板材上面，镂空的雕花，既可以保留美观的雕花图案，也不会影响聚酯纤维板的吸音功能，木塑板材饰面贴合PVC膜，美观实用，且能通过和聚酯纤维不同的色彩对比，形成较好的立体美感。雕花风格美观多样，可以根据不同的客户受体，采用私人订制的加工模式，彰显尊贵！聚酯雕花吸音板，使两种功能各异的材料复合在一起，实现吸音和装饰的完美结合。

The sound absorption function of polyester fiber is fully utilized and WPC wood plastic board is used for hollow carving. WPC carving is nailed and fixed on the polyester fiber board, and the hollow carving can retain the beautiful carving pattern without affecting the sound absorption function of the polyester fiber board, The wood plastic board is decorated with PVC film, which is beautiful and practical, and can form a good three-dimensional beauty through color comparison with polyester fiber. The carving style is aesthetically diverse and can be customized according to different customer preferences showcasing nobility!Polyester carved sound-absorbing board combines two materials with different functions to achieve a perfect combination of sound absorption and decoration.



样品 1
Sample 1

样品 2
Sample 2

样品 3
Sample 3

样品 4
Sample 4

样品 5
Sample 5

花色展示 / Flower color display

雕花吸音板 / Carved sound-absorbing panel



样品 6
Sample 6



样品 7
Sample 7

样品 8
Sample 8

样品 9
Sample 9

样品 10
Sample 10

工程案例 / Engineering Case Diagram

户外PE系列

OUTDOOR PE SERIES

款式丰富颜色多样

RICH IN STYLES AND DIVERSE COLORS

户外PE木塑是一种结合了聚乙烯（PE）和木粉等植物纤维的复合材料，也被称为塑木、环保木或科技木。这种材料在户外环境中的应用非常广泛。它具有优良的物理和机械性能，防火B1级，环保E0级，耐磨防晒等特性，适用室外墙体装饰，围栏装饰，地板铺装等，户外PE板材以其独特的性能和广泛的应用领域，成为户外环境中不可或缺的材料之一。

Outdoor PE wood-plastic is a composite material that combines polyethylene (PE) with wood flour and other plant fibers. It is also known plastic wood, eco-friendly wood, or tech wood. This material is widely used in outdoor environments. It possesses excellent physical and mechanical properties, is fire-resistant to B1, environmentally friendly to level E0, and is wear-resistant and UV-protected. It is suitable for outdoor wall decoration, fence decoration, and floor. With its unique performance and wide range of applications, outdoor PE boards have become one of the indispensable materials in outdoor environments.

219户外墙板 / 219 Outdoor Wall Panels

产品名称 Product name	219户外墙板 219 Outdoor Wall Panels
基材材质 Substrate material	PE和木粉或者竹粉 PE and wood powder or bamboo powder
产品规格 Product specifications	219*26mm 219*26mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	样色多样 Various colors
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

产品展示/ Product Exhibition





案例展示 / Case presentation



155外墙板 / 155 exterior wall panels

产品名称 Product name	155外墙板 155 exterior wall panels
基材材质 Substrate material	PE和木粉或者竹粉 PE and wood powder or bamboo powder
产品规格 Product specifications	155*20mm 155*20mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	样色多样 Various colors
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

产品展示/ Product Exhibition



案例展示 / Case presentation





户外地板 / Outdoor floor

产品名称 Product name	户外地板 Outdoor floor
基材材质 Substrate material	PE和木粉或者竹粉 PE and wood powder or bamboo powder
产品规格 Product specifications	140*25mm 140*25mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	样色多样 Various colors
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

产品展示/ Product Exhibition



户外围栏板 / Outdoor fence panel

产品名称 Product name	户外围栏板 Outdoor fence panel
基材材质 Substrate material	PE和木粉或者竹粉 PE and wood powder or bamboo powder
产品规格 Product specifications	150*20mm 150*20mm
产品尺寸 Product size	2900mm（长度可定制） 2900mm （Custom Length）
产品颜色 Product color	样色多样 Various colors
截面尺寸 Cross-sectional dimensions	

防火阻燃
FIRE PROTECTION
FLAME RETARDANT

环保健康
ENVIRONMENTAL
HEALTH

颜色可选
COLOR
OPTIONAL

防水防潮
WATERPROOF
MOISTURE-PROOF

可塑性强
HIGHLY
MALLEABLE

支持定制
SUPPORT FOR
CUSTOMIZATION

产品展示/ Product Exhibition

案例展示 / Case presentation



户外方通 / Outdoor square tube



50*50方木
50*50 Square wood

产品尺寸：50*50mm
Product size: 50*50mm
产品长度：2900mm(可定制)
Product length: 2900mm (customizable)

100*50方木
100*50 Square wood

产品尺寸：100*50mm
Product size: 100*50mm
产品长度：2900mm(可定制)
Product length: 2900mm (customizable)

100*50方木
100*50 Square wood

产品尺寸：100*50mm
Product size: 100*50mm
产品长度：2900mm(可定制)
Product length: 2900mm (customizable)

户外木塑配件 / Outdoor wood-plastic accessories

木塑龙骨
Wood-plastic dragon bone



木塑收边条
Wood-plastic trim



木塑立柱
Wood-plastic post

木塑柱帽
Wood-plastic column cap

木塑柱底
Wood-plastic column base

非共挤色卡
Non-coextruded color card



共挤色卡
Co-extruded color card





竹木纤维格栅
Grille

SPC 石晶墙板
SPC Wall Panel

碳晶板
WPC Board

PU 仿真石
PU Stone

方通天花
Ceiling&Partition

户外墙板
Outdoor Wall Panels

户外地板
Outdoor Deck

户外围栏板
Fence Board

品质伴朝夕 格调敬慧识

Quality accompanies the day and night Grace respects wisdom.