


COLOR PAPER BOARD

Years of work experience
Decades of work team




COLOR CARDBOARD---CASPERG PAPER

Quality Specification

Item	GSM	Bulk	Bekk Smoothness	Water uptake value	D65 brightness	Opacity	Moisture
Unit	g/m ²	cm ³ /g	s	g/m ²	%	%	%
Detection method	GB/T451	GB/T451	GB/T456	GB/T1540	GB/T7974	GB/T1543	GB/T462
COLOR CARDBOARD	60±2.0	1.33±0.03	35±10	30±10	99±2	91±2	5.5±1.5
	65±2.0	1.33±0.03	35±10	30±10	99±2	93±2	5.5±1.5
	70±3	1.29±0.03	35±10	30±10	99±2	93±2	5.5±1.5
	75±3	1.29±0.03	35±10	30±10	99±2	94±2	5.5±1.5
	80±3	1.26±0.03	35±10	30±10	99±2	95±2	5.5±1.5
	90±4.0	1.26±0.03	35±10	30±10	99±2	97±2	5.5±1.5
	95±4.0	1.26±0.03	35±10	30±10	99±2	97±2	5.5±1.5
	100±4.0	1.25±0.03	35±10	30±10	99±2	98±2	5.5±1.5
	120±4.0	1.23±0.03	35±10	30±10	99±2	99±2	5.5±1.5
	140±4.0	1.17±0.03	28±5	30±10	97±2	98±2	5.5±1.5
	160±4.0	1.16±0.03	28±5	30±10	97±2	99±2	5.5±1.5
	180±4.0	1.14±0.03	28±5	30±10	97±2	99±2	5.5±1.5
	200±4.0	1.12±0.03	27±5	30±10	97±2	99±2	5.5±1.5
	220±4.0	1.12±0.03	25±5	30±10	97±2	99±2	5.5±1.5
	230±4.0	1.12±0.03	25±5	30±10	97±2	99±2	5.5±1.5
250±4.0	1.12±0.03	25±5	30±10	97±2	99±2	5.5±1.5	

PARTIAL PRODUCT DIMENSIONS

SUPPORT CUSTOMIZATION



01



EXCELLENT PERFORMANCE

Smooth and delicate surface, uniform thickness, excellent tensile strength, durability, and stiffness performance.

ENVIRONMENT PROTECTION

Using environmentally friendly dyes, recyclable and pollution-free, in line with modern environmental requirements

02



03



STRONG COLOR EXPRESSION

Color stability and non fading, providing a variety of bright color choices, suitable for art creation, gift packaging, etc



Family Fun

Cardboard sticky notes

3D products

Art painting


APPLICATION SCENARIOS

STRONG PRODUCTION CAPACITY

SHORT SHIPPING CYCLE



Finished product warehouse



Raw paper warehouse



Coating plant



cutting equipment



Packaging Equipment



Test equipment



FAST DELIVERY SPEED

HIGH PRODUCTION EFFICIENCY



Can we provide special sizes?

We can provide special sizes and customized products according to customer requirements.

Why is the packaging damaged?

Excessive self weight causing compression can lead to packaging damage

How to obtain prices?

We usually quote within 24 hours after receiving your inquiry

How long does it take to ship?

7-20 days after receiving the deposit (7-10 days for regular orders, 15-20 days for customization/large orders).

What are the logistics methods?

SF Express / Deppon / DHL / sea transportation / air transportation, recommend the best solution according to your needs.

Are you a manufacturer?

Yes, I am a manufacturer. There are many excellent manufacturers in China, and I am just one of them.



Tel:+86 15237307546

Email:alexwangpaper@vip.163.com

Wel:www.caspergpaper.com www.caspergggroup.com

Add:1#Chuangye road,Muye District,Xinxiang City,Henan Province,China

CASPERG PAPER INDUSTRIAL CO., LTD

CASPERG IMPORT AND EXPORT CO., LTD