

SELF-ADHESIVE PAPER

YEARS OF PRODUCTION EXPERIENCE



WARNING SIGN





PRODUCT
IDENTIFICATION



COMMODITY
PACKAGING



EXPRESS DELIVERY



WATER BASED

CASPERG PAPER INDUSTRIAL CO., LTD

Glossy self-adhesive paper

Surface substrate:

Smooth glossy white coated paper with polished surface, especially suitable for full plate printing.

Basic weight: 80g/m²±10% ISO536

Thickness: 0.084 mm±10% ISO534

Adhesive:

A universal permanent acrylic latex.

Base paper:

White cowhide backing paper coated with plastic on one side. Whether it is die-cutting on flat or circular pressing equipment, it has excellent strength

Basic weight: 95g/m²±10% ISO536

Thickness: 0.102mm±10% ISO534

Typical viscosity value (N/25mm):

Initial viscosity (st,st) - FTM 9:11.0 or tear

20 minutes 90°peel adhesion (st,st) - FTM2:75 or tear

24 hour 90°peel adhesion (st,st) - FTM2:8.5 or tear

Minimum labeling temperature: 10°C

24 hours after labeling, operating temperature range: -50 °C~+90 °C

***Please sent a signed confirmation to alexwangpaper@vip.163.com Failure to sign and return the CASPERG PAPER INDUSTRIAL CO., LTD will result in the cancellation of this Invoice. ***

HOT MELT

CASPERG PAPER INDUSTRIAL CO., LTD

Glossy self-adhesive paper

Surface substrate:

Smooth glossy white coated paper with polished surface, especially suitable for full plate printing.

Basic weight: 80g/m²±10% ISO536

Thickness: 0.084 mm±10% ISO534

Adhesive:

A universal permanent rubber based adhesive.

Base paper:

White cowhide backing paper coated with plastic on one side. Whether it is die-cutting on flat or circular pressing equipment, it has excellent strength

Basic weight: 95g/m²±10% ISO536

Thickness: 0.102mm±10% ISO534

Typical viscosity value (N/25mm):

Initial viscosity (st,st) - FTM 9:14.0

20 minutes 90°peel adhesion (st,st) - FTM 2:8.0

24 hour 90°peel adhesion (st,st) - FTM 2:10.0


Minimum labeling temperature: 10°C

24 hours after labeling, operating temperature range: -15 °C~+65 °C

***Please sent a signed confirmation to alexwangpaper@vip.163.com Failure to sign and return the CASPERG PAPER INDUSTRIAL CO., LTD will result in the cancellation of this Invoice. ***

SPECIFICATIONS DISPLAY

OTHER SPECIFICATIONS AND SIZES CAN BE CUSTOMIZED



OUR ADVANTAGES

1

Can meet the adhesive requirements of different scenarios



2

Equipped with waterproof and oil resistant functions




3

Suitable for surfaces of various materials



For more details, please consult customer service



Laser printing

Needle printing

Inkjet printing

ADAPTATION MACHINE

*COMPATIBLE WITH MULTIPLE MACHINES
FOR PRINTING*

APPLICATION SCENARIOS

MULTIPLE USAGE SCENARIOS,
CONVENIENT TO USE

WAREHOUSE

WAREHOUSE CLASSIFICATION



LOGISTICS

INFORMATION PASTING



PACKAGING

FOOD INFORMATION



STRONG PRODUCTION CAPACITY

SHORT SHIPPING CYCLE



Finished product warehouse



Raw paper warehouse



Coating plant



cutting equipment



Printing equipment



Test equipment



FAST DELIVERY

*STABLE PRODUCTION CAPACITY
AND TIMELY DELIVERY*



Can we provide special sizes?

We can provide special sizes and customized products according to customer requirements.

Why is the packaging damaged?

Excessive self weight causing compression can lead to packaging damage

How to obtain prices?

We usually quote within 24 hours after receiving your inquiry

How long does it take to ship?

7-20 days after receiving the deposit (7-10 days for regular orders, 15-20 days for customization/large orders).

What are the logistics methods?

SF Express / Deppon / DHL / sea transportation / air transportation, recommend the best solution according to your needs.

Are you a manufacturer?

Yes, I am a manufacturer. There are many excellent manufacturers in China, and I am just one of them.



Tel:+86 15237307546

Email:alexwangpaper@vip.163.com

Wel:www.caspergpaper.com www.caspergggroup.com

Add:1#Chuangye road,Muye District,Xinxiang City,Henan Province,China

CASPERG PAPER INDUSTRIAL CO., LTD

CASPERG IMPORT AND EXPORT CO., LTD