Edge AI Box AI intelligent product introduction

Shenzhen Chuangmao Technology Co., LTD.

Al edge box overall scheme



Edge computing box

RK3568/3588

Video analysis edge AI box overall solution

1, support more than 100 kinds of visual algorithms flexible configuration

2. Complete API application interface and management

operation interface


3, complete Turnkey turnkey overall solution

4. Support end users to take photos according to their own

application scenarios and train and upgrade algorithms

Turnkey turnkey complete solution based on the edge AI box of training and pushing

Solution architecture





Provide Turnkey overall solution

Video structure + algorithm structure + application layer API interface

 Supports end-user algorithm self-optimization and upgrade

End users can collect 100 pictures according to their own scenes and optimize and upgrade the algorithm through the integrated platform of training and pushing

Function module

	List of smart NVR features							
Function module	Instructions	Function module	Instructions					
User management	Identity authentication, multi-role, multi-authority user management, etc	Event reporting management	Take the initiative to report the alarm event to the sub-management platform and push the alarm video					
IPC management	IPC search, add/remove, stream parameter setting, etc	Fast search	Support by device, by channel, by time, by event, by target, by attribute, by label and so on to quickly locate the target, and linkage call out the target video					
Polling management	Flexible channel rotation training, algorithm distribution strategy	System management	Basic Settings, device status, networking configuration, hard disk management, data backup, import and export					
Channel management	Set channel groups, schedule policies for channels in batches, and configure algorithms	Equipment maintenance	Device health detection, network detection, OTA upgrade, restore factory Settings, etc					
Algorithm library management	Manage face database, license plate database and other target recognition algorithm database	Multilingual management	Comes with Chinese, English and multiple languages, support any country language pack update					
Algorithm subscription	More than 100 algorithms can be flexibly subscribed, and the types and duration of subscription algorithms can be used for any combination of application scenarios.	Deeply customizable	Provide SDK interface, can achieve deep UI customization/skin change					
Event video management	Algorithm trigger, host computer instruction, external signal trigger and other event trigger mechanism	Full protocol docking	Support GB28181, 1400 protocols, ISUP, HTTP, MQTT, ONVIF, RTSP, etc					

100+ algorithm support


Scene classification	Functional classification	Algorithm name
	Dress code	Chef hat test, chef mask test, chef clothing test, shirtless, Testing without gloves
A bright kitchen and a	Site specification	Dustbin uncovered detection, rat detection, night intrusion, open smoke and flame detection
bright stove	Operation specification	Play mobile phone test, phone call test, smoking test, fire leave test
Total target analysis		Motor vehicle attributes, non-motor vehicle attributes, license plate recognition, face attributes
Smart park	Behavior analysis	Wandering identification, leaving the post identification, crowd identification, telephone identification, elevator difficulty identification, smoking identification
	Alert algorithm	Trip wire intrusion, area intrusion, channel blockage, vehicle congestion, illegal parking identification, fireworks detection, electric vehicle detection, garbage detection
	Human face	Face recognition, face capture, head detection, human key point detection, pedestrian attribute detection
General algorithm	Vehicle correlation	License plate recognition, electric vehicle detection, vehicle recognition
	Universal target detection	Flame detection, fall detection, gesture recognition, helmet detection
	City appearance	Traffic flow monitoring, illegal painting and paste monitoring, passenger flow statistics, electric vehicle helmet identification
	Safety hazard	Human flow statistics, crowd gathering, area intrusion, retention monitoring, road water identification, railings detection, fishing, fishing behavior detection, illegal tent construction detection, shirtless detection, danger identification near water, fighting
	transportation	Vehicle license plate
Urban management	Environmental protection	River floating object identification, personnel trespassing in dangerous waters, illegal fishing
	Urban construction	Night construction monitoring, hard hat identification, reflective clothing identification, intelligent identification
	Market supervision	Street business, travel stall vendor identification, blacklist identification, sundry pile identification
	Street community	Manhole cover identification, cat and dog identification, flame identification, high-altitude throwing, electric vehicle identification, fire passage obstacle identification, work clothes identification, fire door opening and closing status identification

According to the user's own use scenario, using the core computing one physical training and pushing platform to generate their own new algorithm...

End users optimize and upgrade algorithms based on their own scenarios

 Visual interface based on algorithm training

Developers can choose the appropriate algorithm model from the algorithm mall, and quickly train and deploy it through the "training and pushing" function



Intelligent analysis management operation interface display

Edge intelligent analysis platform interface

After logging in to the edge intelligent analysis platform, add a new camera in the camera management, after the successful addition, you can view the online status in the camera management, you can also edit and delete.

	Camera li	st					🕀 Ne	w camer	a 前 Batch deleti	on C Refresh
) E Innagement	Serial num	ber Device name	Video stream ID	Group	Passage	type	Protocol type	Status	Creation time	Controls
anagement	■ 1	1级轮询	78787e18-77ce-4187-b6c5-be5a6e71a17f	tefsaf	Passage1	rtsp	rtsp://admin:xsyt123456@192.168.1.24:554	online	2024/01/26/16:10:27	∠ Editor in Deletion
	2	2级轮询	113716da-ae61-4b1d-8480-cb791114906a	tefsaf	Passage1	rtsp	rtsp://admin:xsyt123456@192.168.1.24:554	online	2024/01/26/16:10:27	Z Editor 🗓 Deletion
	3									

Intelligent analysis management operation interface display


Edge intelli	gent analy	sis plati	form CPU: 26.75% NP	U: 8-% MEM: 70%	🗇 Prev	iew <u>ක</u> Inquire	Analyze	ම Camera @ S	ystem ac
ask management	Algori	thm list							
1 2	s	erial number	Algorithm name	Description	Version number		Тад	Subscription status	Renewal
rithm management			Universal target detection	Pet detection	v1	plastic bottle,leaf,dead branc bag,carton	shes,tissue,plastic	Be subscribing	
Î			A bright kitchen and a bright stove	Smoking	V1				
	Algorithm	ithm mall	Please enter the algorithm name		Reset Se	arch 🕜 Trair	ing platform		
	Serial	number	Мар	Algorithm name	Descripti	on Version nur	nber Platforn	n Operating sys	stem Controls
			Universal target detection	Pet detection		V1.0.0	RK3568	B Debian11	Install
			A bright kitchen and a bright stove	smoking					

Edge intelligent analysis platform interface

The algorithm list in the Algorithm Management of Intelligent Analysis can view the subscription status and local algorithms.

The scene algorithm can search for the local algorithm that needs to be used through the algorithm mall, and it can also train new algorithms through the training platform, and the new algorithms can be downloaded to the local deployment through the training platform.

Intelligent analysis management operation interface display



• Edge intelligent analysis platform interface

Real-time preview allows you to view online videos and alarm videos



Edge intelligent analysis platform interface

You can query video details by task, channel, alarm label, and filtering time

Mobile app management operation interface

Live preview: View video dynamics in real time Alarm query: You can view video history details by time filtering

Intelligent analysis: Displays the various algorithms in the algorithm mall and the algorithm usage of the device that has been configured



Application scenario: Smart community, park solution

- Scheme overview: The comprehensive security control of intelligent community/park and other areas is based on the edge AI box and combined with the AI vision algorithm automated training platform to provide a safe, comfortable and convenient intelligent life scene for the park. Creating refined community governance solves the problems of co-construction, co-governance, and sharing of park governance, integrating 5G, AI, big data, the Internet, and the Internet of Things, involving many fields such as campus parks, smart communities, and government parks.
- Algorithm application: License plate recognition, fall recognition, stranger intrusion, wandering recognition, smoking recognition, garbage classification recognition, dirt recognition, area invasion, fireworks recognition, smoking, telephone detection, fire channel blocking and other algorithms.
- Application scenario: For the community to achieve license plate recognition, face recognition, stranger detection early warning, blacklist control, open fire detection, smoke detection, security personnel leaving the post detection, smoking detection, telephone detection, personnel wandering detection, fence detection, personnel falling to the ground detection, fight detection and other application scenarios.

System framework

Application	Smart community/park security management platform									
layer	Safety monitoring	Prevailing situation	Envir	onmental monitoring	Earl	warning center	Device	e status	End-	-to-end data encryption
Deck level	Power algorithm scheduling Data twinning	Data entry and processing services Video stream input, picture i Input, video file input,		Early warning proce and storage servic Alarm data filtering, alarm Data source push, alarm	ces n	Task managem scheduling se Video point manage Task scheduling, Al	ment, Al	Interface s	ervice	System management service User rights management, System setup and
	Data sharing	Video display and storage				power Allocation, ta management				no-encryption Code entry
Algorithm	Human key point detection	Face recognition		Fall recognition	Depart	ure identification	Electric ve	hicle recogni	tion	Smoking identification
layer	Stranger intrusion	Wandering recognition	Pyro	otechnic identification	Climb	over identification	Mask	recognition		Crowd identification
Computing layer										
		Al analysis serv	rer			Platform se	erver			

Functional characteristics

Intelligent security management platform, based on edge AI box (intelligent NVR) device and combined with AI visual computation Method automatic training function, to create integrated management, fine governance, visual analysis of the "stability.Establish an efficient, co-governing and shared data information management platform."

Application scenario








学校园区

政府园区

智慧社区

Application scenario: Smart hotel solution

- Scheme overview: Intelligent hotels rely on AI, Internet of Things, big data technology to achieve digital upgrading of hotel management and other technologies, with intelligent terminal equipment as the carrier, through the operation, management, service digitization, intelligence and network, to provide customers with convenient, comfortable and safe experience, but also improve the security level, service efficiency, reduce management costs.
- Algorithm application: Application scenarios such as fireworks recognition, area intrusion detection, face recognition, object detection recognition, fight recognition, fall recognition, stranger entry, stranger trailing, room door personnel wandering, lingering, ground garbage recognition, reception personnel gathering, door license plate and so on.



System architecture

Functional characteristics

1. Real-time remote monitoring: It can monitor the movement of personnel and goods in each area in real time.

2, abnormal event warning: in the warning area of the system, if the fireworks are detected and reach the upper limit of the domain value, the alarm will be triggered.

3, **regional intrusion detection:** set the forbidden area in the video screen, if someone crosses the warning line or enters the preset forbidden area, the system will send information alarm to the supervisor.

4, rapid development and integration: provide rapid development of equipment and applications, with high integration SDK, can shorten the development cycle of APP docking, forming a systematic and comprehensive video convergence system.

5, flexible, compatible and diversified display: the platform supports different brands and models of equipment access.

Application scenario: Statistical analysis of passenger flow in commercial complex

- Application scenarios: shopping malls and stores in and out of the passenger flow, gender ratio, age, movement trajectory analysis, VIP customer identification, the number of visits to the store, suspicious personnel identification, etc., to assist supermarket timely adjustment of marketing strategies, seize effective target customers, improve customer service experience.
- Technical solution: Through the edge computing video analysis AI BOX, access to supermarket and store cameras, according to the channel configuration of the corresponding algorithm, the local identification analysis data is reported to the brand headquarters data platform and complex supervision platform.
- Landing: At present, it has landed in the national clothing brand chain stores, jewelry stores, automobile 4S stores, covering the number of stores 100+.

Application scenario



Passenger flow attribute analysis



VIP recognition




Analysis of passenger flow trend



Store flow statistics

Application scenario: Bright kitchen – kitchen supervision of catering stores

- Scheme overview: The AI box equipped with the algorithm middleware platform, with the monitoring of various areas of the site, automatically identifies and judges the operation norms of kitchen and sanitation and personnel, and plays a role in real-time monitoring and early warning and efficient supervision.
- Algorithm application: Smoking recognition, garbage can overflowing, rat infestation recognition, mask recognition, personnel operation standards, fireworks recognition, chef clothing and hat detection, telephone recognition, smoke flame recognition and other algorithms.
- Application scenario: Exhibition catering, airport catering, hotel catering, chain canteen, central catering and other application scenarios.



System architecture

Application scenario



Exhibition catering

Airport restaurant

Hotel, supermarket catering







Chain catering

Central kitchen

School canteen


Application scenario: Fire lane/evacuation channel occupation solution

- Scheme overview: Through the application of video AI technology in fire safety management, real-time monitoring, intelligent identification and alarm disposal of vehicle occupation in fire lanes and blockage of evacuation channels can be realized, and many artificial intelligence applications such as regional fire point detection, smoke identification, illegal charging or parking of electric vehicles, and personnel in the control room can be realized. Effectively solve various hidden problems such as the frequent occupation of fire lanes and evacuation channels, and improve the unit's self-management ability and fire safety level.
- Algorithm application: Fire lane occupation detection, battery car illegal parking/elevator, indoor evacuation channel occupation detection and other application scenarios.

le)

System architecture







Community, business district, park, hospital, school fire access, fire entrances and exits

			1 MAR AND
	Preintelligent	-0	
Sound and light ala	arm camera	NVR	
ocal edition			
8			
Salvage camera	Post-intelligent		Screen (Recyclable

Functional characteristics

- 1. Implement the supervision and management system through civil air defense + technical defense
- Detect feedback and intelligent identification of illegal stop behavior through the monitoring technology of Huachao throughout the period
 Use the integrated management platform of Huaxiao Internet of Things for data management and record violations

Application scenario







Fire truck accounted for the detection


The battery car enters the elevator

Indoor evacuation passage occupied

Application scenario: electric vehicle charging shed solution

Scheme overview: Electric vehicle charging shed is based on Al intelligent fire identification camera equipment, artificial intelligence, algorithm recognition and other technologies, when a fire occurs, if the camera detects a fire on the scene, it will immediately link the broadcast pillar for alarm to the alarm center system platform, the administrator client, security operations personnel, and the fire center real-time alarm. It can also control remote power off, fire extinguisher, fire sprinkler head automatic fire extinguisher, quickly extinguish fire, the system also supports a video intercom, remote broadcast, remote video surveillance and other functions, widely used in charging piles, warehouses, factories, shopping malls and other places of fire alarm.

System framework



Application scenario



Street charging station



Community convenient charging station




Park convenient charging station

Application scenario: Smart school solution

- Program overview: The smart school solution collects and analyzes Al video behavior analysis, such as the school gate, dormitory, wall, kitchen and other areas, and then uses algorithm model training, management, and delivery to the front-end edge computing device to deepen the application of campus Al intelligent analysis scenarios.
- Algorithm application: Fighting behavior recognition, fall recognition, fireworks recognition, smoking and playing mobile phone recognition, personnel stay and other algorithms.

School playground

Real-time AI video analysis, campus playground border monitoring, campus personnel behavior analysis, fighting, abnormal wandering, illegal entry and other abnormal situations alarm.



Smart canteen

- Dress code, conduct code, place code. ٠
- Automatic warning, reporting, and recording effectively solve the pain points such as low efficiency of traditional monitoring and difficult traceability, and build a smart upgrade solution that can be upgraded. lightly deployed, and easily managed.

...more

P		I



The kitchen is bright and the stove is bright

Roof/passageway

Dangerous area invasion





Application scenario: Smart elevator solution

- Scheme overview: It is an elevator supervision system based on sensor technology, Internet of Things technology, big data analysis technology and cloud computing technology. Its main functions include real-time monitoring of the operating status of the elevator, finding abnormal situations and timely alarm to reduce the accident rate. To realize the centralized management of elevator operation data, it is convenient for managers to carry out real-time monitoring and remote operation of elevator operation.
- Algorithm application: 人Shape counting, electric vehicle detection, fireworks recognition, opening and closing doors, foreign body blocking doors, liquefied gas cylinder recognition and other algorithms.

 Application scenario: Should be in residential areas, commercial office buildings and public transport places.




Humanoid count



Electric vehicle detection



Pyrotechnic identification



Application scenario: Smart site solution

- Scheme overview: Smart site is an overall solution based on modern technologies such as the Internet of Things, cloud computing and big data around the three core elements of "people, machines and materials" in construction sites. Based on the four major businesses of site visualization, real-name management, real-time monitoring, and full vehicle entry and exit record, multi-dimensional expansion services such as tower crane safety monitoring, schedule management, quality supervision, and cost control are formed to ensure safe and efficient site management.
- Application algorithm: Helmet, reflective clothing, smoking, telephone identification, intrusion detection, flow detection, departure detection, sleep identification, crowd identification, vehicle detection, illegal parking, water, manhole cover, channel blockage, gate state, seat belt, guard clothing, fall and other algorithms.

Intrusion detection

 Use the camera to identify in real time whether other strangers have invaded the forbidden area. If found, immediately alarm, alarm signal synchronous push to the manager.



Safety risk identification

 Through the camera automatically identify the safety helmet wearing situation in the work area of the construction site, reduce the occurrence of safety accidents.



Reflective clothing recognition

- Automatic recognition of compliance Wearing reflective overalls,
- Real-time reminder records to prevent security accidents.



- Departure identification
- Departure recognition is based on the computational AI vision algorithm, with the onsite camera, automatically identify the departure behavior of the monitoring room.





 The camera is used to detect all vehicles in the medium and low height shooting scenes.



Fall recognition

Vehicle detection


- Automatically identify the personnel fall accident in the site, real-time warning, timely rescue, effectively reduce the error and cost of human supervision, and improve the safety of public
- places. Automatic door opening is achieved by using sensor devices such as cameras to identify the state of the door (open or closed).



Gate state

Application scenario: Intelligent NAS - Home/company/enterprise private cloud server

- Scheme overview: Add AI functions on the basis of traditional NAS to enhance user experience, and can access home/enterprise smart devices, but also according to the timeline classification story line management photos and videos for unified management, efficient automatic processing of storage content and multi-end communication, to ensure privacy and security, save traffic costs.
- Algorithm application: Scene recognition, object recognition, text recognition, face recognition, action recognition, similarity recognition, image processing and other algorithms.
- Application scenario: TO C home server/private cloud.



Interface diagram

AI工具



Al vision analysis



Scene recognition



Object recognition




Character recognition

Hardware specification

CPU	RK3568, 4-core, main frequency 2.0GHz				
NPU	1TOPs				
Internal memory	2GB/4GB/8GB				
store	EMMC 16G (8G/32G/64G/128G selectable)				
USB port	2 a USB3.0,2个USB2.0				
	Multiple RJ45 ports, 10M/100M				
Network support	2.4G/5G Wi-Fi, BT support				
	Support 4G network				
HDMI	1个HDMI_Out				
Power source	DC12V				

CPU	RK3588, 8-core, 4xCortex- A76+4xCortex-A55 2.6GHz					
NPU	6TOPs					
Internal memory	64bit LPDDR4/5 8/16/32GB					
store	EMMC Patch available with +T card /SSD 16/32/64G optional					
USB port	4 USB3.0,2 USB2.0					
	RJ45 Gigabit network port					
Network support	2.4G/5.8G 300Mbps					
	Supports 4G and 5G networks					
HDMI	1个HDMI_Out					
Power source	Wide input 12-24V DC					

Algorithm map



Algorithm presentation





Mobile

License plate

recognition

humanoid







Pedestrian

counting

detection







Fixation length



Fall detection

Pet inspection

Vehicle

中市 取出 的现在能在第 個 专便明 Ы

- 其佳依 5

Electronic

Fruit and

vegetable

identification

seal

detection

Battery car detection

Helmet testing

76543210 1234567

QR code


recognition

Face capture



Face

segmentation









detection



Non-motor vehicle identification



Driving behavior analysis



Food recognition



detection

Landmark

recognition



Universal scene recognition

score:0.983

Infrared in vivo

detection



Pet classification



Crowd identificationn





Expression recognition



Helmet identification

People flow



zootaxon

recognition

statistics



In vivo detection



Face attribute

landscape



Charging pile occupation identification



Face clustering



Climb recognition



DMS algorithm





Algorithm presentation



Shortsleeved shorts recognition



Personnel lifter identification




Universal scene text

recognition

Camera

occlusion

recognition



🔐 Riwinn 爱华盈通

Smoking call recognition





Smoking call

recognition

Plate detection

Electric vehicle

helmet



Smoke identification

Parcel burst

warehouse

identification

Wandering

recognition

Elevator is

difficult to

identify



recognition





Intrusion identification

Water

Elevator

opening and

closing

identification



Reflective

clothing

Child transgression

Busy billboard

identification



Hand analysis and tracking






Vehicle type

recognition





High-altitude parabolic

Traffic flow

statistics

Big trucks are

banned










tramp





Occupation management identification







The monitoring room is off duty movement identification

Identification of river floats

Passenger

Sleeping post

recognition



Luggage inspection

Hallway debris piled up















Tired driving



Thank you Welcome to cooperate and consult

Shenzhen Chuangmao Technology Co., Ltd.

www.ai.cc