




上海盈创纺织服装器材有限公司

营业部: 无锡市清扬路7号联通大厦1203A室 电话: 0086-510-85015496 82736809 传真: 0086-510-85015496 SHANGHAI INCHUN SPINNING&WEAVING CLOTHING EQUIPMENT CO.,LTD
ADD: ROOM 1203A LIANTONG BUILDING(7# QINGYANG ROAD) WUXI CITY

TEL: 0086-510-85015496 82736809 FAX: 0086-510-85015496 E-MAIL: shanghaiinchun@163.com www.inchun-lauki.com

产品手册 Product manual 2023-2024

专业洗涤业后整理设备制造商 Professional finishing and









公司简介

上海盈创纺织服装器材有限公司作为中国知名的洗涤熨烫设备制造商是中国使用量最多的企业之一,我们承载了20年的公司历史,继续以专注、专业的精神为关爱我们客户提供高效、实用、耐用、高性价比的产品。

盈创以生产为中心,拥有一批高素质的管理人才及生产员工,拥有现代化的厂房和零配件及成品组装流水生产 线,拥有一批先进的生产加工设备及质量检测设备,核心的部件均为自己制造,采用先进的管理软件系统进行 日常生产事务的管理,严格依照并执行国际质量体系进行生产运作程序的管理。

盈创产品先后通过了CE、ETL等国际国内权威机构认证。盈创先后获得了国际标准证书以及多项中国行业专利。 盈创公司所有的荣誉都体现证明了盈创对产品生产是精益求精,每个产品都是精心打造的。

盈创以生产研发为主体,产品不仅在中国国内获得比较大的市场份额,而且也逐步被国外几十个国家认可。 盈创永远的追求是具有创意的产品外观设计、安全耐用的产品品质、高效实用的产品性能、务实诚信的产品价格、真诚优质的客户服务。盈创的理念是为客户创造价值、为用户创造价值、为员工创造价值、为公司创造价值、为社会创造价值。





About Us

SHANGHAI INCHUN SPINNING & WEAVING CLOTHING EQUIPMENT CO., LTD. is a well-known manufacturer of laundry ironing equipment, and it is one of the most uses our machines in China. Our company have been in this industry for 20 years, and we will keep on providing efficient, practical, durable and high cost performance products with focused and professional spirit.

We focus on production, and has a group of high-quality management personnel and manufacturing worker, with modern factory and flow production line for assembling spare parts and finished products. We also have a number of advanced production and processing equipment and quality testing equipment. The core components are all made by ourselves. Using advanced management software system for daily production management and strictly follow and carry out international quality system to manage production operation procedure.

Company products have passed the certification of international and domestic authorities such as CE and ETL. And our company has received international standard certificate and many patents in China. All the glory of our company demonstrated that we keep on improving product quality. Each product is carefully crafted.

Inchun takes research and develop, producing as the main body, and our products not only gain a larger market share in China, but also has been gradually recognized by dozens of countries abroad.

Always in the pursuit of creative product design, safe and durable product quality and efficient product performance, integrity and practical price, sincere and good customer service, our company philosophy is to create value for customers, for users, for employees, and for the company, also for the society.













选型小建议:

由于我们的产品种类档次较多,根据我们的经验向您提供一点选型建议,尤其是压烫机的选择。

- 1、如果是四、五星酒店洗衣房,建议选择标准压烫机或重压型压烫机系列。
- 2、如果是大型洗衣工厂建议选择立体熨烫设备系列并配以标准或重压型压烫机机种。
- 3、如果是中小型洗衣工厂或预算有限的洗衣店建议选择经济型或半自动压烫机系列,人像机可以选择YC-001系列产品。

型号索引:

	每4 0 0 4 5玉
■ 标准压烫机系列	第1、2、3、4、5页
	2011 21 01 11 05

■ 非标定制产品 第6页

■ 经济型压烫机系列 第7、8页

■ 重压型压烫机系列 第9、10页

■ 标准自带汽源压烫机系列 第11、12页

■ 经济型自带汽源压烫机系列 第13、14页

■ 立体熨烫机系列 第15、16、17、18页

■ 辅助设备系列 第19、20、21、22页

SUGGESTIONS FOR MODEL SELECTION:

As we have many kinds and grades of products, we will provide you with some suggestions on model selection according to our experience, especially the selection of pressing machine.


- 1.If it is a four-star or five-star hotel laundry, it is recommended to choose standard press or high-pressure press series.
- 2.If it is a large laundry factory, it is recommended to choose three-dimensional ironing equipment series and equipped with standard or high-pressure pressing machine.
- 3. If it is a small and medium-sized laundry factory or a laundry with limited budget, it is recommended to choose the economical or semi-automatic pressing machine series, and the form finisher can choose YC-001 series products.

Model index:

Standard Press Series	Pages 1, 2, 3, 4 and 5
Non Standard Customized Products	Page 6
Economical Press Series	Page 7, 8
High-pressure Press Series	Page 9, 10
Standard Self-contained Steam Source Press Series	Page 11, 12
Economical Self-contained Steam Source Press Series	Page 13, 14
Three-dimensional Ironing Equipment Series	Page 15, 16, 17 and 18
Auxiliary Equipment Series	Page 19, 20, 21 and 22

QYC-207 气控自动领袖压烫机 Pneumatic Automatic Collar-Sleeve Press

- ■布草脱水后可直接熨烫。
- ■采用优质气动原件及合理的气路设计,全压缩空气控制压 烫工作, 无需外接电源, 工作稳定可靠安全。
- ■6mm不锈钢抛光工作面,汽压结构合理,压烫吻合度好, 保证熨烫品质。
- ■汽路设计简明有效,升温快,热损耗低。
- ■可根椐客户特殊要求定制。



- Be able to press just after cloth dehydrated.
- Using high-quality pneumatic components and with reasonable designed steam circuit. It is controlled by compressed air. No need of outer power. It is stable, reliable and safe.
- With 6mm polished stainless steel plate and reasonable steam pressure, it can make sure of high-quality press and perfect goodness of fit.
- The design of steam circuit is very simple and efficient. Temperature rises fast and with low heat ullage.
- We can customize products according to your request.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
领袖 Cuff&Sleeve	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1400*1300	340kg	/

QYC-205 气控自动绵品万能压烫机 Pneumatic Automatic Cotton Omoipotent Press

- ■布草脱水后可直接熨烫。
- ■采用优质气动原件及合理的气路设计,全压缩空气控制压 烫工作, 无需外接电源, 工作稳定可靠安全。
- ■8mm不锈钢抛光工作面,汽压结构合理,压烫吻合度好, 保证熨烫品质。
- ■汽路设计简明有效,升温快,热损耗低。
- ■可根椐客户特殊要求定制。




- Be able to press just after cloth dehydrated.
- Using high-quality pneumatic components and with reasonable designed steam circuit. It is controlled by compressed air. No need of outer power. It is stable, reliable and safe.
- With 8mm polished stainless steel plate and reasonable steam pressure, it can make sure of high-quality press and perfect goodness of fit.
- The design of steam circuit is very simple and efficient. Temperature rises fast and with low heat ullage.
- We can customize products according to your request.

熨烫部位 Part of Pressing	蒸汽压力 Steam pressure	蒸汽耗量 Steam Consumption	压缩空气压力 Compressed air pressure	外型尺寸 Size	重量 Weight	电源 Power
口布 Napkin	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1200*1400*1300	360kg	/



QYC-203 气控自动水洗万能压烫机 Pneumatic Automatic Omnipotent Laundry Press

- ■布草脱水后可直接熨烫。
- ■采用优质气动原件及合理的气路设计,全压缩空气控制压 烫工作, 无需外接电源, 工作稳定可靠安全。
- ■8mm不锈钢抛光工作面,汽压结构合理,压烫吻合度好, 保证熨烫品质。
- ■汽路设计简明有效,升温快,热损耗低。
- ■可根椐客户特殊要求定制。



- Be able to press just after cloth dehydrated.
- Using high-quality pneumatic components and with reasonable designed steam circuit. It is controlled by compressed air. No need of outer power. It is stable, reliable and safe.
- With 8mm polished stainless steel plate and reasonable steam pressure, it can make sure of high-quality press and perfect goodness of fit.
- The design of steam circuit is very simple and efficient. Temperature rises fast and with low heat ullage.
- We can customize products according to your request.





标准压烫机系列

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
万能 Utility Manual	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1300*1400*1300	350kg	/

QYC-204 气控自动衣身压烫机 Pneumatic Automatic Body Press

- ■布草脱水后可直接熨烫。
- ■采用优质气动原件及合理的气路设计,全压缩空气控制压 烫工作,无需外接电源,工作稳定可靠安全。
- ■8mm不锈钢抛光工作面,汽压结构合理,压烫吻合度好, 保证熨烫品质。
- ■汽路设计简明有效,升温快,热损耗低。
- ■可根椐客户特殊要求定制。





- Be able to press just after cloth dehydrated.
- Using high-quality pneumatic components and with reasonable designed steam circuit. It is controlled by compressed air. No need of outer power. It is stable, reliable and safe.
- With 8mm polished stainless steel plate and reasonable steam pressure, it can make sure of high-quality press and perfect goodness of fit.
- The design of steam circuit is very simple and efficient. Temperature rises fast and with low heat ullage.
- We can customize products according to your request.

ress	
LAUKI	

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
衣身 Body	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1200*1400*1300	350kg	/



QYC-206 气控自动肩背压烫机 Pneumatic Automatic Shoulder Back Press

- ■布草脱水后可直接熨烫。
- 采用优质气动原件及合理的气路设计,全压缩空气控制压 烫工作, 无需外接电源, 工作稳定可靠安全。
- ■6mm不锈钢抛光工作面,汽室结构合理,压烫吻合度好, 保证熨烫品质。
- 汽路设计简明有效,升温快,热损耗低。
- ■可根椐客户特殊要求定制。



- Be able to press just after cloth dehydrated.
- Using high-quality pneumatic components and with reasonable designed steam circuit. It is controlled by compressed air. No need of outer power. It is stable, reliable and safe.
- With 6mm polished stainless steel plate and reasonable steam pressure, it can make sure of high-quality press and perfect goodness of fit.
- The design of steam circuit is very simple and efficient. Temperature rises fast and with low heat ullage.
- We can customize products according to your request.

LAUKI

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
肩背 Shoulder	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1400*1300	320kg	/

YC-118 手动万能压烫机 Manual Omnipotent Press

- 模头大弧度工作面、压烫张力强。模头撑架为偏置式、方 便衣物翻转。
- 垫料敷设方法合理,再厚再薄的衣物,甚至有铜钮的制服 在烫时,也不会损伤衣物及钮扣,得到满意的熨烫品质。
- 专利式汽路, 让整机外观整洁, 预热时间只需5分种。
- ■配装浮筒式输水器,节汽效果优异。



- The mould has a big-radian mesa, and the ironing tension is very strong. The supporting shelf of mould is helpful for turning garments around.
- The method of applying cushion material is very reasonable. No matter how thick or thin the garment is, even the uniform with copper buttons, it will not damage the garment and buttons. You'll be satisfied with the ironing quality.
- Patented design of steam circuit, which makes the appearance of whole machine very tidy. Only need 5 minutes to preheat.
- Equipped with floating canister style drainning machine, it is with efficient steam-saving effect.

TUV
LAUKI

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
万能 Utility Manual	0.4~0.5Mpa	20kg/h	\	1200*1400*1400	330kg	1.1Kw	380V 50Hz

3

DYC-118 全自动万能压烫机 Automatic Omnipotent Press

- ■8个模式的电脑控制, 傻瓜式操作, 亦可和动强制所需功能。
- 独有技术模头设计,适用部位更准确。
- 垫料敷设方法合理,再厚再薄的衣物,甚至有铜钮的制服 在烫时,也不会损伤衣物及钮扣,得到满意的熨烫品质。
- 专利式汽路, 让整机外观整洁, 预热时间只需5分种。
- 配装浮筒式输水器, 节汽效果优异。



- Controlled by imported PLC computer, it is very easy to
- With special designed mould, it can fit the part of garment that need to press.
- The method of applying cushion material is very reasonable matter how thick or thin the garment is, even the uniform copper buttons, it will not damage the garment and but You'll be satisfied with the ironing quality.
- Patented design of steam circuit, which makes the appear of whole machine very tidy. Only need 5 minutes to preheat
- Equipped with floating canister style drainning machine. with efficient steam-saving effect.



标准压烫机系列 标准压烫机系列

ole. No m with uttons. arance at. e, it is		1		
压缩空气压力	外型尺寸 Size	重量 Weight	总功率 Total power	电源

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
万能 Utility Manual	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1400*1400	350kg	1.1Kw	380V 50Hz

DYC-118(46#)自动万能压烫机 Automatic Omnipotent Press

- ■8个模式的电脑控制, 傻瓜式操作, 亦可和动强制所需功能。
- ■独有技术模头设计,适用部位更准确。
- ■垫料敷设方法合理,再厚再薄的衣物,甚至有铜钮的制服 在烫时,也不会损伤衣物及钮扣,得到满意的熨烫品质。
- ■专利式汽路, 让整机外观整洁, 预热时间只需5分种。
- ■配装浮筒式输水器,节汽效果优异。




- Controlled by imported PLC computer, it is very easy to
- With special designed mould, it can fit the part of garment that need to press.
- The method of applying cushion material is very reasonable. No matter how thick or thin the garment is, even the uniform with copper buttons, it will not damage the garment and buttons. You'll be satisfied with the ironing quality.
- Patented design of steam circuit, which makes the appearance of whole machine very tidy. Only need 5 minutes to preheat.
- Equipped with floating canister style drainning machine, it is with efficient steam-saving effect.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
裤腿 Legs	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1400*1400*1400	370kg	1.1Kw	

Non Standard Customized Products

- ■8个模式的电脑控制,傻瓜式操作,亦可和动强制所需功能。
- ■独有技术模头设计,适用部位更准确。
- 垫料敷设方法合理,再厚再薄的衣物,甚至有铜钮的制服 在烫时,也不会损伤衣物及钮扣,得到满意的熨烫品质。
- ■专利式汽路, 让整机外观整洁, 预热时间只需5分种。
- ■配装浮筒式输水器,节汽效果优异。



- Controlled by imported PLC computer, it is very easy to operate
- With special designed mould, it can fit the part of garment that need to press.
- The method of applying cushion material is very reasonable. No matter how thick or thin the garment is, even the uniform with copper buttons, it will not damage the garment and buttons. You'll be satisfied with the ironing quality.
- Patented design of steam circuit, which makes the appearance of whole machine very tidy. Only need 5 minutes to preheat.
- Equipped with floating canister style drainning machine, it is with efficient steam-saving effect.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
裤腰 Trouser waist	0.4~0.5Mpa	15kg/h	0.4~0.5Mpa	1200*1400*1400	320kg	1.1Kw	

B-118半自动万能压烫机 B-118 Semi-automatic Utility Press

■采用特殊的气路设计,可以上夹头任意停在所需的位置,从而 达到与手动万能压烫机一样的效果,但是大大节省的劳动强度, 提高的工作效率,让采购成本得到降低。



■ With the special design of air passage, the upper deck can stop at the desired position arbitrarily. It achieves the same effect as the manual utility press, but greatly saves labor intensity, improve work efficiency and reduce procurement costs.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
万能 Utility Manual	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1400*1400	320kg	1.1Kw	380V 50Hz

自带锅炉、蒸汽枪、熨斗自动万能压烫机

Automatic utility press equipped with boiler, steam gun, iron.



自带熨斗、蒸汽枪、去渍功能 自动万能压烫机

Automatic utility press equipped with steam gun, iron and spotting function.



IUNI PRESS

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
万能 Utility Manual	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1100*1400	325kg	380V 50Hz

C-203 水洗万能压烫机 Pneumatic Automatic Omnipotent Laundry Press



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
万能 Utility Manual	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1300*1100*1400	325kg	220V 50Hz

C-207 自动领袖压烫机 Pneumatic Automatic Collar-Sleeve Press



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
领袖 Cuff&Sleeve	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1100*1400	325kg	

C-206自带肩背压烫机 Pneumatic Automatic Shoulder Back Press



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
肩背 Shoulder	0.4~0.5Mpa	15kg/h	0.4~0.5Mpa	1200*1100*1400	320kg	

High-pressure Press Series

A-207 领袖压烫机 Collar-Sleeve Press



该系列产品采用我们独有设计主 撑可调节结构, 完全做到可根据 熨烫织物的厚薄,调节上下模的 间距,达到最好慰烫品质。

The constructure is specialdesigned. You can change the slot between the bucks precisely. Even the clothe is very thick it still can make sure of good ironing quality, And it will not slow down the speed.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
肩背 Shoulder-back	0.4~0.5Mpa	15kg/h	0.4~0.5Mpa	1200*1400*1400	390kg	\	

A-205 绵品万能压烫机 Cotton Utility Press



该系列产品采用一个合模一个加压两 两个气缸工作结构,可产生比较大的 压力,从而提高生产效力。

It is designed with double cylinder, which can improve the ironing efficiency. And the double-action cylinder makes the work softer and more effective.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Power
口布 Napkin	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1200*1400*1400	400kg	



采用耐温260℃芳纶纤维做为布套, 具有超长的使用寿命。

The fabric cover can work under 260℃.It won't change its intension even after long-time using.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
领袖 Cuff&Sleeve	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1200*1400*1400	390kg	\	220V 50Hz

A-204 衣身压烫机 Body Press



可根据您的要求定做不同用途的模头。

You can choose bucks for other usage. Please contact us, if you need to customize.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
衣身 Body	0.4~0.5Mpa	25kg/h	0.4~0.5Mpa	1200*1400*1400	390kg	\	

以上压烫机夹头均可定制 The above pressing machine bucks can be customized

O inchun I C LAUKI 良 機 機 器

QYC-207B 水洗领袖自带锅炉压烫机 Laundry Collar-cuff Press with Boiler



	熨烫部位	蒸汽压力	功率	压缩空气压力	外型尺寸	重量	外配设备	电源
	Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
ľ	领袖 Cuff&Sleeve	0.4~0.5Mpa	18Kw	0.4~0.5Mpa	1500*1400*1400	420kg	空压机 Air Compressor	380V 50Hz

QYC-203B 水洗万能自带锅炉压烫机 Laundry Utility Press equipped with boiler



熨烫部位	蒸汽压力	功 率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility Manual	0.4~0.5Mpa	18kw	0.4~0.5Mpa	1500*1400*1400	420kg	空压机 Air Compressor	380V 50Hz

DYC-118B 自动万能自带锅炉压烫机 Automatic Utility Press equipped with boiler



熨烫部位	蒸汽压力	功 率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility Manual	0.4~0.5Mpa	19.1kw	0.4~0.5Mpa	1500*1400*1400	420kg	空压机 Air Compressor	380V 50Hz

QYC-206B 水洗肩背自带锅炉压烫机 Laundry Shoulder-back Press with Boiler



熨烫部位	蒸汽压力	功 率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility Manual	0.4~0.5Mpa	18kw	0.4~0.5Mpa	1500*1400*1400	410kg	空压机 Air Compressor	

以上压烫机熨烫夹头均可定制 The above pressing machine bucks can be customized

11

Economical Self-contained Steam Source Press Series





熨烫部位	蒸汽压力	功率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
领袖 Cuff&Sleeve	0.4~0.5Mpa	9Kw	0.4~0.5Mpa	1200*1100*1400	380kg	空压机 Air Compressor	380V 50Hz

C-203B 水洗万能自带锅炉压烫机 Laundry Utility Press equipped with boiler



熨烫部位	蒸汽压力	功率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility Manual	0.4~0.5Mpa	9Kw	0.4~0.5Mpa	1300*1100*1400	380kg	空压机 Air Compressor	380V 50Hz




熨烫部位	蒸汽压力	功率	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility Manual	0.4~0.5Mpa	10.1Kw	0.4~0.5Mpa	1200*1100*1400	380kg	空压机 Air Compressor	380V 50Hz

C-203B 水洗万能自带锅炉压烫机背视图 Back view of C-203B Laundry Universal Built-in Boiler Press



以上压烫机熨烫夹头均可定制 The above pressing machine bucks can be customized.



- 中英文触屏式PLC控制,傻瓜式操作
- 大部工作夹头都采用直压方式工作,最大的减少了所熨烫衣物纤维的损伤。而且具 有独特的袖深可调节的功能,满足各种版型的衬衫的熨烫。 当袖子拉伸最大时,会有一个独特的稍许回位的功能,让熨烫效果更好,让衣物的 纤维受到最少的伤害。
- 所有的加热模头均为不锈钢抛光镜面制造,永不生锈。
- 所有的气动原件均采用世界知名厂家的产品,如所有的PU气管均采用派克乐可利。
- Chinese and English touch screen PLC control, easy-operating.
- Most of the bucks work under direct pressure, which greatly reduces the damage of ironed clothing fibers. It also has a unique adjustable sleeve depth function to meet the ironing various types of shirts.
- When the sleeve is stretched to the maximum, there will be a unique slightly retractable function, so that the ironing effect is better, and the clothing fiber will suffer the least damage.
- All heating bucks are made of stainless steel polished mirror and never rust.
- All pneumatic components are manufactured by world-renowned manufacturers, such as all PU pipes are made of PARKER-Legris.

注: 我们的模具, 出厂时均为标准通用, 如有特殊尺寸要求, 可定制。

Note: Our bucks are standard and general when they leave the factory. They can be customized if special size is required.

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
/	0.4~0.5Mpa	36kg/h	0.4~0.5Mpa	2000*1300*2000	750kg	蒸汽锅炉空压机 Steam boller Air Compressor	

15

YC-A-1全自动领袖压烫机 YC-A-1 Automatic Collar-Cuff Press

- 全不锈钢镜面夹头,采用直压的方式熨烫,让衣物的 纤维受到最少的伤害。极大的延长衣物的穿着寿命。
- 特殊的设计结构,是目前世界上领袖压烫机占地最小 的产品,但是功能完备、熨烫尺寸并未减小。
- 采用世界知名品牌的气动和电器元件。使它的故障率 极低。
- 如果和YC-A搭配使用,可形成一个紧凑完美的衬衫熨
- All stainless steel mirror bucks are ironed by direct pressing to minimize damage to clothing fibers. It greatly prolongs the wearing life of clothing.
- The special design structure is the smallest collar-cuff press in the world, but its function is complete and ironing size has not been reduced.
- It adopts pneumatic and electrical components of world famous brands. It has a very low failure rate.
- If used together with YC-A, a compact and perfect shirt ironing combination can be formed.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
上装 Shirt	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1300*500*1700	70kg	蒸汽锅炉空压机 Steam boller Air Compressor	380V 50Hz

YC-002 吹裤机 Blowing pants machine

- 功能设计先进的PLC控制,傻瓜式操作,可设置8个工作模式 Controlled by advanced PLC, it is easy to operate and it has 8 working programs.
- 吹风量得大小可通过变频器任意调节 It has a frequency transformer to control blowing rate.
- 裤子的长短可自动感应并夹住裤管 It can sense the length of pants automatically and then clip pants leg.
- 熨烫品质优异,特别适合休闲裤或牛仔裤熨烫,如要熨烫西 裤可与我们的DYC系列产品配套使用,效果更佳。 The ironing quality is outstanding. It is very suitable for casual pants and jeans. And if you need to iron suit pants, using together with our DYC series machine, make ironing quality much better.



电 压	蒸汽压力	蒸汽耗量	外形尺寸	重 量
voltage	Steam pressure	Steam consumption	size	weight
380/220V	0.4~0.5Mpa	15kg/h	500*1200*2000mm	



YC-B立体人像整理机 Three-dimensional Form Finisher

- 进口PLC 气动和电器元件控制,工作稳定,各项功能转换反应 迅速,傻瓜式操作,亦可手动强制操控。独有的电脑专利工作 程序设计,无论再厚再复杂的衣物也可获得满意的慰烫效果。
- 具有模特升降功能,如果需要熨烫旗袍、大衣、阿拉伯长袍, 均能得到满意的熨烫效果。
- 配装浮筒式输水器节汽 提高蒸汽质量。
- 具备肩宽。胸围/变频风压调节装置。
- Imported PLC pneumatic and electrical components control, stable operation, rapid functional conversion response, easyoperatina, but manual mandatory control is also available. Unicue patent computer working proaram desicn, recardless of thethickness and complexity of clothing can also obtain satisfactoryy ironing effect.
- With model lifting function, if you need to iron cheongsam, overcoat and Arabian gown, you can get satisfactory ironing effect.
- It is equipped with float-type water conveyor to save steam and improve steam quality.
- Equipped with shoulder width, chest circumference and frequency conversion air pressure regulator.



Part of Pressing Steam pressure Steam Consumption Compressed air pressure Size Weight Fitting Por 万能 0.4~0.5Mpa 15kg/h 0.4~0.5Mpa 1135*690*1590 170kg \ 22								
万能 0.4~0.5Mpa 15kg/h 0.4~0.5Mpa 1135*690*1590 170kg \ 22				,				电源 Power
12K0/II 21. 21. 22. 24. 12K0/II 21. 21. 21. 22. 24. 12. 12. 12. 12. 12. 12. 12. 12. 12. 12			Steam consumption		3120	vvcigiti	, ritting	
	万能 Utility manual	0.4~0.5Mpa	15kg/h	0.4~0.5Mpa	1135*690*1590	170kg	\	220V 50Hz

注: 如需袖子拉伸机构, 并请在型号后+ "S" Note: If sleeve stretching mechanism is needed. Please add "S" after model number.


YC-001 人像整理机 Form Finisher

- 功能设计先进的PLC控制,傻瓜式操作,亦可脚踏强制控制,独有的电脑工作程序设计(已申请专利)无论再厚再复杂的衣物也可获得最满意的慰烫效果。
- 设有风压、肩宽、腰围、臀围、下摆、门襟高低调节机构尺寸再小衣物如女 装均可上机慰烫。
- 配装定制硬木袖撑, 袖布熨烫品质可与专业服装厂媲美长时间使用不变形。
- 专利汽路设计,保证喷汽质量。
- Controlled by advanced PLC, it is easy to operate. And it can also contolled by pedal. Particularly designed computer process (patented). Even with thick and complex clothing, you still can get good effect.
- Designed with wind pressure, shoulder width, waist,hipline, lap and fly height adjuster. It is able to presssmall size garment like woman clothes.
- The wooden sleevers are customized. The ironing qualitycan compared with professinal. t will not distort evenafter long-time using.
- Professinal design of steam circuit, which assures thequality of steam spray.



熨烫部位 Part of Pressing	蒸汽压力 Steam pressure	蒸汽耗量 Steam Consumption	外型尺寸 Size	重量 Weight	外配设备 Fitting	电源 Power
上装 Shirt	0.4~0.5Mpa	20kg/h	1300*500*1700	70kg	蒸汽锅炉空压机 Steam boller Air Compressor	380V 50Hz

17



■功能设计先进的PLC控制,傻瓜式操作,亦可脚踏强制控制,独有 的电脑工作程序设计(已申请专利),具有袖子拉伸及袖深调节功能, 并配有电热挂烫式熨斗,可以满足衬衫、西服等各类上装的熨烫。

- ■设有风压、肩宽、腰围、臀围、下摆、门襟高低调节机构,尺寸再 小衣物如女装均可上机熨烫。
- ■配装定制硬木袖撑,袖布熨烫品质可与专业服装厂媲美长时间 使用不变形。
- ■专利汽路设计,保证喷汽质量。
- Controlled by advanced PLC, it is easy to operate.And it can also controlled by pedal. The unique computer program design (patented) has the functions of sleeve stretching and sleeve depth adjustment, and is equipped with an electric heating hanging iron. It can meet the ironing of shirts, suits and other clothes.
- It is equipped with wind pressure, shoulder width, waist circumference, hip circumference, hem and placket height adjustment mechanism. Clothes of small size, such as women's clothes, can be ironed on the machine.
- Equipped with customized hardwood sleeve support, the ironing quality of sleeve cloth can be comparable to that of professional garment factory, and it will not deform after long-term use.
- Patented steam circuit design to ensure steam spraying quality.

熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
上装 Shirt	0.4~0.5Mpa	20kg/h	0.4~0.5Mpa	1300*500*1700	90kg	蒸汽锅炉空压机 Steam boller Air Compressor	380V 50Hz

YC-001E 手动拉伸人像整理机 Manual Stretching Form Finisher

- 功能设计先进的PLC控制,傻瓜式操作,亦可脚踏强制控制,独有的电脑工作程序设计(已申请专利),具有袖子手动拉伸功能,可以满足衬衫、西服等各类上装的熨烫。
- 设有风压、肩宽、腰围、臀围、下摆、门襟高低调节机构,尺寸再 小衣物如女装均可上机熨烫。
- ■配装定制硬木袖撑,袖布熨烫品质可与专业服装厂媲美长时间 使用不变形。
- 专利汽路设计,保证喷汽质量。
- Controlled by advanced PLC, it is easy to operate.And it can also controlled by pedal. The unique computer program design (patented), it has the function of manual stretching of sleeves. It can meet the ironing of shirts, suits and other clothes.
- It is equipped with wind pressure, shoulder width, waist circumference, hip circumference, hem and placket height adjustment mechanism.
 Clothes of small size, such as women's clothes, can be ironed on the machine.
- Equipped with customized hardwood sleeve support, the ironing quality of sleeve cloth can be comparable to that of professional garment factory, and it will not deform after long-term use.
- Patented steam circuit design to ensure steam spraying quality.

熨烫部位	蒸汽压力	蒸汽耗量	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Size	Weight	Fitting	Power
上装 Shirt	0.4~0.5Mpa	20kg/h	1300*500*1700	80kg	蒸汽锅炉空压机 Steam boller Air Compressor	380V 50Hz





YC-001B 自带锅炉人像整理机 Form Finisher with Boiler

- 功能设计先进的PLC控制,傻瓜式操作,亦可脚踏强制控制,独有 的电脑工作程序设计(已申请专利),具有袖子手动拉伸功能, 可以满足衬衫、西服等各类上装的熨烫。
- 设有风压、肩宽、腰围、臀围、下摆、门襟高低调节机构,尺寸再 小衣物如女装均可上机熨烫。
- ■配装定制硬木袖撑,袖布熨烫品质可与专业服装厂媲美长时间 使用不变形。
- 专利汽路设计,保证喷汽质量。
- Controlled by advanced PLC, it is easy to operate.And it can also controlled by pedal. The unique computer program design (patented), it has the function of manual stretching of sleeves. It can meet the ironing of shirts, suits and other clothes.
- It is equipped with wind pressure, shoulder width, waist circumference, hip circumference, hem and placket height adjustment mechanism. Clothes of small size, such as women's clothes, can be ironed on the machine.
- Equipped with customized hardwood sleeve support, the ironing quality of sleeve cloth can be comparable to that of professional garment factory, and it will not deform after long-term use.
- Patented steam circuit design to ensure steam spraying quality.

熨烫部位	蒸汽压力	功率	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Total power	Size	Weight	Fitting	Power
上装 Shirt	0.4~0.5Mpa	9.75Kw	1500*500*1800	80kg	\	380V 50Hz

YT-001B 高级自吸风烫台 High-Class Wind-Absorb Iron Table

- 点动式脚踏开关控电机,保护电机寿命,自带电加热系 统,上排风结构。
- 大功率电机及大规格风叶轮保证较强的抽湿力度。
- 使用摇臂模头时,可自行让让台面与模头之间的吸风功能 讲行转换。
- 1500*800大工作面可舒适自如的进行熨烫工作。
- 底板内置不锈网,保证较长的使用寿命。
- Electic engine is controlled by the pedal, which make sure of its span life. Built with electric heating system and up-vent structure.
- Built with strong-power electic engine and giant wind impeller, which makes sure the vacuum effect.
- When using the waving-arm, you can change the windabsorb function between table and mould.
- With big working mesa(1500*800), you can iron garments conveniently.
- The bottom board has a inside stainless net, assure long using time.



熨烫部位	蒸汽压力	蒸汽耗量	功率	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Total power	Size	Weight	Fitting	Power
万能 Utility manual	0.4~0.5Mpa	10kg/h	0.55Kw	1500*950*1800	50kg	蒸汽锅炉 Steam boller	380V 50Hz

19

YT-001D 自带锅炉高级自吸风烫台 Advanced Ironing Table with boiler

- 点动式脚踏开关控电机,保护电机寿命,自带锅炉、全 蒸汽熨斗、照明灯,上排风结构。
- 大功率电机及大规格风叶轮保证较强的抽湿力度。
- 使用摇臂模头时,可自行让让台面与模头之间的吸风功能 进行转换。
- 1500*800大工作面可舒适自如的进行熨烫工作。
- 底板内置不锈网, 保证较长的使用寿命。
- Electic engine is controlled by the pedal, which make sure of its span life. Built with electric heating system and up-vent structure.
- Built with strong-power electic engine and giant wind impeller, which makes sure the vacuum effect.
- When using the waving-arm, you can change the windabsorb function between table and mould.
- With big working mesa(1500*800), you can iron garments conveniently.
- The bottom board has a inside stainless net, assure long using time.



Auxiliary Machine Series

						_	
熨烫部位 Part of Pressing	蒸汽压力 Steam pressure	功率 Total power	压缩空气压力 Compressed air pressure	外型尺寸 Size	重量 Weight	外配设备 Fitting	电源 Power
万能 Utility manual	0.4~0.5Mpa	3.55Kw	\	1500*950*1800	90kg	\	380V 50Hz

DYT-001 多功能吹风吹汽烫台 Multi-functionnal Iron Table

- ■自带吸风吹风喷汽功能。
- ■自带照明、熨斗及台面加热功能。
- 控制系统实用美观。
- ■熨斗、喷枪、电磁阀、温控等均为进口。
- ■双工作位,左、右手均方便熨烫,工作台面可定制。
- Be able to absorb and blow wind.
- Be able to light, iron and heat the table.
- The controlling system is very practical and simple.
- The iron, spray gun, electromagnetic valve and temperature controller are all imported.
- Two working site, and you can iron the garment with both hands. The working table can be customized.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Fitting	Power
万能 Utility manual	0.4~0.5Mpa	5kg/h	0.4~0.5Mpa	1600*500*1900	100kg	蒸汽锅炉 Steam boller	

DYT-001B自带汽源多功能烫台 Multifunctional Vacuum Table with Steam Source

- ■自带吸风吹风喷汽功能。
- ■自带照明、熨斗及台面加热功能。
- 控制系统实用美观。
- ■熨斗、喷枪、电磁阀、温控等均为进口。
- 双工作位, 左、右手均方便熨烫, 工作台面可定制。
- Be able to absorb and blow wind.
- Be able to light, iron and heat the table.
- The controlling system is very practical and simple.
- The iron, spray gun, electromagnetic valve and temperature controller are all imported.
- Two working site, and you can iron the garment with both hands. The working table can be customized.



熨烫部位	蒸汽压力	蒸汽耗量	压缩空气压力	外型尺寸	重量	总功率	电源
Part of Pressing	Steam pressure	Steam Consumption	Compressed air pressure	Size	Weight	Total power	Power
万能 Utility manual	0.4~0.5Mpa	\	0.4~0.5Mpa	1600*500*1900	110kg	3.5Kw	

YP-168 多功能去渍机 Multi-Function Spot Remover

- ■采用进口去渍枪及热风枪,喷枪手感舒适,液束集中。风 枪点触式开关敏感便利。
- ■具备全套空气过滤系统,防止对衣物二次污染,采用进口 电磁阀控制由此产生的热风及蒸汽, 充分发挥药剂作用, 增强去渍效果。
- ■全不锈钢台面及模头、铝铸风机罩壳、法国产尼龙药水软 管、聚四氟药水杯柄、等耐腐配置, 保证使用寿命。
- Equipped with imported spot-removing gun and hot wind gun. And the gun is suitable to your hands. The fluid is concentrate. Touch style button is very sensitive and convenient.
- Equipped with a set of air filter, which prevent the second pollution to garments. Hot wind and steam are controlled by imported magnetic valve, which can fully utilize the eradicator and strengthen spot-removing
- Equipped with stainless steel table, mould and aluminum



熨烫部位	蒸汽压力	蒸汽耗量 Steam Consumption	压缩空气压力	外型尺寸	重量	外配设备	电源
Part of Pressing	Steam pressure		Compressed air pressure	Size	Weight	Fitting	Power
/	0.4~0.5Mpa	15kg/h	0.4~0.5Mpa	1300*400*1700	60kg	蒸汽锅炉空压机 Steam boller Air Compressor	220V 50Hz

21

YP-168B自带汽源去渍机 Spotting Board with Steam Source

- ■采用进口去渍枪及热风枪,喷枪手感舒适,液束集中。风 枪点触式开关敏感便利。
- ■具备全套空气过滤系统,防止对衣物二次污染,采用进口 电磁阀控制由此产生的热风及蒸汽, 充分发挥药剂作用, 增强去渍效果。
- ■全不锈钢台面及模头、铝铸风机罩壳、法国产尼龙药水软 管、聚四氟药水杯柄、等耐腐配置, 保证使用寿命。
- Equipped with imported spot-removing gun and hot win gun. And the gun is suitable to your hands. The fluid concentrate. Touch style button is very sensitive an convenient.
- Equipped with a set of air filter, which prevent th second pollution to garments. Hot wind and steam ar controlled by imported magnetic valve, which can full utilize the eradicator and strengthen spot-removin effect.
- Equipped with stainless steel table, mould and aluminur



nd is nd ne re lly ng				
E缩空气压力	外型尺寸	重量	总功率	电源

								. 1
熨烫部位 Part of Pressing	蒸汽压力 Steam pressure	蒸汽耗量 Steam Consumption	压缩空气压力 Compressed air pressure	外型尺寸 Size	重量 Weight	总功率 Total power	电源 Power	
/	0.4~0.5Mpa	/	0.4~0.5Mpa	1300*400*1700	70kg	2. 5KW	220V 50Hz	

22

SSYC-800 双层衣物管理架 Double Deck Garment Management Circuit

- 独有悬吊结构, 超厚不锈钢挂衣片, 简洁耐用, 并经过多级 降噪处理。
- 超高真正双层结构,各层均可挂1.5以内衣物。
- 除一般取衣按钮外,尾端设有脚踏开关,本机可与各类智能 取衣系统区配。
- With special designed hang structure (Patented) and thick stainless steel hook, it is very simple and durable, and has been processed with noise-reduce technology.
- It is designed with high double deck, each deck is able to hang the garment shorter than 1.5m.
- Besides the getting-clothes button, it also has a pedal in the end. It is comparable to similar intelligent gettingclothes system.



电功率	外型尺寸	重量	电压
Power	Size	Weight	Voltage
0.75kw	6000*750*110	300kg	



Auxiliary Machine Series