




JINHUA

MACHINE WORLD CORPORATION
金华机械世界股份有限公司



QUALITY is a partner for success



for inquiries:
Scan the QR code



WECHAT



VIBER



WHATSAPP



COMPANY PROFILE

COMPANY NAME	JINHUA MACHINE WORLD CORPORATION
Type Organization	Partnership
Date Established	January 21, 2021
SEC Registration no.	CS202100889
VAT Registration no.	010-573-077-000
Certificate of Registration	(BIR 2303) : CN0001502713
Principal Adress	#51 P.Sevilla st. Brgy50 west gracepark 4th ave. Calocan
Branch Address	#910, Reina Regente street. Brgy296 Binondo Manila
Contact Numbers	(02)8354-6913 / (02)8532-5194
Email Address	jinhua.mwc@gmail.com
Website	www.packkbc.com
Facebook Page	Jinhua Machine World Corporation - Main



Company Background



Jinhua Machine World Corporation was established in 2013, the original company name Huilong Trading which was officially merged with the domestic company Jinhua Machine Trading in January 2019.

2 years later JINHUA MACHINE WORLD CORPORATION was established in January 2021, The company is a high-tech enterprise focusing on the production and sales of food and pharmaceutical products. The company has strong technical strength and is a high-tech machinery enterprise recognized by the government.

Since its establishment, the company has always adhered to the business principles of people-oriented and honesty, gathering industry elites, combining domestic and foreign advanced technical information, management methods and corporate experience to provide comprehensive solutions for market needs and help companies improve production to make the enterprise always competitive in the fierce market competition and realize the rapid and stable development of the enterprise.

Jinhua Machine World Corporation provides customers with products that truly meet the needs of today's enterprises, closely follows the development characteristics of mechanical installation and technical guidance, and continuously optimizes our services, so that users can get the best service and best return on investment!

The best products, the best services, and the best reputation, according to the market demand, JMWC supplies:

Automatic packaging machine, automatic filling machine, edge machine, metal detector, filling machine, roasted wheat machine, food mixer, oil fryer, air compressor, labeling machine, weighing machine, automatic capsule filling machine, automatic blister machine, bone cutting machine, etc.

Also sell some small and medium-sized machinery:

Oil-water separation fryer, fruit slice dryer, noodle mixer, wake-up box, vertical freezer, electronic scale, automatic packaging machine, back sealing, three-side sealing, four-side sealing, multi-row automatic packaging machine, practical packaging materials: melon seeds, peanuts, mung beans, cashews, candy, rice, puffing, seeds, powder, tablets, granules, Coffee powder, sugar, salt, monosodium glutamate, chicken essence, washing powder, soy sauce, rice vinegar, alcohol, rice wine, beverages, jelly, edible oil, detergent, shampoo, cosmetics, Intelligent production lines, including automatic detection of material errors and automatic replenishment without materials, can ensure qualified packaging products.

Metal detectors automatically detect the presence of metal in materials

Our Product..

no.	CONTENT
01.	AUTOMATIC AUGER PACKAGING MACHINE
02.	AUTOMATIC VOLUMETRIC PACKAGING MACHINE
03.	AUTOMATIC DIGITAL WEIGHER PACKAGING MACHINE
04.	AUTOMATIC MULTI-HEAD PACKAGING MACHINE
05.	AUTOMATIC LIQUID PACKAGING MACHINE
06.	AUTOMATIC TWIN SACHET PACKING MACHINE
07.	AUTOMATIC TEA BAG PACKAGING MACHINE
08.	AUTOMATIC HORIZONTAL PACKAGING MACHINE
09.	HIGH-SPEED SACHET PACKING MACHINE
10.	AUTOMATIC BOTTLE FILLING MACHINE
11.	STAND UP POUCH FILLING MACHINE
12.	SIOPAO MAKING MACHINE
13.	SIOMAI MAKING MACHINE
14.	CAPSULE FILLING MACHINE
15.	BLISTER PACKING MACHINE

✔ AFFORDABLE ✔ EASY TO OPERATE ✔ HIGH QUALITY

- ★ **Warranty Time :** 1 year, within this period we offer spare parts replacement - freely if there are any non-artificial damage on them.
- ★ **Quality :** Quality of products will be strictly checked and every machine will be test to ensure if can works well before deliver.
- ★ **Technical Services :** We will keep contacting with our customers all the time after selling out the machine. Please contact us with
- ★ **File Services :** We offer manual instruction and video to guide you how to use and test the machine.
- ★ **Accessories :** We supply spare parts with competitive price after warranty time.

Automatic Auger Packaging machine

Automatic Sachet Packaging machine



Automatic 1Kilo Packaging machine



MAIN SPECIFICATION

Sealer type	Center/3side/4side sealed	Center sealed
Material	304 stainless steel	304 stainless steel
Suitable product	Powder	Powder
Filling range	1-100grams	100g-1kg
Bag size	L:40-150mm, W:30-120mm	L:100-250mm, W:100-190mm
Speed	30-55bags/min	30-45bags/min
Power	220V, 60Hz / 2kw	220V, 60Hz / 2.2Kw
Dimensio	L:700*W:1000*H:1560mm	L:950*W:1780*H:1850mm

OPTIONAL FILLER PARTS



Vertical Auger Filler



Horizontal Auger Filler



FEATURES:

- 1). Fully-automatically procedures from material feeding, filling and bag-making, date-printing to finished products output;
- 2). Because of the unique way of mechanical transmission, so its simple structure, good stability and strong ability to over loading;
- 3). Multi-languages touch screen for various clients, English, French, Spanish, etc;
- 4). Servo motor driving screw is characteristics of high-precision orientation, high-speed, great-torque, long-life, setup rotate speed, stable performance;
- 5). Side-open of the hopper is made of stainless steel and is consist of glass,damp. material movement at a glance through the glass,air-sealed to avoid the leak, easy to blow the nitrogen, and the discharge material mouth with the dust collector to protect th workshop environment;
- 6). Double film pulling belt with servo system;
- 7). Only control touch screen to adjust bag deviation. Simple operation.

PURPOSE

POWDER : Coffee, Jiuce, Sugar, Creamer, Flour, etc.

Automatic Volumetric Packaging Machine

Automatic sachet packaging machine



Measuring Cup ↑
(for small sachet)

Accuracy : ± 1% according to material

Automatic Big packaging machine



Volumetric Cup Filler ↑
(for big size)

Accuracy : ±1g (≤100g) / ± 1% (>100g) according to material

MAIN SPECIFICATION

Sealer type	Center/3side/4side sealed	Center sealed
Materials	304 stainless steel	Stainless steel
Suitable product	Powder & Granules	Powder & Granules
Filling range	1-300g(depends on target products)	200-1kg(depends on target product)
Bag size	L:40-150mm, W:30-120m	L:100-250mm, W:100-190mm
Power	220V, 60Hz / 1.8Kw	220V, 60Hz / 2Kw
Speed	30-60 bags/min	30-55 bags/min
Dimension	L:700*W:1000*H:1600mm	L:950*W:1780*H:1950mm

Features:

- 1.) The packing data and adjustment can be displayed on the screen. the user can directly operate it on
- 2.) Assembled with a photoelectric controller to ensure that its packing bag figure are perfect
- 3.) It can automatically finish making bag. Metering, filling, sealing, cutting, counting, and printing batch number
- 4.) The body and the parts touching the material are made of stainless steel.

PURPOSE

POWDER : Coffee, Juice, Sugar, Creamer, Flour, etc.

Granules : Flakes, Puffed food, Peanuts, melon seeds, Rice, Corn, Chips, Pepper seeds etc.

PRODUCT OVERVIEW



Automatic Weigher Packaging machine

Single Head Weigher Packing Machine



2-4Heads Weigher Packing Machine



PURPOSE

It is suitable for weighing all kinds of small fine solid granules or powder with good fluidity (no dust) such as rice, seeds, salt, sesame, chicken essence, soybeans, mung beans, coffee beans, coffee powder, pet food, detergent powder, etc.

FEATURES

- 1.) Self Learning software, no boring setting
- 2.) Make mix different products weighing at one discharge.
- 3.) New Generation PLUG-TO-RUN
- 4.) Compact design with small footprint
- 5.) Food grade SS304 Contact Parts
- 6.) Tool free instal, dismantle and clean
- 7.) Free parameter adjusting during running
- 8.) Adopt high precision digital load cell
- 9.) Languages touch screen for various clients, English, Chinese,
- 10.) Single to 4heads Can produce 100-1kg per bag

MAIN SPECIFICATION

Head Number	Single head	1-4heads (optional)
Hopper capacity	10L	15L
Filling range	10-500g(depends on product)	50-1000g (depends on product)
Filling speed	10-40bags/min	10-40bags/min
Filling accuracy	-+0.1-2g	-+0.1-2g
Max mixed material	1	Max 4
Sealing type	Back side sealing	Back side sealing
Machine materials	SUS304SS	SUS304SS
Roll film dimension	Max. Width 250mm	Max. Width 400mm
Power	220V, 60Hz/ 2Kw	220V, 60Hz / 3Kw
Dimension	L:430*W:510*H:1400mm	L:1300*W:1000*H:1800mm

PRODUCT OVERVIEW

01

SIMENS PLC CONTROL SYSTEM

Intelligent control System - All settings in 1 computer. Convenient functions for faster separate, convenient for users.

02

ACCURATE E-WEIGHNER FILLING SYSTEM

Suitable for solid granule type material, such as nuts, candy, chocolate, chips etc. Very few deviation.

03

CUSTOMIZABLE FILM FORMER

Made-to-order service according to your unique design.

04

HIGH CAPACITY

Up to 30-100 bags/min per minute [Depends on the type of material and the size of the bag]

05

OPTIONAL SEALING EFFECT

The sealing mould is changeable according to your unique request.

Automatic Multi-head Packaging machine

10 - 14 - 20 Heads Weigher Packing Machine



PURPOSE

It is all kinds of solid Product, Frozen product, such as; Rice balls, meat balls, dumplings etc) nuts, fruits and vegetables, tea, seeds, irregular lumps and all kinds of particles packing.

FEATURES

- The packing system is the full automatic gliding production line that composed the Z-type
- Strength of standard combination weigher: wide rage of application, high price competitiveness reliable performance.
- Speed and amplitude can be adjusted in operation process
- Weigh hopper followed by discharge, effectively prevents blockages.
- Amplitude of each linear feeder can be adjusted separately.
- Language can be chosen.

MAIN SPECIFICATION

Model	HL-400	HL-600	HL-800
Head no.	10 heads	14heads	20heads
Bag size making(mm)	L:100-350 W:90-190	L:100-500*W:90-250	L:100-500, W:100-360
Filling range	100g-1000g	300-1000g	1-3kg
Power	220V, 60Hz / 3.5kw	220V,60Hz: 3.8Kw	220V, 60Hz / 4Kw
Materials	SUS304SS	SUS304SS	SUS304SS
Packing speed(bag/min)	15-65	10-60	10-40
Dimension (mm)	L:3800*W:2730*H:3580	L:4210*W:2800*H:3680	L:4600*W:3050*H:4200
Lowest absolute vacuum value (kpa)	1.34	1.33	1.34

PRODUCT OVERVIEW



Automatic Liquid Packaging machine

Automatic Sachet Packaging machine



Automatic 1Liter Packaging machine



MAIN SPECIFICATION

Sealer type	Center/3side/4side sealed	Center sealed
Materials	304 stainless steel	304 stainless steel
suitable product	Liquid/paste	Liquid/paste
Filling range	1-50ml / 5-100ml	100ml-1Liter
Bag size	L:40-150mm, W:30-120mm	100-250mm, W:100-200mm
Speed	30-55 bags/min	30-40 bags/min
Power	220V, 60Hz / 1.8Kw	220V, 60Hz / 2Kw
Dimension	L:700*W:1000*H:1560mm	L:950*W:1780*H:1700mm




FEATURES

- This machine can finish: forming bag, measuring, material, filling, sealing, counting, date coder, all the work automatically.
- Photoelectric and tracing system or computer system can be provided without your specific requirements.
- The PLC controller, such as setting the length of the bag, the out put alarm and the speed and quantity -
- This machine can be installed to code printer for 1-3 lines characters such as production and expiry date according to your special request.
- Eye mark system, machine can cut complete logo.
- Machine stop automatically if it is out of film.
- Fine packaging performance. Low noise sealing texture and strong sealing performance
- Straight line easy tearing as free option.

PURPOSE

The machine is suitable for Food, Medical, Chemical industry, Cosmetics industry of liquids, Sauce, etc.,

PRODUCT OVERVIEW



Automatic Twin Sachet Packaging machine

Twin Pack Liquid+Powder Packaging machine



Auger Twin Pack Powder Packaging machine



MAIN SPECIFICATION


Sealer type	4side sealed	4side sealed
No. Of nozzle	2	2
Filling range	5-50ml / 5-50grams	5-50grams
Speed	30-55 bags/min	30-45 bags/min
Power	220V, 60Hz / 2.2Kw	220V, 60Hz / 3Kw
Packaging size	Max.Width 420mm	Max width 420mm
Materials	304 stainless steel	304 stainless steel
Filler type	Piston pump & Volumetric cup	Auger screw
Dimensio	L:1650*W:1000*H:2300mm	L:1610*W:950*H:2100mm

FEATURES

- This machine can automatically complete the following work: piston pump measuring cup, Auger Filler, Coding (optional) bag making, Filling, Sealing, Hole Punching (optional) counting
- Computer/PLC Control system, photoelectric tracking, to maximize the whole machine's control precision, reliability and the intellectualized degree.
- Has fault display system, easy to operate and maintain.
- Mixing device, hopper heating device as optional according to product character.
- Machine shell and all food touching parts are made of 304 stainless steel.

PURPOSE


- For Liquid is mainly used for shampoo, lotion, cream, ketchup, chili sauce, cooking oil, honey, juice, etc.
- For Auger : mainly used for Powder product, Coffee, sugar, milk, detergent, glucose, spicy Powder, etc.,
- For Measuring Cup: Rice, seasoning, sugar, black pepper, etc



Piston Pump



Measuring Cup



Auger Screw

Automatic Tea Bag Packaging machine

Automatic inner&outer teabag machine



Automatic Triangular Teabag Machine



MAIN SPECIFICATION

Speed	30-40 bags/min	Speed	40-60bags/min
Measuring scope	3-10grams	Measuring scope	1-7grams
Inner bag size	L:50-70mm, W:45-80mm	Bag size	W:60-80*L40-80mm
Outer bag size	L:80-120mm, W:75-95mm	Packing film	120,140,160,180mm etc.
Tag size	W:40-55mm, L:20-40mm	Film thickness	0.04-0.06mm
Thread length	155mm	Roll outer diameter	400mm
Total power	220V, 60Hz / 3.5Kw	Filling precision	<-+2%
Materials	304 stainless steel	Air consumption	0.6Mpa 0.4m3/min
Machine weight	500kgs	Power	220V, 60Hz / 2.2Kw
Dimension	L:1050*W:700*H:1300mm	Weight	650kgs

FEATURES

- Inner & Outer bag's film drawing is controlled by the stepper motor, stable bag length & accurate positioning.
- The temperature controller is adjusted by PID to make the temperature control more accurate.
- Overall machine movement is controlled by PLC, with human machine interface display ensure health of products
- Packing material : filter paper, thread, composite membrane and labels.


PURPOSE

Tea packing machine is suitable for tea. Such as bulk tea, herbal tea, health tea, flower tea, and other filter products internal and external bags are disposable packaging.

PRODUCT OVERVIEW



Automatic inner&outer teabag machine



Automatic Triangular Teabag Machine

Automatic Horizontal Packaging machine

Automatic Big pillow packing machine



Automatic Rotary pillow packing machine



The difference between up & down film

According to the position of the roll film, the flow packing machine can be divided into two types: Up film packing machine. and down film packing machine.

Up film packing machine is suitable for packing regular objects such as biscuit, bread, instant noodle, moon cakes, industrial parts, paper box or trays.

Down film packing machine is suitable for packaging soft, strip & regular objects like towels, tissues, noodles, egg rolls, sausages, fish, ice lollies, soft candies, fresh fruits, etc.




FEATURES

- Adopt the famous brand PLC intelligent controller & inverter, machine quality is more trustworthy.
- Independent temperature control system, the temperature error is within $\pm 1^{\circ}\text{C}$
- Photocell sensor, automatically compensate the length deviation of the film.
- The interface of the system is simple & easy to understand, & the parameter setting is easy&simple.

MAIN SPECIFICATION

Film Width	max.250mm	max. 350mm	max. 450mm	max. 600mm
Bag Length	65-330mm	65-330mm	120-450mm	130-600mm
Bag Width	30-110mm	50-160mm	60-210mm	60-280mm
Product Height	Max.40-55mm	Max.45-80mm	Max.110mm	Max.110mm
Packing Speed	40-230bags/min	40-230bags/min	30-180bags/min	20-180bags/min
Machine Size (mm)	L3370*W670*H1450	L3370*W720*H1445	L3990*W900*H1460	L3990*W1000*H1500
Machine weight	450kg	500kg	600kg	800kg
Machine Voltage	220V, 60Hz	220V, 60Hz	220V, 60Hz	220V, 60Hz
Machine Power	2.4kw	2.8kw	3.2kw	4kw

PRODUCT OVERVIEW



Fully Automatic High-speed Packing Machine



MAIN SPECIFICATION

Model	HC-500
Packing Speed	300-1200bags/min (depends on product & the packing material)
Total Power	15kw
Size of Bag	W:30-100mm, L:35-150mm
Dimension	L:2700*W:1200*H:2350mm (not including feeding device)
Machine Weight	3000Kg
Voltage	380V
Max.outside diameter of film roller	400mm
Packing Capacity	0.7m /min

FEATURES

- Regular and aesthetic sachets, firm sealing, automatic film receiving and feeding.
- Adopts imported PLC and friendly HMI control system.
- Ink wheel printer or inkjet printer for optional, chain bags or multiple bags for optional.
- Automatically counting and distributing.
- Intelligent fault alarm.

PURPOSE

Suitable for: Powder and Granule of pharmaceutical, food, chemical, pesticide, deoxidizer and other industries, automatically bag making, measuring, filling, forming, sealing, distributing and counting.

PRODUCT OVERVIEW



Touch screen

Adopted international famous brand-programmed controller. It's easy to operate by touching the screen



PREHEAT EQUIPMENT

Preheat to make the sachets sealing well



Automatically film connect

It can connect the rolling film automatically



Film drawing wheel

It can make the tear notch and adjust the film to run smoothly and seal well



Automatic Bottle Filling Machine




MAIN SPECIFICATION

Model	CGF8-8-3	CGF14-12-5	CGF18-18-6
Washing Heads	8	14	18
Filling Heads	8	12	18
Capping Heads	3	5	6
Production Capacity	1000-3000bph	3000-5000bph	5000-8000bph
Power	2Kw	3Kw	3.5Kw
Weight	2000Kg	3000Kg	3500Kg
Overall Dimension	2200*1600*2300mm	2100*1880*2500mm	2200*2100*2600mm

LIST OF COMPLETE LINE BOTTLED FILLING MACHINE

- 1.Empty bottle air conveyor
- 2.Washing, Filling, Capping 3in1 Machine
- 3.Cap elevator
- 4.Electric control panel
- 5.Bottle blow dryer
- 6.Bottle sleeve labeling machine
- 7.Laser coding machine
- 8.Shrink packing machine

PRODUCT OVERVIEW



Automatic SUP Filling Machine

Rotary SUP Filling Machine



MAIN SPECIFICATION

Speed	40-70bags/min. (Depends on the product status & filling weight)
Pouch Width	100-200mm
Pouch Height	100-350mm
Filling Range	100-1000g
Power	220V, 60Hz / 8Kw
Weight	1500kgs
Materials	Stainless steel 304
Dimension	2160*2000*1500mm

FEATURE

- Having a waterproof system makes cleaning more convenient, using a color touch screen for easy operation
- This machine uses prefabricated bags with perfect patterns & good sealing quality.
- Innovate and solve various problems at reasonable costs.
- Fast packaging speed and stable performance

PURPOSE

The bag packing machine is suitable for self-reliance bag, zipper bag, alternative bag, four-side bag, Paper bag, eight sides of the bag and so on., and can be customized according to customer requirements

WORKFLOW

Bagging → Coding → Opening → Blowing → Filling → Sealing → Output

Horizontal SUP Filling Machine



MAIN SPECIFICATION

Model	HS-160	HS-210	HS-260
Bag width	100-160mm	140-210mm	170-260mm
Bag length	120-220mm	150-350mm	150-400mm
Filling range	Max.800ml	Max.1200ml	Max.2000ml
Speed/min	30-60bags	30-60bags	30-60bags
Power	220V, 60Hz	220V, 60Hz	220V, 60Hz
Dimension(mm)	1200*900*1300	1800*1200*1500	2100*1200*1500

OPTIONAL FILLER DEVICE

- ✓ Auger filler for powder packing solution
- ✓ Pneumatic / Piston pump for liquid packing solution
- ✓ Multi-head weigher for solid packing solution



Automatic Siomai Making Machine

Fully Automatic Siomai Machine



MAIN SPECIFICATION

Filling nozzle	Double line	Triple line
Speed	5000-6000pcs/hr	6000-8000pcs/hr
Weight Range	10-40g (depends on target weight)	12-55g (depends on target weight)
Wrapper thickness	0.4-0.5mm	0.4-0.5mm
Hopper capacity	32Liters	50Liters
Power	220V, 60Hz/3Kw	220V,60Hz/3.2kw
Dimension(LWH)	1550*1350*1850mm	1570*1500*1950mm

Semi-Automatic Siomai Machine



MAIN SPECIFICATION

Speed	800-1700pcs/hr-depends on target weight
Filling Range	15-22g-as per request
Hopper Capacity	7 Liters
String Speed	Adjustable speed
Power	300Watts
Voltage	220V/60Hz
Machine materials	Stainless steel 304
Dimension	L-750*W-400*H-930mm

FEATURES

- Fully automatic model, no need to make the dough separately, just put the dough & fillings into the skin bucket and the filling bucket respectively, and the siomai can be produced automatically
- The thickness of the skin and the amount of filling can be adjusted according to the customer needs.
- The special turntable forming system can increase the production capacity of siomai and can make 2-3 siomai at a time, with a production capacity of max 6000 & 8000 pcs/hr.
- Machine cleaning the leather making system can be cleaned with an air spray gun, and then the filling system and the turntable forming system can be removed in order to clean with water.
-
- Semi-Automatic siomai machine is a stable working conditions. While the machine working it will pulling, press, filling, cutting-automatically. so in this process, no manual operation is required. The stuffing and dough can be adjustable according to your request. 304 stainless steel for machine body and parts in contact with the food are food grade its very safety for you.

PURPOSE

- Pork siomai, Beef Siomai, Chicken siomai, Shrimp siomai, Japanese siomai, etc.



PRODUCT OVERVIEW



Automatic Capsule Filling Machine

Semi-Automatic Capsuling Machine



MAIN SPECIFICATION

Application Capsule	#00, #0, #1, #2, #3, #4, #5,
Speed	10000-20000 pieces per hour
Dosage type	Powder, Granule, Pellet
Power supply	220V, 60Hz
Weight	350kg
Materials	Stainless steel 304- food grade
Dimension	L:1290*W:685*H:1600mm
Control Method	Touch screen and botton control

Fully Automatic Machine



MAIN SPECIFICATION

Application Capsule	#00, #0, #1, #2, #3, #4, #5,
Speed	71000 pieces per hour
Dosage type	Powder, Granule, Pellet
Power supply	220V, 60Hz, / 5.05kw
Weight	900kg
Materials	Stainless steel 304- food grade
Dimension	L:1200*W:860*H:1970mm
Control Method	Touch screen and botton control

FEATURES

The machine body & working table adopt stainless steel, and increased one assistant big feeding hopper, it's easy to connect to the vacuum feeder. The machine conforms to the sanitary requirements of pharmaceutical & nutrition industries. It's widely used for filling the powder & granule material, in pharmaceutical & nutrition industries.

MACHINE INTRODUCTION (semi-automatic capsuling machine)

This machine has separated empty capsule feeding station, powder feeding station & capsule closing station. The meduim-Process need to be operated by manual. The machine use three invertErs to control the speed of capsule feeding turret, and the powder feeding auger. All the operation is very easy and simple, can be filled the powder & granule material easily.


Other machines for capsule products



INDUCTION ALUMINUM FOIL SEALING MACHINE



COUNTING CAPSULE/TABLET MACHINE



CAPSULE POLISHER MACHINE

Automatic Blistering Packing Machine

Automatic blister packing machine



MAIN SPECIFICATION

Model	Double-outs DPB-145	Single-out DPB-80
Speed	3000-4600 Sheet/h	1500-1980 Sheets/h
Cutting frequency	10-50 times/min	10-33 times/min
Max.forming size	130*100*26mm	100*90*15mm
Standard sheet	80*67	80-57
Power	220V, 60Hz/3.6Kw	220V,60Hz/2.4Kw
Dimension(mm)	L:2300*W:560*H:1410	L:1450*W:590*H:1100

Manial Blister Packing Machine



MAIN SPECIFICATION

Model	MBM-180
Speed	4 times/min
Packing area	140*180mm/5.51*7.08"
Machine weight	22kg
Power	500watts
Voltage	220V/60Hz
Machine materials	Stainless steel 304
Dimension	L-310*W:220*H:390mm


FEATURES

- Pulling length can be adjusted mold is fixed by located groove so that its easy to change mold. The Machine heats the PLC through heated board and forms by compressed air frothing.
- Speed is controlled ny inverter. It dopts the interface of human-machine and PLC control system.
- With automatic feeder we can design the mould and feeder according to customers requirement.
- The machine gets the function for easy cutting line embossing, batch number embossing & wasted Packaging material rewinding.

PURPOSE

The machine is used in food industry, liquid chocolate candies, chewing gim, cookies, jam, Facial mask, eye of the cosmetics industry, needles, syringes, infusion tube, and electronic component products such as aluminum-plastic, paper-plastic Blister packaging.

PRODUCT OVERVIEW




Showroom.





Jinhua Machine World Corporation
金华机械世界股份有限公司

 (02)8354-6913 & (02)8532-5194

Contact us to get a latest Quotation and Best price



Wechat id : huilong111111



Globe: 0995-045-5888
TNT: 0950-502-2222



0995-045-5888



jinhua.mwc@gmail.com



[Jinhua Machine World Corp.](#)



www.packkbc.com



Jinhua Machine World Corporation - Main Branch