












001#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




002#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




009#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 3.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




010#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 4.0\text{m/s}$
额定载重量Rated load: $\leq 2000\text{kg}$
导轨宽度Track width: 16mm




003#



技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




004#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




011#



技术参数Technical parameter;
轿厢侧额定速度Car Side Rating: $V \leq 1.0\text{m/s}$
轿厢侧额定载重量Rated side load: $\leq 1000\text{kg}$
轿厢侧导轨宽度Width of side rail of car: 10/16mm
对重侧额定速度Right, focus on the rated speed: $V \leq 2.5\text{m/s}$
对重侧额定载重量Right, Weight Rating: $\leq 1600\text{kg}$
对重侧导轨宽度Right, the width of the Guide Rail: 10/16mm




012#




技术参数Technical parameter;

额定速度	2.0/2.5m/s	$\leq 1.75\text{m/s}$
额定载重量	$\leq 800\text{kg}$	$\leq 1000\text{kg}$
导轨宽度	10/16mm	10/16mm




005#



技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1600\text{kg}$
导轨宽度Track width: 10mm, 16mm




006#



技术参数Technical parameter;
额定速度Rated speed: $V \leq 3.0\text{m/s}$
额定载重量Rated load: $\leq 3000\text{kg}$
导轨宽度Track width: 10mm, 16mm




013#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 1.75\text{m/s}$
额定载重量Rated load: $\leq 1250\text{kg}$
导轨面正压力Normal pressure of guide rail: $\leq 1000\text{N}$
导轨面侧压力Side pressure of Guide Rail: $\leq 650\text{N}$
导轨宽度Track width: 10, 16mm




014#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 2.5\text{m/s}$
额定载重量Rated load: $\leq 1250\text{kg}$
导轨面正压力Normal pressure of guide rail: $\leq 1000\text{N}$
导轨面侧压力Side pressure of Guide Rail: $\leq 700\text{N}$
导轨宽度Track width: 10, 16mm




007#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 3.5\text{m/s}$
额定载重量Rated load: $\leq 3000\text{kg}$
导轨宽度Track width: 10mm, 16mm




008#



技术参数Technical parameter;
额定速度Rated speed: $V \leq 3.5\text{m/s}$
额定载重量Rated load: $\leq 3000\text{kg}$
导轨宽度Track width: 10mm, 16mm




001#




技术参数Technical parameter;
额定速度Rated speed: $\leq 2.0\text{m/s}$
额定载重量Rated load: $\leq 1250\text{kg}$
导轨面正压力Normal pressure of guide rail: $\leq 1000\text{N}$
导轨面侧压力Side pressure of Guide Rail: $\leq 700\text{N}$
导轨宽度Track width: 10, 16mm
适用范围SCOPE of application: 对重侧
额定速度Rated speed: $\leq 2.5\text{m/s}$
对重重量Right, Weight, weight: $\leq 8000\text{kg}$




002#




技术参数Technical parameter;
额定速度Rated speed: $V \leq 1.75\text{m/s}$
额定载重量Rated load: $\leq 2000\text{kg}$
导轨面正压力Normal pressure of guide rail: $\leq 1200\text{N}$
导轨面侧压力Side pressure of Guide Rail: $\leq 1000\text{N}$
导轨宽度Track width: 10, 16mm




001#



技术参数Technical parameter;
 轿厢额定速度Car Speed Rating: $V \leq 2.5\text{m/s}$
 额定载重量Rated load: $\leq 1500\text{kg}$
 导轨面正压力Normal pressure of guide rail: $\leq 1200\text{N}$
 导轨面侧压力Side pressure of Guide Rail: $\leq 850\text{N}$
 导轨宽度Track width: 10, 16mm




002#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 2.5\text{m/s}$
 额定载重量Rated load: $Q \leq 1600\text{kg}$
 导轨宽度Track width: 16mm




009#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 1.75\text{m/s}$
 导轨宽度Track width: 10mm
 空心导轨宽度Width of relief guide: 10, 16, 4mm




010#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 1.75\text{m/s}$
 导轨宽度Track width: 10, 16mm
 空心导轨宽度Width of relief guide: 10, 16, 4mm




003#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 2.0\text{m/s}$
 导轨宽度Track width: 9, 10, 16mm
 空心导轨宽度Width of relief guide: 16, 4mm




004#




技术参数Technical parameter;
 额定速度Rated speed: $V \leq 2.0\text{m/s}$
 额定载重量Rated load: $\leq 2000\text{kg}$
 导轨面正压力Normal pressure of guide rail: $\leq 2000\text{N}$
 导轨面侧压力Side pressure of Guide Rail: $\leq 2000\text{N}$
 导轨宽度Track width: 9, 10, 16mm




009#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 2.5\text{m/s}$
 导轨面正压力Normal pressure of guide rail: $\leq 8500\text{N}$
 导轨面侧压力Side pressure of Guide Rail: $\leq 8500\text{N}$
 导轨宽度Track width: 10, 16mm




012#



技术参数Technical parameter;
 轿厢额定速度Rated speed: $V \leq 2.5\text{m/s}$
 额定载重量Rated load: $\leq 1500\text{kg}$
 导轨面正压力Normal pressure of guide rail: $\leq 1200\text{N}$
 导轨面侧压力Side pressure of Guide Rail: $\leq 850\text{N}$
 导轨宽度Track width: 10, 16mm




005#




技术参数Technical parameter;
 额定速度Rated speed: $V \leq 2.0\text{m/s}$
 导轨宽度Track width: 10, 16mm




006#



技术参数Technical parameter;
 额定速度Rated speed: $\leq 2.5\text{m/s}$
 额定载重量Rated load: $\leq 1250\text{kg}$
 导轨面正压力Normal pressure of guide rail: $\leq 1000\text{N}$
 导轨面侧压力Side pressure of Guide Rail: $\leq 700\text{N}$
 导轨宽度Track width: 16mm
 适用范围SCOPE of application: 对重侧
 额定速度Rated speed: $\leq 2.5\text{m/s}$
 对重量Right. Weight, weight: $\leq 8000\text{kg}$




013#




技术参数Technical parameter;
 额定速度Rated speed: $V \leq 1.75\text{m/s}$
 导轨宽度Track width: 10, 16mm



029# 日立导轨
 116×16.5/10.5
 Hitachi boot




007#



技术参数Technical parameter;
 额定速度Rated speed: $V \leq 1.75\text{m/s}$
 导轨宽度Track width: 10, 16mm




008#




技术参数Technical parameter;
 额定速度Rated speed: $V \leq 1.75\text{m/s}$
 导轨宽度Track width: 18mm



032# 活动导轨
 220×16.5/10.5
 Movable boot




033# 190 活动导轨
 190×16.5/10.5
 Movable boot







034# OTIS对重导靴
220×16.5/10.5
Otis, the heavy boot





035# 80活动导靴
80×16.5/10.5
Movable boot





036# 90活动导靴
90×16.5/10.5
90 Mobile boot




037# 固定导靴
200×16.5/10.5
Fixed Guide shoe





040# 滑动导靴
Sliding boot





041# OTIS导靴 3种孔90*直径10.5
200*16 (14) 150*10
Otis boot with 3 holes 90 * Diameter 10.5





060#
额定速度Rated speed: $\leq 0.63\text{m/s}$
额定载重量Rated load: $\leq 320\text{kg}$
导轨宽度Track width: 10, 16mm
X方向受力Force in the x direction: $\leq 1600\text{N}$
Y方向受力Force in the Y direction: $\leq 1500\text{N}$




061#
额定速度Rated speed: $\leq 0.4\text{m/s}$
额定载重量Rated load: $\leq 320\text{kg}$
导轨宽度Track width: 10, 16mm




062#
额定速度Rated speed: $\leq 0.63\text{m/s}$
额定载重量Rated load: $\leq 320\text{kg}$
导轨宽度Track width: 10, 16mm
X方向受力Force in the x direction: $\leq 2000\text{N}$
Y方向受力Force in the Y direction: $\leq 2300\text{N}$



063#
额定速度Rated speed: $\leq 0.63\text{m/s}$
额定载重量Rated load: $\leq 450\text{kg}$
导轨宽度Track width: 10, 16mm
X方向受力Force in the x direction: $\leq 2000\text{N}$
Y方向受力Force in the Y direction: $\leq 2300\text{N}$




419# 11槽空心导轨靴
11 Slot Hollow Rail Boot



420# 18槽空心导轨靴
18 Slot Hollow Rail boot




433# 通力导靴
80×11 80×17
Kone boot



434# 滚动导靴
(迅达PB210)
Rolling boot



435# 日立滚轮导靴
Hitachi Roller boot



436# 通力滚轮导靴
Kone Roller boot



438# 对重导靴150*17
Right, Heavy boot



439# 蒂森导靴
Tison boots



440# 蒂森导靴
Tison boots




441# 蒂森导靴
Tison boots



446# 西奥导靴
Theo boot



053# 西子、奥蒂斯导靴
85* (直径16*32)
Xizi, Otis boots




054# 蒂森导靴
Tison boots




055# 东芝导靴
Toshiba boot




418# 快速三菱导靴
Fast Mitsubishi boot



061# 对称锥块式绳头组合 $\phi 13$
Symmetrical Cone Block Rope Head Combination Phi 13




062# 对称锥块式绳头组合 $\phi 10$
Symmetrical cone block type rope head combined Phi 10




063# 对称锥块式绳头组合 $\phi 8$ Symmetrical cone block type rope head combined Phi 8




064# 限速器绳头 Speed limiter rope head




064# (SLBJ-1) 非对称楔块绳头组合 $\phi 16$ Asymmetric Wedge Rope Head Combination Phi 16




065# (SLBJ-2/3)
非对称楔块绳头组合 $\phi 12/13$ Asymmetric Wedge Rope Head Combination Phi 12/13



066# (SLBJ-4) 非对称楔块绳头组合 $\phi 10$ Asymmetric Wedge Rope Head Combination Phi 10



067# (SLBJ-5) 非对称楔块绳头组合 $\phi 8$ Asymmetric wedge rope head combined Phi 8




068# (SLBJ-8) 对称楔块式绳头组合 $\phi 19$ Symmetrical Wedge Rope Head Combination Phi 19



特种高强绳头锥套


本绳头号锥套采用195材质的优质板，特殊焊接而成，其抗拉强度比铸钢材质提高一倍以上，安全质量更高！




060# 对称锥块式绳头组合 $\phi 16$
Symmetrical cone block type rope head combination Phi 16




421# (SLBJ-166/C) 轿厢称重件
Car weighing piece




422# (SLBJ-166/D) 轿厢称重件E
Car weighing element e




423# (SLBJ-168/A) 曳引机减震垫
Traction machine damping pad




424# (SLBJ-168/B) 曳引机减震垫
Traction machine damping pad




425# (SLBJ-168/C) 曳引机减震垫
Traction machine damping pad




426# (SLBJ-168/D) 曳引机减震垫
Traction machine damping pad




427# (SLBJ-168/E) 曳引机减震垫
Traction machine damping pad




428# (SLBJ-168/F) 门机马达减震垫
Damping pad for door motor












429# (SLBJ-177/A) 缓冲垫
crash pad



430# (SLBJ-177/B) 上梁缓冲垫
Upper beam cushion







050# 迅达靴衬(软硬)
140X10 140X16
Soft and hard Schindler boot lining)

051# 天津梯靴衬
200X16 200X10
Tianjin Ladder Shoe lining

052# 天津梯靴衬
220X16 220X10
Tianjin Ladder Shoe lining

053# 天津梯靴衬
190X16 190X10
Tianjin Ladder Shoe lining

054# 加长靴衬305长
Extra boot lining, 305 lengths



055# 300长靴衬
300 boots

056# 迅达靴衬150×10
Schindler boot lining

057# 迅达靴衬150×16
Schindler boot lining

058# 西奥靴衬
120×50×17孔距90
Theo boot lining

059# 西奥靴衬
120×50×12孔距90
Theo boot lining



060# 迅达花边靴衬
220×10 220×17
Schindler lace-up boot lining

061# 迅达软靴衬220X10
Schindler Soft Shoe Lining

062# 迅达软靴衬220X16
Schindler Soft Shoe Lining

063# 通力靴衬
181长 槽16
Kone boot lining 181 long groove 16

064# 通力靴衬
140×30×17
Kone boot lining



065# 通力靴衬
Kone boot lining

066# 通力靴衬
Kone boot lining

067# 通力靴衬
Kone boot lining

068# 蒂森靴衬
48X28X17
Tison boots

069# 蒂森靴衬125*17 070# 蒂森靴衬125*10
Tison boots



071# 蒂森靴衬带胶垫
Tison boots, lining, rubber pad

072# 蒂森靴衬
130*11
Tison boots

073# 蒂森靴衬
150X17
Tison boots

074# 蒂森靴衬
125X5
Tison boots

075# 蒂森靴衬片
Tison shoe linings



076# 通力靴衬 131X10
Kone boot lining

077# 通力靴衬 131X17
Kone boot lining

078# 固定板
Fixing Plate

079# 杂货梯靴衬
Grocer boot lining

080# 对重靴衬
120×50×8/120×50×10
Pair of heavy boots lining



081# 对重靴衬
120×50×17
Pair of heavy boots lining

082# 对重靴衬
200×50×17
Pair of heavy boots lining

083# 通力靴衬
80*16
Kone boot lining

084# 通力靴衬
80*10
Kone boot lining

085# 东芝三合一8K、13K
120X25X5 120X20X5
Toshiba three in one 8K, 13K




086# 东芝三合一8K、13K
靴衬150X26X5(一片)/150X36X5(二片)
Toshiba three in one 8K, 13K

087# 东芝三合一
150*26*5一片/150*30*5两片
Toshiba in one

088# 东芝三合一
230X34X9.4(一片)/230X36X9.4(二片)
Toshiba in one

089# OTIS无机房靴衬
100×40×34×18
Otis boots without machine room lining




090# OTIS无机房靴衬
100×40×34×12
Otis boots without machine room lining

091# 奥的斯三合一靴衬
Otis three-in-one boot

092# 奥的斯靴衬 长短两种
Otis boots, both short and long

093# 奥的斯靴衬200×25×6
Otis boots



094# OTIS三合一靴衬
钢板胶垫210X35/210X40
Otis, three-in-one boot lining

095# 奥的斯三合一靴衬
200X25X6/200X20X6
Otis three-in-one boot

096# 奥的斯三合一靴衬
Otis three-in-one boot

097# LG8K靴衬
120X22X7(一片)120X20X6(二片)
LG8K boots



098# LG13K靴衬
120X27.5X7(一片)/12025X6(二片)
LG13K BOOT lining



099# 富士达三合一靴衬
120×28×6 120×24×9
Fujitsu three-in-one boot lining



100# 富士达三合一靴衬
120×24×6 120×28×6
Fujitsu three-in-one boot lining



101# 迅达软靴衬100X16
Schindler Soft Shoe Lining



099# OTIS靴衬
121× (10/16)
Otis boots



100# OTIS三合一靴衬
200×20×6
Otis, three-in-one boot lining



101# 靴衬
220×35×16/10
Boot lining



102# 现代三合一靴衬
120×22×6
Modern triple boot lining



103# 东芝三合一靴衬
150×36×5二片/150×26×5一片
Toshiba three-in-one boot lining




102# 迅达软靴衬100X10
Schindler Soft Shoe Lining



103# 靴衬120×10
BOOT lining



104# 靴衬120×17
BOOT lining



105# 迅达靴衬长100槽17
Schindler boot Lining 100 slot 17



106# 沈阳三洋靴衬
145×20×28×6
Shenyang Sanyo boot lining



108# 迅达靴衬(软硬)
140X10 140X16
Schindler boot lining (hard and soft)



109# 梯靴衬
200X16 200X10
Ladder shoe lining



110# 梯靴衬
220X16 220X10
Ladder shoe lining



111# 梯靴衬
190X16 190X10
Ladder shoe lining



112# 迅达靴衬
150×16/10
Schindler boot lining




107# 长60*宽22*高23*槽6/10
Length 60 * Width 22 * Height 23 * Slot 6 / 10



108# 迅达靴衬140*16
Schindler boot lining



109# 迅达靴衬140*10
Schindler boot lining



110# 廊坊靴衬120*18
Langfang boots



111# 长251宽27高37槽17
Length 251, width 27, height 37, slot 17



113# 西奥靴衬
120×50×17/11孔距90
Theo boot lining



634# 杂梯小靴衬
80X25X7
Small Shoe lining with ladder



635# 杂梯靴衬
60*35*6
Ladder shoe lining



115# 通力滑块
Kone slider



116# 西奥门滑块
Theomen slider




112# 长112槽7
Long 112 slots 7



113# 长90宽28高30槽18
Length 90, width 28, height 30, slot 18



114# 对重靴衬120*16
Pair of heavy boots lining



093# 通力B型靴衬120× (10/16)
Kone B shoe lining



117# 日立门滑块
Hitachi Gate slider



118# 易升门滑块(不带耐磨层)
Easy-lift door slide block
(without wear-resistant layer)



119# 易升门滑块加耐磨层
Easy-lift door sliding block
with wear-resistant layer



120# 通力滑块
Kone slider



094# 迅达B22靴衬
220× (10/16)
Schindler B22 BOOT lining



095# 200货梯靴衬
200× (10/16)
200货梯靴衬



096# 通力A型靴衬
120× (10/16)
Kone type A boot lining



097# T22靴衬
220× (10/16)
T22 BOOT lining



098# T15靴衬
150× (10/16)
T15 BOOT lining



121# 西尔康滑块
CELCOM slider



122# 蒂森滑块
Tison slider







123# 滑块
Sliding Block



124# 佛马特门滑块
40×13.5
Fermat Gate slider



125# 门滑块
60×11×16×φ6
Door slider





175# 导向滑块
Guide slider



176# 西奥导向轮
Theo wheel



177# 导向滑块
Guide slider



178# 梯级挡块
Step Block



179# 导向滑块
Guide slider



180# 通力梯级挡块
Kone step block




181# 三菱导向轮
Mitsubishi Guide wheel



182# 三菱导向滑块
Mitsubishi Guide slider



183# 三菱锥套
Mitsubishi Cone Sleeve




184# 西奥导向块
Theo guide block



185# 轴卡
Axle clip



186# 螺母
Nuts



187# 螺母
Nuts



188# 轴卡
Axle clip



190# 丁字架挂轮
Trellis hitch



617# OTIS、LG限位开关
LX-P、6098D1
Otis Limit Switch



618# OTIS限位开关
6098B11
Otis Limit Switch




619# OTIS限位开关
6098B7
Otis Limit Switch




329# 161门锁
161, door lock



330# GS06门锁
GS06 door lock



331# PB16D门锁
PB16D door lock



332# 广日门锁
Guang Ri door lock



333# 奥的斯09门锁
Otis 09, door lock



197# PB161客梯门锁
PB161 elevator door lock




198# 161A三菱货梯门锁
161a Mitsubishi Freight Elevator Door Lock




199# 161B(PB152A)门锁(右)
161B, PB152A, door lock right




200# 广日门锁
Guang Ri door lock




201# 三菱富士达门锁
Mitsubishi Fujitsu Door Locks



202# 上海现代门锁
Shanghai modern door lock



203# LG星玛门锁
LG STAR-MART DOOR lock



204# PB307门锁(老款)
PB307 door lock (old model)



205# 富士达门钩子锁
5245AD3(左)
Fujitsu Door Hook Lock



206# 迅达V30 (PB257) 门锁
Schindler V30(PB257) door lock




207# 现代门锁
Modern locks




208# 东芝门锁
CV100-190 (PB269)
Toshiba door lock




209# 奥的斯K5门锁
Otis, k-5, door lock



210# 奥的斯09门锁
Otis 09, door lock



211# DK-RN4(PB81)门锁
Dk-rn4 PB81 door lock



212# DK-KM门锁(左)
Dk-km door lock (left)




214# CV55、60门锁(左)
CV55, 60, door lock left




215# 门锁CV100-180PB269 (左)
Door Lock CV100-180PB269 left)











216# 门锁无付锁
Door locks are unlocked



217# PB16D门锁(左)
Pb16d door lock (left)



218# 161门锁加付锁
161 door lock plus pay lock






693# 奥的斯导向轮
540×3×13/540×4×13
Otis wheel




693# 三菱曳引轮
620×6×12/620×5×12/650×5×12/650×6×12/680×6×12
Mitsubishi tracers



693# 三菱曳引轮
620×4×12/660×4×12
Mitsubishi tracers



693# 三菱曳引轮
400×5×8/400×6×8/400×7×8
Mitsubishi tracers



693# 西子富沃德曳引轮
400×5×10/400×6×10
Xizi fouwald traction wheel



693# 通力曳引轮
655×6×13/655×7×13
Kone wheel



693# 日立导向轮
330×6×8/420×6×8
Hitachi guide wheel



693# 曳引轮
410×6×10
Traction wheel



693# 东芝曳引轮
635×6×12/635×5×12/635×4×12
Toshiba traction wheel



693# 东芝曳引轮
595×6×12/595×5×12/595×4×12/595×5×14
Toshiba traction wheel




693# 东芝曳引轮
630×6×8/330×7×8/330×8×8 注:内径85/90两种尺寸
Toshiba traction wheel




693# 导向轮 全尺寸订做
Guide wheels, custom-made, full size



693# 蒙特纳利曳引轮
400×5×10/400×6×10/400×7×10
MONTANELLI wheel



693# 通润曳引轮
400×5×10/400×6×10/400×7×10
Road wheel



693# 日立导向轮
610×5×13
Hitachi guide wheel



693# 曳引轮
534×5×13
Traction wheel




693# LG曳引轮 605×5×12/605×4×12
LG Traction wheel



693# LG曳引轮 860×5×16
LG Traction wheel



693# LG曳引轮
716×7×12/716×6×12/716×5×12
LG Traction wheel



693# LG曳引轮
635×6×12/635×5×12/635×4×12
LG Traction wheel



693# 永磁同步曳引轮410×8×10
Permanent Magnet synchronous traction wheel



244# 通力涨紧轮 φ 215×6004
Kone tensioner



245# 日立涨紧轮 φ 190×6202
Hitachi tensioner



246# 日立涨紧轮 φ 260×6205
Hitachi tensioner



693# 蒂森曳引轮
565×8×13/565×6×13/565×5×13/565×4×13
Tison wheel



693# 蒂森曳引轮
330×7×8/420×5×10/420×6×10
Tison wheel



693# 日立曳引轮
615×4×12/615×5×12/615×6×12/615×7×12
Hitachi wheel



693# LG曳引轮
400×5×10/400×6×10
LG Traction wheel



247# 永大涨紧轮 φ 260×双6003
Evergrande tensioner



248# 帝森涨紧轮 φ 320×25
6003双/6201双/6205/6204
Dyson tensioner



1219# 摩擦轮
φ 781.2/φ 80×31
Friction Wheel



1220# LG摩擦轮 φ 610/650
×厚36内45键10/14
LG Friction Pulley




693# 日立曳引轮
400×5×10
LG Traction wheel



693# 西子富沃德曳引轮
400×5×10/400×6×10
Xizi fouwald traction wheel




693# 西子富沃德曳引轮
400×4×10/400×5×10/400×6×10/400×7×10
Xizi fouwald traction wheel



693# 西子富沃德曳引轮
400×5×10/400×6×10
Xizi fouwald traction wheel



1221# 富士达摩擦轮
φ 650×400×厚30
Fujitec Friction Pulley



1222# 迅达摩擦轮
φ 588×内 φ 400×厚30
Schindler Friction Pulley
φ 588×inner φ 400×H30



533# 扶手带防偏轮
φ 56×M16
Handrail anti-deflection wheel



534# 扶手带防偏轮
φ 56×M10
Handrail anti-deflection wheel



535# 扶手带防偏轮
φ60×M10
Handrail anti-deflection wheel



536# 扶手带压紧轮
φ64×74
Handrail pulley



537# 扶手带导向轮
6201/6202/6203
Handrail guide wheel



538# 东芝TOSHIBA
规格: 70*35
轴承: 6202双



539# 新奥SHINER
规格: 70*25
轴承: 6204红



540# 新奥SHINER
规格: 70*25
轴承: 6204蓝



541# 蒂森THYSSENKRUPP
规格: 75*24
轴承: 6204



542# 富士达FUJITEC
规格: 75*23.5
轴承: 6204



543# 富士达FUJITEC
规格: 75*70/75*60
轴承: 6004



544# 蒂森THYSSENKRUPP
规格: 75*24
轴承: 6204



545# 通力KONE
规格: 75*23.5
轴承: 6204



546# 西子OTIS
规格: 76.2*21.6
轴承: 6204



547# 迅达SCHINDLER
规格: 76*25
轴承: 6204



548# 迅达SCHINDLER
规格: 76*25
轴承: 6204



549# 三菱MITSUBISHI
规格: 76*25
轴承: 6202



550# 西子OTIS (非标型)
规格: 76.2*21.6
轴承: 6203 φ12.7/6004 φ15.1



551# 西子OTIS
规格: 76.2*21.6
轴承: 6203



552# 西子OTIS
规格: 76.2*21.6
轴承: 6203



553# 通力KONE
规格: 75*23.5
轴承: 6204



554# 现代HYUNDAI
规格: 76*22
轴承: 6203



555# 日立驱动轮
Hitachi wheel




556# 西子OTIS梯级主轮
φ76×22×6204/6203
Xizi Otis step main wheel



557# 新奥SHINER
规格: 70*25
轴承: 6204




192# 三菱门绳轮
φ90×10×6200
Mitsubishi Gate Rope Wheel



193# OTIS尼龙门
吊轮 φ85×20×6204
Otis Nylon door



194# 门吊轮(方槽)
φ100×18×6202
Square channel of door crane



195# 吊门轮(R槽)
铝芯 φ100×18×6202
Gantry wheel R slot
aluminium core 100186202



196# 吊门轮(R槽)
φ100×18×6202
Gantry wheel R slot
aluminium core 100186202



197# 绳轮
φ75×14×6201
Rope wheel



198# 门轮
φ56×14×6201
Door wheel



199# 方槽
φ56×17×6202
Square slot



200# 双槽绳轮
φ80×18×6202
Double grooved pulleys



201# 蒂森门轮
φ70×17×6200
Tison



202# 蒂森门轮
φ70×17×200方槽
Tison



203# 门轮
φ88×18×6203
Door wheel



204# 门轮
φ70×13×6201
Door wheel



205# 门轮(R槽)
φ90×18×6203
R groove of door wheel



206# 门轮(R槽)
φ90×18×6202
R groove of door wheel



207# 凸型门轮
φ75×15×6202
CONVEX wheel



208# 凸型门轮
φ75×15×6201
CONVEX wheel



209# 凸型门轮
φ65×15×6201
CONVEX wheel



210# 西尔康门轮
φ56×15.5×6202
Wheel of CELCOM



211# 西尔康绳轮
φ64×11×6202
Celcom rope wheel




212# 通力厅门吊轮
φ74×16×6203×M10
Kone door hoist




213# 通力门挂轮
φ84×6203
Kone door gear




214# OTIS双槽绳轮
Otis double grooved pulleys



215# 胶木凸轮 φ20
Bakelite Cam



216# 胶木凸轮 φ18
Bakelite Cam



217# 胶木凸轮 φ13
Bakelite Cam



218# OTIS挂轮
Otis Hitch



φ 51 × 60 × 6201 × 2



A



B

φ 60 × 70 × 6002 × 2



219# 方槽 φ 75 × 17 × 201
Square slot

220# 导向装置轮
Guide wheel

221# 蒂森门下轮
Next round, Tison


222# 方槽 φ 34 × 19 × 608
Square slot




243# 东芝门挂轮圆槽 φ 62 × 13 × 6203
Round groove of Toshiba
door hanging wheel



244# 东芝门挂轮方槽 φ 62 × 13 × 6203
Square groove of Toshiba
door hanging wheel



245# 客梯门挂轮圆槽 φ 65 × 13 × 6202
Round groove for hanging
wheel of passenger elevator door



246# 客梯门挂轮 φ 66 × 15 × 6202
Passenger elevator
door hanging wheel



247# 三菱门挂轮
φ 72 × 14.5 × 6202
Mitsubishi door gear



223# 博林特绳轮
φ 70 × 14 × 6201
Bollinger rope wheel



224# 博林特绳轮
φ 60 × 10 × 6200
Bollinger rope wheel



225# 偏心轮
Eccentric wheel




226# 大小通力测速机轮
Kone speed measuring wheel



227# 日立门锁轮
φ 45 × 15 × φ 12
Hitachi lock wheel



248# 三菱门挂轮
φ 84 × 17.5 × 6204
Mitsubishi door gear



249# 富士达门挂轮 φ 68
Fujitsu door hanging wheel



250# 三菱驱动轮
φ 131 × 35
Mitsubishi drive wheel



251# 西子扶梯驱动轮
φ 130 × 30
Driver wheel of Xizi escalator



252# 日立驱动轮
φ 143 × 35 × φ 56
Hitachi wheel



228# 门锁轮
φ 46 × 13 × φ 12
Lock wheel



229# φ 46 × 13 × φ 15




230# 161B门锁轮
φ 40 × 12 × φ 12
161B lock wheel



231# 三菱客梯轿门下轮 φ 40 × 12
Lower wheel of Mitsubishi
passenger elevator door



253# 日立驱动轮
φ 159 × 36 × φ 62
Hitachi wheel



254# 现代驱动轮
φ 135 × 35 × 45
Modern drive wheel



255# 蒂森梯级轮
φ 75 × 24 × 6204
Tison, step wheel



256# 梯级轮
φ 76 × 21 × 6203
Step wheel



257# 西奥梯级链轮
φ 76 × 22 × φ 17
Theo step sprocket




233# 通力锁轮
Kone locking wheel



234# 三菱货梯锁轮 φ 60 × 16 × φ 15
Mitsubishi Freight Elevator Lock Wheel




235# 日立门刀轮
φ 45 × 15 × φ 12
Hitachi knife wheel



236# 铁皮轮圆槽
φ 72 × 16 × 6202
Tin Wheel groove



237# 铁皮轮圆槽
φ 58 × 16 × 6202
Tin Wheel groove



258# 西子付轮
φ 76 × 22 × 6203
Siz, the wheel



259# 迅达9700主轮
Schindler 9700 main



260# 迅达多楔带轮 87X70轴6204
Schindler multi-wedge pulley
87X70 Axle 6204




261# 迅达多楔带轮 97X70轴6204
Schindler multi-wedge pulley
97X70 Axle 6204



262# 日立梯级轮
φ 80 × 23 × 6202
Hitachi wheel



238# 铁皮轮带轴元槽
φ 48 × 14 × 6200
Iron sheave SPINDLE cell



239# 日立门挂轮
φ 65 × 13 × 6202
Hitachi door gear



240# OTIS铜芯锁轮



241# 三菱, LG门轮
φ 56 × 14 × 6201
Mitsubishi, LG door wheel



242# 东芝门挂轮 φ 60 × 13 × 6203
Toshiba door hanging wheel



263# 三菱付轮
76X25轴6202
Mitsubishi Wheel



264# 三菱主轮
76X36轴6202
Mitsubishi main wheel



265# 日立托轮
90X60轴6202
Hitachi Roller



266# 迅达主付轮
70X25轴6204
Schindler main line



267# XF主付轮
80X36 80X40轴6203
Xf Main transaxle



268# 西子主付轮
80X25轴6203.6204
West main wheel



269# 导向轮
100X30轴6204
Guide wheel



270# 托轮60X55/76X54
轴6201/6202
Rollers 60X55 / 76X54 axis 6201/6202



271# 迅达托轮
70×50×6204
Schindler sheave



272# 迅达托轮
70×50×6204
Schindler sheave



318# 导靴轮
80X35X26203
BOOT wheel



319# 吊门栓
Lifting Bolt



320# 迅达锁轮
Schindler Lock Wheel



064# 东芝导靴轮
70×25×6202宽面15 窄面8
Toshiba boot wheel



065# 东芝导靴轮
90×30×6202宽面16 窄面14
Toshiba boot wheel



273# 迅达托滚轮
76x72X6204
Schindler Roller



274# 迅达托滚轮
70x50X6204
Schindler Roller



275# 扶梯摩擦轮
φ120×31×6203
Escalator friction wheel



276# 通力导靴滚轮
φ150×38×2-6003
Kone boot roller



277# OTIS导靴滚轮
φ76×22×6203
Otis boot roller



066# OTIS高速轮
φ97×25×10
Otis, the high-speed wheel



067# OTIS高速轮
φ125×29×5
Otis, the high-speed wheel



068# OTIS导靴轮
φ200×28×14
Otis boot wheel



069# 高速轮
φ95×32×10×60053
High-speed wheel



070# 高速轮
φ80×28×6203
High-speed wheel



278# 通力导靴轮
φ160X203
Kone boot wheel



279# 导靴轮
φ125X20X6303
BOOT wheel



280# 蒂森导靴轮
φ153×32×2-6204、2-6203
Tison boot wheel



281# 奥的斯滚动导靴轮
Otis Guide Roller



282# OTIS导靴滚轮
φ200×38×6003
Otis boot roller



071# 高速轮
φ85×24×6202
High-speed wheel



072# 高速轮
φ85×24×6202
High-speed wheel



073# 高速轮
φ130×21×6205
High-speed wheel



074# 高速轮
φ124×26×6003
High-speed wheel



075# 通力高速轮
φ125×24×6203
Kone high speed wheel



283# 三菱导靴滚轮
φ198×28×6003
Mitsubishi boot Roller



284# OTIS导靴滚轮
φ160×6203
Otis boot roller



285# 日立导靴滚轮
φ160×30×2-6004
Hitachi boot roller



286# 三菱导靴滚轮
φ80×26.5×6203
Mitsubishi boot Roller




287# 导靴轮
φ155X30
BOOT wheel



076# 高速轮
φ120×22×6205
High-speed wheel




077# 高速轮
φ270×38×32×11×6304
High-speed wheel



078# 高速轮
φ100×25.5×6205
High-speed wheel



079# 高速轮
φ150×31×6201
High-speed wheel



080# 导靴轮
φ150×32×6203
BOOT wheel



288# LG导靴轮
φ125X22×6303
LG BOOT wheel




289# 富士达导靴轮
φ200X37×6306
Fujitsu boot wheel



290# OTIS导靴轮
φ160X30X203
OTIS导靴轮



316# 导靴轮
150X30X26201
BOOT wheel



317# 导靴轮
100X25X6205
BOOT wheel



081# 蒂森导靴轮
φ85×24×6201
Tison boot wheel



082# 高速导靴轮
φ78×30×6204
High Speed boot wheel



083# 高速导靴轮
φ200×38×6306
High Speed boot wheel



084# 高速导靴轮
φ179×40×6006
High Speed boot wheel



085# 高速导靴轮
φ180×34×6203
High Speed boot wheel




086# 高速导靴轮
 $\phi 250 \times 43 \times 6007$
 High Speed boot wheel



087# 高速轮
 $\phi 76 \times 19 \times 6203$
 High-speed wheel




088# 高速轮
 $\phi 77 \times 27 \times 6203$
 High-speed wheel




089# 高速轮
 $\phi 80(90) \times 25 \times 6302$
 High-speed wheel



090# 高速轮
 $\phi 83 \times 24 \times 6201$
 High-speed wheel



091# 高速轮
 $\phi 90 \times 25 \times 6302$
 High-speed wheel



092# 导靴轮
 $\phi 125 \times 302$
 BOOT wheel



191# 方槽
 $\phi 38 \times 17 \times 6200$
 Square slot



192# 三菱门绳轮
 $\phi 90 \times 10 \times 6200$
 Mitsubishi Gate Rope Wheel



785# OTIS双排20齿驱动
 链轮 $\phi 174 \times 48 \times \phi 69.5$
 Otis Double Row 20-teeth
 Drive Sprocket



786# 西子OTIS双排29齿驱动
 链轮 $\phi 121 \times 89 \times 2-6205$
 Xizi Otis Double Row 29-teeth
 Drive Sprocket



787# OTIS双排21齿过桥链
 轮 $\phi 90 \times 32 \times 6204$ (西奥)
 Otis Double Row 21-teeth
 Gap Bridge Chain Wheel



788# LG驱动齿轮21齿
 LG Drive single row-21teeth



789# LG驱动齿轮20齿
 LG Drive single row-20teeth



791# 日立梯齿轮
 Hitachi ladder gear



790# 双排20、27齿 6204轴承
 Double-Row teeth 6204 Bearing
 (20、27teeth)



792# 日立23齿驱动链轮装置
 $\phi 123 \times 24 \times 23$ 齿
 Hitachi 23-teeth Drive
 Sprocket Device




793# 日立21齿驱动链轮装置
 $\phi 114 \times 25 \times 21$ 齿
 Hitachi 21-teeth Drive
 Sprocket Device



794# 江南嘉捷17节回转链
 Jiangnan Jiajie 17-link
 Rotary Chain



795# 广奥扶梯双叉回转链
 Double-fork rotary chain of
 Guang 'ao escalator



796# 东芝回转链
 Toshiba revolving chain



797# 通力新款回转链
 Kone's New Revolving Chain



798# SDS双叉回转链
 17轮 18轮 22轮 34轮
 Bearing Chain(17/18/22/34 Rollers)



799# SDS单叉回转链
 17轮 18轮 22轮 34轮
 Bearing Chain(17/18/22/34 Rollers)



800# SDS双叉17节玻纤回转链
 SDS Double Fork 17-Section
 Glass Fiber Rotary Chain



801# 西子OTIS双叉回转链17节
 XIZI OTIS Double-Fork
 Rotate Chain



802# 新款迅达回转链
 New Type Schindler 9300
 Bearing Chain



803# 单叉型
 Single Bearing
 Chain Link



804# 双叉型
 Double Chain Link



805# 通力滑轮组 24节
 Kone Pulley Chain Group



806# 百斯特滑轮群组18节
 Pulley Group (18 Pitch)



807# 蒂森滑轮组
 Thyssen Pulley Chain Group



666# 回转链双挂
 (各种长度按节数加工)
 Rotary chain double hanging
 (various length according to the
 number of sections processing)



668# 回转链单挂
 (各种长度按节数加工)
 Single hanging of rotary chain
 (each length is processed according
 to the number of sections)



667# 双挂回转链节
 Double-hung slewing link



669# 单挂回转链节
 Single hanging slewing link



670# 公交型滑轮群组17节
 (各种长度按节数加工)
 Bus Type Pulley Group 17 sections
 (various length according to section
 number processing)



808# 蒂森回转链
 轴承608总宽31
 23组 总长1.27米
 Thyssen Pulley Chain Group



809# OTIS滑轮组
 全长1.18米 19轮 609
 OTIS Pulley Group



810# 通力回转链TL6045
 Kone Bearing Chain



811# 通力进口扶梯24节金属回转链
 Kone Import Escalator 24-Section
 Metal Revolving Chain



812# 通力回转链
 TL6040 (45X30.5)
 Kone Bearing Chain



813# SWE公交滑轮组
 厚23 轮 $\phi 45 \times 17$
 Pulley Device $\phi 45 \times 17$ T23



814# 定做滑轮组
 厚29 轮 $\phi 40 \times 23$
 Pulley Device $\phi 40 \times 23$ T29




815# 富士达滑轮组
 FUJI Pulley Group




816# 通力回转链
TL6047 (45X30.5)
Kone Pulley Group



817# 扶手带托轮装置6/8/9/10轮
Handrail Support Roller Device



818# 扶手带压带轮装置
Armrest belt pinch
roller device



819+# LG14轮/LG19轮滑轮群
LG 14 Rollers/19 Rollers Device



449# 导向装置
φ57×90×2-6202
Schindler/OTIS Guide Device
for Compensation Chain



450# OTIS导向装置
OTIS Guide Device for
Compensation Chain



451# OTIS补偿链导向轮
110-90-2-6004
OTIS Compensation
Chain Guide Pulley




452# 奥的斯导向装置
OTIS Guide Device for
Compensation Chain



453# OTIS导向装置
Guide Device for
Compensation Chain



820# 天津OTIS滑轮群5轮 长282 宽35
轮φ26×厚26 轴承G0456销φ10×35
OTIS Pulley Group (5 Rollers)



821# 长条形8轮滑轮群
全长610 轮φ41×厚17 总厚25
Pulley Group (8 Rollers) L610×T25



822# 6轮滑轮群
长345 厚26
6 Rollers Device L345×T26



454# OTIS导向装置
Guide Device for
Compensation Chain



455# 迅达导向装置
Schindler Compensation
Chain Guide Pulley



456# 新型导向轮
Guide Pulley




433# 通力补偿链导向装置
Kone Guide Device for
Compensation Chain




434# 导向装置橡胶轮
Guide rubber wheel



823# 东芝9轮滑轮组
Toshiba 9 Rollers Device



824# 百斯特组滑轮群
长350×厚24.5
Pulley Group L350×T24.5



825# 9轮滑轮群组
9 wheel groups



435# 迅达导向装置轮
Schindler guide wheel




436# 通用导向装置轮
Universal guide wheel



437# 通用导向装置
Universal guide



438# 迅达导向装置
Schindler guide



826# 百斯特涨紧总成节距
110×M18 轮φ70×50×204
M18螺丝



827# 通力
KONE



828# 涨紧装置
Tensioning device



829# 三菱回转链
Mitsubishi revolving chain



443# 通力导向装置
φ65×70
Kone guide



439# 江南快速导向装置
Jiangnan fast guiding device



440# 江南快速导向装置
Jiangnan fast guiding device



441# 导向装置
Guide




442# 导向装置
Guide



444# 广日导向装置
Hitachi Guide Device for
Compensation Chain



445# 导向装置
Guide Device for
Compensation Chain



446# 导向装置
Guide Device for
Compensation Chain




447# 三菱导向装置
φ50×42×2-6002
Schindler Guide Device
for Compensation Chain



448# 导向装置
φ57×90×2-6202
Schindler/OTIS Guide Device
for Compensation Chain




1093# 现代15齿塑料齿板(左)
识别号(Number of Identification)
655B013H06
Hyundai 15-teeth ABS Comb (Left)




1094# 现代16齿ABS梳齿板(中)
145×86.5×孔距92
识别号(Number of Identification) HE655B013
16-teeth ABS comb plate (centre)




1095# 现代15齿塑料齿板(右)
识别号(Number of Identification)
655B013H06
Hyundai 15-teeth ABS Comb (Right)



1096# 西子OTIS 25齿塑料梳齿板 (左)
213×107×孔142
识别号(Number of Identification)
LDTJ-B-2
25-teeth aluminium comb plate(left)



1097# 西子OTIS 23齿塑料梳齿板 (中)
192×107×孔142
识别号(Number of Identification)
LDTJ-B-3
23-teeth plastic comb plate(centre)



1098# 西子OTIS 25齿塑料梳齿板 (右)
213×107×孔142
识别号(Number of Identification)
LDTJ-B-1
25-teeth plastic comb plate (right)



1108# ABS梳齿板 213×109×孔142
识别号(Number of Identification)
L47312018A & B
ABS comb plate(left)



1109# ABS梳齿板 191×109×孔142
识别号(Number of Identification)
L57312013A
ABS comb plate(left)



1110# ABS梳齿板 213×109×孔142
识别号(Number of Identification)
L47312017A & B
ABS comb plate(left)




1099# 西子OTIS 22齿ABS梳齿板(左)
L47312024A 204×107×孔距145
Xizi Otis 22-teeth ABS Comb
Plate (Left)




1100# 西子OTIS 22齿ABS梳齿板(中)
L47312023A 199×107×孔距145
Xizi Otis 22-teeth ABS Comb
Plate (Centre)



1101# 西子OTIS 22齿ABS梳齿板(右)
L47312022A 204×107×孔145
Xizi Otis 22-teeth ABS Comb
Plate (Right)



1111# 东芝22齿ABS梳齿板 (中)
199×130×孔145
22-teeth ABS comb plate
(left, centre)



1112# 东芝22齿ABS梳齿板 (右)
205×120×孔145
22-teeth ABS comb plate (right)



1113# 三菱14齿塑料梳齿板
126×90×孔距63/80
14-teeth plastic comb plate




1102# 迅达22齿ABS梳齿板(左)
QSTJ.S.a-3 203×109×孔145
Schindler 22-teeth ABS Comb
Plate (Left)




1103# 迅达22齿ABS梳齿板(中)
QSTJ.S.a-2 199×109×孔145
Schindler 22-teeth ABS Comb
Plate(centre)



1104# 迅达22齿ABS梳齿板(右)
QSTJ.S.a-1 203×109×孔145
Schindler 22-teeth ABS Comb
Plate(right)




1114# 迅达22齿塑料梳齿板 (中)
199×108×孔145
22-teeth plastic comb plate
(centre ,right)




1115# 迅达22齿塑料梳齿板 (边)
205×108×孔145
22-teeth plastic comb plate(left)




1116# 三菱二代梳齿板
126×90×孔63
识别号(Number of Identification)
YS013B578/313
Mitsubishi second generation comb plate




1105# 康力22齿(左)
203×109×孔145
型号: BEVG
KONE 22-teeth Comb (Left)




1106# 康力22齿(中)
199长
型号: BEVG
KONE 22-teeth Comb (Middle)




1107# 康力梳齿板(右)
型号: BEVG
KONE 22-teeth COMB (Right)




1165# 迅达、富士22齿铝梳齿板 (边)
205×153×孔距145
22-teeth aluminium comb plate
识别号(Number of Identification)DAW-A305004N




1166# 迅达、富士22齿铝梳齿板 (中)
199×153×孔距145
22-teeth aluminium comb plate
识别号(Number of Identification)DAW-A305004N




1167# 迅达9500人行道22齿铝梳齿板
200×181×孔距145 (中)
22-teeth aluminium comb
plate(centre)




1168# 迅达22齿铝梳齿板
205×181×孔距145 (边)
22-teeth aluminium
comb plate(side)




1169# 江南 22齿铝梳齿板 (中)
199.5×117×孔145
22-teeth aluminium comb plate(centre)




1170# 江南22齿铝梳齿板(边)
203×117×孔145
22-teeth aluminium comb
plate(side)




1180# OTIS 24齿铝梳齿板 (左)
206×133×孔距101
识别号(Number of Identification)
56-XAA453BJ
24-teeth aluminium comb plate(left)




1181# OTIS 24齿铝梳齿板 (中)
203×133×孔距101
识别号 Number of Identification
56-XAA453BJ
24-teeth aluminium comb plate(centre)




1182# OTIS 23齿铝梳齿板 (右) 198×133×孔距101
识别号(Number of Identification)
56-XAA453BJ
23-teeth aluminium comb plate(right)




1171# 江南22齿铝梳齿板(左)
202×150×孔145
22-teeth aluminium comb
plate(left)




1172# 江南22齿铝梳齿板(中)
199×150×孔145
22-teeth aluminium comb
plate(centre)




1173# 江南22齿铝梳齿板(右)
202×150×孔145
22-teeth aluminium comb plate(right)




1183# 西子OTIS 25齿人行道铝梳齿板
214×145×孔142 (左)
识别号(Number of Identification)
XAA453J
25-teeth aluminium comb plate(left)




1184# 西子OTIS 23齿人行道铝梳齿板
193×145×孔142 (中)
识别号(Number of Identification)
XAA453J
23-teeth aluminium comb plate(centre)




1185# 西子OTIS 25齿人行道铝梳齿板
214×145×孔142 (右)
识别号(Number of Identification)
XAA453J
25-teeth aluminium comb plate(right)




1174# OTIS、LG 24齿铝梳齿板
206×140×孔距101 (左)
识别号(Number of Identification)
GAA453BM 24-teeth aluminium comb plate(left)




1175# OTIS、LG 24齿铝梳齿板
203×140×孔101 (中)
识别号(Number of Identification)
GAA453BM 24-teeth aluminium comb plate(centre)




1176# OTIS、LG 23齿铝梳齿板
198×140×孔102 (右)
识别号(Number of Identification)
GAA453BM 23-teeth aluminium comb plate(right)




1186# 西子OTIS 22齿铝梳齿板 (左)
203×145×孔145
22-teeth aluminium comb plate(left)




1188# 西子OTIS 22齿铝梳齿板 (中)
199×145×孔145
22-teeth aluminium com plate (centre)




1188# 西子OTIS 22齿铝梳齿板 (右)
203×145×孔145
22-teeth aluminium comb plate (right)




1177# OTIS 24齿铝梳齿板
206×140×孔距101
识别号(Number of Identification)
GAA453BM




1178# OTIS 24齿铝梳齿板
203×140×孔距101
24-teeth aluminium comb plate
识别号(Number of Identification)XAA453CD













1179# OTIS 23齿铝梳齿板
198×140×孔距101
23-teeth aluminium comb plate
识别号(Number of Identification)
GAA453BM








958# 三菱扶梯边框一代 Mitsubishi Escalator Frame Generation




959# 三菱扶梯边框二代 Mitsubishi Escalator Frame II





扶手带总长度测量方法：
取扶手带直线段，用钢皮卷尺测量，将所测的长度L1...Lnl累计数既为总长度。此总长度可按照扶手带安装的松紧适当调整长充。

Measuring method of total length of armrest belt:
take straight line of armrest belt, measure with steel tape measure, measure the length l1... LNL cumulative number is both total length. The total length can be adjusted according to the tightness of the armrest belt.




扶手带的外观尺寸 Size

代号 型号	尺寸	扶手带外观尺寸 (mm)					
		总厚(H)	上带厚 (h1)	内高 (h)	总宽 (D1)	内宽(D)	唇口宽度(d)
中讯型	SWE	34±1	12±1	12±0.8	82±1	62±1	33 ⁺³ ₋₁
	SDS	28.5±1	9.5±1	10.6±0.8	80±1	62±1	39 ⁺³ ₋₁
奥的斯型	OTIS-800V	28±1	10±1	9.5±0.8	76±1	60±1	38 ⁺² ₋₁
	OTIS	35.5±1	9.5±1	16.5±0.8	82±1	64±1	41 ⁺² ₋₁
三菱型	J	27±1	9.2±1	10±0.8	80±1	62±1	41 ⁺² ₋₁
日立型	GRF	27.5±1	10±1	10.6±0.8	80±1	63±1	41 ⁺² ₋₁
	GRF-1	31.7±1	10.4±1	11.5±0.8	82±1	63±1	40 ⁺² ₋₁



338# 三菱钥匙 Mitsubishi key
339# 西尔康三角钥匙 CELCOM triangle key
340# 弯把三角钥匙 Turn the key into a triangle
341# 大三角钥匙/迅达三角钥匙 Big Triangle key / Schindler Triangle key
342# 通力三角钥匙 Kone Triangle key



343# 迅达三角锁 Schindler Triangle key
344# 快速三角锁 Quick Triangle Lock
345# 日立三角锁 Hitachi Triangle Lock
347# 东芝三角锁 Toshiba Triangle Lock
349# 大三角锁 Big Triangle Lock



351# 西尔康三角锁 Celcom triangle lock
353# 卸下棒 Take off the Rod
354# 加长型卸下棒 Extension Rod
356# 卸下棒 Take off the Rod
357# 卸下棒 Take off the Rod



510# 各种门减震垫胶丁 All kinds of door damping pad rubber
460# Otis门绳A Otis, the rope
461# Otis门绳B Otis, the rope
462# 东芝 康力门绳 Toshiba, Conley door rope



463# 快速门绳 Fast door rope
464# 富士达重锤 Fujitsu Hammer
465# 奥的斯重锤门绳 Otis heavy-duty door rope
466# 永大门绳 Eternal portal rope
467# 永大门绳 Eternal portal rope



468# 永大重锤钢丝绳 Steel wire rope with permanent heavy hammer
469# 三菱门绳 Mitsubishi door rope
470# 门绳组件 DOOR ROPE assembly
471# 迅达门绳 Schindler Rope
472# 门重锤钢丝绳组件 Steel wire rope assemblies for door weights



473# 通力联动钢丝绳 Kone wire rope
474# 日立联动钢丝绳 Hitachi wire rope
436# 导靴垫片
437# 导靴垫片 150×55×1.5/1/0.5/0.3
200×60×1.5×1×0.5×0.3
438# 导靴垫片



439# 导靴垫片
440# 压道板8K、13K PLATEN 8K, 13K
441# 导轨压板 8K、13K、16K Rail clamp
442# 压道板 50×50×Φ14 Runner Plate
443# 空心轨压道板 Hollow Rail Platen




444# 小S压道板 60×55×Φ13 S, the pressure plate
445# 压道板 35×35×Φ12 Runner Plate
446# 压道板 38×39×Φ13 Runner Plate
447# 压道板 49×39×Φ13 Runner Plate
448# 压道板 45×42×26×Φ19 Runner Plate
449# 压道板 45×41×Φ13 Runner Plate



450# 压道板 35×35×Φ12 Runner Plate
451# 压道板 60×54×Φ12.5 Runner Plate
452# 压道板 40×38×Φ11 Runner Plate
453# 压道板 55×42×Φ13 Runner Plate
454# 压道板 45×40×Φ11 Runner Plate




455# 压道板
Runner Plate




456# 压道板
50×44×Φ13
Runner Plate



457# 压道板
44×38×Φ11
Runner Plate



458# 压道板
Runner Plate



459# 压道板
60×65×Φ13/70×65×Φ13
Runner Plate



639# 滑块
Sliding Block



640# 滑块
Sliding Block



643# 塑料检修盒
Plastic repair box



620# OTIS限位开关
AK20 (LX41)
Otis Limit Switch



229# 三菱客梯门刀
SLK161-06(PB256)
Mitsubishi door knife




230# 三菱161
(PB255) 门刀
Mitsubishi 161



231# 三菱货梯
SLH161-08门刀
Mitsubishi Freight Elevator
SLH161-08 door knife



232# 沈阳梯门挂板Φ100
Shenyang ladder door panel



233# 广日、永大挂板组件
Panel Assembly for Guangri and Yongda



621# 日立限位开关LX-21
Hitachi Limit Switch




622# 东芝限位开关RLu1
LG Contactor
Auxiliary Contact



623# 东芝门机限位开关QFU2
Toshiba Limit Switch for
Gantry crane



624# 东芝限速器开关RC1
Toshiba Limit Switch
for Tachometer




234# 广日、永大挂板组件
Panel Assembly for Guangri and Yongda




235# 广日、LG厅门挂板组件
Door Panel Assembly for Guangri and LG Hall



236# 广日、LG轿门挂板组件
Panel Assembly for Guangri and LG Sedan doors



237# 广日、日立挂板组件
Panel Assembly for Guangri and Hitachi



238# 广日、日立挂板组件
Panel Assembly for Guangri and Hitachi



625# 限速器开关
EL-1375
Tachometer Switch



626# 三菱限位开关
S3-1370
Mitsubishi Limit
Switch



627# 层门开关
DS121
Landing Door Switch



628# 轿门开关
DS131
Car Door Switch



629# 日立付门锁
TKB-1A (常开)
Proximity Switch
(Normally Open)



239# 广日、日立挂板组件
Panel Assembly for Guangri and Hitachi



240# 三角架凸型门挂轮
Φ65/75
Tripod Lug



241# 弯架挂轮组件
Φ90
Bent Pinion Assembly



242# 迅达弯板门挂板
Φ75×12×31380
Schindler panel



243# 迅达门挂板
Φ75×12×31380
Schindler panel



414# 急停开关
Emergency Stop Switch




407# 轿顶检修盒
Inspection and repair
box for car roof



408# 底坑检修盒
Bottom pit box



648# 平层开关
Level switch




636# 杂梯滑块
Non-standard slide



637# 杂梯滑块
Non-standard slide




638# 滑块
Sliding Block



522# 日立滑块胶帽
Hitachi slider CAP



644# 门胶钉
Door Nail



645# 70×70胶块
70,70 blocks




646# 限位胶块
Limit Block




403# 门重锤胶帽(方型)
Square rubber cap with
heavy hammer for door



647# 按钮
Push Button



649# 插接线显示板
Plug-in display panel



650# 手接线显示板
Hand-wired display panel



651# 外护板
Outside guard



616# 行程开关支架
Trip switch bracket



617# 滑块支架
Slide support



618# 导轨支架
Guideway support



619# 导轨支架
Guideway support



652# 杂梯绳头
Ladder head




653# 控制柜
Control Cabinet




654# 曳引机
Towing machine



620# 餐梯门轮
Dining ladder door wheel



621# 餐梯门轮
 $\phi 76 \times 14 \times 6201$
Dining ladder door wheel



622# 餐梯门轮
Dining ladder door wheel



623# 餐梯门轮
Dining ladder door wheel




654# 铝导轨
Aluminum Guide




654# 实心轨T50
Solid Rail T50



654# 空心轨
Hollow Rail



654# 空心轨
Hollow Rail



213# 手拉干餐梯锁
Hand-pull the lock
on the kitchen ladder




611# 滑块支架
Slide support




624# 餐梯导靴
Dining ladder boot




625# 餐梯导靴
Dining ladder boot



626# 餐梯电磁锁
Dining elevator electromagnetic lock




627# 餐梯电磁锁
Dining elevator electromagnetic lock



628# 餐梯门锁
Dining ladder door lock



629# 餐梯门锁
Dining ladder door lock



630# 餐梯门锁
Dining ladder door lock



631# 餐梯门锁
Dining ladder door lock




612# 导轨支架
Guideway support



613# 导轨连接板
Rail connector



614# 导轨支架
Guideway support



615# 门绳压板
LANYARD clamp



632# 餐梯门锁
Dining ladder door lock



633# 杂梯靴衬
Ladder shoe lining



641# 抗绳轮
Rope wheel



642# 抗绳轮
Rope wheel