


COMPANY PROFILE

Chaoan Caitang Xinyou stainless Steel Products factory, we are from China Chaozhou floor drain factory, can be called "Xinyou floor drain". Since its establishment in 2013, we have always been adhering to the "quality-oriented, customer first" business philosophy, focusing on the production of floor drain, from independent research and development, independent production, packaging and delivery, we have a complete production chain, from raw material procurement to finished products out of the warehouse, every link is strictly controlled. We have advanced production equipment and technology to ensure that product quality reaches the industry-leading level, so as to provide customers with high quality products. In order to meet the needs of different customers, we provide a variety of personalized customized services. Customers can choose laser logo, custom color box, design pattern and other services according to their needs. In addition, we also provide custom sample service, based on the sample provided by the customer to copy or improve, to ensure that the product meets the customer's expectations. We will continue to increase investment in technology research and development, and launch more high-quality floor drain products; At the same time, we will continue to improve the level of service, to provide customers with more perfect pre-sale, sale, after-sales service. We believe that through our efforts and customer support, Xinyou floor drain will be able to become a leading enterprise in the floor drain industry. If you are interested in our products or services, please feel free to contact us. We will be happy to serve you!





信优佳®
XINYOUJIA

Model: XY825

Size: 10X10cm

Color: Titanium ash light

Thickness: 4mm/6mm

Material: stainless steel


Model: XY825

Size: 10*10cm

Color: Black/Titanium Grey

Thickness: 4mm

Material: stainless steel



Model: XY901


Size: 10X10cm 12X12cm

15X15cm 20X20cm

Color: Natural/Customizable

Thickness: Seat 1.2/1.5mm Cover 5mm

Material: stainless steel



Model: XY003


Size: 10X10cm 12X12cm

15X15cm 20X20cm

Color: Natural/Customizable

Thickness: seat 1.2/1.5mm

Material: stainless steel




Model: XY005

Size: 10X10cm 12X12cm
15X15cm 20X20cm

Color: Natural/Customizable

Thickness: seat 1.2/1.5mm
Cover 1.2/1.5mm

Material: stainless steel



Model: XY002

Size: 10X10cm 12X12cm
15X15cm 20X20cm

Color: Natural/Customizable



Thickness: seat 1.2/1.5mm
Cover 1.2/1.5mm

Material: stainless steel



Model: XY701
Size: 10X10cm
Color: Titanium Grey Titanium Black
Pearl Silver Starlight Silver
Thickness: 2.5mm
Material: stainless steel

Model: XY701
Size: 10X10cm 12X12cm
15X15cm
Color: Pearl Silver
Thickness: 2.5mm
Material: stainless steel



Model: XY823
Size: 10 * 10cm
Color: Bright
Thickness: 4mm/6mm
Material: stainless steel

Model: XY001

Size: 8X20cm 8X30cm


8X40cm 8X50cm

8X60cm

Color: Titanium gray, silver gray

Thickness: seat 1.2/cover 2.5mm

Material: stainless steel



Model: XY30402

Size: 10X10cm

Color: Natural

Thickness: 2.5mm

Material: 304




Model: XY901

Size: 10X10cm

Color: Titanium gray, silver gray

Thickness: seat 1.5/cover 5.0mm

Material: stainless steel




Model: XY30401

Size: 10X10cm

Color: Natural

Thickness: 2.5mm

Material: 304



Model: XY003

Size: 8X20cm 8X30cm

8X40cm 8X50cm

8X60cm

Color: Titanium gray, silver gray

Thickness: Seat 1.2mm

Material: stainless steel



Model: XY004

Size: 8X20cm 8X30cm


8X40cm 8X50cm

8X60cm


Color: Titanium gray, silver gray

Thickness: Seat 2.0mm/Cover 5.0mm

Material: stainless steel



信优佳®
XINYOUJIA



Model: XY002

Size: 8X20cm 8X30cm

8X40cm 8X50cm

8X60cm

Color: Titanium gray, silver gray

Thickness: seat 1.2mm/cover 1.2mm

Material: stainless steel



Model: XY801

Size: 10X10cm

Size: Color: Titanium Black Titanium Grey

Pearl Silver Starlight Silver

Thickness: 7.5mm

Material: stainless steel

XINY304[®]

信优地漏专家



9081 FLAT SIDE SHOWER FLOOR DRAIN

Thickness: 1.2 mm (body)

Material: stainless steel 201/304


Surface treatment: polishing

Titanium color: bright light




Any pattern/color can be customized



THE SIZE OF THE OUTLET LOCATION CAN BE CUSTOMIZED




WATER OUTLET LOCATION DISPLAY DIAGRAM



XINY304[®]

信优地漏专家



9081 FLAT SIDE SHOWER FLOOR DRAIN


Thickness: 1.2 mm (body)

Material: stainless steel 201/304

Surface treatment: Paint


Titanium color: Matt black

Any pattern/color can be customized



XINY304[®]

信优地漏专家



9081 HIDDEN SHOWER FLOOR DRAIN


Thickness: 1.2 mm (body)

Material: stainless steel 201/304

Surface treatment: plating

Titanium color: gold

Any pattern/color can be customized



XINY304[®]

信优地漏专家



9082 REVERSE SIDE SHOWER FLOOR DRAIN


Thickness: 0.8/1.2 mm (body)

Material: stainless steel 201/304

Surface treatment: polishing

Titanium color: Brushed

Any pattern/color can be customized





002 HIDDEN SHOWER FLOOR DRAIN




Thickness: customizable

Material: stainless steel 201/304

Surface treatment: polishing

Titanium color: bright light/Brushed

Any pattern/color can be customized




XINY304[®]
信优地漏专家



XINY304[®]

信优地漏专家



006 HIDDEN SHOWER FLOOR DRAIN


Thickness: customizable


Material: stainless steel 201/304

Surface treatment: polishing

Titanium color: bright light

Any pattern/color can be customized






GUTTER COVER


Thickness: 1mm (body)

Material: stainless steel 304

Surface treatment: Sanding

Any pattern/color can be customized





Model: XY701

Thickness: 3 mm

Material: stainless steel

Surface treatment: electroplating



Silver star




Titanium gray



Pearl silver



Titanium black




Model: XY 701 Washing machine is special

Thickness: 3 mm

Material: stainless steel

Surface treatment: electroplating



Silver star

Titanium gray

Pearl silver

Titanium black



Model: XY801

Thickness: 2 mm

Material: stainless steel

Surface treatment: electroplating



Silver star

Titanium gray

Pearl silver

Titanium black



Model: XY 825

Thickness: 2 mm

Material: stainless steel

Surface treatment: electroplating



Thick and round



Thick circular (dual)



Thick square



Thick square (dual)

XINY304[®]

信优地漏专家




TIBETAN SHOWER FLOOR DRAIN

Thickness: 1.2 mm (body)

Material: stainless steel 201

Surface treatment: electroplating

Titanium color: grey/silver grey






THIN ARTICLE SOLID FLOOR DRAIN


Thickness: 1.2 mm (body)

Material: stainless steel 201

Surface treatment: electroplating

Titanium color: grey/silver grey





A SMALL EDGE BAMBOO RAFT

Model: XY824

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright




XY818



XY824

Note: this floor drain can match other accessories



A SMALL EDGE BAMBOO RAFT

Model: XY 823

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright



XY417



XY418



XY421/40口



XY416



XY422



XY423/40口-50口




XY424



XY406

Note: Above parts with washing machine dedicated drainage is better




Model: XY421-6

Thickness: 4mm

Material: stainless steel

Surface treatment: plating black




Model: XY426-6

Thickness: 4mm

Material: stainless steel

Surface treatment: plating black



Model: XY423-6

Thickness: 6 mm

Material: stainless steel

Surface treatment: plating black



XY417



XY418



XY421/40口



XY416



XY422



XY423/40口-50口



XY424



XY406

Note: Above parts with washing machine dedicated drainage is better



Bamboo floor drain

Model: XY823-4"

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright



XY 701 increase



XY 418 increase



XY 403 increase



XY 405 increase



XY 421 increase

Note: Floor drain odor-proof core can free choice



Bamboo floor drain

Model: XY805-5"

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright



XY 701 increase



XY 418 increase



XY 403 increase




XY 405 increase



XY 421 increase

Note: Floor drain odor-proof core can free choice




BWith card floor drain

Model: XY418-6

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright




BWith card floor drain

Model: XY4186-4"

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright




BWith card floor drain

Model: XY4186-5"

Thickness: 6 mm

Material: stainless steel

Surface treatment: bright




Model: XY425

Thickness: 9 mm

Material: stainless steel

Surface treatment: bright



Model: XY 801

Thickness: 9 mm

Material: stainless steel

Surface treatment: electroplating



Recommendation: 6 mm floor drain all can free collocation with square/circle panel





Copper self-styled

Model: XY406

Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304

Surface treatment: bright




Money




Back To Type




Apple



"S"



Net Surface



Bamboo Raft



"L"

Recommendation: This floor drain all can free collocation with square/circle panel




Copper water seal

Model: XY 416


Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304


Surface treatment: bright



Apple



The stripes



Money

Recommendation: This floor drain all can free collocation with square/circle panel



Small plastic side line

Model: XY 417

Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304

Surface treatment: bright



XY417



XY418



XY421/40□



XY416



XY422



XY423/40□-50□



XY424



XY406

Note: Above parts with washing machine dedicated drainage is better



Plastic magnetic levitation

Model: XY 422

Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304

Surface treatment: bright



XY417



XY418



XY421/40□



XY416



XY422



XY423/40□-50□




XY424



XY406

Note: Above parts with washing machine dedicated drainage is better



Plastic side line

Model: XY 418

Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304

Surface treatment: bright




Money



Back To Type




Apple



"S"



Net Surface




Bamboo Raft



"L"

Recommendation: This floor drain all can free collocation with square/circle panel



Plastic frame (40" 50")

Model: XY 421

Thickness: 6 mm(A,B,C)

Material: stainless steel/SUS 304

Surface treatment: bright




Money




Back To Type



Apple



"S"



Net Surface




Bamboo Raft



"L"

Recommendation: This floor drain all can free collocation with square/circle panel




Stainless steel water seal

Model: XY 419


Thickness: 6 mm (A,B,C)

Material: stainless steel/SUS 304


Surface treatment: bright



Apple




The stripes



Money

Note: this floor drain/round panel can free choice



washing machine is special

Thickness: 6 mm

Material: stainless steel/SUS 304

Surface treatment: bright



XY417



XY418



XY421/40□



XY416



XY422



XY423/40□-50□



XY424



XY406

Note: Above parts with washing machine dedicated drainage is better

XNY304

信优地漏专家



Note: all floor drain with double panel




Note: all floor drain with double panel

XNY 鑫悦®



Note: all floor drain with double panel



Copper self-styled

Model: XY 406

Thickness: 3 mm

Material: stainless steel/SUS 304

Surface treatment: bright



XY417



XY418



XY421/40□



XY416



XY422



XY423/40□-50□



XY424



XY406

Note: Above parts with washing machine dedicated drainage is better



Self-styled floor drain

Model: XY 403

Thickness: 3 mm

Material: stainless steel/SUS 304

Surface treatment: bright/sanding



XY417



XY418



XY421/40口



XY416



XY422



XY423/40口-50口




XY424



XY406

Note: Above parts with washing machine dedicated drainage is better



Small plastic side line

Model: XY417

Thickness: 6 mm

Material: stainless steel


Surface treatment: bright





XINY304[®]

信优地漏专家



Tibetan shower floor drain

Model: XY9084 (Article solid)

Thickness: 2 mm

Material: SUS304

Surface treatment: **sanding**



The article ruffled solid panel

Model: XY 603Bamboo raft

Thickness: 2 mm


Material: SUS 304

Surface treatment: sanding



XINY304[®]

信优地漏专家



Ultra-thin floor drain

Thickness: 2 mm(The main body)

Material: SUS 304

Surface treatment: sanding







Thin article solid floor drain

Thickness: 2 mm(The main body)

Material: SUS 304

Surface treatment: sanding






Classic floor drain

Model: XY 401

Thickness: 2mm/3mm

Material: stainless steel

Surface treatment: sanding




With card floor drain

Model: XY 402

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: bright/sanding




Stainless steel frame

Model: XY 403

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: bright/sanding




Stainless steel valve

Model: XY 404

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: **bright**/sanding



Deepen the deodorization

Model: XY 407

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: **bright**/sanding




Stainless steel deep water seal

Model: XY 405

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: **bright**/sanding



Classic floor drain

Model: XY 402 (increase)

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: **bright**/sanding




Classic floor drain

Model: XY 403 (increase)

Thickness: 2mm/3mm

Material: stainless steel/SUS304

Surface treatment: **bright**/sanding



Classic floor drain

Model: XY 405 (increase)

Thickness: 2mm/3mm



Material: stainless steel/SUS304

Surface treatment: **bright**/sanding

4" 12 X12 5" 15X15 engineering floor drain design

XINY304[®]

信优地漏专家



Classic floor drain

Model: XY 4022


Thickness: 2mm

Material: SUS304

Surface treatment: sanding

XINY304[®]

信优地漏专家



Self-styled floor drain

Model: XY 4032

Thickness: 2mm

Material: SUS304

Surface treatment: sanding



5 " panel

Model: XY 4032-5"

Thickness: 2mm

Material: stainless steel

Surface treatment: bright/sanding



XY 701 increase



XY 418 increase



XY 403 increase





XY 405 increase



XY 421 increase

Note: this floor drain panel can free choice



The flap floor drain (round)

Model: XY 4033-4"

Thickness: 3mm

Material: stainless steel

Surface treatment: **bright**/sanding

The flap floor drain (round)

Model: XY 4033-5"

Thickness: 3mm

Material: stainless steel

Surface treatment: **bright**/sanding



XY 701 increase



XY 418 increase



XY 403 increase



XY 405 increase




XY 421 increase

Note: this floor drain panel can free choice



Note: 5 "15 x15 there are both large diameter round/square




Thickness: 0.4mm

Weight: 59g

Material: stainless steel

Surface treatment: sanding




Thickness: 2mm

Weight: 430g

Material: stainless steel

Surface treatment: sanding



Thickness: 2mm

Weight: 430g

Material: stainless steel

Surface treatment: sanding



The edge of floor drain

Thickness: 0.5mm/1mm

Material: stainless steel

Surface treatment: bright

XINY304[®]

信优地漏专家



A three-piece suit

Thickness: 1mm/2mm

Material: stainless steel

Surface treatment: **bright**

Vinyl three-piece suit

Thickness: 1mm/2mm

Material: stainless steel

Surface treatment: **bright**



A three-piece suit

Thickness: 1mm/2mm

Material: stainless steel

Surface treatment: bright

Vinyl three-piece suit

Thickness: 1mm/2mm

Material: stainless steel

Surface treatment: bright



Wall L floor drain

Thickness: 2 mm

Material: SUS 304

Surface treatment: Wire drawing




Wall L floor drain

Thickness: 2 mm

Material: SUS 304

Surface treatment: Wire drawing



6 inches large displacement

Model: XY 403 (Very large)

Thickness: 2 mm

Material: Stainless steel

Surface treatment: Wire drawing

Triangular floor drain

Thickness: 2 mm

Material: SUS 304

Surface treatment: Wire drawing

XIN YOU FLOOR DRAIN EXPERTS

PROFESSIONAL OEM MANUFACTURER



ADD WECHAT SCAN



SCAN ON THE PUBLIC

Execution standard: GB/T27710-2011

Caitang Ann zone, chaozhou, stainless steel products factory
Address: Ann area chaozhou gold a new bridge industrial zone