



# PRODUCT DETAILS

## Forklift Resilient Solid Tires

DecaDura forklift solid resilient tires are crafted from premium natural high-performance rubber compounds, designed to reduce rolling resistance while maintaining a high load capacity. These tires feature a triple-layer rubber construction with an emphasis on enhancing tread wear resistance and increasing tread thickness, along with deeper tread patterns. This results in DecaDura forklift tires having an exceptionally long service life.

With their adaptability and durability across various conditions, as well as extended service time, DecaDura solid resilient forklift tires are highly recommended for everyday forklift use and as replacement tires for forklift rental services.



### FRNZBA701



The FRNZBA701 is an excellent forklift tire, suitable for moderate-intensity work applications and long periods of continuous operation. It features a larger block tread design that increases contact area with the ground, providing better stability and even wear of the tread rubber. The deepened tread pattern ensures good contact and traction. Its exceptional cost-effectiveness makes it one of the most economical solutions for forklift tires.

Eco-friendly colored solid tires and the Linde or Clip Version of the FRNZBA701 are also available.

Size of Tire	Rim Size	Tire Type			Outside Diameter (mm) ±5mm	Section Width (mm) ±5mm	Net(Kg) ±1.5%	Max Load(Kg)					
		Standard (Black)	Linde (Clip)	Green (Color)				10Km/H		16Km/H		25Km/H	
								Driving	Steering	Driving	Steering	Driving	Steering
4.00-8	3.00/3.75	✓	✓	✓	410/423	115/120	14.5/12.2	910	700	830	640	765	590
5.00-8	3.00/3.50/3.75	✓	✓	✓	466	127	18.40	1255	965	1145	880	1060	815
5.50-15	4.5	✓	✓	✓	666	144	37.00	2525	1870	2415	1790	2195	1625
6.00-9	4.00	✓	✓	✓	533	140	26.80	1975	1520	1805	1390	1675	1290
6.00-15	4.50	✓	✓	✓	694	148	41.20	2830	2095	2705	2000	2455	1820
6.50-10 (560x165x11)	5.00	✓	✓	✓	582	157	36.00	2715	2090	2485	1910	2310	1775
7.00-9	5.00	✓	✓	✓	550	164	34.20	2670	2055	2440	1875	2260	1740
7.00-12	5.00	✓	✓	✓	663	163	47.60	3105	2390	2835	2180	2635	2025
7.00-15	5.50/6.00	✓	✓	✓	738	178	60.00	3700	2845	3375	2595	3135	2410
7.50-15	5.50	✓	✓	✓	768	188	75.00	3805	2925	3470	2670	3225	2480
7.50-16	6.00	✓	✓	✓	805	180	74.00	4400	3385	4025	3095	3730	2870
8.25-12	5.00	✓	✓	✓	732	202	71.80	3425	2635	3125	2405	2905	2235
8.25-15	6.50	✓	✓	✓	829	202	90.00	5085	3910	4640	3570	4310	3315
14x4.5-8	3.00	✓	✓	✓	364	100	7.90	845	650	770	590	715	550
15x4.5-8	3.00	✓	✓	✓	383	107	9.40	1005	775	915	705	850	655
16x6-8 (150/75-8)	4.33	✓	✓	✓	416	156	16.90	1545	1190	1410	1085	1305	1005
18x7-8 (180/70-8)	4.33	✓	✓	✓	452	155	20.80	2430	1870	2215	1705	2060	1585
18x7-9	4.33	✓	✓	✓	452	155	19.90	2230	1780	2150	1615	2005	1505
21x8-9	6.00	✓	✓	✓	523	180	34.10	2890	2225	2645	2035	2455	1890
23x9-10	6.50	✓	✓	✓	595	212	51.00	3730	2870	3405	2620	3160	2430
23x10-12 (250/60-12)	8.00	✓	✓	✓	592	230	51.20	4450	3425	4060	3125	3770	2900
27x10-12 (250/75-12)	8.00	✓	✓	✓	680	236	74.70	4595	3535	4200	3230	3900	3000
28x9-15 (815x15)	7.00	✓	✓	✓	700	230	63.00	4060	3125	3710	2855	3445	2650
28x12.5-15 (355x45/15)	9.75	✓	✓	✓	706	300	86.00	6200	4770	5660	4355	5260	4045
140/55-9	4.00E	✓	✓	✓	380	130	10.50	1380	1060	1260	970	1170	900
200/50-10	6.50	✓	✓	✓	458	198	25.20	2910	2240	2665	2050	2470	1900
250-15 (250/70-15)	7.00/7.50	✓	✓	✓	726	235	73.60	5595	4305	5110	3930	4745	3650
300-15 (315/70-15)	8.00	✓	✓	✓	827	256	112.50	6895	5305	6300	4845	5850	4500
355/65-15	9.75	✓	✓	✓	825	302	135.00	7800	5800	7080	5310	6000	4800