



万机网科  
WANJI NETWORK TECHNOLOGY



**Tianjin Wanji Network Technology Co., Ltd.**

Email: [info@int.wanjint.com](mailto:info@int.wanjint.com)

Website: <https://www.wanjint.com>

Address: 2-2002, International Trade Center, No.39 Nanjing Road, Hexi District, Tianjin

**TIANJIN  
WANJI NETWORK TECHNOLOGY  
CO., LTD  
2023**

# Factory live shot



Respect for life, keep improving .  
Benefit the people of the world and share medical equity



## Factory introduction

Since its establishment, the company has gathered an experienced and outstanding management team and marketing team. It has signed strategic cooperation agreements with a number of relevant domestic manufacturers to carry out in-depth cooperation and jointly build a health industry ecosystem integrating production, sales and service.





## TABLE OF CONTENTS

#1	Hot sale	01-02
#2	Customizable	03
#3	Electric wheelchair-A series	04-07
#4	Electric wheelchair-B series	07-08
#5	Electric wheelchair-D/E series	09
#6	Intelligent scooter series	10
#7	Manual wheelchair series	11-13

## ABOUT COMPANY

### GENERAL SITUATION

Tianjin wanji network technology Co., Ltd is a professional marketing agency of medical equipment department of Tianjin Honglong science and technology development Co., Ltd

### BUSINESS SCOPE

Domestic trade,import and export business,bidding business,consulting services,Etc,covering all products of medical equipment.

### MAIN BUSINESS

Medical imaging equipment,clinical examination equipment,intensive care equipment,ward nursing equipment of wanji and chinese famous companies.

Respect for life,keep improving . Benefit the people of the world and share medical equity



Tianjin Wanji Network Technology Co., Ltd. specializes in e-commerce trade. High-standard industry literacy and professional ethics are recognized by manufacturers in many industries and designated as the preferred foreign trade channel.

Team members have many years of experience and extensive business knowledge in the product industry, and have the supply of high-quality products from many factories.

Close cooperation with first-line factories, we can provide cost-effective source goods, use e-commerce mode to remove intermediaries and reduce circulation costs, and provide considerate services for purchasers by professional teams, promote good products of MADE IN CHINA to the world.We sincerely look forward to cooperating with you and hope to reach a long-term and stable trading partner.

# 01 HOT SALE : BR01/BR01-1

Electric wheelchair-B series



**BR01**

- **Front wheel:** 10 inches
- **Rear wheel:** 16 inches (standard pneumatic tire)
- **Seat width:** 45cm, **Seat depth:** 42cm,
- **Backrest height:** 75cm **Armrest height:** 18cm
- **Seat height from the ground:** 50cm
- **Motor:** 250w \* 2, dual-purpose flashlight switch
- **Endurance:** 15~20km, fastest speed: 6km/h  
5 gears adjustable
- **Battery:** 24V 12Ah lead-acid battery **Weight:** 9kg
- **Charging voltage:** 110-220V
- **Frame:** high carbon steel, iron hub, without shock absorption
- **Braking system:** motor intelligent braking+ manual braking



**BR01-1**

- **Front wheel:** 10 inches
- **Rear wheel:** 16 inches (standard pneumatic tire)
- **Seat width:** 45cm, **Seat depth:** 42cm,
- **Backrest height:** 75cm **Armrest height:** 18cm
- **Seat height from the ground:** 50cm
- **Motor:** 250w \* 2, dual-purpose flashlight switch
- **Endurance:** 15~20km, fastest speed: 6km/h  
5 gears adjustable
- **Battery:** 24V 12Ah lead-acid battery **Weight:** 9kg
- **Charging voltage:** 110-220V
- **Frame:** high carbon steel, iron hub, without shock absorption
- **Braking system:** motor intelligent braking+ manual braking



Model	Product size	Package size	Net weight	Gross weight
BR01	122*65*125cm	87*43*76cm	51kg(Including battery)	53kg

Model	Product size	Package size	Net weight	Gross weight
BR01-1	122*65*125cm	87*43*76cm	51kg(Including battery)	53kg

## 02 HOT SALE : AR2D-1/DR02

Electric wheelchair-A/D series



**AR2D-1**

- Front wheel: 10 inches
- Rear wheel: 22 inches (standard pneumatic tire)
- Seat width: 45cm, Seat depth: 42cm,
- Backrest height: 40cm Armrest height: 18cm
- Seat height from the ground: 50cm
- Motor: 250w \* 2, dual-purpose flashlight switch
- Endurance: 15~20km, maximum speed 6km/h
- 5 gears adjustable
- Battery: 24V 12Ah lead-acid Battery Weight: 9kg
- Charging voltage: 110-220V
- Frame: high carbon steel, spoke hub can be manually operated, front wheel damping
- Braking system: motor intelligent braking+ manual braking



**DR02**

- Seat width: 44cm · Seat depth: 45cm
- Seat height: 50cm · Front wheel size: 12 inches
- Rear wheel size: 8 inches · Load: 100KG
- Speed: ≤ 8km/h · Standing height: 175cm
- Shock absorber system: 2
- Charging time: 5-7h
- Charger: 24 (V/5A) · Endurance: 35km+
- Motor power: 24/340 \* 2 (V/W)
- Safe climbing slope: 12°



Model	Product size	Package size	Net weight	Gross weight
AR2D-1	118*65*90cm	87*43*76cm	47kg(Including battery)	49kg
Model	Product size	Package size	Net weight	Gross weight
DR02	115*63*125cm	103*65*140cm	80kg	100kg

# 03 Customizable : WJMW-SP01

Manual wheelchair



WJMW-SP01



Model

Product size

Package size

Net weight

Gross weight

Parameters can be customized

### AR2D-1

- Front wheel: 10 inches
- Rear wheel: 22 inches (standard pneumatic tire)
- Seat width: 45cm, Seat depth: 42cm, Backrest height: 40cm Armrest height: 18cm Seat height from the ground: 50cm
- Motor: 250w \* 2, dual-purpose flashlight switch
- Endurance: 15~20km, maximum speed 6km/h 5 gears adjustable
- Battery: 24V 12Ah lead-acid Battery Weight: 9kg
- Charging voltage: 110-220V
- Frame: high carbon steel, spoke hub can be manually operated, front wheel damping
- Braking system: motor intelligent braking+ manual braking



Product size	Package size	Net weight	Gross weight
1180*650*900mm	870*430*760mm	47kg (Including battery)	49kg

### AR2D-2

- Front wheel: 10-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 22-inch pneumatic tire, with anti-roll device with high safety performance
- Seat width: 455mm, Seat depth: 435mm Backrest height: 395mm, Seat cushion: flame-retardant kraft cloth, safety belt
- Motor: 250w \* 2 brush motor, dual-purpose flashlight switch
- Endurance: 12A lead acid 12KM/20A lead acid 20KM
- Battery: removable lithium battery or lead-acid battery (24V/20AH or 24V/12AH)
- Charging voltage: 110-220V
- Frame: high carbon steel, aluminum alloy hub



Product size	Package size	Net weight	Gross weight
1215*670*950mm	850*400*720mm	32kg	37kg

### AR0A-3

- Folding size: 780 \* 350 \* 765mm
- Front wheel: 10-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 16-inch non-pneumatic tire
- Seat width: 330mm, Seat depth: 380mm Backrest height: 440mm
- Motor: 350w \* 2 brushless motor, dual-purpose flashlight switch
- Endurance: DC24V (lithium battery 6AH/10HA optional) 70km
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional)
- Charging voltage: 110-220V
- Frame: steel pipe



Product size	Package size	Net weight	Gross weight
1080*655*905mm	850*400*720mm	26.74kg	30.82KG

### AR0A-4

- Backrest height: 400mm Seat depth: 440mm Seat width: 455mm
- Front wheel specification: 10-inch PVC non-pneumatic tire, aluminum alloy wheel hub
- Rear wheel specification: 16-inch pneumatic tire with anti-roll device with high safety performance
- Material: steel pipe
- Battery type/specification: removable lithium battery or lead-acid battery (24V/20AH or 24V /12AH)
- Endurance distance: 12A lead acid 12KM/20A lead acid 20KM/
- Gross weight: 12A lead acid 47.62KG/20A lead acid 52.22KG/12A lithium battery 41.02KG/20A lithium battery 42.16KG



Product size	Package size	Net weight	Gross weight
1130*635*945mm	850*400*720mm	43kg	48kg

### AR2E-1

- Folding size: 780 \* 350 \* 765mm
- Front wheel: 8-inch PVC non-pneumatic tire, aluminum alloy wheel hub
- Rear wheel: 24-inch titanium alloy tire
- Seat width: 410mm, Seat depth: 470mm Backrest height: 420mm
- Motor: 250w \* 2 brush motor, dual-purpose flashlight switch
- Endurance: DC24V (lithium battery 6AH/10HA optional) 70km
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional)
- Charging voltage: 110-220V
- Frame: aluminum alloy



Product size	Package size	Net weight	Gross weight
1060*645*955mm	900*645*730mm	34kg	37kg

### AR0A-2

- Front wheel: 8-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 12-inch aluminum tire, with anti-roll device with high safety performance
- Seat width: 455mm, Seat depth: 440mm, Backrest height: 460mm, Seat cushion: flame-retardant kraft cloth, safety belt
- Motor: 250w \* 2 brushless motor, dual-purpose flashlight switch
- Endurance: 12A lead acid 12KM/20A lead acid 20KM
- Battery: removable lithium battery or lead-acid battery (24V/20AH or 24V/12AH)
- Charging voltage: 110-220V
- Frame: aluminum alloy



Product size	Package size	Net weight	Gross weight
1150*620*958mm	850*400*700mm	24kg	27kg

### AR0B-1

- Folding size: 340 \* 600 \* 860mm
- Front wheel: 8-inch PU non-pneumatic tire
- Rear wheel: 12-inch pneumatic tire
- Seat width: 460mm, Seat depth: 420mm Backrest height: 380mm
- Motor: worm gear motor 250w \* 2 worm gear motor
- Endurance: DC24V (lithium battery 6AH/10HA optional) 25km
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional)
- Charging voltage: 110-220V
- Frame: aluminum alloy
- Bearing capacity: 100kg (standard)



Product size	Package size	Net weight	Gross weight
950*600*860mm	1000*340*800mm	28.8KG	48.8KG

### AR1A-1

- Front wheel: 16 inches
- Rear wheel: 10 inches (standard pneumatic tire)
- Seat width: 45cm, Seat depth: 42cm, Backrest height: 40cm, Armrest height: 18cm, Seat height from the ground: 50cm, breathable seat cushion back cushion
- Motor: 250w \* 2, dual-purpose flashlight switch front-wheel drive
- Endurance: 15~20km, maximum speed 6km/h 5 gears adjustable
- Battery: 24V 12Ah lead-acid Battery Weight: 9kg
- Charging voltage: 110-220V
- Frame: high carbon steel, iron hub, without shock absorption



Product size	Package size	Net weight	Gross weight
1220*650*900mm	870*430*760mm	47kg (Including battery)	49kg

## AC0H-1

- Folding size: 890\*640\*350mm
- Front wheel: 8-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 12-inch aluminum tire, with anti-roll device with high safety performance
- Seat width: 410mm, Seat depth: 430mm, Backrest height: 415mm, Armrest height: 195
- Cushion: black kraft cloth, safety belt
- Motor: 250w \* 2 magnetic brake motor dual-purpose flashlight switch
- Endurance: 6.10.20 km
- Battery: 6M/10M20M removable lithium battery
- Charging voltage: 110-220V
- Frame: aluminum alloy



Product size	Package size	Net weight	Gross weight
890*640*900mm	660*440*780mm	26kg	32kg

## AC0I-1

- Folding size: 800 \* 400mm
- Front wheel: 8-inch PU non-pneumatic tire
- Rear wheel: 12-inch pneumatic tire
- Seat width: 410mm, Seat depth: 470mm
- Backrest height: 420mm
- Motor: 250w \* 2 brushless motor
- Endurance: DC24V (lithium battery 6AH/10HA optional) 25km
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional)
- Charging voltage: 110-220V
- Frame: aluminum alloy
- The armrest can be lifted to facilitate getting on and off



Product size	Package size	Net weight	Gross weight
980*600*950mm	850*400*720mm	23kg	26kg

## AC0F-1

- Folding size: 920\* 640\*410mm
- Front wheel: 8 inches
- Rear wheel: 12 inches (standard pneumatic tire)
- Seat width: 45cm, Seat depth: 45cm
- Backrest height: 45cm, Armrest height: 18cm, Seat height from the ground: 51cm, thickened high-elastic sponge cushion
- Motor: 250w \* 2, dual-purpose flashlight switch
- Endurance: 15~20km, maximum speed 6km/h
- 5 gears adjustable
- Battery: 24V 12Ah lithium battery Weight: 2.3kg
- Charging voltage: 110-220V
- Frame: aluminum alloy, aluminum alloy wheel hub six-fold shock absorption



Product size	Package size	Net weight	Gross weight
1030*640*900mm	830*450*680mm	25kg (Including battery)	27kg

## BR01


- Front wheel: 10 inches
- Rear wheel: 16 inches (standard pneumatic tire)
- Seat width: 45cm, Seat depth: 42cm, Backrest height: 75cm Armrest height: 18cm
- Seat height from the ground: 50cm
- Motor: 250w \* 2, dual-purpose flashlight switch
- Endurance: 15~20km, fastest speed: 6km/h
- 5 gears adjustable
- Battery: 24V 12Ah lead-acid Battery Weight: 9kg
- Charging voltage: 110-220V
- Frame: high carbon steel, iron hub, without shock absorption
- Braking system: motor intelligent braking+ manual braking



Product size	Package size	Net weight	Gross weight
1220*650*1250mm	870*430*760mm	51kg (Including battery)	53kg

## AC0G-1

- Folding size: 800 \* 400mm
- Front wheel: 8-inch PU non-pneumatic tire
- Rear wheel: 12-inch pneumatic tire
- Seat width: 410mm, Seat depth: 470mm
- Backrest height: 420mm
- Motor: 250w \* 2 brushless motor
- Endurance: DC24V (lithium battery 6AH/10HA optional) 25km
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional)
- Charging voltage: 110-220V
- Frame: aluminum alloy
- The armrest can be lifted Easy to get on and off



Product size	Package size	Net weight	Gross weight
980*600*950mm	850*400*720mm	23kg	26kg

## AC0K-1

- Front wheel: 7-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 8-inch non-pneumatic tire
- Seat width: 410mm, Seat depth: 400mm
- Backrest height: 480mm
- Motor: 200w \* 2 brushless motor, dual-purpose flashlight switch
- Endurance: DC24V (lithium battery 6AH/10HA optional); Endurance 15KM
- Battery: detachable lithium battery DC24V (lithium battery 6AH/10HA optional) 6AH lithium battery detachable lithium battery frame
- Charging voltage: 110-220V
- Frame: aluminum alloy



Product size	Package size	Net weight	Gross weight
960*570*930mm	850*400*720mm	20kg	23kg

## BR03

- Front wheel: 10 inches PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 16-inch pneumatic tire with anti-roll device with high safety performance
- Seat width: 455mm, Seat depth: 440mm
- Backrest height: 400mm, Seat cushion: flame-retardant kraft cloth, with safety belt
- Motor: 250w \* 2 brush motor, dual-purpose flashlight switch
- Endurance: 12A lead acid 12KM/20A lead acid 20KM
- Battery: removable lithium battery or lead-acid battery (24V/20AH or 24V/12AH)
- Charging voltage: 110-220V
- Frame: high carbon steel, aluminum alloy hub



Product size	Package size	Net weight	Gross weight
1130*635*1280mm	850*400*720mm	48kg	52kg

## BC06

- Front wheel: 8 inches, rear wheel 12 inches (standard pneumatic rear wheel tires)
- Seat width: 45cm, Seat depth: 46cm, Backrest height: 49cm, Armrest height: 20cm
- Seat height from the ground: 55cm, thickened high-elastic sponge cushion · Range: 15~20km
- Motor: 250w \* 2, dual-purpose flashlight switch
- Charging voltage: 110-220V · Battery: 24V 12Ah lithium battery, battery weight: 2.3kg
- Frame and hub: aluminum alloy, 6 damping springs
- The rear wheel has 2 anti-tipping wheels.
- There are steering lights on both sides, and the headrest can adjust the height, which is soft and comfortable. The back can lie down



Product size	Package size	Net weight	Gross weight
1000*610*900mm	790*610*400mm	35kg (Including battery)	41kg



## BR07

- Front wheel: 10-inch, PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 16-inch pneumatic tire with anti-roll device with high safety performance
- Seat width: 455mm, Seat depth: 440mm
- Backrest height: 400mm, seat cushion: flame-retardant kraft cloth, with safety belt
- Motor: 250w \* 2 brush motor, dual-purpose flashlight switch
- Endurance: 12A lead acid 12KM/20A lead acid 20KM/
- Battery: removable lithium battery or lead-acid battery (24V/20AH or 24V/12AH)
- Charging voltage: 110-220V
- Frame: high carbon steel, aluminum alloy hub



Product size	Package size	Net weight	Gross weight
1130*635*1280mm	850*400*720mm	48kg	52kg

## BR01-2

- Folding size: 85\*74\*42cm/120\*80\*42 (without removing leg trailer)
- Front wheel: 10 inches, rear wheel: 22 inches (standard pneumatic tire)
- Seat width: 45cm, seat depth: 42cm
- Backrest height: 75cm, armrest height: 18cm
- Seat height from the ground: 50cm, thickened sponge cushion, headrest
- Motor: 250w \* 2, dual-purpose flashlight switch
- Endurance: 15~20km
- Battery: 24V 12Ah lead-acid battery
- Battery weight: 9kg · Charging voltage: 110-220V
- Frame: high carbon steel, spoke hub, without shock absorption



Product size	Package size	Net weight	Gross weight
1180*650*1250mm	820*420*760mm	51kg (Including battery)	54kg

## DR01

- Braking system: fully automatic electromagnetic
- Front tire: 18 " x2.5/64-355
- Rear tire: 2.5 " x4
- Loading capacity: 120KG
- Driving distance: 50 km
- Seat width: 450mm Seat depth: 450mm
- Chair height: 560mm Backrest height: 600mm
- Height of handrail: 360mm
- Climbing slope: 12 °
- Push rod motor: LINIX DC 3500Nx3 DC 6000Nx1
- Drive motor: MTM DC 320Wx2PCS
- Controller: PG VR-2 PG R-NET
- Charger: input: 110-230V/AC; Output: 24V/DC
- Battery: 2V 20AH x4 "



Product size	Package size	Net weight	Gross weight
1120*660*1040mm	1120*660*1100mm	124kg (Including battery)	164kg

## DR02

- Seat width: 44cm
- Seat depth: 45cm
- Seat height: 50cm
- Front wheel size: 12 inches
- Rear wheel size: 8 inches
- Load: 100KG
- Speed: ≤ 8km/h
- Standing height: 175cm
- Shock absorber system: 2
- Charging time: 5-7h
- Charger: 24 (V/5A)
- Endurance: 35km+
- Motor power: 24/340 \* 2 (V/W)
- Safe climbing slope: 12 °



Product size	Package size	Net weight	Gross weight
1150*630*1250mm	1050*650*1400mm	80kg	100kg

## BR02

- Backrest height: 400mm Seat depth: 440mm
- Seat width: 455mm
- Front wheel: 10-inch PVC non-pneumatic tire aluminum alloy wheel hub
- Rear wheel: 16-inch pneumatic tire with anti-roll device with high safety performance
- Gross weight: 12A lead acid 48.88KG/20A lead acid 53.48KG/12A lithium battery 42.28KG/20A lithium battery 48.02KG · Material: steel pipe
- Battery type/specification: removable lithium battery or lead-acid battery (24V/20AH or 24V/12AH)
- Endurance distance: 12A lead acid 12KM/20A lead acid 20KM/



Product size	Package size	Net weight	Gross weight
1130*635*1280mm	850*400*720mm	44kg	49kg

## DR02B

- Seat width: 44cm
- Seat depth: 45cm
- Seat height: 50cm
- Front wheel size: 12 inches
- Rear wheel size: 8 inches
- Load: 100KG
- Speed: ≤ 8km/h
- Standing height: 175cm
- Shock absorber system: 2
- Charging time: 5-7h
- Charger: 24 (V/5A)
- Endurance: 35km+
- Motor power: 24/340 \* 2 (V/W)
- Safe climbing slope: 12 °



Product size	Package size	Net weight	Gross weight
1150*630*1250mm	1050*650*1400mm	80kg	100kg

## ER01

- Bearing: 125KG
- Front wheel diameter: 20CM
- Rear wheel diameter: 32CM
- Speed: 0-6KM/H
- Vehicle weight: 64KG
- Motor power: 500W
- Turning radius: 65CM
- Battery model: 24V/20AH lithium battery
- Load mileage: ≥ 20KM "



Product size	Package size	Net weight	Gross weight
750*630*690mm	780*700*780mm	64kg	80kg

## AW01

- Folding size: 830 × 590 × 370mm (manual folding)
- Front wheel: 10-inch McNumb universal wheel
- Rear wheel: 10-inch pneumatic tire
- Seat width: 420mm, Seat depth: 420mm
- Backrest height: 575mm
- Motor: high-performance 200W direct-drive dual motor
- Endurance: 12ah lithium battery 7.5KM/20ah lithium battery 20KM/; Endurance: 25KM/
- Battery: ternary lithium battery (7.5ah/18ah/20ah)
- Charging voltage: 110-220V
- Frame: high carbon steel
- Height between 145cm and 180cm
- weight less than 100kg



Product size	Package size	Net weight	Gross weight
1005*590*930mm	1010*780*440mm	40kg	49kg

## FW01

- Suitable height: 140-190CM
- Suitable weight: 40-100KG
- Limit speed: 4.5KM/H
- Obstacle crossing height: 40mm
- Trench crossing width: 50mm
- Stable driving slope: within 5 degrees
- Endurance (battery capacity): 15KM/15AH "



Product size	Package size	Net weight	Gross weight
830*550*1360mm	/	85kg	/

## WJMW-C001

- Color: Black
- Armrest above ground: 75CM
- Seat width: 39CM · Seat off the ground: 51CM
- Seat depth: 37CM · Back height: 42CM
- Front wheel size: 5 inches
- Rear wheel size: 8 inches
- Light and compact, easy folding
- stable structure
- One-step folding for boarding
- Stereoscopic thickened tower support
- dispersing force, stable structure
- New type brake system, can brake and lock
- Deliver safety belt, aluminum pedal, obstacle pedal and rear storage bag



Product size	Folding size	Net weight	Load
810x500x880mm	300*500*750mm	8.5kg	100kg

## WJMW-C002

- Color: Grey / Green / Black / Plaid
- Folding size: 72\*52\*23cm
- Wheelchair width: 52cm
- Wheelchair height: 88cm
- Wheelchair length: 74cm
- Armrest above ground: 67cm
- Seat width: 34cm
- Seat off the ground: 49cm
- Seat depth: 32cm
- Back height: 41cm
- Front wheel size: 6 inches
- Rear wheel size: 8 inches
- Net weight of wheelchair: 8kg
- Wheelchair load: 100kg



Product size	Folding size	Net weight	Load
740*520*880mm	720*520*230mm	8kg	75kg

## FW02

- Suitable height: 140-190CM
- Suitable weight: 40-100KG
- Limit speed: 4.5KM/H
- Obstacle crossing height: 40mm
- Trench crossing width: 50mm
- Stable driving slope: within 5 degrees
- Endurance (battery capacity): 15KM/15AH "



Product size	Package size	Net weight	Gross weight
830*550*1360mm	/	85kg	/

## GW01

- Suitable height: 100-160cm
- Suitable weight: 20-60KG
- Limit speed: 4.5KM/H
- Obstacle crossing height: 40mm
- Trench crossing width: 50mm
- Stable driving slope: within 5 degrees
- Endurance (battery capacity): 15KM/15AH "



Product size	Package size	Net weight	Gross weight
830*550*1320mm	/	85kg	/

## WJMW-R001


- Color: Black
- Folding size: 75\*70\*24cm
- Wheelchair width: 58cm
- Wheelchair height: 94cm
- Wheelchair length: 90CM
- Armrest above ground: 64cm
- Seat width: 48CM
- Seat off the ground: 48CM
- Seat depth: 36cm
- Back height: 42cm
- Front wheel size: 6 inches
- Rear wheel size: 16 "
- Net weight of wheelchair: 12kg
- Wheelchair load: 100kg



Product size	Folding size	Net weight	Load
900*580*940mm	750*700*240mm	12kg	100kg

## WJMW-R002

- Color: Blue / gold / Black
- Folding size: 75\*70\*24cm
- Wheelchair width: 58cm
- Wheelchair height: 94cm
- Wheelchair length: 90CM
- Armrest above ground: 64cm
- Seat width: 48CM
- Seat off the ground: 48CM
- Seat depth: 36cm
- Back height: 42cm
- Front wheel size: 6 inches
- Rear wheel size: 16 "
- Net weight of wheelchair: 12kg
- Wheelchair load: 100kg



Product size	Package size	Net weight	Gross weight
900*580*940mm	750*700*240mm	12kg	100kg

## WJMW-R003

- Color: Black
- Folding size: 86\*84\*24CM
- Wheelchair width: 58CM
- Wheelchair height: 86-115CM
- Wheelchair length: 88CM
- Handrail off the ground: 67CM
- Seat width: 44CM
- Seat off the ground: 48CM
- Seat depth: 40CM
- Backrest height: 74CM
- Front wheel size: 6 inches
- Rear wheel size: 16 inches
- Wheelchair net weight: 13KG
- Wheelchair load: 100KG



Product size	Folding size	Net weight	Load
88*58*86-115cm	86*84*24cm	13kg	100kg

## WJMW-R004

- Color: Red/black
- Folding size: 61\*67\*24cm
- Wheelchair width: 58cm
- Wheelchair height: 86cm
- Wheelchair length: 88cm
- Armrest above ground: 67cm
- Seat width: 44cm
- Seat above ground: 45cm
- Seat depth: 36cm
- Back height: 40cm
- Front wheel size: 6 inches
- Rear wheel size: 12 inches
- Net weight of wheelchair: 12kg
- Wheelchair load: 100kg



Product size	Folding size	Net weight	Load
880*580*860mm	610*670*240mm	12kg	100kg

## WJMW-R201

- Color: Blue
- Folding size: 90\*70\*25cm
- Wheelchair width: 57cm
- Wheelchair height: 92cm
- Wheelchair length: 94cm
- Armrest above ground: 64cm
- Seat width: 43cm
- Seat off the ground: 44cm
- Seat depth: 42cm
- Back height: 40cm
- Front wheel size: 6 inches
- Rear wheel size: 16 "
- Net weight of wheelchair: 13kg
- Material: Aluminium alloy



Product size	Folding size	Net weight	Load
940x570x920mm	900*700*250mm	13kg	100kg

## WJ-MW-001

- Color: Yellow/Blue
- Wheelchair width: 52cm
- Wheelchair height: 95cm
- Wheelchair length: 94cm
- Height of armrest: 16-26cm
- Seat width: 38cm
- Seat off the ground: 49cm
- Seat depth: 40cm
- Pedal off the ground: 28.4cm
- Back height: 48cm
- Front wheel size: 15cm
- Rear wheel size: 41cm
- Wheelchair load: > 70kg
- Material: High carbon steel



Product size	Material	Seat width	Load
940*520*950mm	High carbon steel	380mm	> 70kg

## WJMW-R101

- Color: Blue/black
- Folding size: 70\*70\*25CM
- Wheelchair width: 58cm
- Wheelchair height: 90CM
- Wheelchair length: 80cm
- Armrest above ground: 64cm
- Seat width: 49cm
- Seat off the ground: 48CM
- Seat depth: 37cm
- Back height: 40cm
- Front wheel size: 6 inches
- Rear wheel size: 16 "
- Net weight of wheelchair: 11kg
- Wheelchair load: 100kg



Product size	Folding size	Net weight	Load
800*580*900mm	700*700*250mm	11kg	100kg

## WJMW-R102

- Color: Grey
- Folding size: 86\*70\*25cm
- Wheelchair width: 52cm
- Wheelchair height: 92cm
- Wheelchair length: 88cm
- Armrest above ground: 64cm
- Seat width: 43cm
- Seat off the ground: 44cm
- Seat depth: 42cm
- Back height: 40cm
- Front wheel size: 6 inches
- Rear wheel size: 16 "
- Net weight of wheelchair: 12kg
- Material: Aluminium alloy



Product size	Package size	Net weight	Gross weight
880*520*920mm	860*700*250mm	12kg	100kg

## WJMW-R202

- Color: Blue / cyan / Black / red
- Folding size: 68\*65\*28cm
- Wheelchair width: 62cm
- Wheelchair height: 86cm
- Wheelchair length: 94cm
- Armrest above ground: 68cm
- Seat width: 44cm
- Seat above ground: 45cm
- Seat depth: 36cm
- Back height: 44cm
- Front wheel size: 6 inches
- Rear wheel size: 20 "
- Net weight of wheelchair: 14kg
- Wheelchair load: 100kg



Product size	Folding size	Net weight	Load
940*620*860mm	680*650*280mm	14kg	100kg

## WJMW-R203

- Color: Blue/Black
- Folding size: 76\*70\*24cm
- Wheelchair width: 62cm
- Wheelchair height: 90CM
- Wheelchair length: 94cm
- Armrest above ground: 67cm
- Seat width: 44cm
- Seat off the ground: 48CM
- Seat depth: 36cm
- Back height: 42cm
- Front wheel size: 6 inches
- Rear wheel size: 20
- Net weight of wheelchair: 14kg
- Wheelchair load: 100kg



Product size	Package size	Net weight	Gross weight
940*620*900mm	760*700*240mm	14kg	100kg