

Manjike (zhongshan)Technology Development Co., Ltd
Zhongshan Shihong Electronic Technology Co.,Ltd

WhatsApp/Wechat/Mobile:+86 15507615295
 E-mail: sales1@shihongfoto.com


Add: No. 2 Kangyue Road, Pingdong Village, Sanxiang Town, Zhongshan City, Guangdong Province



Product Catalogue 2024

- Tripod support system
- Photography and video accessories
- Photography Phone Clip Series
- Fill Light Series
- Vlog equipment series
- Desktop cantilever bracket series

Manizek
www.manizek-tech.com



TRIPOD SUPPORT SYSTEM

By providing stable support, tripods help photographers avoid camera shake and ensure the clarity of photos in scenes that require a long exposure time, such as long exposure, night scene shooting, and shooting pictures with surging tracks. A balance needs to be found between the portability and stability of tripods. Photography enthusiasts who travel frequently need to make a compromise between weight and stability.

TP

We have summarized 4 different types of tripods based on the market and different photography fields for many years. The first type has the characteristics of a reverse folding center axis and is shorter to store. The second type has the characteristics of a wedge-shaped center axis tripod with a buckle, which is quick to hold and feels good to hold. It is compact and is recommended for travel. The third type is a lightweight type with different materials and a high cost-effectiveness, which is suitable for lightweight micro-single cameras. The fourth type of professional compact tripod, as the name suggests, is compact and smaller and has high stability.

Folding storage/aluminum alloy/quick buckle/anti-slip foot pad/with 25mm ball head



TP202

Max working height	1390mm/54.72"
Min working height	410mm/16.14"
Close length	410mm/16.14"
Load	4kg/8.81 lb
Weight	920g/2.02 lb
Tube diameter	20/17/14/11mm (0.78/0.66/0.55/0.43")

Folding storage/carbon fiber leg material/two-section center axis/detachable leg design/anti-slip foot pad/hard anodized surface



TP431

Max working height	1570mm/61.81"
Min working height	370mm/14.56"
Close length	360mm/14.17"
Load	5kg/3.30 lb
Weight	1.5kg/11.02 lb
Tube diameter	25/22/20/16/13mm (0.98/0.86/0.78/0.62/0.51")

Wedge-shaped legs/special-shaped center axis/compact storage/quick release/with inverted ball head



TP411

Max working height	1580mm/62.20"
Min working height	180mm/7.08"
Close length	530mm/20.86"
Load	5kg/11.02 lb
Weight	1.51kg/3.32 lb
Tube diameter	31/27/23/19mm (1.22/1.06/0.90/0.74")

Compact without center axis/anti-slip silicone leg sleeve/carbon fiber leg/anti-slip foot knob/replaceable foot pad design



TP362

Max working height	1400mm/55.11"
Min working height	80mm/3.14"
Close length	540mm/21.25"
Load	12kg/26.45 lb
Weight	1.85kg/4.07 lb
Tube diameter	32.5/29/25.5/22mm (1.27/1.14/1.00/0.86")



TP190

Eccentric Tube Tripod

Fold back for storage/aluminum alloy/detachable center axis design/eccentric leg tube quick locking

Max working height	625mm/24.60"
Min working height	160mm/6.29"
Close length	215mm/8.46"
Load	710g/1.56 lb
Weight	0.6kg/13.22 lb
Tube diameter	21/18/15/12mm 0.82/0.70/0.59/0.47"



TP194

Table Tripod Kit

Aluminum alloy material/lightweight and compact/stepless adjustment/hollow design of bracket legs/with 25mm ball head

Min working height	105mm/4.13"
Close length	220mm/8.66"
Load	5kg/11.02 lb
Weight	405g/0.89 lb



Mini desktop tripod

Main Features Portability. Due to its small size and light weight, it can be easily carried and is suitable for travel photography, daily photography and other occasions that require rapid deployment. It can be used for special shooting needs such as ultra-low angle shooting, macro photography, and water photography, providing more creative possibilities. Portability and versatility provide great convenience and creative space for photography.



TP153

Working height	125mm/4.92"
Close length	175mm/6.88"
Load	1kg/2.20 lb
Weight	145g/0.31 lb



TP253

Working height	55/155mm 2.16/6.10"
Close length	170mm/6.69"
Load	3kg/6.61 lb
Weight	287g/0.63 lb



TP203

Working height	30mm/1.18"
Close length	84mm/3.30"
Load	0.5kg/1.10 lb
Weight	28g/0.06 lb



TP204

Working height	50mm/1.96"
Close length	98mm/3.85"
Load	0.5kg/1.10 lb
Weight	48g/0.10 lb



TP272

Working height	100mm/3.93"
Close length	200mm/7.87"
Load	2kg/4.40 lb
Weight	141g/0.31 lb



PHOTOGRAPHY AND VIDEO ACCESSORIES



BH Cold shoe mini ball head

It is mainly used as a connecting part on the top of the camera hot shoe, and can be used with external devices such as fill lights, microphones, etc. The pitch and rotation can be adjusted according to the gimbal function.



BH277

Product size	33x25x45mm (1.29x0.98x1.77")
Load	1.5kg/3.30 lb
Weight	46g/0.10 lb



BH339

Product size	50x37x28mm (1.96x1.45x1.10")
Load	2.5kg/5.51 lb
Weight	62g/0.13 lb



BH262

Product size	30x30x64mm (1.18x1.18x2.51")
Load	2kg/4.40 lb
Weight	100g/0.22 lb



BH225

Product size	32x25x40mm (1.25x0.98x1.57")
Load	1kg/2.20 lb
Weight	40g/0.08 lb

"Magic arm", also known as "weird hand", "universal arm", or "universal bracket", is one of the commonly used gadgets in professional film and television shooting. It is often used to fix external microphones, small monitors, fill lights, sunshades or other accessories.

Magic Hand

We have two commonly used specifications in the market: 7 inches and 11 inches. The magic grip is not only used to fix accessories, it can also be a tool for you to achieve creative shooting. It can be used with our powerful clamp (TE260) to create more creative shooting techniques. It is not only economical but also easy to assemble.



TE167-11"

TE167-7"

Storage length	171mm/6.73"	120mm/4.72"
Installation specifications	1/4"	1/4"
Load	3kg/6.61 lb	3kg/6.61 lb
Weight	242g/0.53 lb	188g/0.41 lb



Photography quick release plate

The design of the pan/tilt clamp allows photographers to quickly install and uninstall equipment, which greatly improves work efficiency for photographers who frequently change shooting scenes or equipment. Therefore, we have designed a variety of different installation methods.




TE210
Button pull type

Push-to-touch rebound locking
Product size : 100x61x19mm (3.93x2.40x0.74")
Weight : 142g(0.31 lb)



TE175
Knob type with lock

Knob type with safety lock to slide out the quick release plate
Product size : 120x98x10mm (4.72x3.85x0.39")
Weight : 258g(0.56 lb)



TE175-1
Knob can be fine-tuned

Knob type blue knob with gear fine adjustment quick release plate
Product size : 120x80x20mm (4.72x3.14x0.78")
Weight : 218g (0.48 lb)



Other attachments



TE260
Super clamp

Product size : 80*64*20mm (3.14x2.51x0.78")
Weight : 120g(0.26 lb)
Load : 2kg (4.40 lb)



TE239
Pea Pods magic arm

Product size : 45x22x134mm (1.77x0.86x5.27")
Weight : 84g(0.18 lb)
Load : 1kg (2.20 lb)



BH217
Z type pan tilt head

Push-to-touch rebound locking
Product size : 100x61x19mm (3.93x2.40x0.74")
Weight : 142g(0.31 lb)



BH490
Level platform

Product size : 93x63x52mm (3.66x2.48x2.04")
Weight : 270g(0.59 lb)
Load : 5kg (11.02 lb)



TE329

Cold shoe expansion bracket
Product size : 165x25x25mm (6.49x0.98x0.98")
Weight : 37g(0.08 lb)




TE189

L shaped quick release plate
Product size : 110x40x100mm (4.33x1.57x3.93")
Weight : 130g(0.28 lb)



TE481

Foldable quick release plate
Product size : 122x42x26mm (4.80x1.65x1.02")
Weight : 144g(0.31 lb)



PHOTOGRAPHY PHONE CLIP SERIES

Phone cage

The expandability of the mobile phone cage is one of its greatest advantages. It can well expand the peripheral accessories of the mobile phone, including external mobile phone microphones, Bluetooth headsets, flash lights, etc., which are very convenient. This expandability enables the mobile phone to not only meet the needs of daily shooting, but also can rival the effects of professional camera equipment in specific occasions.




TE493

Magnetic handheld phone holder

This is a 2-in-1 mobile phone stand with a quick-detachable design for quick installation and removal. Equipped with Bluetooth handle second change mobile phone selfie stick. Multiple expansion holes can be equipped with external microphones, fill lights and other devices to unlock more scene shooting needs.

Material	Aluminum alloy
Product size	270x35x145mm (10.62x1.37x5.70")
Weight	415g/0.91 lb
Applicable phone size	58~85mm/2.28~3.34"



TE218

TE174

Material	Aluminum alloy	ABS
Product size	277x30x134mm (10.90x1.18x5.27")	250x40x130mm (9.84x1.57x5.11")
Weight	375g/0.82 lb	165g/0.36 lb
Applicable phone size	48~100mm/1.88~3.93"	50~105mm/1.96~4.13"

Single Phone Tablet Fixture

The camera phone clip can be used in various shooting scenes, whether it is still life shooting, self-portrait or other people's shooting, it can easily cope with it. It is not just a simple clip. With the development of the mobile phone market, the shooting requirements are getting higher and higher. It can be expanded to be used with accessories such as fill lights and microphones, which greatly expands the functionality and creative space of mobile phone photography.



TE266

Cold shoe phone holder

Material: ABS
Product size: 78x38x26mm (3.07x1.49x1.02")
Weight: 31g (0.06 lb)
Applicable phone size: 58~85mm (2.28~3.34")



TE444

Two-way expansion phone holder

Material: ABS
Product size: 40x31x92mm (1.57x1.22x3.62")
Weight: 58g (0.12 lb)
Applicable phone size: 61~168mm (2.40~6.61")



TE229

Adjustable phone holder

Material: ABS
Product size: 30*35*110mm (1.18x1.37x4.33")
Weight: 55g (0.12 lb)
Applicable phone size: 50~102mm (1.96~4.01")



TE180

Handheld phone holder

Material: ABS
Product size: 120x57x25mm (4.72x2.24x0.98")
Weight: 164g (0.36 lb)
Applicable phone size: 57~100mm (2.24~3.93")



TE263

Cold shoe phone holder

Material: Aluminum alloy
Product size: 28x19x78mm (1.10x0.74x3.07")
Weight: 55g (0.12 lb)
Applicable phone size: 65~95mm (2.55~3.74")



TE216

Adaptive phone holder

Material: Aluminum alloy
Product size: 27x27x72mm (1.06x1.06x2.83")
Weight: 74g (0.16 lb)
Applicable phone size: 54~92mm (2.12~3.62")



TE178

Fine-adjustable locking phone clamp

Material: Aluminum alloy
Product size: 26x37x86mm (1.02x1.45x3.38")
Weight: 95g (0.20 lb)
Applicable phone size: 65~95mm (2.55~3.74")



TE201

Horizontal and vertical camera phone clip

Material: Aluminum alloy
Product size: 40x23x88mm (1.57x0.90x3.46")
Weight: 104g (0.22 lb)
Applicable phone size: 55~92mm (2.16~3.62")

Expand accessories and equipment



TE320 Microphone

Product size: 78x34x55mm (3.07x1.33x2.16")
Weight: 42g (0.09 lb)
Lithium battery capacity: 3.7V 100mAh
Usage time: About 8 hours
Frequency range: 50Hz - 15KHz
Use Distance: 5 meters
Signal to Noise Ratio: >75dB
Directivity: Cardioid orientation
Charging method: USB Type-C
Charging time: <2 hours
Maximum SPL: 120 sound pressure level



TE319 Fill Light

Product size: 64*50*31mm (2.51x1.96x1.22")
Weight: 46g (0.10 lb)
Battery capacity: 500mAh
Working hours: 1~2 hours
Power: 2W
Color temperature: 3200~6500K
Lamp beads: 32pcs
Brightness: 5th gear



TE279

Horizontal and vertical camera phone clip

Material: Aluminum alloy
Product size: 70x114x39mm (2.75x4.48x1.53")
Weight: 314g (0.69 lb)
Applicable phone size: 55~95mm (2.16~3.74")



TE356


Ipad clamp

Material: Aluminum alloy
Product size: 39x48x205mm (3.07x1.49x1.02")
Weight: 230g (0.50 lb)
Applicable phone size: 159~280mm (6.25~11.02")

FILL LIGHT SERIES

Single ring fill light series

As a professional photography lighting equipment, the ring light is particularly suitable for live broadcasting, shooting and video recording. Its main feature is that it can produce uniform and soft light, which can highlight the eyes of people and is often used in makeup and beauty live broadcasting. It ensures the clarity and brightness of the anchor or the object being photographed. At the same time, it has adjustable brightness and color temperature functions, and can adjust the lighting effect according to different environments and shooting requirements, making photos or videos more vivid and realistic.



6"

8"


10"

12"

Number of LED beads	48 pieces	96 pieces	128 pieces	160pieces
Color Temperature (CCT)	3200-6500K	3200-6500K	3200-6500K	3200-6500K
Voltage	410mm/16.14"	410mm/16.14"	410mm/16.14"	410mm/16.14"
Power	5V	5V	5V	5V
Power supply mode	1-6w	1-9w	1-10w	1-10w

Multifunctional base ring fill light

Add a multifunctional base to the ring light, equipped with a bendable phone holder that allows you to adjust different shooting angles. The special folding feature is easy to carry. It can also be switched to a desktop form for low-angle live broadcast without a light stand, and the maximum working height is 1650mm/64.96" for standing live broadcast. No tedious assembly steps are required. It is available in two versions: dual-color warm and RGB.



TE284

TE284 RGB

TE366

TE366 RGB

Illumination	128 high power LEDs	128 high power LEDs+48 RGB LEDs	128 high power LEDs	128 high power LEDs+48 RGB LEDs
Color Temperature (CCT)	3200K-5500K	3200K-5500K	3200K-5500K	3200K-5500K
Max.Height	1370mm/53.93"	1370mm/53.93"	1650mm/64.96"	1650mm/64.96"
Min.Height	508mm/20.00"	508mm/20.00"	508mm/20.00"	508mm/20.00"
Folded Length	70mm/2.75"	70mm/2.75"	70mm/2.75"	70mm/2.75"
Weight	1.15kg/2.53 lb	1.15kg/2.53 lb	1.29kg/2.84 lb	1.29kg/2.84 lb



COB fill light

High-brightness COB lamp beads provide even light, bright and clear. Built-in lithium battery, easy to carry, perfect for outdoor photography.



40W BI

60W BI

40W RGB

Dimensions (without reflector)	105x85x85mm/4.13x3.34x3.34"		
Lamp Beads	Bi-color COB lamp	Bi-color COB lamp	RGB-color COB lamp
Color Temperature (CCT)	2500~6500K	2500~6500K	RGB
Lumen Output (with reflector)	13150 lux (at 6500K,0.5 meters)	142000 lux(6500K)	16500K@125%,9100 lux
Charging Port	Type-c	Type-c	Type-c
Effect	8 preset lighting scene	8 preset lighting scene	20 preset lighting scene



TE399

All-in-one ring fill light

Add a lithium battery base to the ring light, and add bottom support function with internal power supply. It is suitable for short-term live broadcasting supplementary lighting when no power supply can be found outdoors.

Product size	310x265x50mm
Weight	128g
Color temperature	3000-6500K
Battery life	8 Hour (s)
Charging time	3~4 Hour (s)
Battery capacity	8000 mAh



Portable Light Stand

Portable light stands are one of the indispensable equipment in photography and film and television production. The design of portable light stands takes into account stability and portability, allowing photographers to quickly set up and disassemble them in different shooting environments to meet the needs of various shooting scenes.



TE506

TE561

TE269

TE385

Max working height	1900mm/74.80"	1790mm/70.47"	1300mm/51.18"	1690mm/66.53"
Min working height	400mm/15.74"	480mm/18.89"	500mm/19.68"	580mm/22.83"
Close length	400mm/15.74"	430mm/16.92"	485mm/19.09"	520mm/20.47"
Load	2kg/4.40 lb	3kg/6.61 lb	0.4kg/0.88 lb	2kg/4.40 lb
Weight	600g/1.32 lb	760g/1.67 lb	330g/0.72 lb	618g/2.02 lb



VLOG EQUIPMENT SERIES

Vlog, as a form of video weblog, has become a popular way of content creation by recording personal life or opinions through images. Many Vloggers choose to use a variety of shooting accessories, each of which has specific functions and uses.

Bicycle Phone Clip

Bicycle Phone Clip Vlog not only makes the cyclist's riding experience richer and more interesting by providing a first-person perspective recording method, diverse shooting options, and functions that simplify the shooting process, but also provides the audience with a more realistic and immersive viewing experience.

Magnetic buckle



TE554 Modular bicycle mount

This cycling clip features a magnetic modular design, which allows quick switching between the GoPro module and the phone cushioning phone holder. It uses a magnetic and buckle design for double protection and is not easy to fall off. The bottom uses a double ball table magic hand that can be universally adjusted and locked with one button for quick and easy composition. The bottom supports a clamping distance of 22-29mm (0.86~1.14").



GoPro install module
(Weight : 36g/0.07 lb)

Shock-absorbing phone stand
(Weight : 75g/0.16 lb)



Other attachments

The first one is an electric gimbal that can take panoramic photos. The second one is a suction cup that is mainly used for supporting cars and can be used with various equipment for shooting. The third one is a window clamp that can be used on car glass doors to set up light cameras or telescopes.



TE185 Electric gimbal head

Product size: 75x75x102mm(2.95x2.95x4.01")
Weight: 203g(0.44 lb)
Load: 1kg(2.20 lb)
Rated voltage : DC 3V
No load speed : 5RPM



TE239 Strong suction cup

Product size: 90x90x50mm(3.54x3.54x1.96")
Weight: 83g(0.18 lb)
Load: 1kg(2.20 lb)



TE389 Car window mount

Product size: 130x105x60mm(5.11x4.13x2.36")
Weight: 575g(1.26 lb)
Load: 3kg(6.61 lb)
Clamping distance: 1~15mm(0.03~0.59")



Handheld Selfie Stick Series

The main function of the handheld support selfie stick is to provide stable shooting. The hand support provides a comfortable grip. The better length design allows for better shooting angles and more shooting possibilities based on different angles. The portable folding design is convenient for users to carry and use.



TE159 Folding selfie stick

Close length : 260mm (10.23")
Weight: 148g(0.32 lb)
Load : 1kg (2.20 lb)



TE160 Floating handheld stick

Close length : 180mm (7.08")
Weight: 84g(0.15 lb)
Load : 1kg (2.20 lb)



TE162 Trigger Selfie Stick

Close length : 405mm (15.94")
Weight: 200g(0.44 lb)
Load : 1kg (2.20 lb)




TE304 Tripod integrated selfie stick

Product size: 42x21x147mm(1.65x0.82x5.78")
Weight: 71g(0.15 lb)
Load : 1.5kg (3.30 lb)

DESKTOP CANTILEVER BRACKET SERIES

The main function of the desktop cantilever stand is to save desktop space, provide a comfortable viewing angle and flexible adjustment. It is particularly suitable for use in environments with limited space, such as shooting, low-angle shooting or standing on a wall, and can complete some shooting tasks that are difficult to achieve with a standard tripod.




TP322

Material	Aluminum alloy
Load	0.5kg/1.10 lb
Weight	418g/0.92 lb
Mounting screw	1/4 - 3/8
Maximum length range	80cm/3.14"



TE439

Material	Aluminum alloy
Load	5kg/11.02 lb
Weight	1650g/3.63 lb
Mounting screw	1/4 - 3/8
Maximum length range	955mm/37.59"
Tube diameter	25mm/0.98"



TE386

Material	Aluminum alloy +ABS
Load	3.3kg/7.27 lb
Weight	638g/1.40 lb
Mounting screw	1/4 - 3/8
Maximum length range	900mm/35.43"
Tube diameter	25mm/0.98"