

# JOYKIE

## E-BIKE

# 2024-2025

DISCOVER ROAD THRILL. BIKE  
FREELY, STROLL TO YOUR  
RHYTHM, PAUSE AT  
ADVENTURE WAYPOINTS.

**JOY KIE CORPORATION LIMITED**  
16F XinChuanMei Chanye Building, No.58 Xintang Road,  
Hangzhou, China.310020  
0086 571-87809605

**JOY SUN (ZHEJIANG) BICYCLE MANUFACTORY CO., LTD.**  
No.1117 Zhongxing North Road, Fuxi Street, Deqing,  
Huzhou, Zhejiang, China 313200  
0086 572-8390888

**HANGZHOU JOY SHINE IMP.& EXP.CO.,LTD.**  
Room808, Zhongmin Building, No.8 Guodong Yuan Lane,  
Shangcheng District, Hangzhou, Zhejiang, China, 310009  
0086 571-87273599

sales@joykiebikes.com    www.joykiebikes.com

**HILAND**



The background of the entire page is a grayscale photograph of two cyclists riding away from the viewer on a paved road. The cyclist in the foreground is wearing a light-colored long-sleeved shirt and dark pants. The cyclist further ahead is wearing a dark jersey. The road has a white line marking, and the background is a hazy, open landscape.

# JOYKIE

## COMPANY PROFILE

JOYKIE THE COMPANY IS MAINLY ENGAGED IN THE DESIGN, RESEARCH AND DEVELOPMENT, PRODUCTION AND SALES OF COMPLETE BICYCLES, BICYCLE COMPONENTS, AND RELATED DERIVATIVE PRODUCTS. IT IS DEDICATED TO SPREADING THE "MADE-IN-CHINA" BICYCLES AROUND THE WORLD, AND PROVIDING ITS GLOBAL CUSTOMERS WITH FULL-SIZE AND MULTI-SERIES BICYCLES AND RELATED PRODUCTS IN A ONE-STOP SOLUTION.

OUR PRODUCTS ARE SOLD IN OVER 80 MAJOR COUNTRIES AND REGIONS ACROSS FIVE CONTINENTS WORLDWIDE, WITH STRONG COMPETITIVE ADVANTAGES AND MARKET COMPETITIVENESS. IN 2020, OUR MARKET SHARE OF COMPLETE BICYCLE EXPORTS WAS APPROXIMATELY 4.61%, AND THIS MARKET SHARE IS EXPECTED TO FURTHER INCREASE.

# CONTENTS

01 **E-MOUNTAIN** ..... 01-16  
BIKE

17 **E-ROAD/GRAVEL** ..... 17-30  
BIKE

31 **E-TREKKING** ..... 31-40  
BIKE

41 **E-CITY** ..... 41-66  
BIKE

67 **E-CARGO** ..... 67-72  
BIKE

73 **E-FOLDING** ..... 73-76  
BIKE

77 **E-FAT** ..... 77-86  
BIKE

87 **E-KIDS** ..... 87-91  
BIKE





CONQUER EVERY MOUNTAIN TERRAIN:  
SMOOTH RIDES, ROUGH TRAILS.



# E- MOUNTAIN BIKE

TAKE THE ROAD LESS TRAVELED,  
AND MAKE A DIFFERENCE FOR THE PLANET.



# ZENITH EMC1.0

J24ES001

27.5"/29"  
WHEEL SIZE



## SPECIFICATION

FRAME	27.5" CARBON SUSPENSION E-BIKE
FORK	ROCKSHOX 29" 35 SILVER TK
MOTOR	SHIMANO EP801
DISPLAY	SHIMANO EN600
CONTROLLER	SHIMANO EP801
BATTERY	SHIMANO LI-ION 21700 36V 630WH

DERAILLEUR	SHIMANO CUES 11S
TYRE	WTB F: 29"*2.6 /R:27.5"*2.6 F/V
BRAKE	AVID HYDRAULIC DISC BRAKE

Aerodynamic  
Technology  
**CARBON**


FRAME SIZE  
**420MM / 17.5"**

BATTERY  
**36V 630WH**



ZENITH EX1  
J24ES003

29"  
WHEEL SIZE



SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W BAFANDG M410
DISPLAY	LCD DISPLAY BAFANG DP C244.CAN
CONTROLLER	SINE WAVE
BATTERY	SAMSUNG LI-ION 21700 36V 720WH

DERAILLEUR	SHIMANO CUES 10S
TYRE	WTB W110-1296 F:/R:29" * 2.6"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
482MM / 19"

BATTERY  
36V 720WH



# ZENITH EX2

J24ES004

29"  
WHEEL SIZE



## SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W ANANDA M230
DISPLAY	LCD DISPLAY ANANDA D18
CONTROLLER	SINE WAVE
BATTERY	SAMSUNG LI-ION 18650 36V 504WH

DERAILLEUR	SHIMANO CUES 9S
TYRE	KENDA F/R:29" * 2.35"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
450MM / 17.5"

BATTERY  
36V 504WH



ZENITH EX3

J24ES005

29"  
WHEEL SIZE



SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2502
DISPLAY	LCD DISPLAY WUXING SW102/2
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH

DERAILLEUR	SHIMANO CUES 9S
TYRE	WTB 29"*2.25"
BRAKE	HYDRAULIC DISC BRAKE, F:180MM,R:160MM

Aluminum Alloy  
6061

FRAME SIZE  
445MM / 17.5"

BATTERY  
36V 540WH



ZENITH EX4

J24ES006

29"  
WHEEL SIZE



SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2502
DISPLAY	LCD DISPLAY WUXING DZ41
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH

DERAILLEUR	SHIMANO CUES 9S
TYRE	KENDA 29"*2.35"
BRAKE	HYDRAULIC DISC BRAKE, F:180MM,R:160MM

Aluminum Alloy  
6061

FRAME SIZE  
465MM / 18"

BATTERY  
36V 540WH



ZENITH EX5

J24ES007

27.5"/29"  
WHEEL SIZE



SPECIFICATION

FRAME	27.5" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2502
DISPLAY	LCD DISPLAY KEY-DISP KD186
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH

DERAILLEUR	SHIMANO CUES 10S
TYRE	WTB F: 29"*2.25" / R:27.5"*2.25"
BRAKE	HYDRAULIC DISC BRAKE,F:180MM,R:160MM

Aluminum Alloy  
6061

FRAME SIZE  
420MM / 16.5"

BATTERY  
36V 540WH



**BLAZE EX1**

J24ES008

29"  
WHEEL SIZE**BLAZE EX2**

J24ES009

29"  
WHEEL SIZE

## DETAIL DISPLAY



## SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 36V 250W ANANDA M129
DISPLAY	LCD DISPLAY KEY-DISP KD21C
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH
DERAILLEUR	SHIMANO ALTUS 8S
TYRE	INNOVA 29"*2.4"
BRAKE	HYDRAULIC DISC BRAKE,F:180MM,R:160MM

Aluminum Alloy 6061

 FRAME SIZE  
**440MM / 17"**

 BATTERY  
**36V 540WH**


## DETAIL DISPLAY



## SPECIFICATION

FRAME	29" E-MTB ALLOY FRAME
FORK	29" ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 36V 250W ANANDA M129
DISPLAY	LCD DISPLAY KING-METER KM529
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 350WH
DERAILLEUR	SHIMANO ALTUS 8S
TYRE	29"*2.35"
BRAKE	HYDRAULIC DISC BRAKE,F:180MM,R:160MM

Aluminum Alloy 6061

 FRAME SIZE  
**470MM / 18.5"**

 BATTERY  
**36V 350WH**





# E- ROAD BIKE

REDUCE YOUR CARBOM FOOTPRINT AND  
JOIN THE GREEN REVOLUTION.





# CREST EGC1.0

J24ER001

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C CARBON ROAD E-BIKE
FORK	700C CARBON FORK
MOTOR	MIDDLE MOTOR 36V 250W BAFAND M820
DISPLAY	LED DISPLAY BAFAND E165
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH
DERAILLEUR	ELECTRONIC SPEED CHANGE 12S
TYRE	WTB 700C*50C F/V
BRAKE	HYDRAULIC DISC BRAKE

Aerodynamic  
Technology  
**CARBON**

FRAME SIZE  
**50CM**

BATTERY  
**36V 360WH**





# PODIUM EGC1.0

J24ER002

700C  
WHEEL SIZE  
E-GRAVEL



## SPECIFICATION

FRAME	700C CARBON GRAVEL E-BIKE
FORK	700C CARBON FORK
MOTOR	REAR DRIVE 36V 250W TRUCK RUN RN-04K
DISPLAY	LCD DISPLAY CD CDC11
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLEUR	L-TWOO GR7 10S
TYRE	INNOVA 700C*40C
BRAKE	HYDRAULIC DISC BRAKE

Aerodynamic  
Technology  
CARBON

FRAME SIZE  
46CM

BATTERY  
36V 360WH





# PODIUM EGC2.0

J24ER003

700C  
WHEEL SIZE  
E-GRAVEL



## SPECIFICATION

FRAME	700C CARBON GRAVEL E-BIKE
FORK	700C CARBON FORK
MOTOR	REAR DRIVE 36V 250W TRUCK RUN RN-04K
DISPLAY	LCD DISPLAY CD CDC11
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH
DERAILLEUR	L-TWOO T7 10S
TYRE	INNOVA 700C*40C
BRAKE	HYDRAULIC DISC BRAKE

Aerodynamic  
Technology  
CARBON

FRAME SIZE  
46CM

BATTERY  
36V 360WH





## ECHO ES1

J24ER004



700C  
WHEEL SIZE



### SPECIFICATION

FRAME	700C ALLOY ROAD E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85TX
DISPLAY	LED DISPLAY KING-METER B20
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLEUR	L-TWOO 11S
TYRE	KENDA 700C*28C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
52CM

BATTERY  
36V 360WH





## E-CX

J23ES015

700C  
WHEEL SIZE  
**E-GRAVEL**



### SPECIFICATION

FRAME	700C CR-MO GRAVEL E-BIKE
FORK	700C CARBON FORK
MOTOR	REAR MOTOR 36V 250W
DISPLAY	LCD DISPLAY
CONTROLLER	SINE WAVE
BATTERY	SAMSUNG LI-ION 36V 10AH 21700

DERAILLEUR	1*10S
TYRE	WTB 700C*42C
BRAKE	MECHANICAL DISC BRAKE



FRAME SIZE  
**48, 51, 54CM**

BATTERY  
**36V 10AH**





700C  
WHEEL SIZE

E-GRAVEL

## E-CX-S J23ES016

### SPECIFICATION



FRAME SIZE  
**48、51、54、57CM**


BATTERY  
**36V 10AH**

FRAME	700C CR-MO GRAVEL E-BIKE
FORK	700C SUSPENSION FORK
MOTOR	REAR MOTOR 36V 250W
DISPLAY	LCD DISPLAY
CONTROLLER	SINE WAVE
BATTERY	SAMSUNG LI-ION 36V 10AH 21700

DERAILLEUR	1*11S
TYRE	WTB 700C*42C
BRAKE	TEKTRO MECHANICAL DISC BRAKE







# E- TREKKING BIKE

TRAVEL RESPONSIBLY,  
LEAVE A POSITIVE IMPACT.



# ROAMER ET1

J24ET001

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2505
DISPLAY	LED DISPLAY WUXING DZ41
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH

DERAILLEUR	SHIMANO CUES 9S
TYRE	KENDA:29"*2.4"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
520MM

BATTERY  
36V 540WH



# ROAMER ET2

J24ET002

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2505
DISPLAY	LED DISPLAY WUXING DZ41
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH

DERAILLEUR	SHIMANO CUES 9S
TYRE	KENDA:29"*2.4"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
460MM

BATTERY  
36V 540WH



## JOURNEY ET1

J24ET003



## JOURNEY ET2

J24ET004



### DETAIL DISPLAY



### DETAIL DISPLAY



### SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 36V 250W ANANDA M129
DISPLAY	LCD DISPLAY KEY-DISP KD21C
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH



DERAILLEUR	SHIMANO ALTUS 8S
TYRE	29"*2.25"
BRAKE	HYDRAULIC DISC BRAKE

### SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 36V 250W SHENGYI DGWA7P
DISPLAY	LCD DISPLAY DIGITECH L182
CONTROLLER	SINE WAVE
BATTERY	LI-ION 36V 374WH 18650



DERAILLEUR	SHIMANO ALTUS 8S
TYRE	29"*2.25"
BRAKE	HYDRAULIC DISC BRAKE



## JOURNEY ET3

J24ET007



## JOURNEY ET4

J24ET008



### DETAIL DISPLAY



### DETAIL DISPLAY



### SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W ANANDA M81
DISPLAY	LCD DISPLAY ANANDA D16
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH



DERAILLEUR	SHIMANO CUES 10S
TYRE	CST 700C*45C
BRAKE	HYDRAULIC DISC BRAKE

### SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W ANANDA M81
DISPLAY	LCD DISPLAY ANANDA D16
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 540WH



DERAILLEUR	SHIMANO CUES 10S
TYRE	CST 700C*45C
BRAKE	HYDRAULIC DISC BRAKE





# E- CITY BIKE

BE THE CHANGE, AND CHOOSE  
ECO-FRIENDLY TRANSPORT OPTIONS.



# VENTURA EC1

J24EU001

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W BAFAND M210
DISPLAY	LCD DISPLAY BAFAND BC182
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 375WH

DERAILLEUR	BAFANG:N3
TYRE	CST 700C*40C
BRAKE	SHIMANO:HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
480MM

BATTERY  
36V 375WH



# VENTURA EC2

J24EU002



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C SUSPENSION FORK
MOTOR	MIDDLELE MOTOR 36V 250W WUXING CM2502
DISPLAY	LED DISPLAY WUXING DZ41
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 432WH

DERAILLEUR	LOFANDI:N3
TYRE	INNOVA 700C*45C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy 6061

FRAME SIZE 520MM

BATTERY 36V 432WH



# VENTURA EC3

J24EU003

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 200W DP M065MD
DISPLAY	LED DISPLAY WUXING DZ45
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLUR	SHIMANO ALTUS 8S
TYRE	KENDA 700C*50C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
508MM

BATTERY  
36V 360WH



BREEZE ECM1

J24EU004



SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85SX
DISPLAY	LED DISPLAY WUXING DZ45/MOGUBRO M13
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLUR	SHIMANO ALTUS 8S
TYRE	KENDA 700C*50C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy 6061

FRAME SIZE 480MM

BATTERY 36V 360WH



# BREEZE ECW1

J24EU005

700C  
WHEEL SIZE



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85SX
DISPLAY	LED DISPLAY WUXING DZ45/MOGUBRO M13
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLUR	SHIMANO ALTUS 8S
TYRE	KENDA 700C*50C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
480MM

BATTERY  
36V 360WH



**BREEZE EC2**

J24EU006

700C  
WHEEL SIZE**BREEZE EC3**

J24EU007

700C  
WHEEL SIZE

## DETAIL DISPLAY



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85SX
DISPLAY	LCD DISPLAY KEY-DISP KD718
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

Aluminum Alloy 6061

 FRAME SIZE  
**480MM**

 BATTERY  
**36V 360WH**

DERAILLUR	1S BELT
TYRE	CST 700C*40C
BRAKE	HYDRAULIC DISC BRAKE



## DETAIL DISPLAY



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85SX
DISPLAY	LCD DISPLAY KEY-DISP KD718
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

Aluminum Alloy 6061

 FRAME SIZE  
**480MM**

 BATTERY  
**36V 360WH**

DERAILLUR	1S BELT
TYRE	CST 700C*40C
BRAKE	HYDRAULIC DISC BRAKE



# VENTURA EC4

J24EU008

26"

WHEEL SIZE



## DETAIL DISPLAY



## SPECIFICATION

FRAME	26" ALLOY CITY E-BIKE
FORK	24" ALLOY FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2503
DISPLAY	LED DISPLAY WUXING DZ41
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 280WH

Aluminum Alloy 6061

FRAME SIZE 420MM

BATTERY 36V 280WH

DERAILLEUR	LOFANDI:N3
TYRE	CST: F:24"/R:26" 2.125"
BRAKE	SHIMANO:HYDRAULIC DISC BRAKE

# BREEZE EC4

J24EU009

700C

WHEEL SIZE



## DETAIL DISPLAY



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 36V 250W ANANDA M131
DISPLAY	LCD DISPLAY KING-METER WH-527
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 374WH

Aluminum Alloy 6061

FRAME SIZE 510MM

BATTERY 36V 374WH

DERAILLEUR	SHIMANO TOURNEY 7S
TYRE	KENDA 700C*40C
BRAKE	MECHANICAL DISC BRAKE



BREEZE EC5

J24EU013



SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 48V 500W VANKI RH45
DISPLAY	LCD DISPLAY KEY-DISP KD21C
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 48V 504WH

DERAILLEUR	SHIMANO:1*7S
TYRE	700C*42C
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy 6061

FRAME SIZE 480MM

BATTERY 48V 504WH



# BREEZE EC6

J24EU014



## DETAIL DISPLAY



## SPECIFICATION

FRAME	20" ALLOY FOLDING E-BIKE
FORK	20" ALLOY FORK
MOTOR	REAR DRIVE 36V 250W ANANDA M129
DISPLAY	LED DISPLAY KING-METER T320
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 187WH

DERAILLEUR	SHIMANO:1*7S
TYRE	KENDA 20*1.75"
BRAKE	SHIMANO:HYDRAULIC DISC BRAKE



# BREEZE EC7

J24EU015



## DETAIL DISPLAY



## SPECIFICATION

FRAME	20" ALLOY E-BIKE
FORK	20" HI-TEN FORK
MOTOR	REAR DRIVE 36V 250W AIKEMA AKM85SX
DISPLAY	LED DISPLAY WUXING DZ40
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

DERAILLEUR	SHIMANO CLARIS 7S/8S
TYRE	KENDA20*2.0
BRAKE	HYDRAULIC DISC BRAKE





**VENTURA EC5****J24EU016****20"**  
WHEEL SIZE**BREEZE EC8****J24EU017****26"**  
WHEEL SIZE

## DETAIL DISPLAY



## SPECIFICATION

FRAME	20" ALLOY CITY E-BIKE
FORK	20" ALLOY FORK
MOTOR	MIDDLE MOTOR 36V 250W WUXING CM2503
DISPLAY	LED DISPLAY WUXING SW102
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 360WH

Aluminum Alloy 6061

 FRAME SIZE  
**330MM**

 BATTERY  
**36V 360WH**

DERAILLEUR	SHIMANO NEXUS INTER 3S
TYRE	KENDA 20"1.95
BRAKE	F: V-BRAKE R: ROLLER-BRAKE



## DETAIL DISPLAY



## SPECIFICATION

FRAME	26"*1-3/8" ALLOY CITY E-BIKE
FORK	26" ALLOY FORK
MOTOR	FRONT MOTOR 36V 250W MIVICE M060
DISPLAY	LED DISPLAY KEY-DISP KD26E
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 375AH

Aluminum Alloy 6061

 FRAME SIZE  
**417MM**

 BATTERY  
**36V 375WH**

DERAILLEUR	SHIMANO:1*7S
TYRE	KENDA 26"1-3/8"
BRAKE	V-BRAKE ALLOY



# VENTURA

J24EU018



## DETAIL DISPLAY



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY FORK
MOTOR	REAR DRIVE 36V 250W BAFAND H305
DISPLAY	LCD DISPLAY KEY-DISP KD717-V
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 374WH

Aluminum Alloy 6061

FRAME SIZE 530MM

BATTERY 36V 374WH

DERAILLEUR	1S BELT
TYRE	CST 700C*40C
BRAKE	HYDRAULIC DISC BRAKE

# VENTURA EC6

J24EU019



## DETAIL DISPLAY



## SPECIFICATION

FRAME	700C ALLOY CITY E-BIKE
FORK	700C ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V 250W VANKI V20
DISPLAY	LCD DISPLAY VANKI DR21
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 36V 486WH

Aluminum Alloy 6061

FRAME SIZE 450MM

BATTERY 36V 486WH

DERAILLEUR	SHIMANO:1*7S
TYRE	CST 700C*40C
BRAKE	HYDRAULIC DISC BRAKE

E-MTB

E-ROAD

E-GRAVEL

E-TREKKING

E-CITY

E-CARGO

E-FOLDING

E-FAT

E-KIDS



VENTURA EC7

J24EU020

24  
WHEEL SIZE



SPECIFICATION

FRAME	24" ALLOY CITY E-BIKE
FORK	24" ALLOY FORK
MOTOR	MIDDLE MOTOR 36V 250W BAFAND M210
DISPLAY	LCD DISPLAY BAFAND DP C220
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 374WH

DERAILLEUR	SHIMANO TOURNEY 7S
TYRE	KENDA 24"*1.75
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
460MM

BATTERY  
36V 374WH





# E- CARGO BIKE

LIFE IS A JOURNEY, NOT THE DESTINATION,  
BUT THE SCENERY ALONG THE SHOULD BE AND THE MOOD AT THE VIEW.



# ELEVATE ECG1

J24EC001

20"

WHEEL SIZE



## SPECIFICATION



Aluminum Alloy  
6061



FRAME SIZE  
500MM



BATTERY  
36V 13AH

FRAME	FRONT 20" REAR 26" AL
CHARGER	36/2AH EN
TYRE	F/20X2.125, R/26X2.125
DASHBOARD	MATCH SHENLANG MOTOR 0-5 SHIFT
BATTERY	36V/13AH, CELL 18650/52PCS
BRAKE	F/R HYDRAULIC BRAKE W/160MM BRAKE DISC

MOTOR	36V 350W MID MOTOR SYSTEM
SHIFTER	SHIMANO, TX50-7 7S





# ELEVATE ECG6

J24EC008

20"  
WHEEL SIZE



## SPECIFICATION

FRAME	20"ALLOY E-BIKE
FORK	20" SUSPENSION FORK
MOTOR	LCJNW 48V 750W
DISPLAY	UKRIVER DG9LBC3-03 LCD
CONTROLLER	SANTROLL
BATTERY	CHINA LI-ION 48V 15AH 21700

DERAILLEUR	SHIMANO TOURNEY 7S
TYRE	INNOVA LV-1003 20*4.0"
BRAKE	LOGAN HD-E500 HYDRAULIC DISC BRAKE LEVER

Aluminum Alloy  
6061

FRAME SIZE  
400MM

BATTERY  
48V 15AH





# E- FOLDING BIKE

SOLVING YOUR PRODUCT CHALLENGES  
ONE SOLUTION AT A TIME.






20"  
MAGNESIUM ALLOY  
FOLDING BIKE

# FORMULA

J23EL003

20"  
WHEEL SIZE



## SPECIFICATION

FRAME	20" MAGNESIUM ALLOY FOLDING E-BIKE
FORK	20" MAGNESIUM ALLOY FORK
MOTOR	REAR DRIVE 36V250W
DISPLAY	LCD DISPLAY
CONTROLLER	SINE WAVE
BATTERY	SAMSUNG LI-ION 360V 10AH 21700

DERAILLEUR	BELT DRIVE SYSTEM 1S
TYRE	INNOVA IA2128 20*2.0"
BRAKE	MECHANICAL DISC BRAKE

**M** Magnesium Alloy

FRAME SIZE  
**395MM**

BATTERY  
**36V 10AH**





# E- FAT BIKE

LIFE IS A BEAUTIFUL JOURNEY,  
AND CYCLING MAKES IT EVEN MORE ENJOYABLE.



STEED EFT1  
J24EL001

20"  
WHEEL SIZE



SPECIFICATION

FRAME	20" ALLOY CARGO E-BIKE
FORK	20" ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 48V 750W BAFANG G062
DISPLAY	LCD DISPLAY KEY-DISP KD718
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 48V 720WH

DERAILLEUR	SHIMANO TOURNEY 7S
TYRE	20"*3.0"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
460MM

BATTERY  
48V 720WH



STEED EFT2

J24EL002

26"  
WHEEL SIZE



SPECIFICATION

FRAME	26" ALLOY FAT E-BIKE
FORK	26" ALLOY SUSPENSION FORK
MOTOR	REAR DRIVE 48V 1000W BAFANG G062
DISPLAY	LCD DISPLAY KING-METER KM527
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 48V 720WH

DERAILLEUR	SHIMANO ALTUS 8S
TYRE	KENDA 26"*4.0"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
457MM

BATTERY  
48V 720WH



# STEED EFT3

J24EL003

PLAN 1



20"  
WHEEL SIZE



PLAN 2



## SPECIFICATION

FRAME	20" ALLOY CITY E-BIKE
FORK	20" ALLOY SUSPENSION FORK
MOTOR	MIDDLE MOTOR 36V/350W VANKI E31
DISPLAY	LCD DISPLAY VANKI DR23
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 468WH

DERAILLEUR	SHIMANO:1*7S
TYRE	20*3.0"
BRAKE	HYDRAULIC DISC BRAKE

Aluminum Alloy  
6061

FRAME SIZE  
390MM

BATTERY  
36V 468WH



# GEOMETRY EMT1.0

J24EL004



# STEED EFT4

J24EL005



DETAIL DISPLAY



DETAIL DISPLAY



## SPECIFICATION

FRAME	20" ALLOY FAT E-BIKE
FORK	20" HI-TEN FORK
MOTOR	REAR DRIVE 48V 1000W XINFEN GDR19-SR
DISPLAY	LCD DISPLAY DIGITECH BC182
CONTROLLER	SINE WAVE
BATTERY	LI-ION 21700 48V 720WH

Aluminum Alloy 6061

BATTERY 48V 720WH

DERAILLUR	1S
TYRE	20"*4.0"
BRAKE	HYDRAULIC DISC BRAKE

## SPECIFICATION

FRAME	20" ALLOY E-CARGO BIKE
FORK	20" ALLOY FORK
MOTOR	REAR DRIVE 48V 750W ANANDA M150
DISPLAY	LCD DISPLAY WUXING DS103
CONTROLLER	SINE WAVE
BATTERY	1: LI-ION 18650 48V 336WH 2: LI-ION 18650 48V 1008WH

Aluminum Alloy 6061

BATTERY 36V 336,1008WH

DERAILLUR	SHIMANO ALTUS 7S
TYRE	CST 20"*3.0"
BRAKE	HYDRAULIC DISC BRAKE





# E- KIDS BIKE

TAILORED PRODUCTS TO  
FIT YOUR UNIQUE REQUIREMENTS.



EXPLORER EK1

J24EY001

12"  
WHEEL SIZE



SPECIFICATION

FRAME	12" ALLOY KIDS E-BIKE
FORK	12" HI-TEN FORK
MOTOR	REAR DRIVE 36V 250W
DISPLAY	N/A
CONTROLLER	SINE WAVE
BATTERY	LI-ION 18650 36V 252WH

DERAILLEUR	N/A
TYRE	INNOVA 12"*2.125"
BRAKE	MECHANICAL DISC BRAKE

Aluminum Alloy  
6061

BATTERY  
36V 252WH



# EXPLORER EK3

J24EY003

12"  
WHEEL SIZE



## DETAIL DISPLAY



## SPECIFICATION

FRAME	12" ALLOY KIDS E-BIKE
FORK	12" HI-TEN FORK
MOTOR	REAR DRIVE 36V 250W
DISPLAY	N/A
CONTROLLER	CONTROLLER: SINE WAVE
BATTERY	LI-ION 18650 36V 280WH

DERAILLUR	N/A
TYRE	INNOVA 12"*2.125"
BRAKE	MECHANICAL DISC BRAKE

Aluminum Alloy  
6061

BATTERY  
**36V 280WH**