



BUSH HAMMER

QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD




Brief Introduction

SUNNY SUPERHARD TOOLS CO., LTD, established in 1993, has been developing bush hammer since 2010. In the past ten years, we have gradually become the most professional supplier of bush hammer in China.

Bush hammer is widely used in the surface processing of various types of stone and concrete, it is mainly used in the processing of slip-resistant, bush-hammered and imitation of natural erosion surfaces. With efficient and safety of the machine, it gradually replaces the manual machine as an indispensable tool in surface processing. According to different texture requirements, we are committed to studying on different products corresponding to various textures. Nowadays, our product lines of bush hammer have over hundreds of products, which could fulfill corresponding requirements.

The greatest feature of our company is in the ability of researching and developing. But unlike the other competitors who make general standardized products with unified production compound, we are inclined to OEM/ODM, formulate the exclusive products according to the different demands of customers, which also becomes the difference between us and other general foundry factories.







QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz






SCRATCHING ROLLER

Tools for grooved finish

APPLICATIONS



6ALAS01

6ALAS03



6ALAS04

6ALAS02

SCRATCHING ROLLER
Grooved finish

MANU-BLASTER
Bush-hammered and
sandblasting finish

PUNTO-L
Bush-hammered finish

KKOMA
Random-comma or
heavy scarification finish

BUSH HAMMER
FOR CONCRETE

SCRATCHER
Adze finish

PUNTO-S
Bush-hammered finish

TIRAA
Random-arc finish

DIAMANT
Sandblasting finish



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



01

SCRATCHING ROLLER



PRODUCT INTRODUCTION



6FA30143

6FB20303

The Scratching Roller bridge can be fixed on cutter or banner tile cutter. It is designed to be used for 1-10mm fine grooved finish on marble, limestone and granite. The segment can be turned 3 times, all four angles can be used. The core usually lasts quite long, you just need to buy the segment and some accessories for your further demand.

MACHINEY




Bridge Cutter



Banner Tile Cutter

SUNNY SUPERHARD TOOLS

ACCESSORY



6JE5000



6JE10000

TECHNICAL PARAMETERS

MAX SPEED

4000 RPM

APPLICATION

Marble, Limestone, Granite

MIN THICKNESS OF STONE

Marble, Limestone, Granite 10mm

TOOLS DIMENSION

 $\varnothing 300 \times 140/240$ mm for bridge cutter $\varnothing 204 \times 306/620$ mm for banner tile cutter

TEXTURE

1-10mm fine grooved finish

PERFORMANCE

- Uniform finish over whole slab surface.
- Different distance of line-finish could be made by one tool.
- Each segment is selected by prime material, all four angles can be used.
- High efficiency, Longer lasting, Less investment.


SUNNY

APPLICATIONS



6AGAB01

6AGRB01



6ALAB01

6AGQB01



6AHAB01

6ALAB02

SCRATCHER

Adze finish

SCRATCHING
ROLLER

Grooved finish

PUNTO-S

Bush-hammered finish

TIRAA

Random-arc finish

DIAMANT

Sandblasting finish

MANU-BLASTER

Bush-hammered and sandblasting finish

PUNTO-L

Bush-hammered finish

KKOMA

Random-comma or heavy scarification finish

BUSH HAMMER

FOR CONCRETE



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



02 SCRATCHER




PRODUCT INTRODUCTION




The Scratcher is normally fixed on angle grinder or CNC cutter, to texture for adze finish on marble and limestone. Each slab would be processed by master worker's inspiration, each finish could be a unique artwork.

The cost efficiency of scratcher is impressive, all four angles of segment can be used. You will get an undulating finish like natural wind or water erosion which is mainly used for wall decorating or slip-resistant floor.

MACHINEY



Angle Grinder



Roller Transmission

SUNNY SUPERHARD TOOLS

ACCESSORY



6JE5000



6JE10000



6JF5000



6JF40101/6JE40102

TECHNICAL PARAMETERS

MAX SPEED	APPLICATION
3000 RPM	Marble, Limestone, etc.
MIN THICKNESS OF STONE	
Marble, Limestone 10 mm	
TOOLS DIMENSION	
φ114x95/147 mm for PCD roller φ110x140 mm for brazing diamond roller	
TEXTURE	
Undulating Adze finish	

PERFORMANCE

- Different creative requirement could be made by one roller.
- More possibility of design by using different accessories.
- Manual tooling create more flexibility.
- Material is selected by prime diamond.
- High efficiency, Longer lasting, Less investment.



MANU-BLASTER

Tools for bush-hammered and sandblasting finish

APPLICATIONS



6AEAH01

6AFAH01



6AGSH01

6AAVH01



6AAVH01

6AAVH02

BUSH HAMMER
FOR CONCRETE

KKOMA
Random-comma or
heavy scarification finish

PUNTO-L
Bush-hammered finish

SCRATCHER
Acize finish

MANU-BLASTER
Bush-hammered and
sandblasting finish

SCRATCHING
ROLLER
Grooved finish

PUNTO-S
Bush-hammered finish

TIRAA
Random-arc finish

DIAMANT
Sandblasting finish



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



03 MANU-BLASTER



PRODUCT INTRODUCTION

The Manu-blaster is designed for portable applications, such as renovation or repairing on bush-hammered surface. It is normally fixed on angle grinder or some other portable grinder.

After grinding by Manu-blaster, you will get a regular bush-hammered or different roughness of hammered finish. But of course, the portable grinder creates more different possibilities by using with different accessories, such as, slab with parallel finish or different roughness of texture.



MACHINEY



Angle Grinder

SUNNY SUPERHARD TOOLS

ACCESSORY



TECHNICAL PARAMETERS

MAX SPEED	APPLICATION
3000 RPM	Marble, Limestone, Granite, etc.
MIN THICKNESS OF STONE	
Marble, Limestone, Granite	10mm
TOOLS DIMENSION	
Φ125 mm with 3 rollers	Φ150 mm with 4 rollers
TEXTURE	
Bush-hammered finish	
Sandblasting finish (fine, medium, coarse)	

PERFORMANCE

- Easy to install and dismounting.
- Good for bush-hammering on small area.
- Manual tooling create more flexibility.
- Material is selected by prime diamond or carbide.
- High efficiency, Longer lasting, Less investment.




PUNTO-S

Tools for bush-hammered finish

APPLICATIONS



6AAVS01



6AAVS03

PUNTO-S Bush-hammered finish

SCRATCHER
Adze finish

PUNTO-L
Bush-hammered finish

KKOMA
Random-comma or
heavy scarification finish

BUSH HAMMER
FOR CONCRETE

SCRATCHING
ROLLER
Grooved finish

MANU-BLASTER
Bush-hammered and
sandblasting finish

TIRAA
Random-arc finish

DIAMANT
Sandblasting finish



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



04 PUNTO-S




PRODUCT INTRODUCTION



6BA30106



6BD30M06




6BA30206

The Punto-S is designed to texture bush-hammered finish on bridge grinder or manual polishing machine. It is widely used on bush-hammering large area of slab.

MACHINEY



Bridge Cutter



Manual Polishing Machine

SUNNY SUPERHARD TOOLS

ACCESSORY



6JB01202



6JB02M02



6JA01102



6JB09000



6JB06200



6JB10000

TECHNICAL PARAMETERS

APPLICATION

Marble, Limestone, Granite, etc.

MIN THICKNESS OF STONE

Marble, Limestone 10 mm Granite 20 mm

CONNECTION

Quick connector, 3-hanging screw

TOOLS DIMENSION

Φ300 with 6 rollers

TEXTURE

Bush-hammered finish

PERFORMANCE

- Uniform texture over whole slab surface.
- Different roughness (CSP4-5) of bush-hammered finish could be made.
- Material is selected by prime carbide.
- High efficiency, Longer lasting, Less investment.




PUNTO-L

Tools for bush-hammered finish

APPLICATIONS



6AAVS01



6AAVS03

PUNTO-L
Bush-hammered finish

SCRATCHER
Adze finish

PUNTO-S
Bush-hammered finish

KKOMA
Random-comma or heavy scarification finish

BUSH HAMMER
FOR CONCRETE

SCRATCHING ROLLER
Grooved finish

MANU-BLASTER
Bush-hammered and sandblasting finish

TIRAA
Random-arc finish

DIAMANT
Sandblasting finish



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



05 PUNTO-L




PRODUCT INTRODUCTION




The Punto-L is designed to texture bush-hammered finish on bridge grinder or manual polishing machine. It is widely used on bush-hammering large area of slab.

MACHINEY



Bridge Cutter




Manual Polishing Machine

SUNNY SUPERHARD TOOLS


ACCESSORY




6HFE8051



6HFF3051




6HFE3051



6JA01305




6JA07605



6HHE9061



6JB09000



6JB06200



6JB10000

TECHNICAL PARAMETERS

APPLICATION

Marble, Limestone, etc.

MIN THICKNESS OF STONE

Marble, Limestone 10 mm Granite 20 mm

CONNECTION

Quick connector, 3-hanging screw

TOOLS DIMENSION

Φ300 with 6 rollers

TEXTURE

Bush-hammered finish

PERFORMANCE/ADVANTAGE

- Uniform texture over whole slab surface.
- Different roughness (CSP4-5) of bush-hammered finish could be made.
- Material is selected by prime carbide.
- High efficiency, Longer lasting, Less investment.

APPLICATIONS



6ADWS01



6ADZS01

TIRAA

Random-arc finish

SCRATCHER

Adze finish

PUNTO-S

Bush-hammered finish

KKOMA

Random-comma or heavy scarification finish

BUSH HAMMER

FOR CONCRETE

SCRATCHING ROLLER

Grooved finish

MANU-BLASTER

Bush-hammered and sandblasting finish

PUNTO-L

Bush-hammered finish

DIAMANT

Sandblasting finish



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



06 TIRAA



PRODUCT INTRODUCTION




6BZ30J06



6BZ30H06

The Tiraa is new designed to market, in order to texture new arrival random-arc finish on marble and limestone. Random-arc is newly used on modern wall decorating.


MACHINEY



Manual Polishing Machine



Automatic Polishing Machine



Bridge Cutter

SUNNY SUPERHARD TOOLS


ACCESSORY



6HFZJ051



6JA05J02



6JA05H02



6JB09000



6JB06200



6JB10000

MACHINEY

APPLICATION

Marble, Limestone, etc.

MIN THICKNESS OF STONE

Marble, Limestone 12 mm

CONNECTION

Quick connector, 3-hanging screw

TOOLS DIMENSION

Φ300 with 6 rollers

TEXTURE

Random-arc finish

PERFORMANCE

- Different textures according to different parameter.
- New design comes to market.
- Material is selected by prime carbide.
- High efficiency, Longer lasting, Less investment.




KKOMA

Tools for random-comma
or heavy scarification finish

APPLICATIONS



6AKYS01



6AKAS01

KKOMA
Random-comma or
heavy scarification finish

**SCRATCHING
ROLLER**
Grooved finish

MANU-BLASTER
Bush-hammered and
sandblasting finish

PUNTO-L
Bush-hammered finish

DIAMANT
Sandblasting finish

SCRATCHER
Adze finish

PUNTO-S
Bush-hammered finish

TIRAA
Random-arc finish

**BUSH HAMMER
FOR CONCRETE**



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



07 KKOMA



PRODUCT INTRODUCTION



6BJ30M03




6BJ30L03

The Kkoma is new developed for random-comma or heavy scarification finish. Normally fix on manual grinding machine or bridge grinding machine. The texture is totally different by different parameter.

MACHINEY



Bridge Cutter



Manual Polishing Machine

SUNNY SUPERHARD TOOLS

ACCESSORY



6JA02L00



6JB09000



6JB06200



6JB10000

TECHNICAL PARAMETERS

APPLICATION

Marble, Limestone, Granite, etc.

MIN THICKNESS OF STONE

Marble, Limestone 12 mm Granite 25mm

CONNECTION

Quick connector, 3-hanging screw

TOOLS DIMENSION

Φ300 mm with 3 rollers


TEXTURE

Random-comma finish
Heavy scarification finish


PERFORMANCE

- Creative random-comma finish and heavy scarification finish could be made.
- New design comes to market.
- Material is selected by prime carbide.
- High efficiency, Longer lasting, Less investment.


APPLICATIONS



6AGQS01



6AGRS01



6AGSS01

DIAMANT

Sandblasting finish

SCRATCHING
ROLLER

Grooved finish

MANU-BLASTER

Bush-hammered and sandblasting finish

PUNTO-L

Bush-hammered finish

KKOMA

Random-comma or heavy scarification finish

SCRATCHER

Adze finish

PUNTO-S

Bush-hammered finish

TIRAA

Random-arc finish

BUSH HAMMER

FOR CONCRETE



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>

E-mail: info@sunnytools.biz



08 DIAMANT



PRODUCT INTRODUCTION



6BK30P03




6BK30T03



6BK30Q03

The Diamant is normally fixed on automatic or manual polishing machine, to blast natural sand erosion or acid etching finish on marble, limestone and granite. You will get different roughness of stone by different grit of roller. It is mainly used for wall decorating.


MACHINEY



Manual Polishing Machine



Automatic Polishing Machine



Bridge Cutter

SUNNY SUPERHARD TOOLS

ACCESSORY



6JA03P01



6JA03T01



6JA03Q01



6JB09000



6JB06200



6JB10000

TECHNICAL PARAMETERS

APPLICATION

Marble, Limestone, Granite, etc.

MIN THICKNESS OF STONE

Marble, Limestone 10 mm Granite 15mm

CONNECTION

Quick connector, 3-hanging screw

TOOLS DIMENSION

Φ300 with 6 rollers

TEXTURE

Sandblasting finish
(fine, medium, coarse)


PERFORMANCE

- Uniform texture over whole slab surface
- Different roughness of sandblasting finish could be made.
- Material is selected by prime diamond, by excellent brazing technique.
- High efficiency, Longer lasting, Less investment.



BUSH HAMMER FOR CONCRETE

Tools for bush-hammered finish



DIAMANT
Sandblasting finish

TIRAA
Random-arc finish

PUNTO-S
Bush-hammered finish

SCRATCHER
Adze finish

BUSH HAMMER
FOR CONCRETE

SCRATCHING
ROLLER
Grooved finish

MANU-BLASTER
Bush-hammered and
sandblasting finish

PUNTO-L
Bush-hammered finish

KKOMA
Random-arc or
heavy scarification finish

APPLICATIONS



QUANZHOU SUNNY SUPERHARD TOOLS CO., LTD

CUNYUAN ROAD 3, LUOJIANG District, QUANZHOU, FUJIAN, CHINA 362011

TEL: 86-595-22003682 FAX: 86-595-22003987

WEB: <https://www.sunnytools.biz/>


E-mail: info@sunnytools.biz




09 BUSH HAMMER FOR CONCRETE



HTC



6HA01101



6HA23103



6HA27106

Klindex



6HE24J03



6HE24M03



6HE24R03




6HE24203



6HE24103

Redi-lock



6HB02101




6HB01101




6HB24103


More



6HG01A01



6HF01301



6HC01101



6HC02101



6HG02101

MACHINEY



Floor Grinder & Polisher

Lavina



6HD02101



6HD01101

PRODUCT INTRODUCTION

The bush hammer for concrete can be fixed on different floor grinder, mainly used for renovating or repairing concrete and removing coating.