



BEST GROUP

YOUR SATISFACTION OUR PRIDE

Dingzhou Office

Dingzhou City, Hebei Province, China
Email: info@chinabesthw.com
WhatsApp: +86 183 3106 1136
P: +86 312 2689 909
F: +86 312 2689 908

Shijiazhuang Office

No. 127, Guomao Building, Zhongshan
West Road, Shijiazhuang, Hebei,
China 050052
Email: tyne.liu@chinabesthw.com
WhatsApp: +86 183 3106 8342
P: +86 183 3106 8342

Ethiopia Office

Gelan Town, Addis Ababa, Ethiopia
P: +25 111 471 3342
T: +25 198 470 5322

Baoding Office

No. 1610, Huarui Science Park, Central
Swan Road, Baoding City, Hebei, China
Email: cherry.tang@chinabesthw.com
WhatsApp: +86 183 3106 1136
P: +86 312 5903 673
F: +86 312 5903 662

Yiwu Office

212 Wanglu Road, Yiwu City, Zhejiang, China
P: +86 579 8568 0726
T: +86 158 6894 9448

Future Office

Dubai City, UAE

Auckland City, New Zealand

MESH

DINGZHOU BEST HARDWARE CO.,LTD

定州市百斯特金属制品有限公司

www.chinabesthw.com

「BEST CORPORATE CULTURE」

MISSION

To create product value, improve the quality of foreign trade services, and achieve the common development of customers, employees and enterprises.

VISION

To plan, target, organize, and speed up our organization to become the leader in the building materials industry and maximize its coverage of overseas markets.


VALUES

Diversity: Respecting the diversity and giving the best of composition.
Establishing an employee equity program. Respect: Treating others the way you want to be treated. Responsibility: Embrace opportunities to contribute.

COMPANY PROFILE

Dingzhou Best Hardware Co., Ltd. was established in 2004, is a professional production of nails, iron wire, wire mesh and other building metal products manufacturing enterprise. Our products are sold all over the world, enjoy a high reputation in the Middle East, Africa and Southeast Asia market especially. In order to better adapt to the current market development, our company had been forward-looking and successfully set up an office abroad in 2012, and had already invest in the local market with 5 factories at least till now.

We believe that we are an extension of our customer's business—a partner—willing to go above and beyond to help our customer's succeed. Because of this, our outstanding level of service is unmatched in the industry. That's a guarantee.



COMPANY DEVELOPMENT HISTORY

Hexagonal Wire Mesh

Product describe

Hexagonal wire mesh is also known as chicken mesh, gabion mesh, hexagonal

Surface

Galvanized, PVC coated or galvanized with PVC coating.

Application

It is used for feeding chicken, ducks, geese, rabbits and the fence of zoo. Also used in machinery protection, fences for road, railway, etc.

(In length of 5M, 10M, 25M, 30M, 50M, 100M, TO 3000, width of 0.5M-2.0M)		
MESH		WIRE GAUGE
INCH	MM	(BWG)
3/8"	10MM	27, 26, 25, 24, 22, 21
1/2"	13MM	27, 26, 25, 24, 22, 21, 20
5/8"	16MM	27, 26, 25, 24, 22
3/4"	20MM	25, 24, 22, 21, 20, 19
1"	25MM	25, 24, 22, 21, 20, 19, 18
1-1/4"	30MM	22, 21, 20, 19, 18
1-1/2"	40MM	22, 21, 20, 19, 18, 17
2"	50MM	22, 21, 20, 19, 18, 17, 16, 15, 14
2-1/2"	65MM	21, 20, 19, 18
3"	75MM	21, 20, 19, 18, 17, 16, 15, 14
4"	100MM	17, 16, 15, 14



Welded Wire Mesh

Type

Electro galvanized mesh; Hot-dipped galvanized mesh; PVC coated mesh.

Materials


Quality mild steel wire, galvanized iron wire, black annealed wire, stainless iron wire, etc.

Feature

Wear-resistant, Corrosion-resistant, Crack-resistant.

Specification		
Opening		Wire Diameter
Inch	Metric Unit	
1/4"x1/4"	6.4mmx6.4mm	BWG24-22
3/8"x3/8"	10.6mmx10.6mm	BWG22-19
1/2"x1/2"	12.7mmx12.7mm	BWG23-16
5/8"x5/8"	16mmx16mm	BWG21-18
3/4"x3/4"	19.1mmx19.1mm	BWG21-16
1"x1/2"	25.4mmx25.4mm	BWG21-16
1-1/2"x1 1/2"	38mmx38mm	BWG19-14
1"x2"	25.4mmx12.7mm	BWG16-14
2"x2"	50.8mmx50.8mm	BWG15-12
2"x4"	101.6mmx101.6mm	BWG15-12
4"x4"	101.6mmx152.4mm	BWG15-12
4"x6"	101.6mmx152.4mm	BWG15-12
6"x6"	152.4mmx152.4mm	BWG15-12
6"x8"	15.4mmx203.2mm	BWG14-12

Note:Special specification can be made according to customers requires



Square Wire Mesh

Product describe

Square wire mesh is made of selected low carbon iron wire with precision construction, uniform mesh, fine rust resistance and durable service.


Surface

Hot dipped galvanized after weaving; Hot dipped galvanized before weaving; Electro galvanized after weaving; etc.

Material

Stainless steel wire, 301, 302, 304, 316; copper wire, black iron wire low carbon steel wire.

Mesh No	Wire	Size
1.5	1mm	3*100, 4*100, 5*100
2	1mm-1.6mm	3*100, 4*100, 5*100
3	0.6mm-1.6mm	3*100, 4*100, 5*100
4	0.4mm-1.5mm	3*100, 4*100, 5*100
5	0.35mm-1.5mm	3*100, 4*100, 5*100
6	0.35mm-1.5mm	3*100, 4*100, 5*100
8	0.3mm-1.2mm	3*100, 4*100, 5*100
10	0.3mm-1.2mm	3*100, 4*100, 5*100
12	0.2mm-1.2mm	3*100, 4*100, 5*100
14	0.2mm-0.7mm	3*100, 4*100, 5*100
18	0.2mm-0.6mm	3*100, 4*100, 5*100
18	0.2mm-0.45mm	3*100, 4*100, 5*100
20	0.2mm-0.45mm	3*100, 4*100, 5*100



Chain Link Fence

Product describe

Chain link fence is a type of woven fence usually made of low carbon steel wire or galvanized wire.


Surface

Electro Galvanized Fence; Hot Dipped Galvanized Fence; PVC Coated Fence.

Material

Stainless steel wire, 301, 302, 304, 316; copper wire, black iron wire low carbon steel wire.

Mesh (mm)	Wire Gauge (SWG)	Wire Diameter (mm)	Weight Kg/m ²	Coil Diameter(cm)	
				Natural volume	Fold volume
200×200	8	4.06	1	60	35
150×150	10	3.25	0.9	55	32
100×100	9	3.66	1.7	55	35
80×80	10	3.25	1.68	57	38
60×60	12	2.64	1.5	52	34
50×50	12	2.64	1.83	49	33
40×40	10	3.25	3.56	46	32
30×30	12	2.64	3.25	42	34
20×20	19	1.02	0.7	25	34



Expanded Wire Mesh

Product describe


It is manufactured with the use of an expanding machine.

Material

Stainless Steel, Low Carbon Aluminum, Low carbon steel, Galvanized steel, Stainless steel, Copper, Titanium etc.

Surface

Hot Dipped Galvanized, Electric galvanized, Powder coating, etc.



Brick Mesh

Material


Aluminum, Carbon steel, Stainless steel and other metal materials.

Hole shape

Hexagonal shape, diamond, square hole.

Surface treatment

Galvanized; PVC coated; flattened; oxidized; special treatment according to customers' requirements.



Field Fence & Deer Fence

Material


Q195, Q235 Iron Wire.

Type


Electro Galvanized Fence; Hot Dipped Galvanized Fence; PVC Coated Fence.

Knotted

Hinge Knot, Fixed Knot.





Field Fence



Deer Fence

Knotted
comparison



No.	Type	Specification	Weight (kg)	Top and Bottom Wire Dia. (mm)	Body Wire (mm)
1	7/150/813/50	102+114+127+140+152+178	19.3	2.5	2.0
2	8/150/813/50	89(75)+89+102++114+127+140+152	20.8	2.5	2.0
3	8/150/902/50	89+102+114+127+140+152+178	21.6	2.5	2.0
4	8/150/1016/50	102+114+127+140+152+178+203	22.6	2.5	2.0
5	8/150/1143/50	114+127+140+152+178+203+229	23.6	2.5	2.0
6	9/150/991/50	89(75)+89+102++114+127+140+152+178	23.9	2.5	2.0
7	9/150/1245/50	102+114+127+140+152+178+203+229	26.0	2.5	2.0
8	10/150/1194/50	89(75)+89+102++114+127+140+152+178+203	27.3	2.5	2.0
9	10/150/1334/50	89+102+114+127+140+152+178+203+229	28.4	2.5	2.0
10	11/150/1422/50	89(75)+89+102+114+127+140+152+178+203+229	30.8	2.5	2.0

Garden Border Fence

>>> Product describe


Garden Border Fence, also called decorative garden fence, is made by inserting corrugated vertical wires through double twisted horizontal wires.

>>> Features

Strong and flexible structure, Anti-corrosion, Sunlight resistant.

>>> Applications

Decorative wire border fence is mainly used for protecting the plant of the garden, park, yard, flower bed.




Angle Mesh

>>> Type

Expanded angle bead; Angle bead with reinforce flange; Angle bead with creased reinforce flange.

>>> Material

Aluminum, Galvanized, Stainless Steel, PVC.



Item	Type	Wing size (mm)	Length (m)	Weight (kg/m)	pieces per carton	Cartons per pallet
ANLIDA-01	Expanded metal angle bead	45	2.7	0.123	40	25
ANLIDA-02	Angle bead with reinforce flange	30.5	2.7	0.143	40	25
ANLIDA-03	Angle bead with creased reinforce flange	56	2.7	0.24	40	25

Team Photo



Factory Photo



Certificate

