

# ALUMINUM PACKAGING

PROFESSIONAL ALUMINUM PACKAGING R&D & MANUFACTURING

“WHERE BEAUTY MEETS  
SUSTAINABILITY IN  
PREMIUM ALUMINUM PACKAGING”





Superior barrier properties:  
impervious to light,  
oxygen, and rust.

Various surface treatment  
techniques to achieve rich  
texture expression.

Aluminum is shaped by  
extrusion, stamping, or  
drawing, and can be  
transformed into multiple  
forms such as tubes, cans,  
and bottles.

Provides robust  
armor for its  
contents, making it  
especially ideal for  
on-the-go makeup.

Aluminum can be recycled  
repeatedly without losing  
quality, and its recycling  
process requires only 5% of  
the energy used to produce  
primary aluminum.

Lightweight. Easy to  
transport. Lowers carbon  
emissions.

Through its distinctive  
metallic feel and ceremonial  
experience, it conveys a  
premium, professional, and  
reliable brand image.

**We deliver premium aluminum packaging  
solutions that are as beautiful as they are responsible.**



The moment it meets the hand, the metal's distinctive coolness and substantial weight speak volumes—whispering luxury and inspiring trust. Beneath this elegant exterior lies aluminum's vigilant guardianship of the most delicate active ingredients, paired with a gentle promise returned to our planet.





## THROUGH EXCELLENT BARRIER EFFICACY, IT PROVIDES RELIABLE PROTECTION FOR THE SAFETY AND STABILITY OF PRODUCT QUALITY.

Aluminum can reflect the light and heat, block gases and moisture, and can naturally form oxide layer in air. This layer prevents corrosion, so it is not rust as easily as iron and will not break when fall on the ground. Do not need be afraid of while using.



## SUSTAINABLE PACKAGING


The weight of Aluminum cans is about one-tenth as much as similar-sized glass bottles, and its lightweight packaging reduces the environmental burden. By changing from glass bottles to small bottles, the same capacity is lighter and smaller than glass bottles, which can improve the logistics and transportation efficiency and reduce the material costs and transportation costs.



### Portability

#### REDUCE COST

Including material cost and transportation cost



#### TRANSPORTATION EFFICIENCY

Lighter packaging means better transportation efficiency and thus saves in transportation costs.



#### REDUCE EMISSIONS

Lighter weight improves transportation efficiency and thus reduces greenhouse gas emissions.




"Easy to recycle" is one of the remarkable characteristics of aluminum. Therefore, compared to other containers, aluminum can recycle consumes the lowest cost and achieve maximum recycling. It has excellent economy and helps to save resources.



#### REDUCE PACKAGING CYCLE TIME

The time from discarding aluminum boxes to recycling is about 60 days



#### REDUCE CO2 EMISSIONS

Using recycled materials to produce boxes can reduce energy consumption by 95% compared to using raw materials directly



#### 100% RECYCLABLE

70% of aluminum boxes are recycled after being discarded



#### Recyclable



Plastic 2000 yuan/ton Glass is not recycled

## VISUALLY STUNNING, HIGHLY INNOVATIVE & MARKET-READY PACKAGING.

The metal texture of aluminum is advanced, and the surface can be processed in a variety of ways, greatly expanding the designer's ideas, so as to develop a more unique design and better fit the brand. Aluminum also has many advantages in packaging, integrated molding, strong barrier protection; No rust; Light weight, strong and unbreakable; Green environmental protection and so on. Compared with glass and plastic packaging, it gives people a completely different feeling of use, and there is no packaging of the same kind in the market.





## MERRYNEWON IS COMMITTED TO ALUMINUM PACKAGING PROCESSING APPLICATION AND DEVELOPMENT, FOCUS ON ALUMINUM PACKAGING FIELD

2

It has two major bases in Baiyun Garden and Huadu Factory

11

11 years experience in aluminum packaging design

1000+

Has thousands of sets of aluminum can mold

10000m<sup>2</sup>

It has 10000m<sup>2</sup> production and R&D base

3000m<sup>2</sup>

With 3000m<sup>2</sup> warehouse and a large number of spot, Alibaba certified gigafactory

200000+

Flexible production, daily output can reach more than 200,000

5000+

Has provided long-term packaging service support for 5000+ enterprises at home and abroad

3

3 cooperation modes, research and development, customization quick spot

50

Packaging products exported to more than 50 countries



Guangzhou Merrynewon Packaging Technology Co., Ltd. is an innovative packaging enterprise integrating the design, R&D and production of aluminum packaging products. It focuses on the R&D and production of aluminum packaging, and advocates green and sustainable packaging. Cycle development. With an independent research and development team, a variety of services run through the aluminum packaging product design, research and development, manufacturing and other packaging development links, providing customers with a full range of product packaging support. Merrynewon Packaging Technology sticks to the path of "Product -based , Cooperation and symbiosis , innovative develop-opment", adhering to the corporate values of "embracing change, continuously adding value, being precise and realistic", striding forward in the hot packaging market. In the future, Merrynewon Packaging Technology will continue to be deeply involved in the packaging industry, continuously optimize R&D and production, and make continuous efforts to enhance the value of the industry.

### Our aluminum packaging manufacturing and quality management system holds multiple international certifications and strictly adheres to global standards.

We have established a comprehensive, full-chain compliance system that meets multi-national market access requirements. Key certifications and designations include: SGS (International Standards Quality Testing), NTEK (China Local Certification), FDA (U.S. Food and Drug Regulatory Compliance), ISO (International Standardization Management Systems), SEDEX (Supply Chain Ethical Auditing), CE (EU Product Safety Certification), and RoHS (EU Restriction of Hazardous Substances Directive).



Sedex®





## R&D OF PACKAGING

The company need to develop new aluminum packaging products, Mr. Chen focus on the R&D team of Merrynewon, One-on-one product manager matchmaking, process discussion, exchange of ideas, program development, Designers are involved in projects to efficiently develop specific processes, which can eliminate high proofing and R&D costs



We provide end-to-end professional support for your custom packaging needs—from initial concept and planning proposals, through sample production, to final product manufacturing.

## PROCESSING TECHNOLOGY



### Screen printing

Suggested MOQ: 3000pcs

Support 1-4 colors,  
Concave-convex texture  
premium Suitable for high  
grade, rich effect products



### Sticker label

Suggested MOQ: 3000pcs

Low cost, fast production  
No color restrictions, rich colors



### Embossing engrave

Suggested MOQ: 3000pcs

Concave and convex  
three-dimensional high-end,  
highlight the brand image  
Increase layered



### Color printing

Suggested MOQ: 5000pcs

No color restrictions, rich  
colors High film charge,  
suitable for mature brand



### Spraying paint

Suggested MOQ: 5000pcs

Support single color customiza-  
tion only Bright color, smooth  
surface



### Electroplating

Suggested MOQ: 5000pcs

Support single color and  
2-color gradient Can be made  
in a variety of fantastic colors



### Offset printing

Suggested MOQ: 50000pcs

No color limitation, various  
effects Integration of the  
design and the bottle, with  
high quality texture



### Heat transfer printing

Suggested MOQ: 5000pcs

No color limitation, bright  
colors Suitable for high-grade  
products with complex  
patterns.



## A MATERIAL THAT OFFERS BOTH HIGH RECYCLING EFFICIENCY AND CONSISTENT PHYSICAL PROPERTIES.

Aluminum is a high-performance packaging material that achieves an exceptional balance of protection, lightweight, formability, and environmental sustainability. Its core strength lies in providing reliable and premium solutions for high-value, preservation-sensitive products, as well as for brands that prioritize both image and sustainable development.

Thanks to its superior packaging properties, aluminum cans can be used for a wide range of products, including cosmetics, health supplements, pills, tea, coffee, candles, soap, etc, making them an extremely versatile packaging choice.





ALUMINUM PACKAGING THAT  
UPHOLDS PRODUCT QUALITY AND  
ENHANCES BRAND POWER.



PREMIUM  
SUSTAINABLE  
MATERIALS



In the cosmetics industry, aluminum packaging has emerged as a premium solution that bridges product science and brand value, thanks to its absolute protection, superior sensory experience, and verifiable environmental commitment. Like a suit of metallic armor, it blocks light, oxygen, and contaminants. Its distinctive cool touch and substantial weight convey a sense of luxury and trust with every open and close, creating a powerful sensory memory for the brand. Moreover, aluminum's infinite recyclability ensures that this refinement does not come at the expense of the environment, allowing brands to build a sustainable narrative for the future.





## High-Value, Sustainable Aluminum Packaging

We offer a comprehensive range of aluminum packaging options, available in any color, shape, and specification.

Our experts will recommend the optimal container tailored to your needs, while strategically balancing brand image with cost efficiency. We also provide dedicated support for custom development projects.



## Diverse Finishing Technologies



## Cosmetic Aluminum Bottle





## Premium Pharmaceutical-Grade Aluminum Packaging

For security and stability, the choice is glass;  
for lightweight economy, it's plastic;  
and for ultimate protection with premium appeal,  
aluminum is the champion.



## Aluminum Packaging for Daily Necessities

Aluminum packaging is gaining increasing attention across various industries due to its excellent protective properties and premium feel. For products that struggle with product freshness, need to reduce shipping costs, or wish to achieve product differentiation and enhance environmental credentials, aluminum packaging stands out as an ideal solution.







## Thread

|   |   |   |   |   |  |   |   |
|---|---|---|---|---|--|---|---|
| In Stock  |   |   |   |   |  |   |   |
|  |  |  |  |  |  |  |  |
| Φ27mm*<br>H15mm   | Φ35mm*<br>H18mm   | Φ39mm*<br>H20mm   | Φ40mm*<br>H18mm   | Φ40mm*<br>H50mm   | Φ43mm*<br>H55mm  | Φ43mm*<br>H86mm   | Φ44mm*<br>H103mm  |
| 5ml   | 10ml  | 20ml  | 15ml  | 50ml  | 60ml   | 100ml   | 100ml   |

|   |   |   |   |   |   |   |  |
|---|---|---|---|---|---|---|--|
| In Stock  |   |   |   |   |   |   |  |
|  |  |  |  |  |  |  |  |
| Φ47mm*<br>H24mm   | Φ48mm*<br>H18mm   | Φ52mm*<br>H20mm   | Φ51mm*<br>H32mm   | Φ55mm*<br>H43mm   | Φ57mm*<br>H27mm   | Φ57mm*<br>H23mm   |  |
| 30ml  | 25ml  | 30ml  | 50ml  | 80ml  | 50ml  | 50ml  |  |

|   |   |   |   |  |   |   |  |
|---|---|---|---|--|---|---|--|
| In Stock  |   |   |   |  |   |   |  |
|  |  |  |  |  |  |  |  |
| Φ60mm*<br>H46mm   | Φ60mm*<br>H48mm   | Φ64mm*<br>H78mm   | Φ68mm*<br>H25mm   | Φ68mm*<br>H28mm  | Φ68mm*<br>H35mm   | Φ68mm*<br>H42mm   |  |
| 80ml  | 100ml   | 200ml   | 60ml  | 70ml   | 80ml  | 100ml   |  |

|   |   |   |   |   |   |  |  |
|---|---|---|---|---|---|--|--|
| In Stock  |   |   |   |   |   |  |  |
|  |  |  |  |  |  |  |  |
| Φ75mm*<br>H35mm   | Φ75mm*<br>H60mm   | Φ75mm*<br>H70mm   | Φ82mm*<br>H75mm   | Φ68mm*<br>H82mm   | Φ75mm*<br>H20mm   |  |  |
| 100ml   | 250ml   | 250ml   | 335ml   | 250ml   | 100ml   |  |  |



|   |   |  |  |   |   |
|---|---|--|--|---|---|
|  |  <span>In Stock</span> |  |  |  |  <span>In Stock</span> |
| Φ82mm*<br>H95mm   | Φ82mm*<br>H100mm  | Φ82mm*<br>H141mm   | Φ83mm*<br>H23mm  | Φ83mm*<br>H25mm   | Φ83mm*<br>H28mm   |
| 500ml   | 500ml   | 700ml  | 90ml   | 90ml  | 100ml   |

|   |   |   |  |   |
|---|---|---|--|---|
|  <span>In Stock</span> |  <span>In Stock</span> |  |  |  |
| Φ83mm*<br>H38mm   | Φ92mm*<br>H45mm   | Φ93mm*<br>H116mm  | Φ100mm*<br>H30mm   | Φ100mm*<br>H35mm  |
| 150ml   | 200ml   | 750ml   | 137ml  | 180ml   |

|   |   |   |   |  |
|---|---|---|---|--|
|  <span>In Stock</span> |  |  |  |  |
| Φ100mm*<br>H40mm  | Φ108mm*<br>H26mm  | Φ108mm*<br>H45mm  | Φ110mm*<br>H64mm  | Φ135mm*<br>H55mm   |
| 250ml   | 180ml   | 300ml   | 500ml   | 700ml  |

|   |   |   |  |   |
|---|---|---|--|---|
|  |  |  |  |  |
| Φ135mm*<br>H85mm  | Φ135mm*<br>H154mm   | Φ137mm*<br>H48mm  | Φ108mm*<br>H45mm   | Φ115mm*<br>H40mm  |
| 1000ml  | 1800ml  | 600ml   | 280ml  | 300ml   |

## Single thread

|   |   |   |   |   |   |   |  |   |   |   |
|---|---|---|---|---|---|---|--|---|---|---|
|  |  |  <span>In Stock</span> |  |  |  |  <span>In Stock</span> |  |  |  <span>In Stock</span> |  <span>In Stock</span> |
| Φ35mm*<br>H17mm   | Φ37mm*<br>H17mm   | Φ40mm*<br>H18mm   | Φ45mm*<br>H18mm   | Φ45mm*<br>H20mm   | Φ45mm*<br>H26mm   | Φ45mm*<br>H38mm   | Φ45mm*<br>H75mm  | Φ46mm*<br>H27mm   | Φ48mm*<br>H18mm   | Φ52mm*<br>H20mm   |
| 15ml  | 15ml  | 15ml  | 25ml  | 25ml  | 30ml  | 50ml  | 90ml   | 30ml  | 30ml  | 50ml  |



|   |   |   |   |   |   |   |  |   |
|---|---|---|---|---|---|---|--|---|
|  |  |  |  |  |  |  |  |  |
| Φ50mm*<br>H40mm   | Φ50mm*<br>H40mm   | Φ50mm*<br>H65mm   | Φ52mm*<br>20mm  | Φ61mm*<br>H48mm   | Φ65mm*<br>H44mm   | Φ65mm*<br>H50mm   | Φ65mm*<br>H85mm  | Φ68mm*<br>H25mm   |
| 50ml  | 50ml  | 90ml  | 30ml  | 100ml   | 120ml   | 120ml   | 220ml  | 60ml  |

|   |   |   |   |  |   |   |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| Φ68mm*<br>H35mm   | Φ68mm*<br>H42mm   | Φ69mm*<br>H14mm   | Φ75mm*<br>H40mm   | Φ80mm*<br>H50mm  | Φ83mm*<br>H38mm   | Φ82mm*<br>H100mm  |
| 80ml  | 120ml   | 30ml  | 150ml   | 180ml  | 150ml   | 500ml   |

|  |  |  |  |   |  |
|--|--|--|--|---|--|
|  |  |  |  |  |  |
| Φ83mm*<br>H75mm  | Φ90mm*<br>H23mm  | Φ90mm*<br>H28mm  | Φ94mm*<br>H30mm  | Φ100mm*<br>H59mm  | Φ108mm*<br>H37mm   |
| 250ml  | 150ml  | 150ml  | 155ml  | 350ml   | 200ml  |

## Flip lid

|   |   |   |   |   |   |  |   |   |
|---|---|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |  |  |
| Φ28mm*<br>H16mm   | Φ32mm*<br>H16mm   | Φ35mm*<br>H18mm   | Φ40mm*<br>H14mm   | Φ45mm*<br>H18mm   | Φ45mm*<br>H38mm   | Φ48mm*<br>H17mm  | Φ50mm*<br>H12mm   | Φ50mm*<br>H18mm   |
| 5ml   | 10ml  | 10ml  | 15ml  | 25ml  | 30ml  | 25ml   | 15ml  | 30ml  |

|   |   |   |   |   |  |   |   |
|---|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |  |
| Φ50mm*<br>H20mm   | Φ50mm*<br>H35mm   | Φ52mm*<br>H20mm   | Φ53mm*<br>H37mm   | Φ60mm*<br>H30mm   | Φ60mm*<br>H46mm  | Φ62mm*<br>H22mm   | Φ65mm*<br>H50mm   |
| 30ml  | 50ml  | 30ml  | 50ml  | 50ml  | 100ml  | 50ml  | 120ml   |

|   |   |   |   |  |   |
|---|---|---|---|--|---|
|  |  |  |  |  |  |
| Φ68mm*<br>H25mm   | Φ68mm*<br>H28mm   | Φ75mm*<br>H25mm   | Φ75mm*<br>H60mm   | Φ77mm*<br>H33mm  | Φ80mm*<br>H28mm   |
| 60ml  | 60ml  | 75ml  | 150ml   | 100ml  | 100ml   |





Φ80mm\*  
H50mm

180ml



Φ83mm\*  
H28mm

150ml



Φ108mm\*  
H37mm

230ml



Φ108mm\*  
H45mm

350ml



Φ145mm\*  
H25mm

200ml

## Bayonet



Φ34mm\*  
H19mm

15ml



Φ40mm\*  
H20mm

15ml



Φ44mm\*  
H33mm

15ml



Φ50mm\*  
H20mm

30ml



Φ50mm\*  
H25mm

30ml



Φ65mm\*  
H30mm

80ml



Φ75mm\*  
H35mm

100ml

## Double cover easy to tear film



Φ65mm\*  
H70mm

220ml



Φ65mm\*  
H85mm

250ml



Φ65mm\*  
H115mm

355ml



Φ82mm\*  
H100mm

500ml



Φ93mm\*  
H116mm

750ml

## Double cover



Φ40mm\*  
H18mm

13ml



Φ40mm\*  
H20mm

15ml



Φ51mm\*  
H28mm

50ml



Φ50mm\*  
H36mm

60ml



Φ50mm\*  
H65mm

110ml



Φ54mm\*  
H68mm

135ml



Φ67mm\*  
H29mm

80ml



Φ73mm\*  
H37mm

100ml



Φ60mm\*  
H46mm

120ml



Φ65mm\*  
H50mm

135ml



Φ64mm\*  
H83mm

210ml



Φ75mm\*  
H70mm

290ml



Φ82mm\*  
H75mm

360ml



Φ97mm\*  
H135mm

930ml

## square box



Φ60mm\*  
47mmH46mm

60ml



Φ72mm\*  
53mmH25mm

80ml



Φ84mm\*  
62mmH27mm

100ml



Φ95mm\*  
70mmH28mm

150ml



Φ69mm\*  
69mmH26mm

100ml



Φ76mm\*  
76mmH27mm

130ml



Φ75mm\*  
75mmH35mm

150ml





Φ79mm\*  
79mmH40mm  
100ml



Φ102mm\*  
69mmH36mm  
150ml



Φ97mm\*  
67mmH30mm  
200ml

## Aluminum bottle



Φ32mm\*  
H77mm  
30ml



Φ35mm\*  
H83mm  
50ml



Φ35mm\*  
H94mm  
60ml



Φ35mm\*  
H105mm  
80ml



Φ40mm\*  
H110mm  
100ml



Φ40mm\*  
H135mm  
120ml



Φ45mm\*  
H115mm  
120ml



Φ45mm\*  
H145mm  
150ml



Φ50mm\*  
H125mm  
180ml



Φ50mm\*  
H150mm  
200ml



Φ50mm\*  
H173mm  
250ml



Φ50mm\*  
H190mm  
300ml



Φ58mm\*  
H165mm  
350ml



Φ65mm\*  
H190mm  
500ml



Φ66mm\*  
H150mm  
400ml



Φ73mm\*  
H160mm  
500ml



Φ73mm\*  
H180mm  
600ml



Φ73mm\*  
H220mm  
750ml



Φ80mm\*  
H230mm  
1000ml

For more styles, please contact the business manager!




## Thread



## Plastic Lift Tab



## Tailored Solutions







# ALUMINUM PACKAGING



[www.oalupack.com](http://www.oalupack.com)

**Guangzhou MerryNewon Packaging Technology CO., LTD.**

OPERATION CENTER :  
No. 8, Longnan Road, Longkou Village,  
Huashan Town,  
Huadu District, Guangzhou

**Wechat: merrynewon(Hyde Zhang)**

**WhatsApp: +86 18680445103**



**WhatsApp**

✉ [hyde@merrynewon.com](mailto:hyde@merrynewon.com)