

LED RIGID BAR



LED MODULE



LED S STRIP



2607-2835

Product Parameters

Input Voltage	DC12V
Power	1.0W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L39xW13mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



3010-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	75LM
Lifetime	2 YEARS
Dimension	L30xW10mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip68 waterproof.
- ◎ 20 modules per chain.



6013-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L60xW13mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



6113-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L61xW13mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



6818-2835

Product Parameters

Input Voltage	DC12V
Power	1.08W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L68xW18mm
Quantity/chain	50 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip68 waterproof.
- ◎ 20 modules per chain.



6214-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L62xW14mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip68 waterproof.
- ◎ 20 modules per chain.



7015-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	120LM
Lifetime	2 YEARS
Dimension	L65xW13mm
Quantity/chain	20 modules/chain
Color	○ ○ ○



Product Features


- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



7215-2835

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	180LM
Lifetime	2 YEARS
Dimension	L72xW15mm
Quantity/chain	20 modules/chain
Color	○ ○ ○



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



7517-5054

Product Parameters

Input Voltage	DC12V
Power	1.5W
Luminous Flux	150LM
Lifetime	2 YEARS
Dimension	L75xW17mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



8518-2835

Product Parameters

Input Voltage	AC110/220V
Power	2.0W
Luminous Flux	180LM
Lifetime	2 YEARS
Dimension	L85xW18mm
Quantity/chain	20 modules/chain
Color	



Product Features

- ◎ New excellent lens design to get much wider light spot (3:1 proportion), can save 55% module quantity and labor cost in application.
- ◎ Can be used for ultra-thin Light box and channel letter (Min, thickness 30mm).
- ◎ Ip65 waterproof.
- ◎ 20 modules per chain.



42 LED

Product Parameters

Input Voltage	DC12V
Power	8W/m
Luminous Flux	800LM
Lifetime	2 YEARS
Dimension	7mm
Package/roll	20Meter/roll
Color	



Product Features

- ◎ The light Source Adopts High Quality 2835 Large size Chip, Pure Cooper Wire, High Brightness, Long Life, Low Attenuation.
- ◎ Using Thickened Copper Fpc Flexible Circuit Board, Good Flexibility, Higher Reliability.
- ◎ Under The Premise Of The Same Brightness, The Power Is Lower To Save Energy, Reduce The Power Cost About 50%.
- ◎ Large Size Chip With Low Current, Achieve High Brightness And Reduce The Temperature Of The Lamp Belt, Than The Conventional Lamp Belt In The Same Power With The Same Specification Parameters, The Temperature Is More Than 10°C Lower.



60 LED

Product Parameters

Input Voltage	DC12V
Power	7.2W/m
Luminous Flux	900LM
Lifetime	2 YEARS
Dimension	7mm
Package/roll	20Meter/roll
Color	



Product Features


- ◎ The light Source Adopts High Quality 2835 Large size Chip, Pure Cooper Wire, High Brightness, Long Life, Low Attenuation.
- ◎ Using Thickened Copper Fpc Flexible Circuit Board, Good Flexibility, Higher Reliability.
- ◎ Under The Premise Of The Same Brightness, The Power Is Lower To Save Energy, Reduce The Power Cost About 50%.
- ◎ Large Size Chip With Low Current, Achieve High Brightness And Reduce The Temperature Of The Lamp Belt, Than The Conventional Lamp Belt In The Same Power With The Same Specification Parameters, The Temperature Is More Than 10°C Lower.



120 LED

Product Parameters

Input Voltage	DC12V
Power	8.0W/m
Luminous Flux	900LM
Lifetime	2 YEARS
Dimension	6.5mm
Package/roll	20Meter/roll
Color	



Product Features

- ◎ The light Source Adopts High Quality 2835 Large size Chip, Pure Cooper Wire, High Brightness, Long Life, Low Atenuation.
- ◎ Using Thickened Copper Fpc Flexible Circuit Board, Good Flexibility, Higher Reliability.
- ◎ Under The Premise Of The Same Brightness, The Power Is Lower To Save Energy, Reduce The Power Cost About 50%.
- ◎ Large Size Chip With Low Current, Achieve High Brightness And Reduce The Temperature Of The Lamp Belt, Than The Conventional Lamp Belt In The Same Power With The Same Specification Parameters, The Temperature Is More Than 10°C Lower.



Neon strip

Product Parameters

Input Voltage	DC12V/24V
Power	10W/m
Protection level	Ip67
Lifetime	2 YEARS
Dimension	6x12mm/8x16mm
Package/roll	50Meter/roll
Color	



Product Features

- ◎ The light Source Adopts High Quality 2835 Large size chip, Pure Cooper Wire, High Brightness, ong Life, Low Atenuation.
- ◎ Flame Retardant silicone Material, Safe Low Pressure, High And Low Temperature Resistance, Acid And Akai Corrosion Resistance, Yellowing Resistance, Fast Heat Dissipation.
- ◎ Rich Color, Can Do Monochrome And ful Color Conversion, Soft And Uniform Luminous, High light Transmittance, No spot Dark Area integrated Extrusion Molding Process, Lamp Body Flexibility Is Excelent, Easy To Use All Kinds Of Odd Positions Flexibly food Grade Silicon Calilbration Material, Environmental Protection And Tasteless, Can Be Widely Used In Home Decoration Safely.
- ◎ Ip68 Protection Grade, Suitable For Outdoor Use.
- ◎ Can Be Cut, Supporting Installation Card Slot, Easy And Flexible Installation.



Order now
www.mijiled.en.alibaba.com

Quality Engineering

Product Parameters

Input Voltage	DC12V/24V
Power	12W
Luminous Flux	1100/1200LM
Lifetime	2 YEARS
Dimension	920x13.5x0.65mm
Package	2000pcs/ctn
Color	



Product Features

- ◎ Heat resistant led strip light, select and use high luminous and long life SMD2835 led chip, high brightness, wide angle, low decay and good consistency.
- ◎ It's cheapest cost for light box ,just need 3-5pcs in 1square meter.
- ◎ DC12V low working voltage, security and stability .
- ◎ Automatic SMT machines and soldering machines, advanced equipment
- ◎ Easy for installation, widely used in all kinds of decorative place.



Waterproof Outdoor

Product Parameters

Input Voltage	DC12V
Power	12W
Luminous Flux	1200LM
Lifetime	2 YEARS
Dimension	950x14.5x1mm
Package	2000pcs/ctn
Color	



Product Features


- ◎ Heat resistant led strip light, select and use high luminous and long life SMD2835 led chip, high brightness, wide angle, low decay and good consistency.
- ◎ It's cheapest cost for light box ,just need 3-5pcs in 1square meter.
- ◎ DC12V low working voltage, security and stability .
- ◎ Automatic SMT machines and soldering machines, advanced equipment
- ◎ Easy for installation, widely used in all kinds of decorative place.



Side Light

Product Parameters

Input Voltage	DC12V
Power	18W
Luminous Flux	1200-2160LM
Lifetime	2 YEARS
Dimension	990x25x15mm
Package	2000pcs/ctn
Color	



Product Features


- ◎ Heat resistant led strip light, select and use high luminous and long life SMD2835 led chip, high brightness, wide angle, low decay and good consistency.
- ◎ It's cheapest cost for light box ,just need 3-5pcs in 1square meter.
- ◎ DC12V low working voltage, security and stability .
- ◎ Automatic SMT machines and soldering machines, advanced equipment
- ◎ Easy for installation, widely used in all kinds of decorative place.



Block Chain

Product Parameters

Input Voltage	220V
Power	4W
Luminous Flux	200LM
Lifetime	2 YEARS
Dimension	65*65mm
Package	1200pcs/ctn
Color	



Product Features

- ◎ Heat resistant led strip light, select and use high luminous and long life SMD2835 led chip, high brightness, wide angle, low decay and good consistency.
- ◎ It's cheapest cost for light box ,just need 10pcs in 1square meter.
- ◎ AC 220V Input, without power supply, save labor cost for install.
- ◎ Automatic SMT machines and soldering machines, advanced equipment
- ◎ Easy for installation, widely used in all kinds of decorative place.





www.mijiled.com

Focusing on LED power supply industry
for more than 19 years

PROFESSIONAL LED POWER SUPPLY MANUFACTURER



Chaos Cao Manager

+86 15387748274



Wechat



MIJI LED Power Supply
WhatsApp 商业账户

