

COMPANY PROFILE

GLOBAL SELECTION FOR QUALITY LIFE

LINYI SENLI LOCATED IN THE BEAUTIFUL CHINA LOGISTIC CAPITAL - LINYI CITY ,SHANDONG PROVINCE,CHINA.

WE ARE PROFESSIONAL MANUFACTURER ENGAGED IN THE RESEARCH,DEVELOPMENT ,SALE AND SERVICE OF SPC FLOORING ,PVC MARBLE SHEET AND WPC WALL PANEL MAINLY FOR INDOOR DECORATIONS.OUR FACTORY PRODUCING

CAPACITY UP TO 30000SQM A DAY.PROFESSIONAL BATCH-ING TECHNICIANS,R&D ENGINEERS,PRODUCTION TECHNI- CIANS,PROFESSIONAL QUALITY INSPECTION DEPARTMENTS, ETC.TO ENSURE PRODUCT QUALITY FIRST.CURRENTLY YUANSU FLOOR BECOME THE IMPORTANT SPC FLOOR MANUFACTURER IN NORTH OF CHINA. EUROPE,SOUTHEAST ASIA,THE MIDDLE EAST, AUSTRLIA AND NEW ZEALAND ARE OUR MAIN MARKET.GOOD REPUTATION IN THE FIELD OF SPC FLOORING.



1 SPC Flooring.....05/06

2 Interior WPC Wall Panel31/32

3 PVC Marble Sheet (UV Panel)41/42

1 MIXING MATERIAL

Pour the mixture according to the ratio → hot mixing in high-speed mixer (hot mixing temperature:120°C--130°C, which can evenly mix all kinds of materials and expel water from the materials)→cold mixing (cool down the material to prevent clumping and discoloration,cold mixing temperature:35°C--50°C)→mix the materials evenly by cooling;



2 EXTRUSION

Add a twin-screw extruder to heat and extrude →enter the sheet die head selected by the customer to extrude the formed sheet.The formed sheet goes through a four-roller calendar.The substrate thickness is determined → paste color film →paste wear-resistant layer →cool →cut



3 UV COATING

Uses antibacterial paint to effectively not only resists ultraviolet rays but also bacteria.Twice UV to protect the surface of plank,no scratch,no fade.

4 SLOTTING


Professional imported slotting machine prodcuts specific groove,locked tightly

5 PACKING

Export box packing with pallet,wrapped with film and belted Protect goods from damages on the sea



SPC Flooring



Spc Flooring

PRODUCT STRUCTURE

SPECIFICATIONS

Size	1220x183mm	1524x228mm	610×305mm	128x640mm	customized
Thickness	3.5-8.0mm				
Wear Layer	0.1-0.7mm, customized				
Color Pattern	Wood Pattern Stone Pattern Carpet Pattern				
Material	100%virgin PVC and Calcium Carbonate				
Layer	UV Coating, Wear Layer, Decor Film, SPC Rigid Core, Back Foam				
Density	2.1g/cm³				

UV Coating

Waterproof, fireproof, antifouling, antibacterial, antiscratch.

Wear Layer

Antislip and keep the color for a long time and durable.

SPC Lock

Interlock design, glue free, easy DIY installation.

Decor Film

High simulation of natural patterns to present real feeling of texture.


Middle Basic Layer

Calcium and PVC powder are mixed in a certain proportion to form composite material, enhance the pressure resistance capacity.


Vibration reduction, noise reduction, moisture resistance and environment performance.

The Installation


reliable partner



The proportion like:
A=90cm; B=60cm; C=30cm




The proportion like:
A=90cm; B=45cm



COLOR CHART



Naturalness, always the most classic
and timeless choice, low-key soft in
revealing elegant style



HQ-004



HQ-005



HQ-007







HQ-008



HQ-012






HQ-014

HQ-015



HQ-018




HQ-022






HQ-026




HQ-033



HQ-034



HQ-037





HQ-039




HQ-045





HQ-047



HQ-066



HQ-085



HQ-625

SPC SERIES

T-MOULDING		
Item No.	FNSTM	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x45x6
	in.	94.5*1.77*0.24
CTN Packing	pcs/ctn	25
	pcs/20GP	26,640
Pallet packing	pcs/20gGP	19,200
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.56
Weight/ctn	kg	13.8
	lbs	29.1

REDUCER		
Item No.	FNSRD	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x45x8
	in.	94.5*1.77*0.31
CTN Packing	pcs/ctn	25
	pcs/20GP	26,640
Pallet packing	pcs/20gGP	19,200
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.56
Weight/ctn	kg	16.8
	lbs	37

END CAP		
Item No.	FNSEC	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x35x8
	in.	94.5*1.38*0.31
CTN Packing	pcs/ctn	25
	pcs/20GP	26,640
Pallet packing	pcs/20gGP	19,200
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.56
Weight/ctn	kg	13.2
	lbs	29.1

QUARTER ROUND		
Item No.	FNSQR	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x28x15
	in.	94.5*1.10*0.59
CTN Packing	pcs/ctn	25
	pcs/20GP	24,480
Pallet packing	pcs/20gGP	17,920
CTN Size	mm	2420x125x80
	in.	95.3*4.92*3.15
Weight/ctn	kg	12
	lbs	26.46

STAIR NOSE A		
Item No.	FNSSNA	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x55x18
	in.	94.5*2.17*0.71
CTN Packing	pcs/ctn	10
	pcs/20GP	17,160
Pallet packing	pcs/20gGP	12,800
CTN Size	mm	2420x98x57
	in.	95.3*3.86*2.24
Weight/ctn	kg	10.5
	lbs	23.1

STAIR NOSE B		
Item No.	FNSSNB	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x72x25
	in.	94.5*2.83*0.98
CTN Packing	pcs/ctn	10
	pcs/20GP	10,800
Pallet packing	pcs/20gGP	7,680
CTN Size	mm	2420x125x100
	in.	95.3*4.92*3.94
Weight/ctn	kg	21.4
	lbs	47.18

Multi Function Molding		
Item No.	FNSRD	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x50x7
	in.	94.5*1.96*0.27
CTN Packing	pcs/ctn	25
	pcs/20GP	26,640
Pallet packing	pcs/20gGP	19,200
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.56
Weight/ctn	kg	16.2
	lbs	35.7

FLUSH STAIR NOSE L-2		
Item No.	FNSSBL-2	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x110x33
	in.	94.5*4.31*1.3
CTN Packing	pcs/ctn	4
	pcs/20GP	3,744
Pallet packing	pcs/20gGP	2,816
CTN Size	mm	2420x125x80
	in.	95.3*4.92*3.15
Weight/ctn	kg	20
	lbs	44

SKIRTING 60		
Item No.	FNSS60	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x60x12
	in.	94.5*2.3*0.47
CTN Packing	pcs/ctn	10
	pcs/20GP	12,240
Pallet packing	pcs/20gGP	8,960
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.55
Weight/ctn	kg	8.88
	lbs	19.6

FLUSH STAIR NOSE		
Item No.	FNSSBR	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x115x24
	in.	94.5*4.53*0.94
CTN Packing	pcs/ctn	10
	pcs/20GP	9,360
Pallet packing	pcs/20gGP	7,040
CTN Size	mm	2420x155x85
	in.	95.3*6.10*3.35
Weight/ctn	kg	22.5
	lbs	49.5

SKIRTING 80		
Item No.	FNSS80	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x80x12
	in.	94.5*3.15*0.47
CTN Packing	pcs/ctn	10
	pcs/20GP	9,360
Pallet packing	pcs/20gGP	7,040
CTN Size	mm	2420x125x85
	in.	95.3*4.92*3.35
Weight/ctn	kg	11.76
	lbs	25.93

SKIRTING 60		
Item No.	FNSS60	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x60x15
	in.	94.5*2.3*0.59
CTN Packing	pcs/ctn	10
	pcs/20GP	9,520
Pallet packing	pcs/20gGP	6,720
CTN Size	mm	2420x125x70
	in.	95.3*4.92*2.55
Weight/ctn	kg	12
	lbs	26.5

SKIRTING 90		
Item No.	FNSS90	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x90x15
	in.	94.5*3.5*0.59
CTN Packing	pcs/ctn	10
	pcs/20GP	7,360
Pallet packing	pcs/20gGP	5,600
CTN Size	mm	2420x140x90
	in.	95.3*5.5*3.5
Weight/ctn	kg	15.5
	lbs	34.17

SKIRTING 100		
Item No.	FNSS100	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x100x15
	in.	94.5*3.94*0.59
CTN Packing	pcs/ctn	10
	pcs/20GP	5,880
Pallet packing	pcs/20gGP	4,320
CTN Size	mm	2420x155x95
	in.	95.3*6.1*3.74
Weight/ctn	kg	17.5
	lbs	38.6

INSIDE CORNER MOULDING		
Item No.	FNPIC	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x28x15
	in.	94.5*1.10*0.59
CTN Packing	pcs/ctn	30
	pcs/20GP	26,640
Pallet packing	pcs/20gGP	19,200
CTN Size	mm	2420x125x65
	in.	95.3*4.92*2.56
Weight/ctn	kg	17
	lbs	37.4

SKIRTING 50		
Item No.	FNSS50	
Thickness of flooring	mm	≥4
	in.	≥0.16
Item Size	mm	2400x50x13
	in.	94.5*1.97*0.51
CTN Packing	pcs/ctn	10
	pcs/20GP	13,900
Pallet packing	pcs/20gGP	10,400
CTN Size	mm	2420x125x55
	in.	95.3*4.92*2.17
Weight/ctn	kg	8.5
	lbs	18.74

SKIRTING 70

SKIRTING 80-1

Interior WPC Wall Panel



Product classification



Name	Interior WPC Wall Panel
Length	2.9/3m or customized length
Color	Will send E-catalog for your choose
Surface	PVC film
Material	PVC+Calcium powder +Wood power
Feature	fireproof(B1),CE,waterproof,moistureproof,long service life
Application place	Office, hotel,shopping mall,living room,interior decoraton,etc





WPC-15518



WPC-16824



WPC-17018



WPC-17020



WPC-20014



WPC-20020



200mm

WPC-20012



203mm

WPC-20328



155mm

WPC-15512




204mm

WPC-20412



155mm

WPC-15512




210mm

WPC-2109




204mm

WPC-20410



180mm

WPC-18025



160mm

WPC-16018



159mm

WPC-15913



158mm

WPC-1589



159mm


WPC-15915



WPC-16824




WPC-16015




WPC-20325



WPC-20014




WPC-20412



WPC-15485



WPC-12010



WPC-20014



WPC-23015



WPC-16518




WPC-400*8/9




WPC-600*8/9



Color chart




Fittings and installation



PVC Marble Sheet (UV Panel)



- PE protect film
- UV coating wear resistant
- Heat transfer film
- Pvc-stone base boara
- Adhesive layer



— .



01 PARAMETER



2.9m / 9.51 ft



Width	Length	Thickness
1.22m / 4ft	2.44m/2.6m/2.8m/2.9m 8ft / 8.53ft / 9.19ft / 9.51ft	2/2.5/2.8/3mm



02 SEAMLESS ASSEMBLY

Pattern and size can be customized



A

B

C

+D...

03 PRODUCT ADVANTAGES



1

Real texture

The pictures produced by high-definition printers have real texture



2

Various designs


hundreds designs can be selected



3

Formaldehyde free

It has the mould proof properties without the formaldehyde, poison and radiation



4

Flame retardant material

fire protection fire will not be ignited



5

Toughness

the toughness is good enough to be bendable



6

Moisture-proof

moisture-proof and anticorrosion to prevent pest erosion



7

Eco-friendly material

Smooth and neat edges



8


Hard and wear-resistant

The back adopts high-density embossing, which is firmly pasted and does not warp


04 PATTERN AND COLOR




YS-001




YS-002




YS-003




YS-013



YS-014



YS-015



YS-004




YS-005




YS-006



YS-016




YS-017




YS-018




YS-007



YS-008




YS-009




YS-019



YS-020




YS-021



YS-010




YS-011




YS-012




YS-022



YS-023




YS-024




YS-013



YS-014



YS-015



YS-025




YS-026




YS-027




YS-016




YS-017




YS-018




YS-028




YS-029




YS-030



YS-019




YS-020




YS-021



YS-031




YS-032



YS-033



YS-022



YS-023




YS-024



YS-034



YS-035



YS-036

YUAN SU SERIES PRODUCTS CATALOGUE

YUAN SU SERIES PRODUCTS CATALOGUE