

04

# ABS WALL MOUNTED




W2015

# W1001/W1101/W1002/W1102

ABS + PC cover with big / small lens



IP68



W1001  
big lens



W1101  
small lens





W1002  
big lens



W1102  
small lens

## Features

- \* Material : ABS+PC,Big lens/ Small lens
- \* Structure : Double protection
- \* Craft : IP68
- \* LED : high quality SMD2835 / SMD5050
- \* Cable : 2\*1.0mm<sup>2</sup> , 2\*1.5mm<sup>2</sup>



Model	W1001 / W1101 / W1002 / W1102			
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool			
Body Material	ABS+PC W1001 (big lens) / W1101 (small lens) / W1002 (big lens) / W1102 (small lens)			
Beam Angle	120°			
Voltage	12V (AC)			
Power	12W	18W	25W	35W
LED Type	SMD2835	SMD2835	SMD2835	SMD5054
Led Quantity	180pcs	252pcs	351pcs	150pcs
Lumen(6400K)	1200lm	1800lm	2500lm	3200lm
Lumen(3000K)	1100lm	1700lm	2400lm	3100lm
Lumen(RGB)	600lm	900lm	1200lm	1600lm
Control Way	ON/OFF control , Remote control , Wifi control			

# W1103

ABS Unibody + PC cover with small lens



IP68



## Features

- \*Unibody, IP68, no water leaking
- \*SMD5054 LED, good color mixing
- \*PC cover with small lens, Anti-glare
- \*Multiple installation methods



Cool White

Warm White

RGB



Concrete Pool



Liner Pool / Fiberglass Pool




concrete+liner Pool



BRT001



BRT002




BRT004

# W1103


ABS Unibody + PC cover with small lens



IP68



Model	W1103	
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool	
Body Material	ABS (small lens)	
Beam Angle	120°	
Voltage	12V (AC)	
Power	18W	25W
LED Type	SMD5054	SMD5054
Led Quantity	90pcs	108pcs
Lumen(6400K)	1800lm	2500lm
Lumen(3000K)	1700lm	2400lm
Lumen(RGB)	900lm	1200lm
Control Way	ON/OFF control, Remote control, Wifi control	



# W2001

Frosted Transparent PC with small lens



IP68



## Features

- \* Frosted PC housing with small lens, anti-glare
- \* Multiple installation methods
- \* Epoxy resin filled panel, IP68



Concrete Pool



Liner Pool / Fiberglass Pool

## Accessories



Screws



BRT001





BRT002

# W2001

Frosted Transparent PC with small lens



IP68



Model	W2001							
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool							
Body Material	PC							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2002

Frosted Transparent PC



IP68




## Features

- \* PC housing, with different colors
- \* Multiple installation methods
- \* Epoxy resin filled panel, IP68



Ring Color



White




Blue



Concrete Pool



Liner Pool / Fiberglass Pool



concrete+liner Pool



BRT001



BRT002





BRT004

# W2002

Frosted Transparent PC



IP68



Model	W2002							
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool							
Body Material	PC							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2003

ABS frame (big size 240mm)



IP68



## Features


- \* UV ABS housing , with different colors
- \* Multiple installation methods
- \* Epoxy resin filled panel, IP68
- \* SMD5050 LED , WW&WHT dimmable.  
3-in-1 LED has better mixed color effect.




RGB

Warm White


## Accessories



Concrete Pool



Liner Pool / Fiberglass Pool



concrete+liner Pool



BRT001



BRT002



BRT004

# W2003

ABS frame (big size 240mm)



IP68




## Ring Color




White



Gray



Blue



Model	W2003							
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool							
Body Material	ABS							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2005

ABS frame (small size 180mm)





IP68



## Features

- \* UV ABS housing , with different colors
- \* Multiple installation methods
- \* Epoxy resin filled panel, IP68
- \* SMD5050 LED , WW&WHT dimmable. 3-in-1 LED has better mixed color effect.



Concrete Pool



Liner Pool / Fiberglass Pool

## Accessories



Screws



BRT006



BRT007

Model	W2005				
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool				
Body Material	ABS				
Beam Angle	120°				
Voltage	12V (AC/DC)				
Power	6W	10W	6W	10W	15W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054
Led Quantity	108pcs	162pcs	30pcs	60pcs	75pcs
Lumen(6400K)	600lm	1000lm	/	/	/
Lumen(DW)	/	/	500lm	900lm	1300lm
Lumen(3000K)	550lm	900lm	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm	600lm
Lumen(RGBW)	/	/	400lm	500lm	700lm
Control Way	ON/OFF control , Remote control , Wifi control				

# W2009

ABS frame, Dia 120mm, Step light





IP68



## Features

- \*Step lights led pool light
- \*Small size,easy installation
- \*suit for concrete pool



Concrete Pool


## Accessories



Screws



Expansion pipe



Model	W2009			
Applicable Scene	Concrete pool			
Body Material	ABS			
Beam Angle	120°			
Voltage	12V (AC/DC)			
Power	6W	8W	8W	10W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054
Led Quantity	108pcs	135pcs	24pcs	36pcs
Lumen(6400K)	600lm	800lm	600lm	800lm
Lumen(DW)	300lm	400lm	300lm	400lm
Lumen(3000K)	/	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm
Lumen(RGBW)	/	/	400lm	500lm
Control Way	ON/OFF control , Remote control , Wifi control			

# W2013

Ultra-thin frame, epoxy resin panel



IP68



## Music+RGB lighting synchronized control, by WiFi mobile Phone

### Features

- \*Ultra-thin body
- \* Fast installation with 2pcs screws
- \* DC 12V , can be controlled with external controller
- \* Epoxy resin filled panel, IP68



Concrete Pool


### Accessories



Screw



Expansion pipe





# W2013

Ultra-thin frame, epoxy resin panel



IP68



Model	W2013					
Applicable Scene	Concrete pool					
Body Material	ABS+PC					
Beam Angle	120°					
Voltage	12V (DC)					
Power	18W	25W	32W	18W	25W	32W
LED Type	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	90pcs	120pcs	150pcs
Lumen(6400K)	1800lm	2500lm	3200lm	/	/	/
Lumen(DW)	/	/	/	1900lm	2600lm	3300lm
Lumen(3000K)	1750lm	2400lm	3100lm	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	900lm	1200lm	1600lm
Lumen(RGBW)	/	/	/	1000lm	1300lm	1700lm
Control Way	External RGB control , Wifi control					



# W2014

Whirlwind design , colorful frame



IP68




## Features


- \*Whirlwind design , colorful frame
- \*Multiple installation methods
- \*Epoxy resin filled panel, IP68



Concrete Pool



Liner Pool / Fiberglass Pool




concrete+liner Pool



BRT001



BRT002




BRT004

# W2014

Whirlwind design , colorful frame



IP68



Model	W2014							
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool							
Body Material	ABS+PC							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2015

ABS frame (big size 275mm)




IP68



## Features

- \* UV ABS housing , big size 275mm
- \* BRT012 fits Concrete pool, Fiberglass Pool, Vinyl liner pool
- \* Epoxy resin filled panel, IP68




BRT012



### Accessories



Concrete Pool



BRT012

### Accessories




Liner Pool / Fiberglass Pool

# W2015


ABS frame (big size 275mm)



IP68



Model	W2015							
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool							
Body Material	ABS+PC							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2016

Same size as W4011



IP68



10 inch



10 inch

## Features

- \* Same size as W4011, ABS frame
- \* Suits for American brands niches
- \* Epoxy resin filled panel, IP68
- \* Cable length customized 50/100/150FT



10 inch lights suit for Pentair, Hayward and Jandy niches



New Swimming Pool Installation




# W2016

Same size as W4011



IP68



Concrete Pool

Model	W2016							
Applicable Scene	Concrete pool							
Body Material	ABS+PC							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



# W2017

Same size as W4012



IP68



6 inch



6 inch

## Features

- \* Same size as W4012, ABS frame
- \* Suits for American brands niches
- \* Epoxy resin filled panel, IP68
- \* Cable length customized 50/100/150FT



6 inch lights suit for Pentair, Hayward and Jandy niches



Pentair




Hayward



Jandy

New Swimming Pool Installation



PF1006



W2017 + PF1006




# W2017

Same size as W4012




IP68



Concrete Pool

Model	W2017 (6 inch)			
Applicable Scene	Concrete pool			
Body Material	ABS+PC			
Beam Angle	120°			
Voltage	12V (AC/DC)			
Power	6W	8W	8W	10W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054
Led Quantity	108pcs	135pcs	24pcs	36pcs
Lumen(6400K)	600lm	800lm	600lm	800lm
Lumen(DW)	300lm	400lm	300lm	400lm
Lumen(3000K)	/	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm
Lumen(RGBW)	/	/	400lm	500lm
Control Way	ON/OFF control , Remote control , Wifi control			




# W3010

Rectangular Pool light, ABS Frame



IP68




## Features

- \* Distinctive rectangular shape
- \* Multiple installation ways
- \* Three-in-one LED has a good mixed color effect.
- \* Epoxy resin filled panel, IP68



Concrete Pool



Fiberglass Pool

### Accessories



### Accessories




# W3010

Rectangular Pool light, ABS Frame



IP68



Model	W3010	
Applicable Scene	Concrete pool, Fiberglass Pool, Vinyl liner pool	
Body Material	ABS+PC	
Beam Angle	120°	
Voltage	12V (AC)	
Power	15W	21W
LED Type	SMD5054	SMD5054
Led Quantity	75pcs	105pcs
Lumen(6400K)	1500lm	2100lm
Lumen(DW)	1450lm	2050lm
Lumen(3000K)	1400lm	2000lm
Lumen(RGB)	700lm	1000lm
Lumen(RGBW)	800lm	1100lm
Control Way	ON/OFF control , Remote control , Wifi control	

