


05


SS

WALL

MOUNTED



10 inch



6 inch

W4002

ABS+Stainless Steel 316L Frame (Size 225mm)



IP68




Features


- * Stainless steel 316L frame
- * Suits for concrete pool , with BRT008
- * Epoxy resin filled panel, IP68



BRT008



Concrete Pool



Model	W4002	
Applicable Scene	Concrete pool	
Body Material	ABS+PC+SS316L	
Beam Angle	120°	
Voltage	12V (AC)	
Power	12W	18W
LED Type	SMD2835	SMD2835
Led Quantity	180pcs	252pcs
Lumen(6400K)	1200lm	1800lm
Lumen(3000K)	1100lm	1700lm
Lumen(RGB)	600lm	900lm
Control Way	ON/OFF control , Remote control , Wifi control	

W4004

Stainless Steel 316L Frame (Small size 180mm)



IP68



Features


- * SS316L Small size 180mm
- * Suits for concrete pool , with BRT009
- * Epoxy resin filled panel, IP68



BRT009



Concrete Pool



Model	W4004				
Applicable Scene	Concrete pool				
Body Material	SS316L				
Beam Angle	120°				
Voltage	12V (AC/DC)				
Power	6W	10W	6W	10W	15W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054
Led Quantity	108pcs	162pcs	30pcs	60pcs	75pcs
Lumen(6400K)	600lm	1000lm	/	/	/
Lumen(DW)	/	/	500lm	900lm	1300lm
Lumen(3000K)	550lm	900lm	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm	600lm
Lumen(RGBW)	/	/	400lm	500lm	700lm
Control Way	ON/OFF control , Remote control , Wifi control				

W4005

Stainless Steel 316L Frame (Big size 240mm)



IP68



Features

- * Stainless steel 316L frame
- * Suits for concrete pool , with BRT005
- * Epoxy resin filled panel, IP68

Accessories



BRT005




Screw



Expansion pipe



Concrete Pool



Model	W4005							
Applicable Scene	Concrete pool							
Body Material	SS316L							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							

W4006

Stainless Steel 316L Frame (Big size 250mm)



IP68



Features

- * Stainless steel 316L frame, thickness 2mm
- * Fast installation with 2pcs screws, without bracket
- * Different metal surface treatment processes, brushed & mirror polished
- * Epoxy resin filled panel, IP68

Accessories




Screw



Expansion pipe



Concrete Pool



Model	W4006							
Applicable Scene	Concrete pool							
Body Material	SS316L							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							

W4010

SS316L frame, Step light (Dia 127mm)




IP68



Features

- * Stainless steel 316L frame
- * Fast installation with two pcs screws, without bracket
- * Different metal surface treatment processes, wire drawing & mirror polish
- * Epoxy resin filled panel, IP68



Concrete Pool



Accessories



Screw



Expansion pipe

Model	W4010			
Applicable Scene	Concrete pool			
Body Material	SS316L			
Beam Angle	120°			
Voltage	12V (AC/DC)			
Power	6W	8W	8W	10W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054
Led Quantity	108pcs	135pcs	24pcs	36pcs
Lumen(6400K)	600lm	800lm	600lm	800lm
Lumen(DW)	300lm	400lm	300lm	400lm
Lumen(3000K)	/	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm
Lumen(RGBW)	/	/	400lm	500lm
Control Way	ON/OFF control , Remote control , Wifi control			

W8100

SS316L Luxury Series



IP68



Features

- * Stainless steel 316L housing
- * High brightness LEDs
- * Multiple installation methods
- * Different color and Materials for the niches .
- * Transparent and Frosted PC cover
- * Filled with epoxy resin, IP68



Concrete without niche




Concrete with niche

Accessories



Concrete without niche Accessories



Concrete with niche Accessories

free collocation



ABS-Black



ABS-White






SS316L

W8100


SS316L Luxury Series



IP68



Model	W8100		
Applicable Scene	Concrete pool		
Body Material	SS316L		
Beam Angle	120°		
Voltage	12V (DC)		
Power	10W	18W	30W
LED Type	SMD3535	SMD3535	SMD5054
Led Quantity	6pcs	6pcs	6pcs
Lumen(6400K)	1000lm	1800lm	2700lm
Lumen(DW)	/	/	/
Lumen(3000K)	900lm	1700lm	2600lm
Lumen(RGB)	500lm	900lm	1200lm
Lumen(RGBW)	600lm	1000lm	1300lm
Control Way	WiFi control , External RGB controller		



W8150

SS316L Luxury Series



IP68



Features

- *High Power
- *High Brightness LED
- *3 Colors in one chip
- *Color mixing better
- *AC/DC control




Concrete without niche




Concrete with niche

Accessories



Concrete without niche Accessories






Concrete with niche Accessories

W8150

SS316L Luxury Series



IP68



Model	W8150		
Applicable Scene	Concrete pool		
Body Material	SS316L		
Beam Angle	120°		
Voltage	12V (AC/DC)		
Power	10W	18W	30W
LED Type	SMD3535	SMD3535	SMD5054
Led Quantity	6pcs	6pcs	6pcs
Lumen(6400K)	1000lm	1800lm	2700lm
Lumen(DW)	/	/	/
Lumen(3000K)	900lm	1700lm	2600lm
Lumen(RGB)	500lm	900lm	1200lm
Lumen(RGBW)	600lm	1000lm	1300lm
Control Way	ON/OFF control ,WiFi control , External RGB controller		

