


W4011

SS316L Frame (big size 270mm)



IP68



10 inch



10 inch

Features

- * Chinese Ancient Pattern Design
- * Stainless steel 316L frame
- * Suits for American brands niches
- * Epoxy resin filled panel, IP68
- * Cable length customized 50/100/150FT



50FT



100FT



150FT

10 inch lights suit for Pentair, Hayward and Jandy niches



PENTAIR

HAYWARD

Jandy



For New Swimming Pool



PF1005



PF1005+W4011

Accessories



W4011


SS316L Frame (big size 270mm)




IP68



Concrete Pool



Model	W4011 (10 inch)							
Applicable Scene	Concrete pool							
Body Material	SS316L							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							



W4012

SS316L Frame (small size 147mm)



IP68



6 inch



6 inch

Features

- * Chinese Ancient Pattern Design
- * Stainless steel 316L frame
- * Suits for American brands niches
- * Epoxy resin filled panel, IP68
- * Cable length customized 50/100/150FT



50FT



100FT



150FT

6 inch lights suit for Pentair, Hayward and Jandy niches



Pentair

Hayward

Jandy



For New Swimming Pool



PF1006



PF1006+W4012

Accessories



W4012


SS316L Frame (small size 147mm)




IP68



Concrete Pool



Model	W4012 (6 inch)			
Applicable Scene	Concrete pool			
Body Material	SS316L			
Beam Angle	120°			
Voltage	12V (AC/DC)			
Power	6W	8W	8W	10W
LED Type	SMD2835	SMD2835	SMD5054	SMD5054
Led Quantity	108pcs	135pcs	24pcs	36pcs
Lumen(6400K)	600lm	800lm	600lm	800lm
Lumen(DW)	300lm	400lm	300lm	400lm
Lumen(3000K)	/	/	/	/
Lumen(RGB)	300lm	400lm	300lm	400lm
Lumen(RGBW)	/	/	400lm	500lm
Control Way	ON/OFF control , Remote control , Wifi control			



W4013

Ultra-thin frame SS316L, epoxy resin panel




IP68



Music+RGB lighting synchronized control, by WiFi mobile Phone

Only **12MM** thickness


Easy Installation



Concrete Pool

Features

- * Ultra-thin body
- * Fast installation with 2pcs screws
- * DC 12V , can be controlled with external controller
- * Epoxy resin filled panel, IP68





W4013

Ultra-thin frame SS316L, epoxy resin panel



IP68



Model	W4013							
Applicable Scene	Concrete pool							
Body Material	SS316L							
Beam Angle	120°							
Voltage	12V (DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	External RGB controller, Wifi control							




W4014

Ultra-thin frame SS316L, epoxy resin panel





IP68




Features

- * SS316L Ultra-thin Recessed pool lights
- * Only 39mm thickness
- * Suits for concrete pool, with PF1003C
- * Epoxy resin filled panel, IP68



PF1003C



Concrete Pool

Model	W4014							
Applicable Scene	Concrete pool							
Body Material	SS316L							
Beam Angle	120°							
Voltage	12V (AC/DC)							
Power	18W	25W	32W	40W	18W	25W	32W	40W
LED Type	SMD2835	SMD2835	SMD2835	SMD2835	SMD5054	SMD5054	SMD5054	SMD5054
Led Quantity	252pcs	351pcs	441pcs	513pcs	90pcs	120pcs	150pcs	180pcs
Lumen(6400K)	1800lm	2500lm	3200lm	4000lm	/	/	/	/
Lumen(DW)	/	/	/	/	1900lm	2600lm	3300lm	4100lm
Lumen(3000K)	1750lm	2400lm	3100lm	3800lm	/	/	/	/
Lumen(RGB)	900lm	1200lm	1600lm	2000lm	900lm	1200lm	1600lm	2000lm
Lumen(RGBW)	/	/	/	/	1000lm	1300lm	1700lm	2100lm
Control Way	ON/OFF control , Remote control , Wifi control							