



广鑫集团  
GX GROUP



广鑫集团  
GX GROUP

First Class One-Stop Stainless Steel Supplier



# Our Word, Your Assurance



## X-Metal Materials Co., Ltd

Your Top Choice For Stainless Steel

Commitment | Customer-Centric | Collaboration | Innovation


# Company Profile

Located in Foshan, the heart of southern China's stainless steel trading hub, Foshan Guanghetong Trading Co., Ltd. is a leading enterprise with over a decade of dedication to the industry. We are proud to be a part of the GX Group, alongside our sibling company, X-Metal Materials Co., Ltd., further strengthening our market presence and capabilities. Specializing in a comprehensive range of stainless steel services, we offer production, sales, processing, and storage. Our strategic location provides us with excellent transportation links and enables rapid sharing of market insights, keeping us ahead of the curve.

Our product portfolio is extensive, featuring stainless steel coils, sheets, strips, and customized items. These products come in a variety of grades and finishes to meet the unique needs of our global clientele. Beyond products, our services include shearing, slitting, film covering, packaging, and a complete suite of import/export trading services.

We maintain a strategic partnership with Aoxing Cold Rolled Stainless Steel Mill, which enhances our market position and allows us to distribute their high-quality products globally.

Driven by a customer-centric ethos, we continuously strive to enhance our professional sales and service teams. Our mission is to offer a one-stop stainless steel solution that promptly meets customer's needs, reflecting the true essence of our brand—excellence, reliability, and an unwavering commitment to customer's satisfaction



Production Base



Stainless Steel Sheet




Stainless Steel Coil



8K Mirror Stainless Steel Coil



Stainless Steel Strip




PVD Coating

# Market Distribution

Our global export network spans every corner of the world.

With a reputation for outstanding quality and service, our products find homes in Europe, South America, Middle East countries, Russia, Korea, Thailand, Vietnam, Bangladesh, generating an annual sales volume of 80 million dollars. These are our key markets.



# Facility Introduction



Our state-of-the-art facility, spanning over 7,000 square meters, underscores our commitment to stainless steel excellence. Through strategic partnerships, we've amassed an inventory of over 20,000 tons of stainless steel coils. Coupled with advanced cutting and slitting capabilities, this enables us to offer tailored processing services to meet diverse client needs.

Quality and customer satisfaction are paramount in our operations. We adhere to the highest product quality standards and employ industry-leading production methodologies. This allows us to deliver unparalleled products and services, reinforcing our industry leadership.

Our corporate ethos blends innovation, pragmatism, integrity, and collaboration, driving us to excel in both product quality and processing expertise. As we look to the future, our focus remains on refining our offerings and setting new industry benchmarks.



**Facility Area**  
7000m<sup>2</sup>+



**Stocking Capacity**  
20000 MTs+



**Processing Lines**  
10 lines+



**Experience**  
10 years+



Stainless Steel Coil Warehouse



Stainless Steel Sheet Warehouse



## Coil Processing Line

All-in-One Coil Processing Service




**Coil Cutting Line**  
Width: 20mm~1525mm  
Length: length customized available  
Thickness: 0.2mm~3.0mm



**Slitting Production Line**  
Width: 20mm~1525mm  
Length: length customized available  
Thickness: 0.2mm~3.0mm



**Sheet Metal Bending Line**  
Grooving, Cutting, Bending



**Laser Cutting Machine**  
Width: 10mm~2500mm  
Length: 10mm~6000mm  
Thickness: 0.3mm~3.0mm



## Decorative Stainless Steel Sheet Production Lines

Leading Complete Stainless Steel Finish Solution Facilities



### Brushing Process Line

Finish Options: No.4/Hairline/Non-Directional/Cross-Hairline  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.4mm-3.0mm



### Bead-Blasting Production Line

Ra custom & Both sides Bead-Blasted available  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.5mm-3.0mm




### Anti-Finger Print (AFP) Process Line

Color AFP available  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.4mm-3.0mm



### Mirror Polishing Line

Finish Standard: 6k Polishing/8k Mirror/Super Mirror  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.4mm-3.0mm



### PVD Color Coating Machine

Colors custom available according to control samples  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.4mm-3.0mm



### Chemical Copper Coating Line

Antique Finish  
Width: ≤1530mm Length: ≤6000mm  
Thickness: 0.5mm-3.0mm




### Embossed Process Line

Patterns custom available  
Width: 710mm-1400mm Length: 100mm-6000mm  
Thickness: 0.3mm-3.0mm



### Etching Process Line

Patterns custom/Deep etched available  
Width: ≤1530mm Length: ≤4500mm  
Thickness: 0.4mm-3.0mm




LEADING STAINLESS STEEL MATERIAL SUPPLIER


## ◆ STAINLESS STEEL COILS

Mill	Tisco/Jisco/Lisco/Baoxin/ZPSS/Hongwang/Yongjin/Aoxing/etc.
Supply Condition	Hot Rolled(HR) & Cold Rolled(CR)
Finishes	No.1/2B/BA/2BA
Grade ASTM/AISI/JIS	200 Series: 201J1/J2/J4(No.1/2B); Full Hard(480HV)
	300 Series: 304(No.1/2B/BA); 316L(No.1/2B); 301(No.1/2B), Hard Material(1/4H, 1/2H, 3/4H, EH)
	400 Series: 430(No.1/2B/BA/2BA); 410S( No.1/2B/BA/2BA); 420J1/J2(No.1/2B)
Thickness(mm)	2.20-12.00(HR)/0.30-3.00(CR)
Width(mm)	1000/1219/1240/1250/1500
Edge	Slit/Mill
Weight	5/10/20 MT or customized

## ◆ STAINLESS STEEL SHEETS/ PLATES

Mill	Tisco/Jisco/Lisco/Baoxin/ZPSS/Hongwang/Yongjin/Aoxing/etc.
Supply Condition	Hot Rolled(HR) & Cold Rolled(CR)
Finishes	No.1/2B/BA/2BA
Grade ASTM/AISI/JIS	200 Series: 201J1/J2/J4(No.1/2B); Full Hard(480HV)
	300 Series: 304(No.1/2B/BA); 316L(No.1/2B); 301(No.1/2B), Hard Material(1/4H, 1/2H, 3/4H, EH)
	400 Series: 430(No.1/2B/BA/2BA); 410S( No.1/2B/BA/2BA); 420J1/J2(No.1/2B)
Thickness(mm)	2.20-12.00(HR)/0.30-3.00(CR)
Width(mm)	20-850/1000/1219/1240/1250/1500
Length(mm)	2000/2438/3048/6096/customized
Weight	Up to 2.5MT/Pallet






LEADING STAINLESS STEEL MATERIAL SUPPLIER

## ◆ STAINLESS STEEL STRIPS

Supply Condition	Cold Rolled(CR)
Finishes	2B/BA/2BA
Grades ASTM/AISI/JIS	200 Series: 201J1/J2/J4(2B); Full Hard Material (480HV)
	300 Series: 304(2B/BA); 316L(2B); 301(2B), Hard Material (1/4H, 1/2H, 3/4H, EH)
	400 Series: 430(2B/BA/2BA); 410S(2B/BA/2BA); 420J1/J2(2B)
Thickness(mm)	0.30-3.00
Width(mm)	10-850

## ◆ STAINLESS STEEL CIRCLE

Supply Condition	Cold Rolled(CR)
Finishes	2B/BA/2BA
Grades ASTM/AISI/JIS	200 Series: 201J1/J2/J4(2B);
	300 Series: 304(2B/BA); 316L(2B); 301(2B)
	400 Series: 430(2B/BA/2BA); 410S(2B/BA/2BA); 420J1/J2(2B)
Thickness(mm)	0.30-2.50
Diameter(mm)	100-900
Process	Hydraulic cutting /Laser cutting





Material: 201/304/316L/430/etc  
Max Width: 1500mm

Thickness: 0.40mm-3.00mm  
Max Length: 6000mm



### ◆ Mirror Finish



8k Mirror



Mirror Blue



Mirror Champagne Gold



Mirror Gold



Mirror Green



Mirror Rose Gold

### ◆ Brushed Finish



Hairline Blue



Hairline Bronze



Hairline Copper



Hairline Green



Hairline Rose Gold



Satin Black

Material: 201/304/316L/430/etc  
Max Width: 1500mm

Thickness: 0.40mm-3.00mm  
Max Length: 6000mm



Decorative Stainless Steel Sheet



Material: 201/304/316L/430/etc  
Max Width: 1500mm

Thickness: 0.40mm-3.00mm  
Max Length: 6000mm



### ◆ Vibration Finish



Copper Vibration



Gold Vibration



Green Vibration



Rose Gold Vibration



Vibration



Wine Red Vibration

### ◆ Bead Blast Finish



Bead Blast



Copper Bead Blast



Gold Bead Blast



Rose Gold Bead Blast

Material: 201/304/316L/430/etc  
Max Width: 1500mm

Thickness: 0.40mm-3.00mm  
Max Length: 6000mm





Material: 201/304/316L  
Max Width: 1500mm

Thickness: 0.70mm-1.20mm  
Max Length: 3048mm



### ◆ Water Ripple Finish



F-Wave Water Ripple



G-Wave Water Ripple



S-Wave Water Ripple



M-Wave Water Ripple



R-Wave Water Ripple

### ◆ Antique Finish




AT-01



AT-02



AT-05



AT-06



AT-07



AT-08

Material: 201/304/316L/430/etc  
Max Width: 1500mm

Thickness: 0.40mm-3.00mm  
Max Length: 6000mm






◆ Etched Pattern




XM-ET (1)



XM-ET (2)



XM-ET (3)




XM-ET (4)




XM-ET (5)




XM-ET (6)



XM-ET (7)




XM-ET (8)




XM-ET (9)



XM-ET (10)



XM-ET (11)



XM-ET (12)



XM-ET (13)



XM-ET (14)



XM-ET (15)



XM-ET (16)

Material: 201/304/316L/430/etc  
Max Width: 1500mm/Customized

Thickness: 0.40mm-2.00mm  
Max Length: 3000mm/Customized




◆ Etched Pattern




XM-ET (17)



XM-ET (18)




XM-ET (19)



XM-ET (20)



XM-ET (21)



XM-ET (22)



XM-ET (23)



XM-ET (24)


Material: 201/304/316L/430/etc  
Max Width: 1500mm/Customized

Thickness: 0.40mm-2.00mm  
Max Length: 3000mm/Customized

◆ Elevator Pattern




XM-ED3604




XM-ED3606




XM-ED3607




XM-ED3608



XM-ED3611




XM-ED3612



XM-ED3613




XM-ED3614




XM-ED3616



XM-ED3618



XM-ED3619




XM-ED3623




◆ Elevator Pattern



XM-ED3624




XM-ED3625




XM-ED3627



XM-ED3628




XM-ED3629



XM-ED3636



XM-ED3638



XM-ED3641

◆ Embossed Finish




XM-EM (1)



XM-EM (2)




XM-EM (3)



XM-EM (4)




XM-EM (5)



XM-EM (6)



XM-EM (7)



XM-EM (8)



XM-EM (9)




XM-EM (10)

Material: 201/304/316L/430/etc  
Max Width: 1219mm/Customized

Thickness: 0.30mm-2.00mm  
Max Length: 6000mm/Customized



◆ Embossed Finish




XM-EM (11)



XM-EM (12)



XM-EM (13)



XM-EM (14)




XM-EM (15)



XM-EM (16)



XM-EM (17)




XM-EM (18)


Material: 201/304/316L/430/etc  
Max Width: 1219mm/Customized

Thickness: 0.30mm-2.00mm  
Max Length: 6000mm/Customized


◆ Textured Finish




XM-T (1)




XM-T (2)



XM-T (3)



◆ Textured Finish




XM-T (4)



XM-T (5)




XM-T (6)




XM-T (10)



XM-T (11)




XM-T (12)



XM-T (7)




XM-T (8)



XM-T (9)



XM-T (13)



XM-T (14)




XM-T (15)

Material: 201/304/316L/430/etc  
Max Width: 1500mm/Customized

Thickness: 0.40mm-2.00mm  
Max Length: 6000mm/Customized

Material: 201/304/316L/430/etc  
Max Width: 1500mm/Customized


Thickness: 0.40mm-2.00mm  
Max Length: 6000mm/Customized



### ◆ Stainless Steel Coil

**Packaging:** The stainless steel coils are wrapped in paper as per customer requirements. If the shipment is exposed to special climate conditions, additional waterproof packaging and plastic film are used for extra protection against moisture and rust.

**Loading:** Wooden pallets and triangular wood blocks are used to stabilize the coils, and steel wire ropes are tied on both sides to prevent any crushing damage during transportation



### ◆ Stainless Steel Sheet

**Packaging:** Stainless steel sheets are covered with wooden plates for protection and are placed in strong, reinforced wooden crates.

**Loading :** Upon loading into the container, photographs are taken to document the condition before it is subsequently sealed.

**Communication:** The shipping process is expedited, and customers are kept informed at each step.

## X-Metal Materials Co., Ltd

Add: Room 2511, 25th floor, Bld Expo Financial Center, No.38 South,  
Chancheng District, Foshan City, Guangdong Province, China

Tel: +86 0757-83137902

Email: [info@fsx-metal.com.cn](mailto:info@fsx-metal.com.cn)

Web: [www.fsx-metal.com](http://www.fsx-metal.com)