

第一代轨道/First-generation track



Surface mounted



Concealed



明装型



暗装型

第二代轨道/Second-generation track



Surface mounted



Concealed



效果展示/Show results

# *POWER TRACK* *SOCKET*



*Luxury life*

luxury · Custom · Life 轻奢 · 定制 · 生活



Power  
Track  
Socket

Sophisticated power.  
Intelligent simplicity.  
Functional, pure and high-end.  
In perfect harmony  
with every space



The second  
Generation track socket(Left and right wiring)

第二代轨道插座(左右接线)

明装系列





# 让美成为 你的生活日常

模块有国标、美标、欧标任意选择、任意组合  
更实用更具美感的轨道插座

Let beauty be  
Your daily life

Modules have any choice and combination of national standard, American standard,  
European standardMore practical and aesthetic rail socket

|                           |                                                                                                                                           |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 轨道名称<br>Track name        | 第二代明装轨道(左右接线)<br>The second generation surface mounted rail (left and right wiring)                                                       |
| 轨道颜色<br>Track color       | 陨石黑、深空灰、磨砂白<br>Meteorite black, deep space gray, matte white                                                                              |
| 安装方式<br>Installation mode | 明装<br>Surface mounted                                                                                                                     |
| 工艺材质<br>Process material  | 喷砂铝合金+小阳极氧化<br>Sandblasting aluminum alloy + small anodizing                                                                              |
| 额定功率<br>Rated power       | 8000W                                                                                                                                     |
| 额定电流<br>Rated current     | 32A                                                                                                                                       |
| 额定电压<br>Rated voltage     | 110~250V~                                                                                                                                 |
| 外形尺寸<br>Dimensions        | 宽86mm、厚18mm、长度0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m可定制<br>Width 86mm, thickness 18mm, length 0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m<br>can be customized |





Minimalism is an attitude  
Beauty is the improvement of details

When artistic inspiration and technology are naturally intertwined,  
the home becomes unique





The second  
Generation track socket(Left and right wiring)

第二代轨道插座(左右接线)

暗装系列







# 颜值至上


诠释家的时尚感，演绎“美一面”

Minimalism is an attitude  
Beauty is the improvement of details

When artistic inspiration and technology are naturally intertwined,  
the home becomes unique

|                           |                                                                                                                                           |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 轨道名称<br>Track name        | 第二代暗装轨道(左右接线)<br>The second generation concealed track (left and right wiring)                                                            |
| 轨道颜色<br>Track color       | 陨石黑、深空灰、磨砂白<br>Meteorite black, deep space gray, matte white                                                                              |
| 安装方式<br>Installation mode | 暗装<br>Concealed                                                                                                                           |
| 工艺材质<br>Process material  | 喷砂铝合金+小阳极氧化<br>Sandblasting aluminum alloy + small anodizing                                                                              |
| 额定功率<br>Rated power       | 8000W                                                                                                                                     |
| 额定电流<br>Rated current     | 32A                                                                                                                                       |
| 额定电压<br>Rated voltage     | 110-250V~                                                                                                                                 |
| 外形尺寸<br>Dimensions        | 宽80mm、厚18mm、长度0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m可定制<br>Width 80mm, thickness 18mm, length 0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m<br>can be customized |






## Interpreting spatial aesthetics Create a quality life

Break the traditional wall socket layout  
Both modern beauty and practicality  
Compatible with different home decoration styles



自由移动  
用电不受限

Move freely  
Unlimited electricity



全方位接线

轨道单边接线端可实现360° 全方位覆盖接线  
可根据您家具体情况，选择对应的位置。

All-round wiring

The track unilateral terminal can realize 360° all-round coverage wiring  
You can choose the corresponding location according to the specific situation of your home.



防水防尘又防电


所有导体都有阻燃绝缘体包裹，零火线隐蔽于轨道上端，  
高回弹密闭胶条，阻挡手指和灰尘伸入，  
久用也不会变形，杜绝触电的可能。

Waterproof, dustproof and electric

All conductors are wrapped with flame-retardant insulators,  
and the zero fire line is concealed at the upper end of the track.  
High resilience airtight rubber strip prevents fingers and dust from penetrating in,  
It won't be deformed after long time use, preventing the possibility of electric shock.







铜购粗  
芯购强

5根3.5毫米的铜棒相当于8平方的电源线  
最大可承受8000W功率

Copper purchase thick  
Core Buy Strong

Five 3.5 mm copper rods are equivalent to 8 square power cords  
Can withstand up to 8000W power

轨道采用铝合金材质  
小阳极氧化工艺

铝合金材质坚固耐用  
且表面易清洁  
打理不惧油类污渍

The track is made of aluminum alloy  
Small anodizing process

Aluminum alloy material is sturdy and durable  
the surface is easy to clean  
Take care of oily stains

三色可选/Three colors available



磨砂白/Meteorite black



陨石黑/Matte white



深空灰/Deep space gray





## 旧去新来 直接替换旧插座

轻松改装，可覆盖原有86、118底盒  
已有开关位置也能直接改造  
连接暗盒已有线路即可安装

Old to new  
Replace the old socket directly

Easily modified to cover the original 86 and 118 bottom boxes  
The existing switch position can also be directly modified  
Connect to the existing circuit of the cassette to install






The first  
Generation surface mounted track (left and right wiring)

第一代明装轨道(左右接线)

明装系列







## 让美成为 你的生活日常

模块有国标、美标、欧标任意选择、任意组合  
更实用更具美感的轨道插座

Let beauty be  
Your daily life

Modules have any choice and combination of national standard, American standard,  
European standardMore practical and aesthetic rail socket

|                           |                                                                                                                                           |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 轨道名称<br>Track name        | 第一代明装轨道(左右接线)<br>The first generation of surface mounted track (left and right wiring)                                                    |
| 轨道颜色<br>Track color       | 陨石黑、深空灰、香槟金、太空银<br>Meteorite black, deep space gray, champagne gold, space silver                                                         |
| 安装方式<br>Installation mode | 明装<br>Surface mounted                                                                                                                     |
| 工艺材质<br>Process material  | 喷砂铝合金+小阳极氧化<br>Sandblasting aluminum alloy + small anodizing                                                                              |
| 额定功率<br>Rated power       | 6250W                                                                                                                                     |
| 额定电流<br>Rated current     | 25A                                                                                                                                       |
| 额定电压<br>Rated voltage     | 110-250V~                                                                                                                                 |
| 外形尺寸<br>Dimensions        | 宽82mm、厚22mm、长度0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m可定制<br>Width 82mm, thickness 22mm, length 0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m<br>can be customized |






## Leisure living room

Simultaneously on different devices  
Multiple visual and auditory enjoyment







The first  
Generation surface mounted track (left and right wiring)

第一代明装轨道(左右接线)

暗装系列







# 颜值至上

诠释家的时尚感，演绎“美一面”

Minimalism is an attitude  
Beauty is the improvement of details


When artistic inspiration and technology are naturally intertwined,  
the home becomes unique

|                           |                                                                                                                                           |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 轨道名称<br>Track name        | 第一代暗装轨道(左右接线)<br>The first generation of concealed track (left and right wiring)                                                          |
| 轨道颜色<br>Track color       | 陨石黑、深空灰、香槟金、太空银<br>Meteorite black, deep space gray, champagne gold, space silver                                                         |
| 安装方式<br>Installation mode | 暗装<br>Concealed                                                                                                                           |
| 工艺材质<br>Process material  | 喷砂铝合金+小阳极氧化<br>Sandblasting aluminum alloy + small anodizing                                                                              |
| 额定功率<br>Rated power       | 6250W                                                                                                                                     |
| 额定电流<br>Rated current     | 25A                                                                                                                                       |
| 额定电压<br>Rated voltage     | 110-250V~                                                                                                                                 |
| 外形尺寸<br>Dimensions        | 宽80mm、厚20mm、长度0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m可定制<br>Width 82mm, thickness 22mm, length 0.3/0.4/0.6/0.8/1.1/1.2/1.5/3m<br>can be customized |





第一代/暗装式 First generation/concealed



## Leisure living room


Simultaneously on different devices  
Multiple visual and auditory enjoyment



The first  
Generation of track socket(With switch)

第一代轨道插座(带开关)

明装系列







第二代/隐藏式 second generation concealed



## Interpreting spatial aesthetics Create a quality life

Break the traditional wall socket layout  
Both modern beauty and practicality  
Compatible with different home decoration styles






The first  
Generation of track socket(With switch)

第一代轨道插座(带开关)

暗装系列








# Interpreting spatial aesthetics Create a quality life

Break the traditional wall socket layout  
Both modern beauty and practicality  
Compatible with different home decoration styles






The second  
Generation track socket (left and right wiring)  
第二代轨道插座(左右接线)

暗装型/Concealed

|  | 规格/Specifications                                                                  | 宽x厚x长<br>Width x Thickness x Length | 开槽尺寸<br>Slot size |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------|-------------------|
|                                                                                   |   | 8x1.9x60cm                          | 7.1x1.8x59.5cm    |
|                                                                                   |   | 8x1.9x80cm                          | 7.1x1.8x79.5cm    |
|                                                                                   |   | 8x1.9x100cm                         | 7.1x1.8x99.5cm    |
|                                                                                   |  | 8x1.9x120cm                         | 7.1x1.8x119.5cm   |
|                                                                                   |  | 8x1.9x150cm                         | 7.1x1.8x149.5cm   |



明装型/Surface-mounted

|  | 规格/Specifications                                                                    | 宽x厚x长<br>Width x Thickness x Length |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------|
|                                                                                     |   | 8.6x1.9x60cm                        |
|                                                                                     |   | 8.6x1.9x80cm                        |
|                                                                                     |   | 8.6x1.9x100cm                       |
|                                                                                     |  | 8.6x1.9x120cm                       |
|                                                                                     |  | 8.6x1.9x150cm                       |

可特殊定制 /Can customized

First Generation  
Track socket (left and right wiring)  
第一代轨道插座(左右接线)

暗装型/Concealed

|  | 规格/Specifications                                                                   | 宽x厚x长<br>Width x Thickness x Length | 开槽尺寸<br>Slot size |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------|-------------------|
|                                                                                     |  | 8x2x60cm                            | 7.1x2.1x59cm      |
|                                                                                     |  | 8x2x80cm                            | 7.1x2.1x79cm      |
|                                                                                     |  | 8x2x100cm                           | 7.1x2.1x99cm      |
|                                                                                     |  | 8x2x120cm                           | 7.1x2.1x119cm     |
|                                                                                     |  | 8x2x150cm                           | 7.1x2.1x149cm     |

明装型/Surface-mounted

|  | 规格/Specifications                                                                     | 宽x厚x长<br>Width x Thickness x Length |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------|
|                                                                                       |  | 8.2x2.2x60cm                        |
|                                                                                       |  | 8.2x2.2x80cm                        |
|                                                                                       |  | 8.2x2.2x100cm                       |
|                                                                                       |  | 8.2x2.2x120cm                       |
|                                                                                       |  | 8.2x2.2x150cm                       |

可特殊定制 /Can customized



The first  
Generation track socket (with switch)  
第一代轨道插座(带开关)

暗装型/Concealed

|  | 规格/Specifications | 宽x厚x长<br>Width x Thickness x Length | 开槽尺寸<br>Slot size |
|--|-------------------|-------------------------------------|-------------------|
|  |                   | 8x2.2x60cm                          | 7.1x2.1x59cm      |
|  |                   | 8x2.2x80cm                          | 7.1x2.1x79cm      |
|  |                   | 8x2.2x100cm                         | 7.1x2.1x99cm      |
|  |                   | 8x2.2x120cm                         | 7.1x2.1x119cm     |
|  |                   | 8x2.2x150cm                         | 7.1x2.1x149cm     |

明装型/Surface-mounted

|  | 规格/Specifications | 宽x厚x长<br>Width x Thickness x Length |
|--|-------------------|-------------------------------------|
|  |                   | 8.2x2.2x60cm                        |
|  |                   | 8.2x2.2x80cm                        |
|  |                   | 8.2x2.2x100cm                       |
|  |                   | 8.2x2.2x120cm                       |
|  |                   | 8.2x2.2x150cm                       |

可特殊定制 /Can customized

Adapter series  
适配器系列

GD1 | 全铝+亚克力指示灯  
All aluminum + acrylic indicator light




16A空调插座  
16A AC SOCKET  
灰色/grey



二、三极插座  
Two/Three pole socket  
黑色/Black



二、三极插座  
Two/Three pole socket  
金色/Gold




双USB插座  
Double USB socket  
蓝色/Blue



多功能插座  
Multi-socket  
红色/Red



13A方角插座  
13A square socke  
银色/grey




美标三极多功能插座  
American three pole multi-socket



美标三极扁插座  
American three pole socket



德标插座  
Germany socket



法标插座  
French socket



Adapter series  
适配器系列


GD2 | 全铝LED灯(罗)  
All aluminum LED lights



二、三极插座  
Two/Three pole socket  
银色/grey




双USB插座  
Double USB socket  
灰色/grey



多功能插座  
Multi-socket  
金色/Gold



13A方角插座  
13A square socke  
红色/Red



美标三极多功能插座  
American three pole multi-socket  
蓝色/Blue



美标三极扁插座  
American three pole socket  
黑色/Black

GD3 | 全铝LED灯(奥)  
All aluminum LED lights




二、三极插座  
Two/Three pole socket  
灰色/grey



双USB插座  
Double USB socket  
银色/grey



多功能插座  
Multi-socket  
黑色/Black



多功能插座  
Multi-socket  
蓝色/Blue



13A方角插座  
13A square socke  
红色/Red



13A方角插座  
13A square socke  
金色/Gold

GD4 | 全铝双面LED灯(奥)  
All aluminum double-sided LED lights



二、三极插座  
Two/Three pole socket  
银色/grey



双USB插座  
Double USB socket  
灰色/grey



双USB插座  
Double USB socket  
蓝色/Blue



多功能插座  
Multi-socket  
黑色/Black



二、三极插座  
Two/Three pole socket  
金色/Gold



二、三极插座  
Two/Three pole socket  
红色/Red

Adapter series  
适配器系列



Adapter series  
适配器系列

GD5 | 磨砂LED灯(埃)  
Frosted LED Light



二、三极插座  
Two/Three pole socket  
灰色/grey



双USB插座  
Double USB socket  
灰色/grey



二、三极插座  
Two/Three pole socket  
红色/Red



双USB插座  
Double USB socket  
红色/Red



二、三极插座  
Two/Three pole socket  
黑色/Black



双USB插座  
Double USB socket  
黑色/Black



多功能插座  
Multi-socket  
灰色/grey



13A方角插座  
13A square socket  
灰色/grey



多功能插座  
Multi-socket  
红色/Red



13A方角插座  
13A square socket  
红色/Red



多功能插座  
Multi-socket  
黑色/Black



13A方角插座  
13A square socket  
黑色/Black

Adapter series  
适配器系列

GD6 | 半铝LED灯(欧)  
Semi-aluminum LE light



16A空调插座  
16A AC SOCKET



二、三极插座  
Two/Three pole socket



二、三极插座  
Two/Three pole socket



双USB插座  
Double USB socket



多功能插座  
Multi-socket




13A方角插座  
13A square socket



美标三极多功能插座  
American three pole multi-socket



美标三极扁插座  
American three pole socket



德标插座  
Germany socket



法标插座  
French socket



Adapter series  
适配器系列

GD7 | 磨砂LED灯(科)  
Frosted LED Light



二、三极插座  
Two/Three pole socket




双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket




双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket




双USB插座  
Double USB socket



多功能插座  
Multi-socket




13A方角插座  
13A square socket




多功能插座  
Multi-socket



13A方角插座  
13A square socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket

Adapter series  
适配器系列

GD8 | 磨砂LED灯(曲)  
Frosted LED Light



二、三极插座  
Two/Three pole socket



双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket



双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket



双USB插座  
Double USB socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



Adapter series  
适配器系列

GD9

全铝笑脸LED灯(埃)  
All aluminum smiley LED light



16A空调插座  
16A AC SOCKET  
银色/grey



二、三极插座  
Two/Three pole socket  
灰色/grey



二、三极插座  
Two/Three pole socket  
灰色/grey



双USB插座  
Double USB socket  
金色/Gold



多功能插座  
Multi-socket  
黑色/Black




13A方角插座  
13A square socke  
蓝色/Blue



美标三极多功能插座  
American three pole multi-socket  
红色/Red



美标三极扁插座  
American three pole socket  
灰色/grey



德标插座  
Germany socket  
灰色/grey



法标插座  
French socket  
灰色/grey

Adapter series  
适配器系列

GD10

磨砂LED灯(奥)  
Frosted LED Light



16A空调插座  
16A AC SOCKET  
灰色/grey



二、三极插座  
Two/Three pole socket  
黑色/Black



二、三极插座  
Two/Three pole socket  
红色/Red



双USB插座  
Double USB socket



多功能插座  
Multi-socket




13A方角插座  
13A square socke



美标三极多功能插座  
American three pole multi-socket



美标三极扁插座  
American three pole socket



德标插座  
Germany socket



法标插座  
French socket



Adapter series  
适配器系列

GD11 | 圆弧磨砂LED灯(奥)  
Arc frosted LED light



16A空调插座  
16A AC SOCKET  
白色/white



二、三极插座  
Two/Three pole socket  
黑色/Black



二、三极插座  
Two/Three pole socket  
灰色/grey



双USB插座  
Double USB socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



美标三极多功能插座  
American three pole multi-socket



美标三极扁插座  
American three pole socket



德标插座  
Germany socket



法标插座  
French socket

Adapter series  
适配器系列

GD12 | 斜面磨砂LED灯(欧)  
Beveled Frosted LED Light




16A空调插座  
16A AC SOCKET  
黑色/Black




二、三极插座  
Two/Three pole socket  
白色/White




双USB插座  
Double USB socket  
灰色/grey




多功能插座  
Multi-socket  
红色/Red




13A方角插座  
13A square socket  
红色/Red




美标三极多功能插座  
American three pole multi-socket  
红色/Red



美标三极扁插座  
American three pole socket  
红色/Red



德标插座  
Germany socket  
红色/Red



法标插座  
French socket  
红色/Red



Adapter series  
适配器系列

GD13 | 铝贴片LED灯(曲)  
Beveled Frosted LED Light



二、三极插座  
Two/Three pole socket  
黑色/Black



双USB插座  
Double USB socket  
银色/grey



二、三极插座  
Two/Three pole socket  
红色/Red



双USB插座  
Double USB socket  
红色/Red

GD14 | 1.0玻璃+铝合金LED灯(曲)  
Beveled Frosted LED Light



二、三极插座  
Two/Three pole socket  
红色/Red



双USB插座  
Double USB socket  
灰色/grey



双USB插座  
Double USB socket  
黑色/Black



双USB插座  
Double USB socket  
银色/grey



双USB插座  
Double USB socket  
蓝色/Blue



双USB插座  
Double USB socket  
金色/Gold

GD15 | 磨砂单点灯  
Frosted single point light



二、三极插座  
Two/Three pole socket  
白色/White



双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket  
灰色/grey



双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket  
黑色/Black



双USB插座  
Double USB socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket



多功能插座  
Multi-socket



13A方角插座  
13A square socket

Adapter series  
适配器系列




Adapter series  
适配器系列

GD16 | 斜面磨砂双面LED灯  
Bevel frosted double-sided LED light



二、三极插座  
Two/Three pole socket  
白色/White

双USB插座  
Double USB socket



二、三极插座  
Two/Three pole socket  
灰色/grey

双USB插座  
Double USB socket




二、三极插座  
Two/Three pole socket  
黑色/Black

双USB插座  
Double USB socket



多功能插座  
Multi-socket

13A方角插座  
13A square socket



多功能插座  
Multi-socket

13A方角插座  
13A square socket



多功能插座  
Multi-socket

13A方角插座  
13A square socket

GD17 | 磨砂2.5D玻璃LED灯(奥)  
Frosted 2.5D Glass LED Light



二、三极插座  
Two/Three pole socket


双USB插座  
Double USB socket



多功能插座  
Multi-socket

13A方角插座  
13A square socket


GD18 | 磨砂2.5D玻璃翻盖LED灯(奥)  
Frosted 2.5D glass flip LED light



二、三极插座  
Two/Three pole socket  
白色/White

双USB插座  
Double USB socket  
灰色/grey

二、三极插座  
Two/Three pole socket  
黑色/Black



多功能插座  
Multi-socket

13A方角插座  
13A square socket

多功能插座  
Multi-socket



Adapter series  
适配器系列

GD19 | 全铝1.8玻璃LED灯  
All aluminum 1.8 glass LED light



二、三极插座  
Two/Three pole socket  
黑色/Black



双USB插座  
Double USB socket  
黑色/Black



二、三极插座  
Two/Three pole socket  
银色/grey



二、三极插座  
Two/Three pole socket  
金色/Gold



二、三极插座  
Two/Three pole socket  
灰色/grey



二、三极插座  
Two/Three pole socket  
蓝色/Blue



二、三极插座  
Two/Three pole socket  
红色/Red

GD20 | 全铝斜面磨砂双面LED灯  
Bevel frosted double-sided LED light




二、三极插座  
Two/Three pole socket  
黑色/Black



双USB插座  
Double USB socket  
灰色/grey



多功能插座  
Multi-socket  
银色/grey



13A方角插座  
13A square socket  
金色/Gold



多功能插座  
Multi-socket  
红色/Red



13A方角插座  
13A square socket  
蓝色/Blue

GD21 | 全铝LED灯(章)  
Bevel frosted double-sided LED light




二、三极插座  
Two/Three pole socket  
红色/Red




双USB插座  
Double USB socket  
黑色/Black




二、三极插座  
Two/Three pole socket  
银色/grey



13A方角插座  
13A square socket  
灰色/grey



多功能插座  
Multi-socket  
金色/Gold



13A方角插座  
13A square socket  
蓝色/Blue

Adapter series  
适配器系列



Adapter series  
适配器系列

GD22

方形亚克力面指示灯  
Square Acrylic Surface Indicator



16A空调插座  
16A AC SOCKET

二、三极插座  
Two/Three pole socket

二、三极插座  
Two/Three pole socket

双USB插座  
Double USB socket



多功能插座  
Multi-socket

13A方角插座  
13A square socket

美标三极多功能插座  
American three pole multi-socket

美标三极扁插座  
American three pole socket

德标插座  
Germany socket

法标插座  
French socket

Adapter series  
适配器系列

GD23

方圆磨砂LED灯  
Square and round frosted LED lights



二、三极插座  
Two/Three pole socket (PC)

二、三极插座  
Two/Three pole socket (PC)

二、三极插座  
Two/Three pole socket (PC)



双USB插座  
Double USB socket (PC)

多功能插座  
Multi-socket

13A方角插座  
13A square socket

美标三极多功能插座  
American three pole multi-socket

美标三极扁插座  
American three pole socket



Adapter series  
适配器系列

GD24 | 方圆半铝LED灯  
Square and round semi-aluminum LED lights



二、三极插座  
Two/Three pole socket  
(aluminum surface)



二、三极插座  
Two/Three pole socket  
(aluminum surface)



二、三极插座  
Two/Three pole socket  
(aluminum surface)




二、三极插座  
Two/Three pole socket  
(aluminum surface)



GDS-05  
双USB插座  
Double USB socket  
(aluminum surface)



多功能插座  
Multi-socket



13A方角插座  
13A square socket



美标三极多功能插座  
American three pole multi-socket



美标三极扁插座  
American three pole socket

GD25 | 方形半铝LED灯  
Square semi-aluminum LED light



二、三极插座  
Two/Three pole socket  
(aluminum surface)



二、三极插座  
Two/Three pole socket  
(aluminum surface)



二、三极插座  
Two/Three pole socket  
(aluminum surface)



二、三极插座  
Two/Three pole socket  
(aluminum surface)



双USB插座  
Double USB socket  
(aluminum surface)



多功能插座  
Multi-socket  
(aluminum surface)



13A方角插座  
13A square socket  
(aluminum surface)



美标三极多功能插座  
American three pole multi-socket  
(aluminum surface)



美标三极扁插座  
American three pole socket  
(aluminum surface)

Adapter series  
适配器系列

The second Generation Rail installation method


第二代  
轨道安装方式

明装型  
Open  
installation




1 识别装线位置，根据位置画好平行线(轨道不分左右上下)

Identify the installation position, draw parallel according to the positionLine (the track is not divided into left, right,up and down)




2 根据画好的线，按上沿对齐，做好固定螺丝记号

According to the drawn line, press the upper edge to align, and make the fixing screw mark




3 根据记号打出膨胀螺丝孔位

Punch out the expansion screw holes according to the marks



4 上好螺丝拧紧

Tighten the screws




5 电源接线端处有螺丝刀符号，根据提示位置翘起盖板

There is a screwdriver symbol at the power terminal, lift the cover according to the prompt position

三种接方式  
Three kinds  
Connection method

方式一  
Method one




1 接入对应的接线端

Connect to the corresponding terminal



2 电线引出盖板出线口，盖上盖板

Wire lead out of the cover plate outlet, cover the cover plate



3 接好轨道与预留的导线，对准卡扣上，安装完成

Connect the track and the reserved wire, align it with the buckle card, and the installation is complete

方式二  
Way two




1 接入对应的接线端，电线沿轨道槽内塞好

Connect to the corresponding terminal, wire along the trackWell plugged



2 盖上接线端盖板

Attach the terminal cover



3 接好轨道与预留的导线，对准卡扣上，安装完成

Connect the track and the reserved wire, align it with the buckle card, and the installation is complete

方式三  
Way three




1 侧边盖圆孔轻轻敲开，引入电线，接入对应的接线端

Tap the round hole on the side cover gently to introduce the wire,Connect to the corresponding terminal




2 盖上接线端盖板

Attach the terminal cover



3 对准卡扣上，安装完成

Align the buckle card, the installation is complete



3 引出来的明线直接插上插座取电

Directly plug the lead out of the open wire into the socket to get electricity

Installation method

第一代  
轨道安装方式

暗装型  
Concealed  
installation



1 确定好安装位置，根据轨道尺寸开好相应的槽，用水泥把开好槽的表面铺平整。

Determine the installation location, make the appropriate groove according to the size of the track, and smooth the surface of the groove with cement.




2 槽内铺平整后，放上轨道标记好打孔位置。

After smooth the groove, mark the hole position.




3 在2个标记打孔位依次打孔。将膨胀螺丝保护套塞入墙体打孔内。

Punch holes in each of the two marked positions, Insert the expansion screw protective sleeve into the hole of the wall




4 去掉轨道接线盒盖子。

Remove the track terminal box lid



5 按接线示意图接线。

Follow the wiring diagram for wiring



6 装回接线盒盖子(注:需将敲落孔去掉)。将电线整理进轨道凹槽，以便安装固定。

Put back the terminal box lid(note:remove the knock hole), arrange the wire into the groove of the track for mounting and securing



7 将轨道靠在墙上，对准孔位用螺丝将轨道固定在墙上。

Place the track against the wall and screw the track to the wall at the hole position



8 装上模块，完成安装。（此处对应轨道卡槽）

Install the module to finish the installation. (Here corresponds to the slot)

明装型  
Open  
installation



1 确定安装位置，标记打孔位。

Determine the installation location, mark the hole



2 在2个标记打孔位依次打孔。将膨胀螺丝保护套塞入墙体打孔内。

Punch holes in each of the two marked positions, Insert the expansion screw protective sleeve into the hole of the wall



3 去掉轨道接线盒盖子。

Remove the track terminal box lid



4 按接线示意图接线。

Follow the wiring diagram for wiring



5 装回接线盒盖子(注:需将敲落孔去掉)。将电线整理进轨道凹槽，以便安装固定。

Put back the terminal box lid(note:remove the knock hole), arrange the wire into the groove of the track for mounting and securing



6 将轨道靠在墙上，对准孔位用螺丝将轨道固定在墙上。

Place the track against the wall and screw the track to the wall at the hole position



7 装上模块，完成安装。（此处对应轨道卡槽）

Install the module to finish the installation. (Here corresponds to the slot)