

Hookei Display (Shanghai) Co., Ltd.
浩塑国际贸易（上海）有限公司

hang tabs

自粘膠貼掛鈎

An Effective Method To Display
Your Product And Maximize
Your Sales Opportunities.

MOST ITEMS
FROM STOCK



ISO 9001:2008
Certificate No.195128-UK

www.hookeidisplay.com

hang tabs
display accessories

PRODUCT CODE

Competitively priced Hang Tabs that work!

REF.	PAGE	REF.	PAGE	REF.	PAGE
151C	21	361C	7	451C	8
152C	20	362C	7	498C	12
154C	17	363C	11	501C	26
155C	17	364C	7	502C	26
156C	21	365C	6	515C	27
158C	15	366C	7	516C	27
159C	9	370C	10	521C	27
160C	9	371C	10	522C	27
161C	21	373C	11	531C	26
162C	13	374C	10	532C	26
163C	13	375C	11	541C	26
164C	21	378C	11	542C	26
166C	13	379C	10	561C	27
167C	25	380C	16	562C	27
168C	15	381C	15	581C	27
169C	16	382C	16	582C	27
170C	12	383C	15	1001C	9
171C	14	384C	15	1002C	17
173C	15	385C	16	1003C	24
174C	14	387C	13	1004C	9
175C	11	388C	14	1005C	18
178C	6	389C	14	1011C	9
179C	6	391C	17	1012C	8
182C	21	393C	15	7192C	21
185C	10	394C	17	9001C	27
195C	7	395C	12	9002C	27
197C	18	396C	12	55185C	19
303C	22	398C	13	55429C	19
311C	22	399C	13	55430C	19
312C	23	410C	13	55431C	19
313C	23	419C	13	N1C	8
315C	24	420C	14	N2C	8
316C	22	421C	13	S153C	20
321C	22	423C	7		
322C	23	424C	16		
323C	23	425C	16		
324C	23	426C	16		
331C	24	427C	16		
342C	18	428C	15		
349C	8	435C	17		
351C	22	436C	12		
352C	23	437C	14		
353C	22	438C	14		
354C	23	440C	7		
359C	6	443C	15		
360C	6	450C	25		



General Information

基本資料

The 3 Adhesive Options are:



**HIGHLY RECOMMEND —
PROCEED TESTING BEFORE ORDERING**
建議下訂單前先對產品進行測試


- Contact our professional consultants for any enquiries.
先向我們專業的銷售團隊查詢
- Solutions will be provided based on your requirements.
銷售團隊會根據客戶要求提供最合適的方案。
- Samples will be delivered for testing purposes.
透過了解客戶的需要，銷售團隊會提供樣辦以作測試。



Hang Tabs

自粘膠貼掛鈎

- Reduce packaging 減少包裝用料
- Improved product visibility 更突出地展示產品
- Consumer appeal 增加消費者對產品的注意度



We have more than 16 years experience in this industry; our professional knowledge and experience help us to understand what is the most suitable for your application.

我們於行內擁有超過16年經驗，憑著我們專業的知識及技術，充分了解客人真正的需要。

Hang Tabs — One of our cost-effective products for increasing your sales by creating more visual stimulation to your customers. It is no doubt that our consumers nowadays are not merely concerned about the quality of the products but also its cost effective and impact to the environment. 自粘膠貼掛鈎 - 是銷售展示的最佳工具之一。不容置疑，客戶除了要求產品的質素外，更要求產品合乎經濟效益及環保要求。


In view of this, all of our Hang Tabs are produced from recyclable PET, which is an eco-plastic material with a higher level of transparency and rigidity. Furthermore, we have more than 160 styles of Hang Tab for your different applications.

有見及此，所有掛鈎均由環保物料PET製造而成，耐用且質量高。此外，我們更有超過160種款式的掛鈎，以供不同用途。

Hang Tabs on a Reel 卷式包裝自粘膠貼掛鈎

It is the most cost-effective for automatic application method.


卷式包裝自粘膠貼掛鈎 - 可供機械式包裝使用，大大降低生產成本。



Flexi's


靈活式自粘掛鈎

Flexi's Tabs are ideal for an automatic application. 靈活式自粘掛鈎是機械式包裝最理想的工具。




Flexi's Tabs are mainly used for lightweight items and automatic application. They are quick and easy to use for merchandising products particularly when used in pad form.


靈活式自粘掛鈎主要用於較輕的產品及配合機械式包裝使用。靈活式自粘掛鈎使用快捷且方便，特別推薦打裝系列的靈活式粘貼掛鈎。




Ref. 360C (250 μ) | **Ref. 365C (380 μ)**
 4,000 pcs / reel | 2,000 pcs / reel
 掛鈎厚度: 0.25 毫米 | 掛鈎厚度: 0.38 毫米
 數量: 4,000 個/卷 | 數量: 2,000 個/卷




Ref. 359C (250 μ)
 4,000 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 4,000 個/卷




Ref. 362C (250 μ)
 2,500 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 2,500 個/卷




Ref. 366C (250 μ)
 2,500 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 2,500 個/卷



Ref. 178C (250 μ)
 3,000 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 3,000 個/卷



Ref. 179C (250 μ)
 4,000 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 4,000 個/卷



Ref. 361C (500 μ)
 3,000 pcs / reel
 掛鈎厚度: 0.5 毫米
 數量: 3,000 個/卷



Ref. 440C (250 μ)
 5,000 pcs / reel
 掛鈎厚度: 0.25 毫米
 數量: 5,000 個/卷





Tabs in Pad Form

打裝式掛鈎




Ref. 1012C (250 μ)

5,000 pcs / reel
掛鈎厚度：0.25 毫米
數量：5,000 個/卷




Ref. 349C (150 μ)


4,000 pcs / reel
掛鈎厚度：0.15 毫米
數量：4,000 個/卷



Ref. N1C




Ref. N2C



Ref. 451C (250 μ)

3,000 pcs / reel
掛鈎厚度：0.25 毫米
數量：3,000 個/卷




Ref. 159C (250 μ)

50 pads / box; 10 tabs / pad
掛鈎厚度：0.25 毫米
數量：每盒50疊 / 每疊10片

Ref. 160C (250 μ)

100 pads / box; 10 tabs / pad
掛鈎厚度：0.25 毫米
數量：每盒100疊 / 每疊10片



Ref. 1004C (250 μ)

50 pads / box; 10 tabs / pad
掛鈎厚度：0.25 毫米
數量：每盒50疊 / 每疊10片

Ref. 1001C (250 μ)

100 pads / box; 10 tabs / pad
掛鈎厚度：0.25 毫米
數量：每盒100疊 / 每疊10片

Tabs in Pad Form with euroslot or delta hanger make your packaging more effective and attractive.
 打裝式掛鈎 分別有飛機孔及三角孔的設計，配合不同包裝需求且令包裝更吸引。

Tabs in Pad Form are used for different applications in different areas: Department Stores, retailer & wholesalers...

打裝式掛鈎 可用於不同地方，如：大型購物店、零售或批發商等.....




Scale 1: 1

Scale 1: 1



Reinforce or Repair

修補及加固系列掛鈎




Reinforce packs prevent damage by strengthening the weak areas around the point of hanging.

加固掛鈎可以加強懸掛點周圍較易受損之區域，避免損壞包裝。

Repair tabs are used to prevent damage from customer handling and reduces supplier returns or price reductions.

修補掛鈎用以修補損壞了之掛槽，方便且成本低廉。






Ref. 185C (250 μ)

5,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 5,000 個/卷


Ref. 374C (380 μ)

5,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 5,000 個/卷




Ref. 175C (250 μ)

3,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 3,000 個/卷




Ref. 363C (250 μ)

2,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 2,000 個/卷





Ref. 375C (380 μ)

6,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 6,000 個/卷



Ref. 373C (380 μ)

5,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 5,000 個/卷



Ref. 370C (250 μ)


2,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 2,000 個/卷

Ref. 371C (380 μ)

2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷

Ref. 379C (500 μ)

2,000 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 2,000 個/卷



Ref. 378C (380 μ)

2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷



Folding

折疊式自粘掛鈎

Folding Hang Tabs are good to be used for shipping maximum number of products per carton to reduce the shipping cost. They are attached folded down on the products for fitting into existing cartons. They also can be folded up easily to display the product on display shelves conveniently.

折疊式自粘掛鈎主要協助運輸承載最多產品件數，以減低運輸成本。其掛鈎部份可折疊起來並緊貼在包裝上。當需要展示產品時，便可以拉起折疊的掛鈎，直接懸掛及展示。

+852 6778 7080

021-50483245

info7@hookeidisplay.com



Hookei



+852 6778 7080

021-50483245


info7@hookeidisplay.com



Hookei




Ref. 170C (250 μ)
4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷




Ref. 395C (250 μ) 3,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 3,000 個/卷


Ref. 396C (380 μ) 2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷




Ref. 387C (250 μ)
4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷



Ref. 419C (380 μ)
3,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 3,000 個/卷



Ref. 421C (500 μ)
2,500 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 2,500 個/卷



Ref. 398C (250 μ) STANDARD 標準式 4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷


Ref. 399C (380 μ) STANDARD 標準式 2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷

Ref. 162C (380 μ) FOAM 海綿式 3,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 3,000 個/卷


Ref. 163C (250 μ) FOAM 海綿式 1,500 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 1,500 個/卷




Ref. 436C (250 μ)
4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷



Ref. 498C (250 μ)
4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷



Ref. 410C (380 μ)
2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷



Ref. 166C (380 μ)
5,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 5,000 個/卷

Scale 1: 1

Scale 1: 1




Standard's & Foam's

標準式及海綿式自粘掛鈎


Made for strong and clear PET, all Hang Tabs are able to resist tearing and cracking.

所有自粘掛鈎由較堅硬的PET製造而成，可以承受較重的物件。




Ref. 420C (250 μ)

4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷




Ref. 171C (250 μ)

2,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 2,000 個/卷



Ref. 174C (250 μ)

4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷



Ref. 393C (380 μ)


STANDARD 標準式

3,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 3,000 個/卷

Ref. 384C (380 μ)

FOAM 海綿式

2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷




Ref. 381C (380 μ)

1,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 1,000 個/卷

Ref. 383C (500 μ)

1,000 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 1,000 個/卷



Ref. 158C (250 μ)


4,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 4,000 個/卷

Ref. 168C (380 μ)

2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷


Ref. 173C (500 μ)

2,000 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 2,000 個/卷




Ref. 428C (250 μ)

7,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 7,000 個/卷




Ref. 437C (250 μ)

3,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 3,000 個/卷



Ref. 438C (250 μ)

5,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 5,000 個/卷



Ref. 388C (380 μ)

FOAM 海綿式
3,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 3,000 個/卷

Ref. 389C (380 μ)

STANDARD 標準式
5,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 5,000 個/卷




Ref. 443C (250 μ)

5,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 5,000 個/卷




J Hook Hang Tabs


J型自粘掛鈎




Ref. 385C (380 μ)
2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷




Ref. 382C (380 μ)
2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷




Ref. 380C (380 μ)
2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷




Ref. 427C (250 μ)
1,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 1,000 個/卷



Ref. 169C (380 μ)
2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷





Ref. 426C (380 μ)
2,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,000 個/卷




Ref. 424C (380 μ) 2,500 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 2,500 個/卷

Ref. 425C (250 μ) 3,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 3,000 個/卷



Ref. 391C (500 μ)
3,000 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 3,000 個/卷



Ref. 1002C (500 μ)
2,000 pcs / reel
掛鈎厚度: 0.5 毫米
數量: 2,000 個/卷




Ref. 394C (380 μ)
5,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 5,000 個/卷

Saddle Hang Tabs

鞍式掛鈎

Saddle Hang Tabs are designed for heavy packages. Based on our professional experiment, this special design enables to hold extra weight and withstand extreme temperatures.

鞍式掛鈎主要用於包裝重型產品上。根據我們專業的實驗結果，這個特殊的設計可以承受雙重的重量及抵受極端的溫度。



This style is offered with 3 adhesive options:
備有下列三種不同型號，以供選擇：




STANDARD 標準式



FOAM 海綿式



FLEXI 靈活式



Ref. 155C (380 μ)
2,000 pcs / reel
掛鈎厚度: 0.38毫米
數量: 2,000 個/卷

Ref. 154C (380 μ)
1,000 pcs / reel
掛鈎厚度: 0.38毫米
數量: 1,000 個/卷

Ref. 435C (250 μ)
3,000 pcs / reel
掛鈎厚度: 0.25毫米
數量: 3,000 個/卷


Handles

提手掛鈎

Handles — a brand new product for hanging products. **Handles** are made of clear plastic which will not cover the products' surface and with a strong adhesive for hanging product which are difficult to hang up e.g. particular & special shapers and designs where there is no hanging solution with a hang tab.


提手掛鈎 — 全新的懸掛用途產品。提手掛鈎由透明塑料製成，不會覆蓋產品的表面。而且，**提手掛鈎**有較強的附着力，可以用作懸掛一些特殊形狀及設計的產品。

This new product with 2 presentations:
新產品有2個展示模式：



Pad form for hand application
打裝式 (適合人手加工)

Ref. 1005C (75 μ)
100 pads / box; 10 tabs / pad
掛鈎厚度: 0.075 毫米
數量: 每盒100個 / 每疊10片



On a reel for semi-automatic application
卷裝 (適合半機械加工)

Ref. 197C (75 μ)
14,000 pcs / reel
掛鈎厚度: 0.075 毫米
數量: 14,000 個/卷




Scale 1: 1

Special Design Hang Tab

特別自粘掛鈎

Specially designed to hang up items in cylinder shape.

獨特的設計，專為懸掛圓柱型的物品。



Ref.342C (380μ)
1,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 1,000 個/卷

Scale 1: 1


Sheet Form Hang Tabs

單頁包裝掛鈎


Sheet Form Hang Tabs are ideal for hand application, either at the packaging facility or in the store. They are available in different sizes and styles, with hook, round and euroslot to match your display requirements.

單頁包裝掛鈎 — 很適合用於人手加工，例如人手包裝、商場展示，更有多種尺寸和款式，如J型掛鈎、圓孔掛鈎和飛機孔掛鈎，以符合你不同的展示需求。


- Ideal for Hand Application 適合人手加工
- Low Cost 低成本





Ref. 55429C (250 μ)
24 pcs / sheet
掛鈎厚度: 0.25毫米
數量: 24 個/頁



Ref. 55430C (250 μ)
48 pcs / sheet
掛鈎厚度: 0.25毫米
數量: 48 個/頁



Ref. 55185C (250 μ)
28 pcs / sheet
掛鈎厚度: 0.25毫米
數量: 28 個/頁



Ref. 55431C (380 μ)
24 pcs / sheet
掛鈎厚度: 0.38毫米
數量: 24 個/頁

Scale 1: 1






Clip Strips

卷切割系列 - 卷裝掛條



It is a great product to merchandise your products in a prominent area and create impulse buy. It is perfect for promotions, special offers and placing accessories next to the main product i.e. brushes next to paint.

Using **Clip Strips** can maximize the selling place by displaying products in neat and vertical row.


掛條是銷售展示的好幫手，其獨特的垂直式設計既可減少使用空間，又可突出地展示宣傳的產品。





Header for Clip Strips on a reel
切割系列 - 掛條牌
Ref. 152C (635 μ)




Clip Strips on a reel
卷裝掛條
Ref. 151C (630 μ)
Ref. 7192C (900 μ)



Clip Strip on a reel
卷裝掛條
Ref. 182C (500 μ)



Clip Strips on a reel
卷裝掛條
Ref. 164C (500 μ)
Ref. 161C (630 μ)



Clip Strip on a reel
卷裝掛條
Ref. 156C (630 μ)




Loose Form Tabs


散裝掛鈎 (IN BOXES 盒裝)

For small production runs, hand application is the usual method. These tabs also provide the least expensive way to test a new hang tab design before committing to greater quantities.

適合於小型生產或手工製作使用，並十分合適用作測試用途。



• Repair or Reinforce in Loose Form




Ref. 324C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒

Standard Adhesive

• Easy Peel & Less Cost
容易使用 & 低成本


Foam Adhesive




Ref. 311C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒




Ref. 303C (500 μ)
2,000 pcs / box
掛鈎厚度: 0.5 毫米
數量: 2,000 個/盒




Ref. 321C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒




Ref. 312C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒



Ref. 322C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒




Ref. 352C (500 μ)
2,000 pcs / box
掛鈎厚度: 0.5 毫米
數量: 2,000 個/盒




Ref. 351C (500 μ)
2,000 pcs / box
掛鈎厚度: 0.5 毫米
數量: 2,000 個/盒




Ref. 353C (500 μ)
2,000 pcs / box
掛鈎厚度: 0.5 毫米
數量: 2,000 個/盒




Ref. 316C (250 μ)
2,000 pcs / box
掛鈎厚度: 0.25 毫米
數量: 2,000 個/盒



Ref. 313C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒



Ref. 323C (380 μ)
2,000 pcs / box
掛鈎厚度: 0.38 毫米
數量: 2,000 個/盒




Ref. 354C (500 μ)
2,000 pcs / box
掛鈎厚度: 0.5 毫米
數量: 2,000 個/盒






Secure Tab

防盜型掛鈎




Ref. 315C (250 μ)
2,000 pcs/box
掛鈎厚度: 0.25 毫米
數量: 2,000 個/盒



Ref. 1003C (250 μ)
1,000 pcs/box
掛鈎厚度: 0.25 毫米
數量: 1,000 個/盒

This unique design enables the hang tab to fit neatly on the back and top face of a box at the same time. Its adhesive area surrounds the hanging section providing a secure fixing as well as a hanging facility. In addition, they can be attached folded down on the products during the transit. Once in store, simply fold them up to display the product on display shelf.



防盜型掛鈎獨特的設計可同時粘貼於盒子的背部和頂面，可以用作密封式包裝，同時也可作懸掛用途。此外，其掛鈎部份可折疊起來並緊貼在包裝上，當需要展示產品時，便可以拉起折疊的掛鈎，直接懸掛及展示。




Ref. 331C (250 μ)
1,000 pcs/box
掛鈎厚度: 0.25 毫米
數量: 1,000 個/盒

- **Bottle Neck Hang Tabs** offer many promotional opportunities. Bottle Neck Hang Tabs fit securely over a bottle neck while its adhesive area holds an accompanying giveaway or promotional product.

瓶頸掛鈎可於多方面作促銷用途，其懸掛部份可直接懸掛於瓶頸上，而其粘貼部份則可用作粘上贈品或其他促銷產品。



Ref. 167C (380 μ)
1,000 pcs / reel
掛鈎厚度: 0.38 毫米
數量: 1,000 個/卷



Ref. 450C (250 μ)
2,000 pcs / reel
掛鈎厚度: 0.25 毫米
數量: 2,000 個/卷




Rigid Hooks

(Injection Moulded Adhesive Hooks)

硬質掛鈎 (注塑自粘膠貼掛鈎)


- Standard & Foam adhesive are available for selection.
有標準式或海綿式膠貼供選擇。



Ref. 501C (Standard 標準式)


Ref. 502C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒




Ref. 531C (Standard 標準式)
Ref. 532C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒




Ref. 541C (Standard 標準式)
Ref. 542C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒




Ref. 581C (Standard 標準式)
Ref. 582C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒




Ref. 561C (Standard 標準式)
Ref. 562C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒




Ref. 515C (Standard 標準式)
Ref. 516C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒



Ref. 9001C (Standard 標準式)
Ref. 9002C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒



Ref. 521C (Standard 標準式)
Ref. 522C (Foam 海綿式)

1,000 pcs / box
數量: 1,000 個/盒



Hookei[®]

Designer & Manufacturer of Shopfitting & Display Accessories

Your Ideal Display Solution Provider

www.hookeidisplay.com