


LED TRI-PROOF CEILING LIGHT



LED TRI PROOF CEILING LIGHT

Moistureproof | Dustproof | Mosquitoproof




silver

black

white

gold



Regular-Rotary



Model No.: YW-CGSF

Push-pull



Model No.: YW-TLSF

Ultra Thin Panel Light Ip45



Model No.: YW-MELSFL3

Pin style



Model No.: YW-MELSFL6

Style	Picture	Item No.	Diameter (mm)	IP rate	Power	CCT
Regular -Rotary		YW-CGSF-230	D230H6	IP45	18W	3000K/4500K/6000K
		YW-CGSF-300	D300H6	IP45	24W	3000K/4500K/6000K
		YW-CGSF-400	D400H6	IP45	36W	3000K/4500K/6000K
Push-pull		YW-TLSF-230	D230H5.5	IP45	18W	3000K/4500K/6000K
		YW-TLSF-270	D270H5.5	IP45	24W	3000K/4500K/6000K
		YW-TLSF-370	D370H5.5	IP45	36W	3000K/4500K/6000K
		YW-TLSF-470	D470H5.5	IP45	48W	3000K/4500K/6000K
Ultra Thin Panel Light IP45		YW-MELSFL3-180	D180H2.5	IP45	12W	3000K/4500K/6000K
		YW-MELSFL3-230	D230H2.5	IP45	18W	3000K/4500K/6000K
		YW-MELSFL3-300	D300H2.5	IP45	24W	3000K/4500K/6000K
		YW-MELSFL3-400	D400H2.5	IP45	36W	3000K/4500K/6000K
		YW-MELSFL-500	D500H2.5	IP45	40W	3000K/4500K/6000K
		YW-MELSFL-600	D600H2.5	IP45	48W	3000K/4500K/6000K
		YW-MELSFL-300*300	300*300H2.5	IP45	24W	3000K/4500K/6000K
		YW-MRL-900*550	900*550H2.5	IP45	72W	3000K/4500K/6000K
Pin style		YW-MRLSFL6-230	230	IP45	24W	3000K/4500K/6000K
		YW-MRLSFL6-300	300	IP45	36W	3000K/4500K/6000K
		YW-MRLSFL6-380	380	IP45	48W	3000K/4500K/6000K
		YW-MRLSFL6-480	480	IP45	60W	3000K/4500K/6000K

PATENT LED TRI-PROOF CEILING LIGHT

IP65

PATENT DESIGN

Design patent +Utility model patent



Feature:

Color temperature: 3000K/4000K/6500K
Size: 230mm/300mm/400mm
Watt: 18W/24W/36W
IP rate: IP65/IP54
Control: Dip switch/Wall switch



Wire Waterproof Box

Protect the wire, prevent leakage and other safety problems caused by moisture.



Wire Waterproof Silicone

Solve the problem of water leakage at the wire junction, increase the reliability of the wire.



3CCT With Dip Switch

The switch is equipped with waterproof silicone to protect the wire and prevent leakage.



Ultra-thin Design

Thin and lightweight, release space, narrow side design, increase light surface.



Eco-friendly PP Cover

The light transmission is uniform and bright, effectively improve the space brightness.



Lens Light Source

Using optical lens wick, 360° wide Angle lens lighting, light soft and comfortable.

LED TRI-PROOF CEILING LIGHT



YW-SBFC01

Color Display



white black wood grain silver golden

Item No.	Size	Material	Power	CCT	Ctn Size(cm)	PCS/CTN
YW-SBFC01-24024	240mm	pp	24w	6500k	68*26*52	20
YW-SBFC01-240182	240mm	pp	18*2w	3000K/6500K/4000K	68*26*52	20
YW-SBFC01-33036	330mm	ABS+PP	36W	6500k	70*41*70	20
YW-SBFC01-330302	330mm	ABS+PP	30*2W	3000K/6500K/4000K	70*41*70	20



YW-SBFC02



Color Display



white black wood grain silver golden marble grain

Item No.	Size	Material	Power	CCT	Ctn Size(cm)	PCS/CTN
YW-SBFC02-28024	280mm	PP+ABS	24W	6500K	59*40*59	20
YW-SBFC02-280182	280mm	PP+ABS	18*2W	3000K/6500K/4000K	59*40*59	20
YW-SBFC02-34036	340mm	PP+ABS	36W	6500K	71*45*71	20
YW-SBFC02-340242	340mm	PP+ABS	24*2W	3000K/6500K/4000K	71*45*71	20

STEEL LED TRI-PROOF CEILING LIGHT

LED PIN STYLE TRI-PROOF CEILING LIGHT

Sealed, waterproof, dustproof, and insect proof

STEEL CHASSIS



High efficiency
heat dissipation



IP45



Backplane
design



Upgrade
cover




Model No.: YW-MELTDPCZ-001
Diameter: 220/260/300/370/460mm
Height: 50mm
Power: 9W/15W/17W/24W/40W
Material: Steel Base+PP Cover



Model No.: YW-MELTDPCZ-002
Diameter: 220/260/300/370/460mm
Height: 50mm
Power: 9W/15W/17W/24W/40W
Material: Steel Base+PP Cover



Model No.: YW-MELSFL2-003
Diameter: 230/300/380/480mm
Height: 55mm
Power: 24W/36W/48W/60W
Material: PP



Item No.: YW-MELSFL2-RGB
Spec: 300*59mm-24W
370*65mm-48W
460*73mm-60W
520*72mm-72W
IP rate: IP45
Material: PP/PP+PS

LED ULTRA THIN PANEL LIGHT



Back Display



IP45

Model No.: YW-MELSFL3
Size: 180mm/230mm/300mm/
400mm/500mm/600mm



IP40

Model No.: YW-CCMD01
Size: 180mm/230mm/300mm/
370mm/400mm/450mm/
500mm/600mm

Color Display



white

black

golden

wood grain

silver

Pattern Display



BACK RGB LED ULTRA THIN PANEL LIGHT




Remote control

BACK RGB TRI-PROOF LED CEILING LIGHT



- Main light 3CCT
- Back sub-light RGB
- CCT+Back RGB



Model No.: YW-MELSFL3-RGB
Size: 300mm/400mm/500mm



Model No.: YW-CCMD01-RGB
Size: 300mm/370mm/400mm