



SOURCE MANUFACTURERS

FACTORY WHOLESALE, SATISFIED SUPPLY,
GOOD QUALITY AND LOW PRICE

Guangdong Winway Electrical Appliance Co.,LTD.

Focus on led lighting

LED Ceiling Light	LED Linear Light
LED Panel Light	LED Down Light
LED Track Light	LED Flood Light
LED Module	Smart Lighting



广东莹维电器有限公司
Guangdong Winway Electrical Appliance Co.,LTD.

CONTENTS

LED Ceiling Light LED Illuminate Fixture LED Linear Light LED Panel Light LED Flood Light LED Track Light LED Down Light LED Module Smart LED Lighting

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316


317

318

LED CEILING LIGHT



- ★ 3CCT selectable
- ★ High quality
- ★ Remote control/switch control
- ★ Available in a variety of styles





Led light source
SMD2835



Isolated/non-isolated
driver



CRI
Ra≥80



Remote control

SMART CEILING LIGHT



- ★ RGB color light
- ★ Bluetooth connect
- ★ 360° round music play
- ★ APP&remote control



Adjustable
LED light



Bluetooth
connect



Internal magnetic
sound



The lamp can be changes variety of colors. With different environmental regulation, light color to create a different atmosphere.

HUNDREDS OF LAMP COVER



LED TRI-PROOF CEILING LIGHT

IP65



dust-proof | mosquito-proof | moisture-proof



- ★ Dip switch color temperature
- ★ 25mm ultra thin
- ★ IP65/IP54/IP45
- ★ A variety of mounting plates



LED LINEAR LIGHT



- ★ Aluminum/Steel profiles
- ★ Size can be customized
- ★ regular length: 0.6m、0.9m、1.2m、1.5m、2m、2.4m、3m
- ★ Adjustable and dimmable
- ★ Linkable



Single-layer aluminum	Recessed aluminum	Double-layer aluminum	Arbitrary length
 120*40	 100*40	 80*40	
 75*40	 80*40	 75*40	
 70*40	 70*40	 60*70	
 60*40	 60*40	 55*40	
 55*40	 50*40	 50*70	
 50*40	 40*40	 40*70	
 40*40	 35*40	 35*70	
		 35*70	
			 150cm
			 120cm
			 90cm
			 60cm

GEOMETRIC LINEAR LIGHT



LED ILLUMINATE FIXTURE



LED purification lamp



T5 tube




T8 tube



LED tri-proof light



LED grille light



LED panel light



LED up&down light




Eye-protection light



Classroom light

LED TRACK LIGHT

REFLECTOR&LENS



型号/ITEM NO : YW-1807
功率/Power : 20W / 30W
尺寸/Size: ϕ 80XL120mm
 ϕ 80XL130mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k



型号/ITEM NO : YW-1809
功率/Power : 7W / 15W / 20W
尺寸/Size : ϕ 49XL140mm / ϕ 62XL159mm
 ϕ 74XL178mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k



型号/ITEM NO : YW-1907
功率/Power : 7W / 9W / 20W / 30W
尺寸/Size : ϕ 64XL106mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k



型号/ITEM NO : YW-1850
功率/Power : 12W / 20W / 30W
尺寸/Size : ϕ 50XL100mm / ϕ 60XL135mm
 ϕ 80XL150mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k



型号/ITEM NO : YW-2010
功率/Power : 12W / 20W / 30W
尺寸/Size : ϕ 60XL155mm / ϕ 80XL175mm
 ϕ 80XL210mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k



型号/ITEM NO : YW-1804
功率/Power : 7W / 10W / 20-30W
尺寸/Size : ϕ 59XL95mm / ϕ 79XL116mm
 ϕ 89XL130mm
色温/CCT : 智能 Intelligent
3000k/4000k/6000k

LED PANEL LIGHT



- ★ Round/Square panel light
- ★ 5~24W panel light
- ★ COB/SMD light source
- ★ 3CCT/RGB/RGBW light color
- ★ Remote/switch control
- ★ Ultra-thin design



JUST 45MM


Ultra-thin integrated design, suitable for more installation environments





Picture	power	Specifications(mm)	Opening(mm)	COLOR
	6W	Φ100	Φ75	6000K 4000K 3000K
	9W	Φ120	Φ95	
	12W	Φ160	Φ125	
	18W	Φ200	Φ165	
	24W	Φ240	Φ205	
	6W	100*100	75*75	6000K 4000K 3000K
	9W	120*120	95*95	
	12W	160*160	125*125	
	18W	200*200	165*165	
	24W	240*240	205*205	
	5W	Φ100	Φ75	6000K 4000K 3000K
	7W	Φ120	Φ95	
	10W	Φ160	Φ125	
	15W	Φ200	Φ165	
	25W	Φ240	Φ205	
	5W	Φ100	Φ75	RGB/RGBW/RGB-RC
	5W	100*100	75*75	6000K 4000K 3000K
	10W	160*160	125*125	
	15W	200*200	165*165	
	25W	240*240	205*205	

LED MODULE

- ★ Magnetic installation
- ★ No flicker
- ★ 3CCT adjustable



Picture	Item No.	Power	CCT	Size(mm)	PCS/CTN
	YW-CLM-S1	12W	6500K	100mm	100
		18W	6500K	130mm	100
		24W	6500K	145mm	100
		36W	6500K	180mm	100
		24W	3000K/4500K/6500K	145mm	100
		36W	3000K/4500K/6500K	180mm	100
		12W	6500K-sound and light control	105mm	100
		24W	6500K-sound and light control	145mm	100
	YW-CLM-S2	12W	6500K	115mm	100
		18W	6500K	150mm	100
		24W	6500K	160mm	100
		36W	6500K	210mm	60
		24W	3000K/4500K/6500K	160mm	100
		36W	3000K/4500K/6500K	210mm	60
	YW-CLM-R1	12W	6500K	115mm	100
		18W	6500K	140mm	100
		24W	6500K	155mm	100
		36W	6500K	190mm	100
		24W	3000K/4500K/6500K	155mm	100
		36W	3000K/4500K/6500K	190mm	100
	YW-CLM-R2	12W	6500K	125mm	100
		18W	6500K	165mm	100
		24W	6500K	185mm	100
		36W	6500K	230mm	60
		24W	3000K/4500K/6500K	185mm	100
		36W	3000K/4500K/6500K	230mm	60
	YW-CLM-RC	72W-RC	Remote control 3000K~6500K	230mm	60
		80W-RC		250mm	60

LED FLOOD LIGHT



- ★ 10/20/30/50/100/150/200/300/400W flood light
- ★ Die casting aluminum +tempered glass
- ★ Efficient heat dissipation



Ip65
waterproof



High light
efficiency chip



120°
beam angle

Picture	Item No.	Power	Material	Real power	Driver	LM/W
	YW-FL-A	10W	Die casting aluminum+tempered glass	90%	Linear constant current 180-265V	≥90LM/w
		20W				
		30W				
		50W				
		100W				
		150W				
		200W				
		300W				
	YW-FL-MN	10W	Die casting aluminum+tempered glass	≥90%	Linear constant current 180-265V	≥90LM/w
		20W				
		30W				
		50W				
		100W				
		150W				
		200W				
		300W				
	YW-FL-FF	10W	Die casting aluminum+tempered glass	≥75%	Linear constant current 180-265V	≥90LM/w
		20W				
		30W				
		50W				
		100W				
		150W				
		200W				
		300W				
	YW-FL-NF	10W	Die casting aluminum+tempered glass	≥75%	Linear constant current 180-265V	≥90LM/w
		20W				
		30W				
		50W				
		100W				
		150W				
		200W				
		300W				
		400W				

PCB&SKD



LED DOWN LIGHT

- ★ Adjustable Angle
- ★ 5~24W panel light
- ★ COB/SMD light source
- ★ Adjustable color temperature
- ★ No flicker

