

WANPU

Room 902, Tower B, Van Metropolis Building,
No.35 Tangyan Road, Xi'an, China

TEL: +86 029 8881 5624 FAX: +86 029 88815624

E-mail: alex.autoway@gmail.com

Xi'an Wanpu Import And Export Trading Co.,Ltd



20
26

WE NEVER STOP FIGHTING

XI'AN WANPU IMPORT AND EXPORT TRADING CO., LTD

PART. 01

| | |
|--------------------|----|
| I SNOW CHAINS | 01 |
| I AUTO SOCK | 07 |
| I TRACTION PADS | 09 |
| I BOOSTER CABLE | 11 |
| I CLAMP | 17 |
| I BATTERY TERMINAL | 22 |
| I TOW STRAP | 23 |
| I TOW ROPE | 24 |
| I STEEL TOW ROPE | 26 |
| I TOW BAR | 26 |
| I RATCHET TIE DOWN | 27 |
| I LUGGAGE STRAP | 30 |
| I BATTERY TESTER | 32 |
| I BATTERY CHARGER | 32 |

PART. 02

| | |
|------------------|----|
| I INVERTER | 34 |
| I JUMP STARTER | 35 |
| I AIR COMPRESSOR | 53 |

PART. 03

| | |
|----------------------------------|----|
| I VACUUM CLEANER | 63 |
| I CAR SOCKET SPLITTER | 66 |
| I CIGARETTE LIGHTER | 66 |
| I USB CAR CHARGER | 68 |
| I CAR BLUETOOTH PLAYER | 73 |
| I MODIFIED CAR CHARGING | 74 |
| I MOUNTING PLATE | 75 |
| I CAR WIRELESS ANTI-SKID PADDING | 76 |
| I CAR MOUNTED ASHTRAY | 77 |

| | |
|-------------------|----|
| CAR FAN | 78 |
| HEATING FAN | 80 |
| COFFEE MAKER | 81 |
| CAR PAN | 81 |
| CAR WATER KETTLE | 83 |
| OBD TESTER | 84 |
| CAR REFRIGERATOR | 85 |
| TRAILER ADAPTOR | 85 |
| CAR HORN | 87 |
| CAR ANTENNA | 83 |
| CUSTOM ANTENNA | 89 |
| REVERSE CAMERA | 91 |
| SWITCH | 93 |
| YACHT SWITCH | 94 |
| CAR WASH GUN | 95 |
| TIRE PRESSURE GUN | 96 |

PART 04

| | |
|---------------|-----|
| HALOGEN LIGHT | 98 |
| CAR BULB | 101 |
| CAR BULB KITS | 102 |
| WORKING LIGHT | 103 |
| HEAD LIGHT | 105 |
| TRAILER LIGHT | 109 |

PART 05

| | |
|-------------------|-----|
| CROSS WRENCH | 112 |
| SPARK PLUG WRENCH | 114 |
| OIL FILTER WRENCH | 115 |

| | |
|-------------------------|-----|
| SCISSOR JACK | 116 |
| FLOOR JACK | 118 |
| BOTTLE JACK | 120 |
| JACK STAND | 121 |
| ELECTRIC JACK | 123 |
| ELECTRIC CIRCUIT TESTER | 124 |
| TIRE PRESSURE GAUGE | 125 |
| FOOT PUMP | 127 |
| GREASE GUN | 128 |
| TORQUE WRENCH SET | 129 |
| SCREWDRIVER SET | 131 |
| JERRY CAN | 133 |
| TRIM REMOVAL TOOL KIT | 134 |
| CAR FILM TOOLS | 135 |
| CAR FUSE | 131 |
| FUNNEL | 136 |
| DENT REPAIR TOOL SET | 137 |
| LUGGAGE NET | 138 |
| BIKE RACK | 139 |
| TYRE HOLDER | 140 |
| WIPER REMOVER | 140 |

PART 06

| | |
|--------------------|-----|
| CAR CLEANING CLOTH | 141 |
| CAR WASH GLOVES | 144 |
| SPONGE | 146 |
| CLEAN SPONGE | 148 |
| CAR WASH BRUSH | 149 |
| WINDOW BRUSH | 149 |
| WINDOW SQUEEGEE | 153 |
| WATER BRUSH | 154 |

PRODUCT CATEGORIES

| | |
|----------------------------|-----|
| I CAR DRILL CLEANING BRUSH | 155 |
| I CAR POLISH SET | 157 |
| I ALLOY WHEEL REPAIR KIT | 158 |
| I FOAM KTTTLE | 159 |
| I AIR FIL TER | 160 |

PART. 07

| | |
|-------------------------|-----|
| I PHONE HOLDER | 162 |
| I CUP HOLDER | 164 |
| I BEEP STOPPER | 165 |
| I FLXED BANDAGE | 166 |
| I CAR HOLDER | 167 |
| I CAR TRUNK ORGANIZER | 168 |
| I STEERING WHEEL COVER | 171 |
| I CAR MATS | 174 |
| I SEAT COVER | 179 |
| I SEAT CUSHION | 180 |
| I CAR SEAT HEAT CUSHION | 182 |
| I BABY SEAT | 183 |
| I SUN SHADE | 186 |
| I CAR RACK | 188 |
| I MUD FLAPS | 189 |
| I VELVE CAP | 189 |



SNOW CHAINS

ART.No. **KNS9mm**
Surface treatment:Plastic coating/zinc
Material: A3 steel

SNOW CHAINS

ART.No. **KNS9mm**
Surface treatment:Plastic coating/zinc
Material: Alloy steel



9MM

SNOW CHAINS

ART.No. **KN12mm**
Surface treatment:Plastic coating/zinc
Material: A3 steel

SNOW CHAINS

ART.No. **KN12mm**
Surface treatment:Plastic coating/zinc
Material: Alloy steel



12MM

SNOW CHAINS

ART.No. **KB16mm**
Surface treatment:Plastic coating/zinc
Material: A3 steel

SNOW CHAINS

ART.No. **KB16mm**
Surface treatment:Plastic coating/zinc
Material: Alloy steel



16MM





EMERGENCY SNOW CHAINS

ART.No. **EC6080-13B**

Surface treatment:Plastic coating/zinc
Material:A3 steel/Alloy steel



SNOW CHAINS

ART.No. **11 4.5MM**

Surface treatment:Plastic coating/zinc

Material:A3 steel

1110/1114/1118/1122/1126/1130/1134/1138/1142



EMERGENCY SNOW CHAINS

ART.No. **EC6080-13A**

Surface treatment:Plastic coating/zinc
Material:A3 steel/Alloy steel




SNOW CHAINS

ART.No. **TN 7MM**

Surface treatment:Plastic coating/zinc

Material:A3 steel

295/310/320/300/520/275/350/570/515



PLASTIC SNOW CHAIN

ART.NO. **ST116**

Material: Nylon
Size: 9 * 900MM



PLASTIC SNOW CHAIN

ART.NO. **ST121**

Material: TPU
10pcs/set
Snow shovel * 1
A pair of gloves



PLASTIC SNOW CHAIN

ART.NO. **ST116**

Material: Nylon
Size: 9 * 900MM






AUTO SOCK
 ART.No. **TB024**
 Material: Polyester
 Square gram weight: 420G
 Size: XS, S, M, L, XL, XXL
 EN16662-1



AUTO SOCK
 ART.No. **TB021**
 Material: Polyester
 Square gram weight: 550G
 Size: XS, S, M, L, XL, XXL
 EN



AUTO SOCK
 Material: Polyester
 Square gram weight: 430G
 Size: XS, S, M, L, XL, XXL



AUTO SOCK
 ART.No. **S135**
 Square gram weight: 320G
 Material: Polyester
 Size: XS, S, M, L, XL, XXL
 EN



AUTO SOCK
 ART.No. **TB032**
 Material: 430gsm polyester
 Size: XS, S, M, L, XL, XXL



AUTO SOCK
 Material: Polyester
 Square gram weight: 430G
 Size: XS, S, M, L, XL, XXL





TRACTION PADS

ART.No. **PL03**
Material :PP
Size:32.5×15×2.5 cm




TRACTION PADS

ART.No. **PL01**
Material :Heavy Duty TPR
Slect:L82xW28cm/L92xW28cm/L100xW28cm




TRACTION PADS

ART.No. **PL02**
2pcs/pair
Size:60×18×1.25cm
Material:PP



TRACTION PADS

ART.No. **PL05**
Material :PP
Size:55.5x14.5x1 .9cm
2 pcs as a set



TRACTION PADS

ART.No. **PL01**
2pcs/pair
Material :PP common polypropylene
Size:63.5×20.5×2.5 cm



BOOSTER CABLE

ART.No. **T701**
Insulation:TPR or PVC
Wire material:CCA
DIN:72553-16



BOOSTER CABLE

ART.No. **T746**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE

ART.No. **T747**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE

ART.No. **T702**
Insulation:TPR or PVC
Wire material:CCA
DIN:72553-25



BOOSTER CABLE 10MM² 2.5-3.0M

ART.No. **T704**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 3MM² 2.0-2.5M

ART.No. **T705**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 35MM² 4.5M

ART.No. **T703**
Insulation: TPR or PVC
Wire material: CCA
DIN: 72553-35



BOOSTER CABLE 5MM² 2.0-2.5M

ART.No. **T706**
Insulation:TPR or PVC
Wire material:CCA or CU



BOOSTER CABLE 12GA 8FT/10GA 10FT

ART.No. **T707**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 16MM² 3.0M

ART.No. **T741**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 12GA 8FT/12GA 12FT

ART.No. **T708**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 10GA 8FT/10GA 12FT

ART.No. **T709**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 10GA 8FT/10GA 12FT

ART.No. **T710**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 10GA 8FT/10GA 12FT

ART.No. **T711**
Insulation:TPR or PVC
Wire material:CCA or CU



BOOSTER CABLE 50A-80A 2.0-2.5M

ART.No. **T721**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 150A-200A 2.0-3.0M

ART.No. **T722**
Insulation:TPR or PVC
Wire material:CCA or CU



BOOSTER CABLE 4GA 16FT/4GA 20FT

ART.No. **T715**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 4GA 16FT/4GA 20FT

ART.No. **T716**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 150A-200A 2.0-3.0M

ART.No. **T723**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 150A-200A 2.5M

ART.No. **T724**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 1GA 25FT

ART.No. **T717**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 300A-500A 2.5M

ART.No. **T718**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 600A-1000A 2.5M-3.5M

ART.No. **T725**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 600A-1000A 2.5M-3.5M

ART.No. **T725A**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 50A-80A 2.0-2.5M

ART.No. **T719**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 8GA 12FT/8GA 16FT

ART.No. **T720**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 200A-250A 2.5M

ART.No. **T727**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 100A-150A 2.5M

ART.No. **T728**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 300A-400A 2.5M

ART.No. **T729**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 10MM² 2.5M

ART.No. **T748**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 400A 2.5M

ART.No. **T749**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 300A-400A 2.0-3.0M

ART.No. **T732**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 500A 2.5M

ART.No. **T730**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 6GA 12FT/6GA 16FT

ART.No. **T750**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 8GA 12FT/8GA 16FT

ART.No. **T712**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 600A 3.5M

ART.No. **T737**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 8GA 8FT/8GA 12FT

ART.No. **T736**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 4GA 20FT/2GA 25FT

ART.No. **T713**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 8GA 12FT/6GA 16FT

ART.No. **T714**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 300A-400A 2.5M

ART.No. **T739**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 300A 2.5M

ART.No. **T740**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE CU10-16MM² 1M

ART.No. **T726**
Insulation:TPR or PVC
Wire material:CCA



BOOSTER CABLE 16MM² 3.0M

ART.No. **T744**
Insulation:TPR or PVC
Wire material:CCA



CLAMP 8.5CM

ART.No.101
Width:5.6CM
Length:8.5CM



CLAMP 15.2CM

ART.No.106
Width:9.2CM
Length:15.2CM



CLAMP 15.5CM

ART.No. 109
Width:10CM
Length:15.5CM



CLAMP 20CM

ART.No. 113
Width:13CM
Length:20CM



CLAMP 10.5CM

ART.No. 102
Width:6.3CM
Length:10.5CM



CLAMP 15.2CM

ART.No. 106A
Width:9.2CM
Length:15.2CM



CLAMP 14.5CM

ART.No. 109A
Width:8.5CM
Length:14.5CM



CLAMP 15.5CM

ART.No. 306
Width:11CM
Length:15.5CM



CLAMP 10.5CM

ART.No. 103
Width:7.8CM
Length:10.5CM



CLAMP 15CM

ART.No. 107
Width:9.5CM
Length:15CM



CLAMP 15.5CM

ART.No. 110
Width:11CM
Length:15.5CM



CLAMP 16.2CM

ART.No. 306A
Width:11CM
Length:16.2CM



CLAMP 10.5CM

ART.No. 104
Width:7.8CM
Length:10.5CM



CLAMP 15.5CM

ART.No. 108
Width:10.5CM
Length:15.5CM



CLAMP 18CM

ART.No. 109
Width:11.2CM
Length:18CM



CLAMP 15.3CM

ART.No. 116
Width:10.7CM
Length:15.3CM



CLAMP 14CM

ART.No. 105
Width:8.5CM
Length:14CM



CLAMP 15.8CM

ART.No. 108A
Width:9.8CM
Length:15.8CM



CLAMP 16.3CM

ART.No. 112
Width:10.3CM
Length:16.3CM



CLAMP 16CM

ART.No. 117
Width:11.4CM
Length:16CM



CLAMP 15.8CM

ART.No. **118**
Width:12CM
Length:15.8CM



CLAMP 16CM

ART.No. **203**
Width:11.5CM
Length:16CM



CLAMP 19CM

ART.No. **308**
Width:13CM
Length:19CM



CLAMP 18.8CM

ART.No. **209**
Width:12.5CM
Length:18.8CM



CLAMP 15.3CM

ART.No. **119**
Width:9.8CM
Length:15.3CM



CLAMP 18CM

ART.No. **205**
Width:10CM
Length:18CM



CLAMP 18.5CM

ART.No. **309**
Width:12CM
Length:18.5CM



CLAMP 17.5CM

ART.No. **210**
Width:11CM
Length:17.5CM



CLAMP 14.9CM

ART.No. **115**
Width:10.3CM
Length:14.9CM



CLAMP 16.8CM

ART.No. **206**
Width:8CM
Length:16.8CM



CLAMP 17CM

ART.No. **207**
Width:9.8CM
Length:17CM



CLAMP 14.1CM

ART.No. **211**
Width:10.3CM
Length:14.1CM



CLAMP 14.5CM

ART.No. **201**
Width:11.2CM
Length:14.5CM



CLAMP 17.8CM

ART.No. **206A**
Width:8.5CM
Length:17.8CM



CLAMP 15.5CM

ART.No. **207A**
Width:9.8CM
Length: 5.5CM



CLAMP 14.5CM

ART.No. **212**
Width:9.7CM
Length:14.5CM



CLAMP 16CM

ART.No. **202**
Width:12.5CM
Length:16CM



CLAMP 17.8CM

ART.No. **204**
Width:9CM
Length:17.8CM



CLAMP 16CM

ART.No. **208**
Width:12.5CM
Length:16CM



CLAMP 16.1CM

ART.No. **213**
Width:9.9CM
Length:16.1CM



CLAMP 16.5CM

ART.No. **303C**
 Width:12.5CM
 Length:16CM

**CLAMP 16CM**

ART.No. **303**
 Width:12.5CM
 Length:16CM

**CLAMP 15.8CM**

ART.No. **215**
 Width:9.9CM
 Length:15.8CM

**CLAMP 17.1CM**

ART.No. **303A**
 Width:11.3CM
 Length:17.1CM

**CLAMP 17.7CM**

ART.No. **216**
 Width:10.8CM
 Length:17.7CM

**CLAMP 16CM**

ART.No. **303B**
 Width:12.5CM
 Length:16CM

**CLAMP 15CM**

ART.No. **217**
 Width:9CM
 Length:15CM

**CLAMP 15.5CM**

ART.No. **302**
 Width:11.8CM
 Length:15.5CM

**CLAMP 15.5CM**

ART.No. **301**
 Width:11.8CM
 Length:15.5CM

**CLAMP 16CM**

ART.No. **307**
 Width:11.8CM
 Length:15.8CM

**BATTERY TERMINAL**

ART.No. **BA032**
 2pcs/set
 Material: Iron
 Weight: 125g

**BATTERY TERMINAL**

ART.No. **BA033**
 2pcs/set
 Material:Copper
 Weight:160g

**BATTERY TERMINAL**

ART.No. **BA622**
 2pcs/set
 Material:Copper+Plastic
 Weight:160g/Set

**BATTERY TERMINAL**

ART.No. **BA610**
 2pcs/set
 Material: Iron
 Weight: 89g

**BATTERY TERMINAL**

ART.No. **BA608**
 2pcs/set
 Material:zinc alloy
 Weight:115g

**BATTERY TERMINAL**

ART.No. **BA011**
 2pcs/set
 Material:Magnesium aluminum alloy
 Weight:78g

**BATTERY TERMINAL**

ART.No. **BA2521**
 2pcs/set
 Material: Lead
 Weight: 104g

**BATTERY TERMINAL**

ART.No. **BA012-A**
 2pcs/set
 Material:Aluminum magnesium alloy
 Weight: 90g



TOW STRAP

ART.No. T262
Pull≤4000KG
Length:5M



TOW ROPE

ART.No. T2358
Pull≤3500KG
Length:4M



TOW STRAP

ART.No. T240
Pull≤3500KG
Length:3.5M



TOW STRAP

ART.No. T201B
Pull≤5000KG
Length:5M



TOW ROPE

ART.No. T235A
Pull≤3000KG
Length:4M



TOW STRAP

ART.No. T211
Pull:≤5000KG
Length:5M



TOW STRAP

ART.No. T241
Pull:≤5000KG
Length:5M



TOW ROPE

ART.No. T238
Pull≤4000KG
Width:60MM
Length:4M



TOW ROPE

ART.No. T249AT221
Pull≤5000KG
Width:70MM
Length:4M



TOW STRAP

ART.No. T203
Pull≤4500KG
Length:4M



TOW STRAP

ART.No. T240A
Pull:≤7500KG
Width: 75MM
Length:5M



TOW ROPE

ART.No. T221
Pull≤1500KG
Length:4M



TOW ROPE

ART.No. T249
Pull:≤5000KG
Width:70MM
Length:4M



TOW ROPE

ART.No. **T223**
Pull≤1500KG
Length:4M



STEEL TOW ROPE

ART.No. **T256A**
Pull:≤4000KG
Length:4M



TOW ROPE

ART.No. **T250**
Pull≤1000KG
Length:4M



TOW ROPE

ART.No. **T238**
Pull:≤4000KG
Length:4M



STEEL TOW ROPE

ART.No. **T258**
Pull:≤5000KG
Length:4M



STEEL TOW ROPE

ART.No. **T251**
Pull≤5000KG
Length:4M



TOW ROPE

ART.No. **T220C**
Pull≤2500KG
Length:4M



TOW ROPE

ART.No. **T220E**
Pull≤2500KG
Length:4M



STEEL TOW ROPE

ART.No. **T252A**
Pull≤3000KG 4M
Length:4M



TOW BAR

ART.No. **T292**
Max.:2000kg,1.8m
2T Tow bar is ideal for towing small to medium sized cars on the road. The quick snap on/snap off feature allows you to get moving quickly. can be plugged together (3 parts).



TOW ROPE

ART.No. **T220D**
Pull:≤2500KG
Length:4M



STEEL TOW ROPE

ART.No. **T257**
Pull:≤2000KG
Length:4M




TOW BAR

ART.No. **T293**
Equipped with Damper Spring.
Total length 2m.
Max Tracion:3000kg.
3pcs plug system



TOW BAR

ART.No. **T290**
Max.:2000kg,1.8m
Suitable for cars with towing eye. Model with Square head and shaft. can be plugged together (3 parts). galvanized surface.



RATCHET TIE DOWN

ART.No. **T340**
Material:PE
Size:1"x4.5m
2pcs/set
Pull:700kg



RATCHET TIE DOWN

ART.No. **T341**
Material:PE
Size:1"x3.5m
2pcs/set
Pull:500kg



RATCHET TIE DOWN

ART.No. **T346**
Material:PE
Size:1"x4.5m
4pcs/set
Pull:700kg



RATCHET TIE DOWN

ART.No. **T342**
Material:PE
Size:1"x3.5m
2pcs/set
Pull:500kg



RATCHET TIE DOWN

ART.No. **T343**
Material:PE
Size:1.5"x4.5m
Pull:2000kg



RATCHET TIE DOWN

ART.No. **T347**
Material:PE
Size:1"x3.5m
4pcs/set
Pull:500kg



RATCHET TIE DOWN

ART.No. **T348**
4pcs/set
Size:1"x4.5m
Pull:300kg



RATCHET TIE DOAWN

ART.No. **T344**
Material:PP
2pcs/set
Size:1"x4.5m
Pull:300kg



RATCHET TIE DOWN

ART.No. **T345**
Material:PE
Size:1.5"x6m
Pull:1500kg



RATCHET TIE DOWN

ART.No. **T356**
Material:PE
Size:2"x9m
Pull:5000kg



RATCHET TIE DOWN

ART.No. **T362**
Material:PE
Size:1"x4.5m
4pcs/set
Pull:700kg



RATCHET TIE DOWN

ART.No. **T362A**
Specification:1"×15',20'
Pull:≤1200LBS



RATCHET TIE DOWN

ART.No. **T362B**
Specification:2"×27'
Pull:≤10000LBS



RATCHET TIE DOWN

ART.No. **T308A**
Specification:2"×27'
Pull:3000LBS



RATCHET TIE DOWN

ART.No. **T308B**
Specification:1"×15',20'
Pull:1500LBS



RATCHET TIE DOWN

ART.No. **T304A**
Specification:2"×27'
Pull:≤10000LBS




RATCHET TIE DOWN

ART.No. **T304B**
Specification:1"×5M
Pull≤300LBS



LUGGAGE STRAP

ART.No. **T168B**
Size: 4mm x 25cm
8mm x 45cm
8mm x 60cm
8mm x 75cm
8mm x 90cm



LUGGAGE STRAP

ART.No. **T143**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T144**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T145**
Dia:8MM/10MM/12M
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T146**
Dia:8MM/10MM/12M
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T151**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T148**
Dia:8MM/10MM/12M
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T141**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T142**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



BATTERY CHARGER

ART.No. **6001**
Input: 230V,50HZ
Output: 6V/12V,1A

CE



LUGGAGE STRAP

ART.No. **T153**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T154**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



BATTERY CHARGER

ART.No. **6005**
Input voltage:AC110-220V
Output:DC12V/24V

CE



LUGGAGE STRAP

ART.No. **T155**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T156**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T157**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T158**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T149**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



LUGGAGE STRAP

ART.No. **T150**
Dia:8MM/10MM/12MM
Length:80CM/100CM/120CM



BATTERY CHARGER

ART.NO. **BC1223**

Battery charger power: 75W
Input voltage: AC110-220V (50-60hz)
Output voltage: DC13.8-15.5V
Output current: DC 6A (maximum)
Output clip line length: 60CM
Power line length: 80CM
Application: 12V 2ah-100ah lead-acid battery

CE RoHS



BATTERY CHARGER

ART.NO. **B6004**

12V for 4AH-120AH
6V for 4AH-30AH
Microprocessor control (CPU)
Cooling: natural cooling
Input voltage: 180-260VAC, 50-60HZ
Rated output: 12V DC 0.8A and 4A, 6V DC 0.8A
Minimum starting voltage: 2.0V
Thermal protection: 65 C +/-5°C
Efficiency: App 85%.

CE RoHS FC



INVERTER

ART.No. **IV15A**

Continuous Power: 500W
Surge Power: 1000W
USB: 2.1A+2.1A
Input voltage:DC12V(11-14%)2x30A MAXOverload
Protection:>300V
Output voltage:AC110V/220V +10vOverheat
Output Frequency:50HZ/60HZ+1HZ



BATTERY CHARGER

ART.NO. **BC1279**

Input voltage: AC110-220V (50-60hz)
Output voltage: DC7.1-7.6V/13.8V-15.5V
Output current: DC 2A (Max)
Application: 6V/12V 2ah-20ah lead-acid

CE RoHS FC



BATTERY CHARGER

ART.NO. **BC1235**

Input voltage: AC110-220V (50-60hz)
Output voltage: DC13.8-14.7V
Output current: DC 6A (max)
Application: 12v2ah-100ah lead-acid battery



INVERTER

ART.No. **IV09**

Output power: 200W
Output voltage:110V/100V-125V AC
Output Overload Protection Power: 280W Max
Frequency: Typical value: 60+1Hz
USB-A, USB-C Port Output:
5V/3.1A9V/1.67A,
Working Voltage: 12V-14V DC
No Load Current: <0.4A



INVERTER

ART.No. **IV06**

Rated power:150W
Peak power:300W
Input voltage:DC12V 25A
Output voltage:AC220V/110V±10%
Output frequency:50HZ/60HZ±2HZ
USB output:5V 4200mA (2.1Ax2USB)



BATTERY CHARGER

ART.No. **BC1221**

Input voltage: 100-240V AC, 50-60Hz
Output: 12V/8A and 24V/4A

CE



BATTERY CHARGER

ART.NO. **BC1230**

Input voltage: AC110-220V (50-60hz)
Output voltage: DC7.1-7.6V/13.8V-15.5V
Output current: 6V-3A (Max) 12V-6A (Max)
Application: 6V 2-50ah lead-acid battery
12V4ah-100ah lead-acid battery

CE RoHS FC



INVERTER

ART.No. **IV13**

Rated power:300W
Peak power:600W
Input voltage:DC12V 40A
Output voltage:AC220V±10%
Output frequency:50HZ/60HZ±2HZ
USB output:5V 4800mA (2.4Ax2USB)



INVERTER

ART.No. **IV01**

Continuous Power: 150W
Surge Power: 300W
USB: 2.1A+1A
Input voltage:DC12V(11-14V)1x25A
MAXOverload protection:>150W
Output voltage:AC110w/220V +10V
Output frequency:50HZ/60HZ+1HZ



BATTERY CHARGER

ART.No. **BC1220**

Input voltage: 100-240V AC, 50-60Hz
Output: DC12V/5A

CE



BATTERY CHARGER

ART.NO. **BC1283**

Input voltage: 110-220V
Efficiency: 85%
Power: 250W
Charging voltage: 13.8-15.5V /21V-31V
Charging current: 12V/20A/24V/10A
Battery type: 12V&24V Wet, Gel, MF,CA,EFB,AGM,Lithium battery
Cooling method: Fan
Protection: Low voltage、Over Voltage、Reverse、short-circuit





NEW

JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2240A**
 4 IN 1 Jump starter with air compressor
 Capacity: **7200mAh**
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output: 5V/2.4A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 400A
 Peak current: 800A
 Material: Plastic & ABS+pc
 LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS
 Dimension (L*W*H):200*108*50mm
 4.0L Gas & 2.5L Diesel

RoHS CE



NEW

JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2240B**
 4 IN 1 Jump starter with air compressor
 Capacity: **10000mAh**
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output: 5V/2.4A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 500A
 Peak current: 1000A
 Material: Plastic & ABS+pc
 LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS
 Dimension (L*W*H):200*108*50mm
 6.0L Gas & 4.0L Diesel

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2285A**
 4 IN 1 Jump starter with air compressor
 Capacity: **7200mAh**
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output: 5V/2.4A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 400A
 Peak current: 800A
 Material: Plastic & ABS+pc
 LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS
 Dimension (L*W*H):200*108*50mm
 4.0L Gas & 2.5L Diesel

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2285A**
 4 IN 1 Jump starter with air compressor
 Capacity: **10000mAh**
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output: 5V/2.4A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 500A
 Peak current: 1000A
 Material: Plastic & ABS+pc
 LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS
 Dimension (L*W*H):200*108*50mm
 6.0L Gas & 4.0L Diesel

RoHS CE



HOT!

JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2132B**
 4 IN 1 Jump starter with air compressor
 Capacity: **10000mAh**
 Type C Input: 5V/3A,9V/2A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 500A
 Peak current: 1000A
 Material: Plastic & ABS+pc
 LED Flashlight: Solid/SOS/Strobe
 Dimension (L*W*H):184*127*55mm
 Great for Engine: 6.0L Gas & 4.0L Diesel

RoHS CE



HOT!

JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2132**
 4 IN 1 Jump starter with air compressor
 Capacity: **7200mAh**
 Type C Input: 5V/3A,9V/2A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 400A
 Peak current: 800A
 Material: Plastic & ABS+pc
 LED Flashlight: Solid/SOS/Strobe
 Dimension (L*W*H):184*127*55mm
 Great for Engine: 4.0L Gas & 2.5L Diesel

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2187**
 Ultra 4 IN 1 Jump starter with air compressor
 Capacity: **16000mAh**
 Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 Maximum Inflating Pressure: 160 PSI
 Starter current: 1000A
 Peak current: 2000A
 Material: Plastic & ABS+pc
 LED Flashlight: Solid/SOS/Strobe
 Dimension (L*W*H):233*124*55mm
 Great for Engine: 8.0L Gas & 6.0L Diesel

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2186**
 4 IN 1 Jump starter with air compressor
 Capacity: **12000mAh**
 Type C Input: 5V/2A,9V/2A, 12V/1.5A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Maximum Inflating Pressure: 150 PSI
 Starter current: 750A
 Peak current: 1500A
 Material: Plastic & ABS+pc
 LED Flashlight: White Solid/White Strobe
 Red Strobe/White SOS
 Dimension (L*W*H): 209*112*50mm
 Great for Engine: 7.0L Gas & 5.0L Diesel

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2022**
 *Capacity:3.7V/10000mAh(37Wh)
 *Type-C Input:QC18W
 *USB Output1:5V/2.1A
 *USB Output2:QC18W
 *starting current :500A
 *peak current:1000A
 *LED lighting: Panel light/SOS/Strobe/Warning 100LM
 *Applicable to automobile battery voltage :12V
 *Less than 5.0L gasoline/3.5L diesel
 *The atmospheric pressure:150Psi
 *cylinder block specifications:19 cylinder (About 20L/MIN gas flow)
 Jump starter/EC5 jumper cable/Storage bag/User manual/Charging cable /Gas Needle/Gas Nozzle/Air tube

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2023**
 OEM Jump Starter
 *Capacity:3.7V/12000mAh(44.4Wh)
 *Type-C Input:QC18W
 *USB Output1:5V/2.1A
 *USB Output2:QC18W
 *starting current :750A
 *peak current:1500A
 *LED lighting: Panel light/SOS/Strobe/Warning 100LM
 *Applicable to automobile battery voltage :12V
 *Less than 6.0L gasoline/4.5L diesel
 *The atmospheric pressure:150PSI
 *cylinder block specifications:25mm cylinder (≥25L/MIN gas flow)
 *Product size:217.7*120*76.9mm
 *Weight/box:KGS

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2041**
 Capacity: **8000mAh** 29.60Wh
 Starting current: 400A
 Peak current 1000A
 USB-A 1 output: 5V-3A,9V-2A, 12V-1.5A(QC3.0)
 USB-A 2 output: 5V-2A
 USB-C input/output: 5V-2A, 9V-2A LED with 3 lighting modes
 Cylinder diameter: 22 cylinders

RoHS CE



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2046**
 OEM Jump Starter
 *Capacity:40000mAh/148Wh
 *Input:18V/1A
 *Output:5V/2.1A
 *starting current :2000A
 *peak current:4000A
 *LED lighting: Light/SOS/Warning
 *Applicable to automobile battery voltage :24V
 *1L-8L -All Gasoline and diesel
 *Dimension:260.41*120*132.78mm

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**
Capacity: **6000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.35-10.3Bar/5-150PSI
USB output:5V/2A
Starter current:400A
Peak current:800A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**
Capacity: **6000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.55-10.3Bar/8-150PSI
USB output:5V/3A;9V/2A;12V/1.5A
Starter current:400A
Peak current:800A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**
Capacity: **8000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.35-10.3Bar/5-150PSI
USB output:5V/2A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**
Capacity: **8000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.55-10.3Bar/8-150PSI
USB output:5V/3A;9V/2A;12V/1.5A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**
Capacity: **10000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.35-10.3Bar/5-150PSI
USB output:5V/2A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**
Capacity: **10000mAh**
Working voltage:14.8V
Cylinder:19MM
Pressure range:0.55-10.3Bar/8-150PSI
USB output:5V/3A;9V/2A;12V/1.5A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**
Capacity: **6000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.2-10.3Bar/3-150PSI
USB output:5V/2.4A;9V/2A;12V/1.5A
Starter current:400A
Peak current:800A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**
Capacity: **8000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.35-10.5Bar/5-150PSI
USB output:5V/2.4A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**
Capacity: **8000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.2-10.3Bar/3-150PSI
USB output:5V/2.4A;9V/2A;12V/1.5A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**
Capacity: **10000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.35-10.5Bar/5-150PSI
USB output:5V/2.4A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**
Capacity: **10000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.2-10.3Bar/3-150PSI
USB output:5V/2.4A;9V/2A;12V/1.5A
Starter current:500A
Peak current:1000A

RoHS CE

HOT!



JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**
Capacity: **12000mAh**
Working voltage:14.8V
Cylinder:22MM
Pressure range:0.35-10.5Bar/5-150PSI
USB output:5V/2.4A
Starter current:750A
Peak current:1500A

RoHS CE



JUMP STARTER

ART.No. **EP2138A**
 Capacity: **7200mAh**
 Type C Input: 5V/1.5A
 Output: 5V/2.1A
 Starter current: 400A
 Peak current: 800A
 Material: PC+ABS/V0
 Dimension (L*W*H):158*84.5*33mm
 Function: Auto 12V emergency starter
 Powerful USB power bank, Built-in LED Flashlight
 Great for Engine: 4.0L Gas & 2.5L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2138B**
 Capacity: **10000mAh**
 Type C Input: 5V/1.5A
 Output: 5V/2.1A
 Starter current: 500A
 Peak current: 1000A
 Material: PC+ABS/V0
 Dimension (L*W*H):158*84.5*33mm
 Function: Auto 12V emergency starter,
 Powerful USB power bank, Built-in LED Flashlight
 Great for Engine: 6.0L Gas & 4.0L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2278A**
 Capacity: **12000mAh**
 Specifications:
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 Start Current: 750A
 Peak Current: 1500A
 Material: PC+ABS
 LED Flashlight: White Solid/White Strobe/
 White SOS
 Working temperature: -20°C-60°C
 7.0L Gas & 5.0L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2278B**
 Capacity: **16000mAh**
 Specifications:
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 Start Current: 1000A
 Peak Current: 2000A
 Material: PC+ABS
 LED Flashlight: White Solid/White Strobe/
 White SOS
 Working temperature: -20°C-60°C
 8.0L Gas & 6.0L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2185**
 Jump Starter with LCD display
 Capacity: **10000mAh**
 Specifications: 3 USB ports + 1 DC port
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Start Current: 500A
 Peak Current: 1000A
 Material: PC+ABS
 LED Flashlight: White Solid/White Strobe/Orange Strobe/
 White SOS
 Working temperature: -20°C-60°C
 Great for Engine: 6.0L Gas & 4.0L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2185**
 Jump Starter with LCD display
 Capacity: **12000mAh**
 Specifications: 3 USB ports + 1 DC port
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Start Current: 750A
 Peak Current: 1500A
 Material: PC+ABS
 LED Flashlight: White Solid/White Strobe/Orange Strobe/
 White SOS
 Working temperature: -20°C-60°C
 Great for Engine: 7.0L Gas & 5.0L Diesel

RoHS CE



JUMP STARTER

ART.No. **EP2133B**
 LCD Screen/Big Capacity/PD65W
 Capacity: **16000mAh**
 Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Starter current: 1000A
 Peak current: 2000A
 Material: Plastic & ABS+pc
 Dimension (L*W*H):243*113*66mm
 Function: Auto 12V emergency starter
 Powerful USB power bank, Built-in LED Flashlight
 8.0L Gas & 6.0L Diesel

RoHS CE

NEW



JUMP STARTER

ART.No. **EP2195**
 *Capacity:3.7V/8000mAh(29.6Wh)
 *Type-C Input:QC18W
 *USB Output1:5V/2.1A
 *USB Output2:QC18W
 *starting current :400A
 *peak current:800A
 *LED lighting: Light/SOS/Strobe 100LM
 *Applicable to automobile battery voltage :12V
 *Less than 4.0L gasoline/2.5L diesel
 *Dimension:186.9*86.6*39.1mm

RoHS CE



JUMP STARTER

ART.No. **EP2133B**
 LCD Screen/Big Capacity/PD65W
 Capacity: **20000mAh**
 Type C Input/Output:
 PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
 JSB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 JSB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Starter current: 1500A
 Peak current: 3000A
 Material: Plastic & ABS+pc
 Dimension (L*W*H):243*113*66mm
 Function: Auto 12V emergency starter, Powerful ISB power bank, Built-in LED Flashlight
 10.0L Gas & 8.0L Diesel

RoHS CE

NEW



JUMP STARTER

ART.No. **EP2195**
 *Capacity:3.7V/16000mAh(59.2Wh)
 *Type-C Input:QC18W
 *USB Output1:5V/2.1A
 *USB Output2:QC18W
 *starting current :1000A
 *peak current:2000A
 *LED lighting: Light/SOS/Strobe 100LM
 *Applicable to automobile battery voltage :12V
 *Less than 7.0L gasoline/6.5L diesel
 *Dimension:208*86*43.6mm

RoHS CE



JUMP STARTER

ART.No. **EP2133**
 LCD Screen/Big Capacity/PD65W
 Capacity: **20000mAh**
 Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20 V/3.25A
 USB Output 1: 5V/3A, 9V/2A, 12V/1.5A
 USB Output 2: 5V/3A, 9V/2A, 12V/1.5A
 DC Output: 15V/10A
 Starter current: 1500A
 Peak current: 3000A
 Material: Plastic & ABS+pc
 Dimension (L*W*H):239.5*100*57.5mm
 Function: Auto 12V emergency starter
 Powerful USB power bank, Built-in LED Flashlight
 Great for Engine: 10.0L Gas & 8.0L Diesel

RoHS CE

NEW



JUMP STARTER

ART.No. **EP2195**
 *Capacity:3.7V/24000mAh(88.8Wh)
 *Type-C Input:QC18W
 *USB Output1:5V/2.1A
 *USB Output2:QC18W
 *starting current :2000A
 *peak current:4000A
 *LED lighting: Light/SOS/Strobe 100LM
 *Applicable to automobile battery voltage :12V
 *Less than 10.0L gasoline/10.0L diesel
 *Dimension:257*90*44mm

RoHS CE



JUMP STARTER

ART.No. **EP2288**
Capacity: **6000mAh**
Working voltage: 14.8V
Starter current: 400A
Peak current: 800A
USB output: 5V/2A, 9V/2A, 12V/1.5A
Size: 168×91×48MM

RoHS CE



JUMP STARTER

ART.No. **EP2287**
Capacity: **6000mAh**
Working voltage: 14.8V
Starter current: 400A
Peak current: 800A
USB output: 5V/2A, 9V/2A, 12V/1.5A
Size: 168×91×48MM

RoHS CE



JUMP STARTER

ART.No. **EP2012**
Capacity: 7800mAh
Start Current: 300A
Peak Current: 600A



JUMP STARTER

ART.No. **EP2015**
Capacity: **5400 mAh**
Input: 5V/ 2A
usb output: 5V/2A; DC: 12 v
Charging time: 3-4Hrs
Start current: 400A
Peak battery: 800A
Size: 139*79*16 mm
Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



JUMP STARTER

ART.No. **EP2286**
Capacity: **10000mAh**
TYPE-C Charging input: 5V/2A/9V2A
USB output: 5V/2.1A
Starting current: 500A
Peak current: 1000A
LED lighting: Steady on - Flash -SOS
Housing material: ABS+PC

RoHS CE



JUMP STARTER

ART.No. **EP2043**
Capacity: **7200mAh** 29.60Wh
Starting current: 300A
Peak current: 800A
USB-A output: 5V-3A, 9V-2A, 12V-1.5A(QC3.0)
USB-C input: 5V-2A, 9V-2A
Three LED lighting modes

RoHS CE



JUMP STARTER

ART.No. **E2125**
 Capacity: 8000mAh
 Starting current: 500A
 Peak battery: 1000A



JUMP STARTER

ART.No. **EP2042**
 Capacity: 12000mAh 44.40Wh
 Starting current: 600A
 Peak current 2000A
 USB-A output: 5V-3A, 9V-2A, 12V-1.5A(QC3.0)
 USB-C input: 5V-2A, 9V-2A
 Three LED lighting modes



JUMP STARTER

ART.No. **EP2007**
 Capacity: 12000mAh (500pcs can change color)
 Output: 5V/2A
 Input: 5V/2A*2; 12V, 16V, 9V/3A
 Full charging time: 4 hours
 Start Current: 1000A
 Peak Current: 2000A Size: 175 * 90 * 35 mm
 Using temperature: -20°C -60°C / -40°F -120°F
 Cycling Use life: >1000Times
 LED light (lighting, flash, SOS)

RoHS CE



JUMP STARTER

ART.No. **EP2288**
 Capacity: 16000 mah
 Starting current: 1000A
 Peak battery: 2000A

RoHS CE



JUMP STARTER

ART.No. **EP2196**
 Capacity: 20000mAh (12V jump start)
 Non-load current: 2.5A
 Rated Power: 88.8W
 Start Current: 2000A
 Peak Current: 4000A
 Output: 9V/2A (5-6hrs full recharged)
 Input: 9V/2A
 Starter Size: 238*48*103mm
 Operation Temp: -10°C ~ 60°C
 Life Time: >1000 times
 Function: LED Light, Spark Proof, Digital screen, Inflator, Flashlight
 Use: Passenger Car, Motorcycle, Inflator, Flashlight
 Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



JUMP STARTER

ART.No. **EP2197**
 Capacity: 20000mAh (12V jump start)
 Non-load current: 2.5A
 Rated Power: 88.8W
 Start Current: 2000A
 Peak Current: 4000A
 Output: 9V/2A (5-6hrs full recharged)
 Input: 9V/2A
 Starter Size: 238*48*103mm
 Operation Temp: -10°C ~ 60°C
 Life Time: >1000 times
 Function: LED Light, Spark Proof, Digital screen, Inflator, Flashlight
 Use: Passenger Car, Motorcycle, Inflator, Flashlight
 Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



HOT!

JUMP STARTER

ART.No. EP2025

*Capacity:3.7V/10000mAh(37Wh)

*Type-C Input:QC18W

*USB Output1:5V/2.1A

*USB Output2:QC18W

*starting current :500A

*peak current:1000A

*LED lighting: Light/SOS/Strobe

*Applicable to automobile battery voltage :12V

*Less than 5.0L gasoline/3.5L diesel

What's in the box:

Jump starter/EC5 jumper cable/Storage bag/User manual/Charging cable

RoHS CE



JUMP STARTER

ART.No. EP2085B

Capacity: Wireless 8000mAh with LED screen

Input: 9 v / 2 a

USB1: 5V/2A USB2 :9V/2A

Charging time: 5 Hrs

Starting current: 1000A

Peak battery: 2000A

Size: 195*93*40mm

Wireless charging power: 15WH

Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



HOT!

JUMP STARTER

ART.No. EP2026

*Capacity:3.7V/16000mAh(59.2Wh)

*Type-C Input: QC18W

*USB Output1:5V/2.1A

*USB Output2:QC18W

*DC5.5 Output:12V/6A

*starting current :1000A

*peak current:2000A

*LED lighting: Light/SOS/Strobe 80LM

*Applicable to automobile battery voltage :12V

*Less than 7.0L gasoline/6.5L diesel

What's in the box:

Jump starter/EC5 jumper cable/Storage bag/User manual/

Charging cable/Cigarette lighter adapter

RoHS CE



JUMP STARTER

ART.No. EP2007

Capacity: 8000mAh

Starting current: 800A

Peak battery: 1500A



AIR COMPRESSOR

ART.NO. T1346
 Material: Fireproof ABS+PC
 Power: 78W
 Voltage: 5V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1282
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 8000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1456
 Material: ABS+PC
 Cylinder diameter: 13mm
 Battery capacity: 1100mAh
 Charging voltage: DC 5V/1A
 Power: 37W
 Current: 5A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1479
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 5V
 Metal cylinder: 17MM
 Max Pressure: 150PSI
 Air Flow: 17L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1216
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 8000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1224
 Material: ABS
 Power: 100W
 Voltage: 11.1V
 Metal cylinder: 22MM
 Max Pressure: 150PSI
 Air Flow: 22L/min
 Capacity: 6000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1222
 Material: ABS
 Power: 40W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 20L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1286
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 8000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1478
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 8000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1223
 Material: ABS
 Power: 40W
 Voltage: 7.4V
 Metal cylinder: 17MM
 Max Pressure: 150PSI
 Air Flow: 18L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1163
 Material: ABS
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 25L/min
 Capacity: 5000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1287
 Material: Fireproof ABS+PC
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 19L/min
 Capacity: 8000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1289
 Material: ABS+PC
 Cylinder diameter: 22mm
 Battery capacity: 12000mAh
 Charging voltage: DC 5V/2A
 Power: 120W
 Current: 10A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1167
 Material: ABS
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 25L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1168
 Material: ABS
 Power: 74W
 Voltage: 7.4V
 Metal cylinder: 19MM
 Max Pressure: 150PSI
 Air Flow: 25L/min
 Capacity: 4000mAh lithium battery

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1219
Material:ABS
Power: 120W
Voltage: DC9V-16V
Metal cylinder:25MM
Tank pressure: 9bar
Air Flow:35L/min
Tire replacement fluid capacity: 450ml

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1397A
Material:PP
Power: 60W
Voltage: DC12V
Metal cylinder:19MM
Max pressure: 120PSI
Air Flow:18L/min
Tire replacement fluid capacity: 450ml

RoHS CE



AIR COMPRESSOR

ART.NO. T1211
Material: ABS
Cylinder diameter: 22mm
Product power: 120W
Power supply voltage: 12V/100-230V
Cigarette lighter 12V wire length: 2.8M
Household wire length: 1.6M
Inflatable tube length: 0.7m
Product functions: inflation/lighting/pressure measurement/preset tire pressure/high flow air blowing/suction

RoHS CE



AIR COMPRESSOR

ART.NO. T1420
Material: ABS
Cylinder diameter: 19mm
Product power: 120W
Battery capacity: 2000mah*4
Charging voltage: 5V
Charging cable length: 30CM
Inflation tube length: 60CM
Maximum air pressure: 150PSI
Product functions: starting power supply/inflation/blower/exhaust/pressure measurement/lighting/strobe/SOS/power bank

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1220
Material:ABS
Power: 120W
Voltage: DC9V-16V
Metal cylinder:19MM
Tank pressure: 9bar
Air Flow:18L/min
Tire replacement fluid capacity: 450ml

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1221
Material:ABS
Power: 120W
Voltage: DC9V-16V
Metal cylinder:23MM
Tank pressure: 9bar
Air Flow:25L/min
Tire replacement fluid capacity: 450ml

RoHS CE



AIR COMPRESSOR

ART.NO. T1216
Material: ABS
Cylinder diameter: 22mm
Product power: 120W
Power supply voltage: 12V/100-230V
Cigarette lighter 12V wire length: 2.8M
Household wire length: 1.6M
Inflatable tube length: 0.6m
Product functions: inflation/lighting/pressure measurement/preset tire pressure

RoHS CE



AIR COMPRESSOR

ART.NO. T1225
Material:ABS
Power: 120W
Voltage: AC110-230V/DC12V
Metal cylinder:22MM
Max Pressure:150PSI
Air Flow:22L/min

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1396
Material:PP
Power: 90W
Voltage: DC12V
Metal cylinder:21MM
Max pressure: 120PSI
Air Flow:18L/min
Tire replacement fluid capacity: 450ml

RoHS CE



AIR COMPRESSOR KIT

ART.NO. T1327
Material:PP
Power: 90W
Voltage: DC12V
Metal cylinder:31MM
Max pressure: 120PSI
Air Flow:18L/min
Tire replacement fluid capacity: 450ml

RoHS CE



DC12V AIR COMPRESSOR

ART.NO. T1160
Material:ABS
Power: 120W
Voltage: 12V DC
Metal cylinder:22MM
Max Pressure:150PSI
Air Flow:22L/min

RoHS CE



AC&DC AIR COMPRESSOR

ART.NO. T1162
Material:ABS
Power: 120W
Voltage: 12V DC/230V AC
Metal cylinder:22MM
Max Pressure:150PSI
Air Flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1457
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 4000mAh
Charging voltage: DC 5V/2A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1429
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 4000mAh
Charging voltage: DC 5V/2A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1458
Material: ABS
Cylinder diameter: 19mm
Battery capacity: 3600mAh
Charging voltage: DC 5V/1A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1460
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 3600mAh
Charging voltage: DC 5V/1A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1431
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 4000mAh
Charging voltage: DC 5V/2A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1421
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 4000mAh
Charging voltage: DC 5V/2A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1217-3000mAh/4000mAh
Material:ABS
Voltage: 7.4V
Metal cylinder:17MM
Max Pressure:150PSI
Air Flow:19L/min
Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1423
Material: ABS
Cylinder diameter: 17mm
Battery capacity: 4000mAh
Charging voltage: DC 5V/2A
Power:80W
Current:7A
Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1427
 Material: ABS
 Cylinder diameter: 17mm
 Battery capacity: 4000mAh
 Charging voltage: DC 5V/2A
 Power:80W
 Current:7A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1426-3000mAh/4000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1154-1500mAh/2000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1154A-1500mAh/2000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1120-B
 Material:ABS
 Power:80w
 Voltage:12V
 Cylinder diameter:19MM
 Maximum pressure:150PSI
 Air flow:22L/min
 Battery capacity:2000mAh*2

RoHS CE



AIR COMPRESSOR

ART.NO. T1158
 Material:ABS
 Power:80w
 Voltage:12V
 Cylinder diameter:17MM
 Maximum pressure:150PSI
 Air flow:22L/min
 Battery capacity:2000mAh*3

RoHS CE



AIR COMPRESSOR

ART.NO. T1218-1500mAh/2000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1459
 Material: ABS
 Cylinder diameter: 19mm
 Battery capacity: 4500mAh
 Voltage:11.1V/DC12V
 Power:80W
 Current:7A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1428
 Material: ABS
 Cylinder diameter: 17mm
 Battery capacity: 4000mAh
 Charging voltage: DC 5V/2A
 Power:80W
 Current:7A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1430
 Material: ABS
 Cylinder diameter: 17mm
 Battery capacity: 4000mAh
 Charging voltage: DC 5V/2A
 Power:80W
 Current:7A
 Maximum pressure: 150PSI

RoHS CE



AIR COMPRESSOR

ART.NO. T1226-4500mAh/6000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1165C-1500mAh/2000/6000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1072
 Material:ABS
 Power:80w
 Voltage:12V
 Cylinder diameter:22MM
 Maximum pressure:140PSI
 Air flow:35L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1431-3000mAh/4000mAh
 Material:ABS
 Voltage: 7.4V
 Metal cylinder:17MM
 Max Pressure:150PSI
 Air Flow:19L/min
 Capacity:3000mAh/4000mAh lithium battery

RoHS CE



AIR COMPRESSOR

ART.NO. T1075
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1053
Material:ABS
Power:100w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T908
Material:ABS
Power:100w
Voltage:12V/230V
Cylinder diameter:19MM
Maximum pressure:250PSI
Air flow:19L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T958
Material:ABS
Power:80w
Voltage:12V
Cylinder diameter:16MM
Maximum pressure:300PSI
Air flow:16L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1080
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1080
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1070
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:19MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1071
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T908
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:30MM dual-cylinder
Maximum pressure:150PSI
Air flow:60L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1032
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:30MM dual-cylinder
Maximum pressure:150PSI
Air flow:60L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1072
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1042
Material:ABS
Power:80w
Voltage:12V
Cylinder diameter:19MM
Maximum pressure:150PSI
Air flow:19L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T913
Material:ABS
Power:80w
Voltage:12V
Cylinder diameter:19MM
Maximum pressure:300PSI
Air flow:19L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T976
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:30MM
Maximum pressure:150PSI
Air flow:30L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1059
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:22MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



AIR COMPRESSOR

ART.NO. T1074
Material:ABS
Power:120w
Voltage:12V
Cylinder diameter:19MM
Maximum pressure:150PSI
Air flow:22L/min

RoHS CE



VACUUM CLEANER

ART.No. **C520**
Voltage: DC 12V
Power: 100W
Suction: 5500 Pa
Wire length: 4.5 M
Dust collection bin capacity: 500 ml



VACUUM CLEANER

ART.No. **C521**
Voltage: DC 12V
Power: 100W
Suction: 5500 Pa
Dust collection bin capacity: 500 ml
Wire length: 4.5 meters



VACUUM CLEANER

ART.No. **C533**
Working voltage: DC12V
Working current: 8A
Power: 106W
Wire length: 5M
Vacuum degree: $\geq 4300\text{pa}$



VACUUM CLEANER

ART.No. **C447**
Material: ABS+copper
Working voltage: DC12V
Working current: 8A
Power: 106W
Vacuum degree: $\geq 4300\text{pa}$

CE RoHS



VACUUM CLEANER

ART.No. **C522**
Voltage: DC 12V
Power: 100W
Suction: 5500 Pa
Wire length: 4.5 meters
Dust collection bin capacity: 500 ml



VACUUM CLEANER

ART.No. **C523**
Voltage: DC 12V
Power: 90W
Suction: 5000 Pa
Wire length: 4.5 meters
Dust collection bin capacity: 500 ml



VACUUM CLEANER

ART.No. **C428**
DC12V
Power: 60W
Vacuum suction: 2200pa
Wire length: 3M



VACUUM CLEANER

ART.No. **C509**
Voltage: 12V
Power: 120W
Suction force: 4500 Pa

CE RoHS



VACUUM CLEANER

ART.No. **C524**
Voltage: 7.4V
Power: 60W
Suction: 4000 Pa
Charging time: 4 hours
Dust collection bin capacity: 500 ml



VACUUM CLEANER

ART.No. **C525**
Voltage: DC 12V
Power: 70W
Suction: 4000 Pa
Wire length: 4.5M
Dust collection bin capacity: 500 ml



VACUUM CLEANER

ART.No. **C536**
Working voltage: DC11.1V
Working current: 8A
Power: 100W
Wire length: 1.5M

CE RoHS



VACUUM CLEANER

ART.No. **C532**
Working voltage: DC12V
Working current: 6A
Power: 72W
Vacuum degree: $\geq 2800\text{pa}$
Wire length: 3M

CE RoHS



USB CAR CHARGER

ART.No. **C531**
Working voltage: DC11.1V
Working current: 8A
Power: 100W
Vacuum degree: about 5300pa
Wire length: 1.5M

CE RoHS



VACUUM CLEANER

ART.No. **C616B**
Digital brushless motor
Suction force: first gear 8000-9000PA,
gear 13500-14000PA
Power: 100W
Input voltage: 5V-2A
Battery capacity: 11.1V 2000mAh * 3

Color: beige
Dust capacity: 160mL
TYPE-C charging
With EMC RoHS FCC

CE RoHS



VACUUM CLEANER

ART.No. **C471**
Suction force: 4000Pa
Battery capacity: 2 * 1800mAh
Wire length: 1M



VACUUM CLEANER

ART.No. **T922A**
Working voltage: DC 11.1V
Working current: 10A
Power: 120W
Wire length: 1M
Charging method: Type-C
CE RoHS



VACUUM CLEANER

ART.No. **T1106**
Voltage: DC 12V
Power: 100W
Suction: 5500 Pa
Wire length: 4.5M



VACUUM CLEANER

ART.No. **C488**
Voltage: DC 12V
Power: 120W
Suction: 4500Pa
Wire length: 5M



VACUUM CLEANER

ART.No. **C998**
Rated voltage: 7.4V
Charging time: 4-6 hours
Rated power: 120W
Suction: 5000pa
Battery capacity: 2pcs * 2000mAh
CE RoHS



VACUUM CLEANER

ART.No. **C999**
Voltage: DC12V
Power: 120W
Suction force: 4500 Pa
Wire length: 3.5M
CE RoHS



VACUUM CLEANER

ART.No. **C811**
Suction force: 10000PA, second gear 14000-14300PA
Power: 100W
Input voltage: 5V-2A
Battery capacity: 2000mAh * 3 5C
CE RoHS FC



CAR SOCKET SPLITTER

ART.No. **E1677**
Material:ABS
Input: 12V
Power:120W
With CE(EMC)

CE



CAR SOCKET SPLITTER

ART.No. **E1008**
Material: ABS
Input: 12V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1562**
Material: ABS, PC
Input: 12-24V
Power: 80W
With CE(EMC)

CE



CAR SOCKET SPLITTER

ART.No. **E1573**
Material:ABS
Input: 12V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1009**
Material: ABS
Input/output: DC12V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1741**
Material: ABS- PC
Voltage: 12V/24V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1745**
Material:ABS
Input: 12-24V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1746**
Material:ABS
Input: 12V
Power: 120W



CAR SOCKET SPLITTER

ART.No. **E1170**
 Material: ABS
 Input voltage: 12/24V
 Total output power: 36W

**CAR SOCKET SPLITTER**

ART.No. **E1171**
 Material: ABS
 Input : 12/24V
 Total output power: 36W

**CAR SOCKET SPLITTER**

ART.No. **E1573**
 Material: ABS
 Input: 12-24V
 Power: 120W

**CAR SOCKET SPLITTER**

ART.No. **E1574**
 Material: ABS
 Input : 12V
 Total output power: 38W

**CAR SOCKET SPLITTER**

ART.No. **E1013**
 Material: ABS
 Input: 12-24V
 Power: 100W

**CAR SOCKET SPLITTER**

ART.No. **E1354**
 Material: ABS
 Input: 12-24V
 Power: 120W

**CIGARETTE LIGHTER**

ART.No. **E1504**
 Material:Plastic+iron+ceramic
 Voltage:12V
 Current:7-8A
 Power:100W

**CIGARETTE LIGHTER**

ART.No. **E1601**
 Material:Plastic+iron+ceramic
 Voltage:12V
 Current:7-8A
 Power:101W

**CIGARETTE LIGHTER**

ART.No. **E1503**
 Material:plastic+iron+ceramic
 Voltage:12V
 Current:7-8A
 Power:102W

**CIGARETTE LIGHTER**

ART.No. **E1501**
 Material:plastic+iron+ceramic
 Voltage:12V
 Current:7-8A
 Power:104W

**USB CAR CHARGER**

ART.No. **E1163**
 1pc USB
 Input:12/24V
 Output:4.8-5.3V/1A

**USB CAR CHARGER**

ART.No. **E1162**
 2pc USB
 Input:12/24V
 Output:4.8-5.3V/2.1A

**USB CAR CHARGER**

ART.No. **E1144**
 Input voltage:DC12V/24V
 USB output voltage/current:DC4.8V-5.3
 2100mA

**USB CAR CHARGER**

ART.No. **E1130**
 Input voltage:DC 12V/24V
 USB output voltage/current:DC4.8V-5.3
 2100mA

**USB CAR CHARGER**

ART.No. **E1140**
 Output:5V 3.1A
 Input:DC 12-24V
 Port:2 USB

CE

**USB CAR CHARGER**

ART.No. **E1127**
 Input voltage:DC 12V/24V
 USB output voltage/current:DC4.8V-5.3
 2100mA

**USB CAR CHARGER**

ART.No. **E2294**
 PD+QC3.0
 Input:12-24V
 Power:36W
 1 USB and 1 Type-C

CE

**USB CAR CHARGER**

ART.No. **E2296**
 Bluetooth+QC3.0
 Input:12-24V
 Power:36W
 Output USB1:5V/1A

CE RoHS FC

**USB CAR CHARGER**

ART.No. **E2302**
 PD+QC3.0
 Input:12-24V
 Power:36W
 2 USB

FC

**USB CAR CHARGER**

ART.No. **E2306**
 Input: 12-24V
 Output:1: 3.6V-6.5V-3A 9V-2A 12V-1.5A (QC3.0)
 Output:2: 3.6V-6.5V-3A 9V-2A 12V-1.5A (QC3.0)
 Port:2 USB

CE RoHS FC



USB CAR CHARGER

ART.No. **E2299**
 PD+QC3.0
 Input:12-24V
 Output:Type-C:
 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A (PD 30W)
 Output:USB:
 5V/4.5A 9V/3A 12V/2.5A 20V/1.5A (QC3.0)
 Output:PPS:
 3.3-11V/3A 3.3-16V 2A USB+C: 5V/4.0A
 Port:2 USB

CE RoHS FC



USB CAR CHARGER

ART.No. **E2301**
 PD+QC3.0
 Input:12-24V
 Output:Type-c:
 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A (PD 30W)
 Output:USB:
 5V/4.5A 9V/3A 12V/2.5A 20V/1.5A(QC3.0)
 Output:PPS:
 3.3-11V/3A 3.3-16V 2A USB+C: 5V/4.0A
 Port:1 USB+1 Type-C

CE RoHS FC



USB CAR CHARGER

ART.No. **E1162**
 Input:DC12v-24v
 Output:DC5V 2.1A
 Product weight:13g
 Produce size:4.1x2.5x2.5cm



USB CAR CHARGER

ART.No. **E2303B**
 QC3.0
 Input:2-24V
 Output USB 1:5V-2.4A
 Output USB 2:4.5-5V/5A 9V/2.5A 12V
 Power:30W
 Port:2 USB

CE RoHS FC



USB CAR CHARGER

ART.No. **E2303A**
 PD+QC3.0
 Input:12-24V
 Power:36W
 1 USB and 1 Type-C

CE RoHS FC



USB CAR CHARGER

ART.No. **E1159B**
 Output: 5V3.1A
 Input: DC 12-24V
 Size:70x25x25mm



USB CAR CHARGER

ART.No. **E1724**
 Input:DC12v-24v
 Output:DC5v-PD+QC
 36W fast charging
 Material:aluminum alloy



USB CAR CHARGER

ART.No. **E2305**
 Bluetooth+QC3.0
 Input:12-24V
 Output:USB-A:5V/3A 9V/3A
 12V/2.5A 20V/1.5A
 Output:USB-C:5V/3A 9V/3A
 12V/2.5A 15V/2A 20V/1.5A

CE RoHS FC



USB CAR CHARGER

ART.No. **E1426**
 Total power:36W
 Input voltage:DC12V-24V
 Output 1(PD port):
 5V/3A; 9V/2.22A; 12V/1.67
 Output 2 (QC3.0 port):
 5V/3A; 9V/2A; 12V/1.5A

CE RoHS FC



USB CAR CHARGER

ART.No. **E2307**
 Power: 38W
 Input: 12-24V
 Output Type-C: 5V3A 9V2.22A 12V1.67A
 USB: 5V3A 9V2A 12V1.5A

CE RoHS FC



USB CAR CHARGER

ART.No. **E1714**
 Power: 36W
 Input: 12-24V
 Output Type-C: 5V3A, 9V2A, 12V1.5A
 USB: 5V3A 9V2A 12V1.5A

CE RoHS FC



USB CAR CHARGER

ART.No. **E2304-2.4A**
 Input:12-24V
 Output:5V /3.1A
 Power:15.5W
 Port:2 usb

CE RoHS FC



USB CAR CHARGER

ART.No. **E2304-QC3.0**
 Input: 12-24V
 Output USB 1:5V /2.4A
 Output USB 2:5V/3A, 9V/2A, 12V/1.5A
 Power:48W

CE RoHS FC



USB CAR CHARGER

ART.No. **E1162**
 Input: 12-24V
 Output : 5V2.4A

CE RoHS FC



USB CAR CHARGER

ART.No. **E1154**
 Input: 12-24V
 Output : 5V2A

CE RoHS FC



USB CAR CHARGER

ART.No. **EC025**
 USB-A1/2: 30W
 USB-C1/2: 30W
 Total Output: 120W
 Wire length:1.5m cable



USB CAR CHARGER

ART.No. **EC021**
 SPEC: A45W+C65W(Share)
 Cable Output: PD45W
 Total output:110W



USB CAR CHARGER

ART.No. **EC020**
 SPEC :C30W+A30+Type-C
 Cable 30W
 Total output: 90W
 30W PPS:3.3-11V 3A



USB CAR CHARGER

ART.No. **EC024**
 SPEC: A30
 Cable Output: PD30W
 Total output:60W
 Straight and retractable lines available



USB CAR CHARGER

ART.No. **EC022**
 SPEC: A18W+C30W(Share)
 Cable Output:30W
 Car Fragrance Scents
 Total output:60W



USB CAR CHARGER

ART.No. **E1225**
 Input: 12-24V
 Output : 2.1A
CE RoHS FC



USB CAR CHARGER

ART.No. **E1145**
 Power: 38W
 Input: 12-24V
 Output Type-C: 5V3A 9V2.22A 12V1.67A
 USB: 5V3A 9V2A 12V1.5A
CE RoHS FC



USB CAR CHARGER

ART.No. **EC013**
 3 in1
 Output: 2.4A
 Line length:1.2m/1.5m
 USB port: Android+Iphone+Type-C



USB CAR CHARGER

ART.No. **E1182**
 QC3.0
 Power: 60W 4 usb
 Input: 12-24V
 Output: USB 1: 5V/2.4A
 Output: USB 2:
 3.6V-6.5V-3A 9V-2A 12V-1.5A
 Output: USB 3: 5V/2.4A
 Output: USB 4:
 3.6V-6.5V-3A 9V-2A 12V-1.5A



USB CAR CHARGER

ART.No. **EQ08C**
 5V/2.4A 2USB
 Android, Type-C, iPhone
 Input: DC12-24V
 Line :1.2m



USB CAR CHARGER

ART.No. **EQ09T**
 5V/5.8A 4USB
 Input: DC12-24V



USB CAR CHARGER

ART.No. **EC014**
 5V/4.8A
 4 USB
 Input: AC110-240V



USB CAR CHARGER

ART.No. **E1132**
 700mA for Andriod



USB CAR CHARGER

ART.No. **EC017**
 QC3.0
 Power: 60W 4USB
 Input: 12-24V
 Output: USB 1: 5V/2.4A
 Output: USB 2: 3.6V-6.5V-3A 9V-2
 Output: USB 3: 5V/2.4A
 Output: USB 4: 3.6V-6.5V-3A 9V-2



USB CAR CHARGER

ART.No. **EC018**
 Power: 78W 5USB
 QC3.0
 Input: 12-24V
 Front output: USB: 5V/3A 9V/3
 12V/2.5A 20V/1.5A
 Back output USB1: 5V/3A 9V/3A
 12V/2.5A 20V/1.5A
 PPS output: 3.3-11V/ 3A 3.3-16V/ 2A



USB CAR CHARGER

ART.No. **E1183**
 Working voltage: 12-24V
 Working temperature: 0-55 °C
 USB charging output: 5V/3.1A



USB CAR CHARGER

ART.No. **EC023**
 SPEC1: A 18W+A 12W
 Cable Output: 5V 3A
 SPEC2: Type-C 30W+A12W
 Cable Output: 5V 3A



CAR BLUETOOTH PLAYER

ART.No. **ET007**
Bluetooth version: V5.3
Frequency range: 87.5-108.0MHZ
Product input: 12-24V
Bluetooth distance: approximately 10m
Charging output: QC3.0&PD 20W (38W Max)

CE RoHS FC



CAR BLUETOOTH PLAYER

ART.No. **EY033**
Power: 180W
Input: DC12-28V
USB-A port output: QC3.0 (18W)
Type-C port output: PD3.0 (30W)



CAR BLUETOOTH PLAYER

ART.No. **ET034**
Material: ABS
Working voltage: 12-24V
Transmission distance: 5-10m
Supported formats: MP3/WAV
FM frequency: 87.5-108.0MHz
USB charging output: 22.5+5V 1.0A
Other charging ports: C port: 3.1A

RoHS



CAR BLUETOOTH PLAYER

ART.No. **ET030-C**
BT Hands Free + FM Transmitter+ 3.6A
Car Charger(Dual USB port)
Dual USB outputs 5V/3.6A
Frequency : 87.6—107.9MHZ
RoHS



CAR BLUETOOTH PLAYER

ART.No. **ET026A**
BT Hands Free + FM Transmitter+ 3.1A
Car Charger(Dual USB port)
Dual USB outputs 5V/3.1A
204 channels optional : 87.6—107.9MHZ

RoHS



CAR BLUETOOTH PLAYER

ART.No. **ET075**
Power: 158W
Input: DC12-28V
USB-A port output: QC3.0 (18W)
Type-C1 port output: PD3.0 (20W)
Type-C2 port output: PD3.0 (30W)

CE RoHS FC



CAR BLUETOOTH PLAYER

ART.No. **EC025**
Power: 180W
Input: DC12-28V
USB-A port output: QC3.0 (18W)
Type-C port output: PD3.0 (30W)

CE RoHS FC



CAR BLUETOOTH PLAYER

ART.No. **EC024**
Bluetooth version: JL 5.1
Product input: 5V
Bluetooth protocol: AVRCP, HFP, A2DP
Cable length: 60 cm

CE RoHS



CAR BLUETOOTH PLAYER

ART.No. **ET076**
Bluetooth version: V5.3
Product input: 12-24V
Product power: 48W
Orange USB-A port output: QC3.0 18W
Type-C port output: PD3.0 (30W)

CE RoHS FC



CAR BLUETOOTH PLAYER

ART.No. **EC023**
Bluetooth version: V5.3
Input voltage: 5V
Line length: 1.1m
Bluetooth protocol: AVRCP, HFP, A2DP

CE RoHS FC



MODIFIED CAR CHARGING

ART.No. **EP01**
Input voltage: 12-24V
Function: Super fast charger/work light
Output power: 22.5W+22.5W
Light colour: blue

CE



MODIFIED CAR CHARGING

ART.No. **EP40-1 USB**
Input voltage: 12-24V
Function: charging/electrified socket
Output power: 10W+10W
Socket Output: 60W (not cigarette lighter)

CE



MODIFIED CAR CHARGING

ART.No. **EP33**
Input voltage: 12-24V
Function: PD fast charging/LED voltmeter
Output power: 18W+30W
LED colour: red/blue/green

CE



MODIFIED CAR CHARGING

ART.No. **EP80**
Input voltage: 12-24V
Function: Charging/LED voltmeter/switch
Output power: 10W+10W+10W+10W+10W
LED colour: red/blue/green

CE



MODIFIED CAR CHARGING

ART.No. **EP25**
Input voltage: 12-24V
Function: Fast charging/work light
Output power: 18W+18W
Light colour: blue

CE



MODIFIED CAR CHARGING

ART.No. **EP79**
Input voltage: 12-24V
Function: PD fast charging/work light
Output power: 18W+30W
Light colour: blue

CE



MODIFIED CAR CHARGING

ART.No. **EP10**
Input voltage: 12-24V
Function: Cigarette lighter
Socket output: 120W

CE



MODIFIED CAR CHARGING

ART.No. **EP81**
Input voltage: 12-24V
Function: LED voltmeter/streaming light
Voltage measurement range: 8-32V
LED colour: red/green/blue

CE



MODIFIED CAR CHARGING

ART.No. **EP23**
Input voltage: 12-24V
Function: Charging/LED voltage
Output power: 10W+10W
LED colour: red/green/blue

CE



USB CAR CHARGER

ART.No. **EP20**
 Input: 12-24V
 Output: 5V3A
 Power: 18W+18W



USB CAR CHARGER

ART.No. **EP20A**
 Input: 12-24V
 Output: 5V3A
 Power: 18W+18W
 Colour: black shell blue voltage



USB CAR CHARGER

ART.No. **EP10**
 Input: 12-24V
 Output: 5V 1A+2.1A
 Power: 5W+10.5W
 Voltage colour: red, blue, green



USB CAR CHARGER

ART.No. **EP31A**
 Input: 12-24V
 Output: 5V 2.1A+2.1A
 Power: 10.5W+10.5W



USB CAR CHARGER

ART.No. **EP21**
 Input: 12-24V
 Output: 5V3A
 Power: 18W+18W
 Aperture colour: red, blue, green



USB CAR CHARGER

ART.No. **EP11**
 Input: 12-24V
 Output: 5V3A
 Power: 18W+18W
 Aperture colour: red, blue, green



USB CAR CHARGER

ART.No. **EP12**
 Input voltage: 12V/24VDC 20A
 2-pole pin copper nickel-plated



MOUNTING PLATE

ART.No. **MP01**



ART.No. **MP02**



ART.No. **MP03**



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P313**
 Specification: 1m long line type
 Input size: 5V/3A; 9V/2A
 Wireless power: 15W/10W/7.5W/5W
 Product size: 180*94*15MM

CE RoHS FC



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P310**
 Specification: 1m long line&30cm short line
 Input size: 5V/3A, 9V/2A
 Wireless power: 5W/7.5W/10W/15W
 Product size: 158*78*7mm

CE RoHS FC



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P312**
 Specification: 1m long line&30cm short line
 Input size: 5V/3A, 9V/2A
 Wireless power: 5W/7.5W/10W/15W
 Product size: 158*78*7MM


CE RoHS FC



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P311**
 Specification: 1m long line type
 Input size: 5V/3A; 9V/2A
 Wireless power: 15W/10W/7.5W/5W
 Product size: 186*103*25MM

CE RoHS FC



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P315**
 Specification: 1m long line type
 Input size: 5V/3A; 9V/2A
 Wireless power: 15W/10W/7.5W/5W
 Product size: 186*103*16MM

CE RoHS FC



CAR WIRELESS ANTI-SKID PADDING

ART.No. **P314**
 Specification: 1m long line type
 Input size: 5V/3A; 9V/2A
 Wireless power: 15W/10W/7.5W/5W
 Product size: 186*103*25MM

CE RoHS FC



CAR MOUNTED ASHTRAY

ART.No. **C429**

Material:PBT modified plastics
Size:6x6.7x10cm
MSDS



CAR FAN

ART.No. **E9182**

Product material: ABS+PP
Product size: 14.8*13cm
Output power: 5W
Input voltage: 5V
Input current: 1A



CAR MOUNTED ASHTRAY

ART.No. **C471**

Material:ABS plastic+stainless steel
Size:7x7x10cm
MSDS



CAR MOUNTED ASHTRAY

ART.No. **C509**

Upper cover: ABS
Upper filter screen: stainless steel 304
Lower filter screen: stainless steel 304
Cigarette barrel: aluminum alloy
Foot mat: EVA foam
Size:71x71x129mm
Battery model: CR1220



CAR FAN

ART.No. **E9183**

Product material: ABS+PP
Output power: 5W
Input voltage: 5V
Input current: 1A
Interface mode: USB



CAR FAN

ART.No. **E9180**

Product material: ABS+PP
Product size: 31*11.9*16.7cm
Output power: 10W
Input voltage: 5V
Input current: 2A



CAR MOUNTED ASHTRAY

ART.No. **C531**

Material: Environmentally friendly ABS high flame retardant
Size: 62x93x75mm



CAR MOUNTED ASHTRAY

ART.No. **C532**

Material:PBT modified plastics
Size:6.8x6.8x9cm



CAR FAN

ART.No. **E9181**

Product material: ABS+PP
Product size: 25.8*9.5*16.7cm
Output power: 10W
Input voltage: 5V
Input current: 2A



CAR FAN

ART.No. **E9164**

Material: ABS(main)+PP
Wire: All copper:1.8M
Regulation: Two speed
Power:12V 8.0W



CAR MOUNTED ASHTRAY

ART.No. **C533**

Material: Flame retardant factory plastic
Size: 7.5x9x6cm



CAR MOUNTED ASHTRAY

ART.No. **C534**

Material :ABS
Size:82x115mm
Bottom 75mm



CAR FAN

ART.No. **E9125**

12V/24V 6"
Material: ABS+metal
Full net-cover
Two speed adjustment
Power cord length:2.0M
Base: Suction cup
Output power: 18W



CAR FAN

ART.No. **E9126**

12V/24V 8"
Material: ABS
Full Net-Cover with clip
Two speed adjustment
Power cord length:2.0M



CAR FAN

ART.No. **E9110**
 60 Grills semi-closed
 Material: PP+ABS+Metal
 Voltage: DC12V
 Rated current: 0.5A
 Power: 6W
 Cable length: 1.5M



CAR FAN

ART.No. **E9129-8"**
 12V/24V 8"
 Material: ABS+Metal
 Full safety metal guard with clip
 Two speed adjustment
 Power cord length:2.0M



CAR FAN

ART.No. **E9116**
 Material: PP
 Size: 4-inch suction cup fan
 Voltage: 12V
 Current 4A
 Power: 5W
 Wire length: 1.5m



CAR FAN

ART.No. **E9128**
 10"
 12V/24V
 Material: ABS+Metal
 Full Net-Cover with clip
 Two speed adjustment
 Power cord length:2.0M



CAR FAN

ART.No. **E9127**
 12V/24V 6"
 Material: ABS+Metal
 Full Net-Cover with clip
 Two speed adjustment
 Power cord length:2.0M



CAR FAN

ART.No. **E9124**
 Material: PP+ABS+PVC+Metal
 Voltage: DC12V
 Rated current: 0.5A
 Power: 6W
 Cable length: 1.5M



HEATING FAN

ART.No. **E9030A**
 DC 12V/24V
 Rated power:150W
 Current:12.5A
 Line length:1.5 meters
CE RoHS



HEATING FAN

ART.No. **E9032A/B**
 Product material; ABS+Nylon
 DC 12V
 Power:150W
 Line length:1.6M
 With CE,RoHS
 9032B:With clean air
CE RoHS



HEATING FAN

ART.No. **E9020**
 DC 12V/24V
 Rated power:150W
 Line length:1.6M (exposed 1.45 M)
CE RoHS



HEATING FAN

ART.No. **E9022**
 DC 12V/24V
 Rated power:150W/200W
 Line length:1.6M(exposed 1.45 M)
CE RoHS



HEATING FAN

ART.No. **E9027**
 DC 12V
 Rated power:150W
 Current:12.5A
 Line length:1.5 meters
 Colour:Black
CE RoHS



HEATING FAN

ART.No. **E9038**
 Material: ABS
 Voltage: DC12V
 Power: 150W
 Line length: 1.4M
 Product size: 12x12x5CM
CE RoHS



HEATING FAN

ART.No. **E9028A**
 Voltage:DC 12V
 Rated power:150W
 Current:12.5A
 Line length:1.5 meters
CE RoHS



HEATING FAN

ART.No. **E9015A**
 Material: ABS+Fan
 Product power:150W
 For application:
 Car and truck (12V and 24V)
CE RoHS



HEATING FAN

ART.No. **E9033**
 DC12V
 Ceramic heater 150W
 3M wire
CE RoHS



HEATING FAN

ART.No. **E9031A**
 DC 12V/24V
 Rated power:150W
 Current:12.5A
 Line length:1.5 meters
 Color:Black, pink
CE RoHS



COFFEE MAKER

ART.No. **KC06**
Capacity:0.15L
DC 12V 170W or DC 24V 300W
Nylon permanent filter
ERP auto-off function
One ceramic cup
Suitable for making tea or coffee
Optional for plastic cup
Good for making coffee and tea
CE RoHS



CAR WATER KETTLE

ART.No. **Z016**
Capacity:600ML
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



COFFEE MAKER

ART.No. **KC01-0.65L**
Capacity: 0.65L
AC:100V-120V 600W
220V-240V 600W
DC:12V 170W
24V 300W
Certificates:GS,CE,
CE RoHS



COFFEE MAKER

ART.No. **KC01-1.25L**
Capacity:1.25L
AC:100V-120V 600W
220V-240V 600W
DC:12V 170W
24V 300W
CE RoHS



CAR WATER KETTLE

ART.No. **Z070**
Capacity:0.8L
AC:100V-120V 1000W
220V-240V 1000W
DC:12V 170W
24V 300W
CE RoHS



CAR WATER KETTLE

ART.No. **Z005**
Capacity:1000ML
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



COFFEE MAKER

ART.No. **KC02**
Capacity:0.3L
AC:100V-120V 460W
220V-240V 460W
DC:12V 170W
24V 300W
CE RoHS



COFFEE MAKER

ART.No. **KC01-0.65L**
DC 24V 300W
Swing filter holder
Convenient anti-drip valve
CE RoHS



CAR WATER KETTLE

ART.No. **Z007A**
DC12V
Capacity:450ML
Color:red
Material:Stainless Steel
CE



CAR WATER KETTLE

ART.No. **Z004**
Capacity:600ML
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



CAR PAN

ART.No. **EP200**
Diameter:20CM
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



CAR PAN

ART.No. **EP201**
Diameter:18CM
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



CAR WATER KETTLE

ART.No. **Z018**
Capacity:1.0L
AC:100V-120V 1000W
220V-240V 1000W
DC:12V 170W
24V 250W
CE RoHS



CAR WATER KETTLE

ART.No. **Z003**
Capacity:1000ML
Power:12V/150W 24V/250W
Wire length:1.4M
Capacity:1000ML
Power:12V/150W 24V/250W
Wire length:1.4M
CE RoHS



CAR REFRIGERATOR

ART.No. **RF07**
 Volume: 24 litres
 AC: 220-240V~50Hz;
 DC: 12V
 AC/DC WARM: 52W/44W,
 AC/DC COOL: 59W/48W
 Material: PP (polypropylene)
 Handle: ABS
CE RoHS



CAR REFRIGERATOR

ART.No. **RF24**
 Volume: 24 Litre
 Power: DC 12V
 AC 220V-240V or AC100-120V
 Power consumption: 48W±10%
CE RoHS



CAR REFRIGERATOR

ART.No. **RF12**
 Capacity: 22 litres
 Power Consumption: AC/DC WARM:74W/57W,
 AC/DC COOL:80W/66W
 Convenient-plug into DC12V or 24V cigarette lighter in car,
 Boat : AC220-240V into safe adapter indoors
CE RoHS



CAR REFRIGERATOR

ART.No. **RF20**
 Volume: 8 Litre
 Power: DC 12V
 AC 220V-240V or AC100-120V
 Power consumption: 48W±10%
CE RoHS



CAR REFRIGERATOR

ART.No. **RF21**
 Volume: 18 Litre
 Power: DC 12V
 AC 100V-240V
 Power consumption: 48W±10%
CE RoHS



CAR REFRIGERATOR

ART.No. **RF40-19L**
 Volume: 19 litres
 Voltage: 12V or 24V
 Power Consumption:
 AC/DC WARM:69W/56W
 AC/DC COOL:75W/62W
CE RoHS



CAR REFRIGERATOR

ART.No. **RF55-B**
 Volume: 10 liters
 Usage voltage: household AC220V,
 vehicle DC12V
 Power: Vehicle mounted 45-60W
CE RoHS



CAR REFRIGERATOR

ART.No. **RF82**
 Volume: 12 litres
 Voltage :DC 12V AC 100-240V
 Power consumption 45-60 watts.
 Material:ABS
CE RoHS



CAR REFRIGERATOR

ART.No. **RF84**
 Volume: 25 Litres
 AC:100-120V~60Hz;DC:12V
 AC:220-240V~50Hz;DC:12V
 Power Consumption:
 AC/DC WARM:46W/42W
 AC/DC COOL:56W/46W
 Material:PP (polypropylene)
CE RoHS



OBD TESTER

ART.No. **EA23**
 DC 12V/24V
 Working voltage: 9-16V
 Operating environment: -20-65°C
 Storage temperature: -30-80°C
 With EMC ROHS
CE RoHS



OBD TESTER

ART.No. **EA21**
 Working voltage: 9-12V
 Working current: 80mA
 Operating environment: -30-70°C
 Storage temperature: -30-80°C
 With EMC ROHS
CE RoHS



CAR REFRIGERATOR

ART.No. **RF55-A**
 Volume: 16L
 Voltage: DC12V/24V
 Power: 35W±10%
 Current: 14.5V/1.5A
 DC Cable: 2.5M/1.31m²
CE RoHS



CAR REFRIGERATOR

ART.No. **RF55**
 Volume: 35 litres
 AC:220-240V~50Hz;DC:12/24V
 Power consumption 70 watts.
CE RoHS



OBD TESTER

ART.No. **EA20**
 Working voltage: 12V
 Working current: 70mA
 Operating environment: -30-70°C
 Storage temperature: -40-80°C
 With EMC ROHS
CE RoHS



OBD TESTER

ART.No. **EA24**
 Operating environment: 0-60°C
 Storage temperature: -20-70°C
 With EMC ROHS
CE RoHS



TRAILER ADAPTOR

ART.No. **TB031-SOCKE**
7-core metal socket



TRAILER ADAPTOR

ART.No. **TB030-SOCKE**
Trailer adapter 13-->7 (mini)



12V SPRING CABLE SET

ART.No. **TB1103**
7-pin plug,
Size:7x0.5mm
The actual length of the cable is 4 meters,
and the working length is 3 meters.



12V SPRING CABLE SET

ART.No. **TB1105**
7-pin plug,
Size:7x0.5mm
The actual length of the cable is 4 meters,
and the working length is 3 meters.



TRAILER ADAPTOR

ART.No. **TB044**
24V
7P
Material: Aluminu



TRAILER ADAPTOR

ART.No. **TB031-PLUG**
7-core metal socket



12V SPRING CABLE SET

ART.No. **TB1101**
7-core leather cover plug spring connection wire
Size: 7x 0.5mm
The actual length of the cable is 4 meters,
and the working length is 3 meters.
For every additional meter of length



12V SPRING CABLE SET

ART.No. **TB1101**
24V metal plug spring wire
Size:7x0.75mm



TRAILER ADAPTOR

ART.No. **TB033**
7-core plastic socket



TRAILER ADAPTOR

ART.No. **TB035**
12V
13P plug
Material: Plastic



TRAILER ADAPTOR

ART.No. **TB3003**
7+1 plastic circular seat



TRAILER ADAPTOR

ART.No. **TB1101**
7-core plastic socket



TRAILER ADAPTOR

ART.No. **TB035-S**
Trailer adapter 13-->7



TRAILER ADAPTOR

ART.No. **TB045**
24V
7P plug
Material: Plastic



TRAILER ADAPTOR

ART.No. **TB1101**
13 core metal socket



TRAILER ADAPTOR

ART.No. **TB1101**
13+1-core metal socket



CAR HORN

ART.No. **E3406A**
Power:50W
DC 12V
3 Sounds



CAR HORN

ART.No. **E3123**
DC 12V/24V
3, 6, 8, 16 SOUND
Material:Aluminum coil/copper coil



CAR HORN

ART.No. **E3216**
DC 12V/24V
Material:Copper coil/ Aluminum coil



CAR HORN

ART.No. **E3221**
DC 12V/24V
Material:Copper coil/ Aluminum coil



CAR HORN

ART.No. **E3120**
DC 12V/24V
Material:Aluminum coil / copper coil
With relay / without relay



CAR HORN

ART.No. **E3205**
DC 12V/24V
Material:Copper coil/ aluminum coil
Aluminum base/ zinc base



CAR HORN

ART.No. **E3222**
DC 12V/24V
Material:Copper coil
With music horn
Color:Red/chrome



CAR HORN

ART.No. **E3121**
DC 12V/24V
Material:Aluminum coil / copper coil
With relay / without relay



CAR HORN

ART.No. **E3155**
DC 12V/24V
Diameter:100mm
Material:Aluminum coil / copper coil
Color:Black / chrome



CAR HORN

ART.No. **E3156**
DC 12V/24V
Diameter:130mm
Copper clad aluminum coil / copper coil



CAR HORN

ART.No. **E3220**
DC 12V, 24V
Material: Copper coil



CAR HORN

ART.No. **E3215**
DC 12V/24V
Material:Copper coil
Color:Red/chrome



CAR HORN

ART.No. **E3150**
DC 12V/24V
Diameter: 90mm
Material:Aluminum coil / copper coil



CAR HORN

ART.No. **E3419**
DC 12V/24V
BIBI sound



CUSTOM ANTENNA

ART.No. **E2218**
Material: TPR+iron
Pole length: 17.5cm
Equipped with M6, M6/M5 two iron screws



CUSTOM ANTENNA

ART.No. **E2117**
Material: ABS+PVC+TPR
Pole length: 34.5cm
Line length: 1.4M



CUSTOM ANTENNA

ART.No. **E2103**
Material: TPR
Pole length: 40cm
Equipped with M6, M6/M5 two iron screws



CUSTOM ANTENNA

ART.No. **E2114**
Material: ABS+PVC+PP
Pole length: 30cm
Line length: 2.1M



CUSTOM ANTENNA

ART.No. **E2206**
Material: TPR+PVC+iron galvanized
+white zinc
Pole length: 40cm
Line length: 2.1M



ART.No. **E2118**
Material: ABS+TPR
Pole length: 7.6CM



ART.No. **E2119**
Material: ABS
Size: 9.5 * 7.2 * 6.2cm



ART.No. **E2120**
Material: ABS
Size: 7 * 8 * 6cm



REVERSE CAMERA

ART.No. **E9429**
 Display distance:0.3M-2.5M
 Ultrasonic frequency:40KHZP



REVERSE CAMERA

ART.No. **E9201**
 Scanning Frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9202-1**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9202-4**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9203**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9406**
 58 KHz ultrasonic sensor
 4 paintable sensors
 Extendable detection setting for bike racks
 2 or 4 sensors workable
 Bull bar welcome with no alarm
 Volume adjustable buzzer
 Anti-false alert technology
 Self-test function



REVERSE CAMERA

ART.No. **E9412**
 Rated working voltage: 10V~16V DC
 Working temperature: -40~+80
 Working current: 20-220mA
 Ultrasonic frequency: 40 ± 1kHz
 Detection distance: 30-250cm



REVERSE CAMERA

ART.No. **E9207**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9208**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9410-A**
 Sensor quantity:2,4,6, 8 sensors are available
 Warning type:BIBIBI or human voice
 Display:LED
 Operating voltage rating:DC12V
 Operating current :20-200MA



REVERSE CAMERA

ART.No. **E9410-B**
 Display distance:0.3M-2.5M
 Ultrasonic frequency:40KHZ
 LED display with three colors
 (Red yellow green)



REVERSE CAMERA

ART.No. **E9216**
 Scanning frequency:480
 Resolution:720x580
 IP68 waterproof
 Chip:7360
 Voltage:12V



REVERSE CAMERA

ART.No. **E9428**
 58 KHz ultrasonic sensor
 4 paintable sensors
 2 or 4 sensors workable
 Bull bar welcome with no alarm
 Volume adjustable buzzer
 Anti-false alert technology
 Self-test function



REVERSE CAMERA

ART.No. **E9411**
 Can connect any monitor like DVD
 Operating voltage rating:DC12V
 Operating current:20-200MAP



REVERSE CAMERA

ART.No. **E9428**
 4.3 inch rear view mirror monitor
 Camera and parking sensor for optional
 Operating voltage rating:DC12V
 Operating current:20-200MA



REVERSE CAMERA

ART.No. **E9418**
 Rated working voltage: 10V~16V DC
 Working temperature: -40~+80
 Working current: 20-220mA
 Ultrasonic frequency: 40 ± 1kHz
 Detection distance: 30-250cm



REVERSE CAMERA

ART.No. **E9223**
 Rated working voltage: 10V~16V DC
 Working temperature: -40~+80
 Working current: 20-220mA
 Ultrasonic frequency: 40 ± 1kHz
 Detection distance: 30-250cm



SWITCH

ART.No. S032
Material:Plastic

CE



SWITCH

ART.No. S004
Material:Plastic

CE



SWITCH

ART.No. S003
Material:Plastic

CE



SWITCH

ART.No. S002
Material:Plastic

CE



SWITCH

ART.No. S001-B
Material:Plastic

CE



SWITCH

ART.No. S001-A
Material:Plastic

CE



SWITCH

ART.No. S005
Material:Plastic

CE



SWITCH

ART.No. S031
Material:Plastic

CE



SWITCH

ART.No. S029
Material:Plastic

CE



SWITCH

ART.No. S030
Material:Plastic

CE



YACHT SWITCH

ART.No. BA807
Material:Plastic



YACHT SWITCH

ART.No. BA801-B
Material:Plastic



YACHT SWITCH

ART.No. BA806
Material:Plastic



YACHT SWITCH

ART.No. BA810
Material:Plastic



YACHT SWITCH

ART.No. SW103
Material:Plastic



YACHT SWITCH

ART.No. BA801-A
Material:Plastic



CAR WASH GUN

ART.No. **CW29**
Material: ABS+PP+alloy
Voltage: 21V
Power: 260W
Maximum pressure: 40bar
Water flow rate: 4.5 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells



CAR WASH GUN

ART.No. **CW30**
Material: ABS+PP+alloy
Voltage: 21V
Power: 240W
Maximum pressure: 36 bar
Water flow rate: 4 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells



CAR WASH GUN

ART.No. **CW31B**
Material: ABS+PP+alloy
Voltage: 21V
Power: 260W
Maximum pressure: 40bar
Water flow rate: 4.5 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells

CE



CAR WASH GUN

ART.No. **CW31A**
Material: ABS+PP+alloy
Voltage: 21V
Power: 240W
Maximum pressure: 36 bar
Water flow rate: 4 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells

CE



CAR WASH GUN

ART.No. **CW31**
Material: ABS+PP+alloy
Voltage: 21V
Power: 240W
Maximum pressure: 36 bar
Water flow rate: 4 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells



CAR WASH GUN

ART.No. **CW19**
Material: ABS+PP+alloy
Voltage: 21V
Power: 200W
Maximum pressure: 30 bar
Water flow rate: 3.5 L/Min
Spray distance: 6-8 m
Battery capacity: 10 1200mAh (single cell) cells



TIRE PRESSURE GUN

ART.No. **T873**
Display: LCD (40*20mm)
Accuracy: +0.3BAR
Storage temperature: -20~+70°C
Differentiation: 0.1PSI/0.01BAR
Working temperature: -20~+70°C

CE



TIRE PRESSURE GUN

ART.No. **T876**
Display: LCD (40*20mm)
Accuracy: +0.3BAR
Storage temperature: -20~+70°C
Differentiation: 0.1PSI/0.01BAR
Working temperature: -20~+70°C

CE



TIRE PRESSURE GUN

ART.No. **T875A**
Volt:12.6V
Power:100W
Suction: ≥ 5.5kPa
Battery capacity:2000mAh×2
Discharge time: ≥ 18min



TIRE PRESSURE GUN

ART.No. **T875**
Display: LCD (40*20mm)
Accuracy: +0.3BAR
Storage temperature: -20~+70°C
Differentiation: 0.1PSI/0.01BAR
Working temperature: -20~+70°C

CE



TIRE PRESSURE GUN

ART.No. **T872**
Display: LCD (40*20mm)
Accuracy: +0.3BAR
Storage temperature: -20~+70°C
Differentiation: 0.1PSI/0.01BAR
Working temperature: -20~+70°C

CE





HALOGEN LIGHT

ART.No. **H1**
12V 55W
P14,5s
Super white

E4 **CE**
RoHS

HALOGEN LIGHT

ART.No. **H1**
12V 55W
24V 70W
P14,5s
Super white
Clear

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **H3**
12V 55W
PK,22s
Super white

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **H3**
12V 55W
PK,22s
Clear

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **H4**
12V 60/55W
P43t
Super white

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **H4**
12V 60/55W
P43t
Clear

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **HB3/9005**
12V 60W
P20D
Super white
Clear

E4



HALOGEN LIGHT

ART.No. **H7**
12V 55W
PX26d
Clear

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **H7**
12V 55W
PX26d
Super white

E4 **CE**
RoHS



HALOGEN LIGHT

ART.No. **HB4/9006**
12V 51W
P22d
Clear

E4



HALOGEN LIGHT

ART.No. **HB4/9006**
12V 51W
P22d
Super white



HALOGEN LIGHT

ART.No. **H11**
12V 55W
PGJ19-2
Clear



RoHS



HALOGEN LIGHT

ART.No. **H11**
12V 55W
PGJ19-2
Super white



RoHS



HALOGEN LIGHT

ART.No. **HB3**
12V 65W
P20D



HALOGEN LIGHT

ART.No. **HB5/9007**
12V 65/55W
PX29t
Clear



HALOGEN LIGHT

ART.No. **HIR2**
12V 55W
HIR2 9012



HALOGEN LIGHT

ART.No. **H13**
12V 60/55W
P26.4T



HALOGEN LIGHT

ART.No. **H13**
12V 60/55W
P26.4T



HALOGEN LIGHT

ART.No. **H15**
12V 15/55W
PGJ23t-1



HALOGEN LIGHT

ART.No. **P24W**
12V 24W
PGU20-3



HALOGEN LIGHT

ART.No. **9012**
12V 55W
PX22D



HALOGEN LIGHT

ART.No. **P24W**
12V 24W
PGU20-3



HALOGEN LIGHT

ART.No. **H15**
12V 15/55W
PGJ23t-1



HALOGEN LIGHT

ART.No. **H16**
12V 19W
PGJ19-3



HALOGEN LIGHT

ART.No. **880**
12V 27W
PG13
Clear



HALOGEN LIGHT

ART.No. **PH11**
12V 35W
GP27t



HALOGEN LIGHT

ART.No. **PSX26W**
12V 26W
PG18.5D-3



CAR BULB

ART.No. **W21/5W**
12V 21W/5W
W21/5W W3x16q



HALOGEN LIGHT

ART.No. **880**
12V 27W
PG13
Super white



HALOGEN LIGHT

ART.No. **881**
12V 27W
PGJ13
Super white



HALOGEN LIGHT

ART.No. **881**
12V 27W
PGJ13
Clear



CAR BULB

ART.No. **W21W**
12V 21W
W3x16D
AMBER



CAR BULB

ART.No. **PY21W**
PY21W amber
12V 21W BAU15S
PY21W amber
24V 21W BA15s



CAR BULB

ART.No. **G40**
12V 45/40W
P45T



CAR BULB

ART.No. **W21W**
12V 21W
W21W W3x16d

**CAR BULB**

ART.No. **S25**
12V 21W BA15S&BAU15S
24V 21W BA15S&BAU15S
12V 21/5W BA15D&BAY15D
12V 21/4W BAZ15D

**CAR BULB**

ART.No. **T19**
12V 35/35W
P15D-25-1

**CAR BULB KITS**

ART.No. **K8005-H4**
H4:12V 60/55W P43T
S25 12V 21W BA15S
S25 12V21W BAU15S AMBER/S25
G18 12V 5W BA15S
T10 12V 5W
FUSE 10A 15A 20A

**CAR BULB KITS**

ART.No. **K8005-H7**
H7 12V 55W
S25 12V 21W BA15S
S25 12V 21/5W BAY15D
G18 12V 5W BA15S
T10 12V 5W
FUSE 10A 15A 20A

**CAR BULB**

ART.No. **BA7S**
T6.5
12V
2W
BA7S

**CAR BULB**

ART.No. **G11**
12V
5W
BA9S

**CAR BULB**

ART.No. **G18**
12V
5W
BA15S

**CAR BULB KITS**

ART.No. **K8005-H7**
H7:12V 55W PX26D
S25 12V 21W BA15S
S25 12V 21W BAU15S AMBER/S25
G18 12V 5W BA15S
T10 12V 5W
FUSE 10A 15A 20A

**CAR BULB KITS**

ART.No. **K8001-H1+H4+H7**
H7:12V 55W PX26D
H4 12V 60/55W P43T
H1 12V 55W P14.5S
S25 12V 21W BA15S
S25 12V 21/5W BAY15D
G18 12V 5W BA15S
T10 12V 5W

**CAR BULB**

ART.No. **SV8.5**
12V 5W
8x28/10x31/11x36/11x41/
11x44/15x41/15x44

**CAR BULB**

ART.No. **T5**
12V 1.2W
W2x4.6d

**CAR BULB**

ART.No. **T9**
12V 4W
BA9S

**CAR BULB KITS**

ART.No. **K8011-H7x2**
H4 12V 60/55W P43T/H7 12V 55W PX26D
S25 12V 21W BA15Sx2
G18 12V 5W BA15Sx2
C5W 12V 11x36x2
T4W 12V BA9Sx2
W5W 12Vx2
S25 12V 21/5W BAY15D
S25 12V 21W BAU15S AMBER
FUSE MINI 10A
FUSE 10A 15A 20A

**CAR BULB KITS**

ART.No. **K8011-H7+H1**
H4 12V 60/55W P43T/H1 12V 55W P14.5
S25 12V 21W BA15Sx2
G18 12V 5W BA15Sx2
C5W 12V 11x36x2
T4W 12V BA9Sx2
W5W 12Vx2
S25 12V 21/5W BAY15D
S25 12V 21W BAU15S AMBER
FUSE MINI 10A
FUSE 10A 15A 20A

**CAR BULB**

ART.No. **T10**
12V 5W
W2.1x9.5d

**CAR BULB**

ART.No. **T13**
12V 8W
W2.1x9.5d

**CAR BULB**

ART.No. **T15**
12V 10W
W2.1x9.5d

**WORKING LIGHT**

ART.No. **LF22**
Material: ABS
Bulb type: T6+COB
Battery type: 2 × 18650
Battery capacity: 3600mAh

CE RoHS

**WORKING LIGHT**

ART.No. **L902**
Material: ABS
Bulb type: COB
Battery type: 1 × 18650
Battery capacity: 5000mAh



WORKING LIGHT

ART.No. **L981**
Material: ABS+PC
Bulb type: COB+XPE
Battery type: 1×18650
Battery capacity:2000mAh



WORKING LIGHT

ART.No. **L983**
Material: ABS
Bulb type: Top: 3W SMD LED+10W COB
Battery type: 1×18650
Battery capacity:1200mAh



WORKING LIGHT

ART.No. **L790**
Material: ABS+TPR
Bulb type: COB+XTE



WORKING LIGHT

ART.No. **L797**
Material: ABS
Bulb type: COB
Battery type: 1×18650
Battery capacity: 2000mAh



WORKING LIGHT

ART.No. **L707**
Material: ABS
Bulb type: COB+XPE
Battery type: 1×18650
Battery capacity: 2000mAh



WORKING LIGHT

ART.No. **L712**
Material: ABS
Bulb type: COB+XPE
Battery type: 1×18650
Battery capacity: 2000mAh



WORKING LIGHT

ART.No. **L793**
Material: ABS
Bulb type: COB+XPG2
Battery type: 1×954292
Battery capacity:5000mAh



WORKING LIGHT

ART.No. **L830**
Material: ABS
Lamp beads: COB
Battery type: 1×21700
Battery capacity: 4000mAh



WORKING LIGHT

ART.No. **L706**
Material: ABS
Bulb type: 5050 dual color patch
Battery type:1×103040
Battery capacity: 1200 mah polymer



WORKING LIGHT

ART.No. **L901**
Product material: ABS
Bulb type: COB
Battery type: 1×18650
Battery capacity: 4000mAh



WORKING LIGHT

ART.No. **L791**
Material: ABS
Bulb type: COB+XPE
Battery type: 1×18650
Battery capacity: 1200 mAh



WORKING LIGHT

ART.No. **L708**
Material: ABS
Bulb type: COB
Battery type: 1×18650
Battery capacity: 2000 mAh



WORKING LIGHT

ART.No. **LF25**
Material: ABS
Bulb type: Osram 55
Battery type: 3×18650 lithium battery
Battery capacity: 4200mAh



WORKING LIGHT

ART.No. **L721**
Material: ABS+TPR
Bulb type: COB
Battery type: 2×18650
Battery capacity: 4400 mAh



WORKING LIGHT

ART.No. **L723**
Material: ABS+PTR coating
Bulb type: COB32 white core+10 red core
Battery type: 2×18650
Battery capacity: 4000 mAh



WORKING LIGHT

ART.No. **L703**
Material: ABS
Bulb type: COB+XPE
Battery model: 1×18650
Battery capacity: 1200mAh



WORKING LIGHT

ART.No. **L702**
Material: ABS+PC
Bulb type: COB
Battery type:1×103040
Battery capacity: 1200mah



WORKING LIGHT

ART.No. **L795**
Material: Plastic+Metal
Bulb type: COB+1818
Battery type: 1×14650
Battery capacity:1100mAh



WORKING LIGHT

ART.No. **L903**
Material: ABS
Bulb type: COB
Battery type: 1 × 18650
Battery capacity: 5000mAh



WORKING LIGHT

ART.No. **L800**
Material: ABS
Bulb type: COB
Battery type: 1×18650
Battery capacity: 2000 mAh



WORKING LIGHT

ART.No. **LF23**
Material: ABS
Bulb type: 4LED+1COB
Battery type: 1×18650 lithium battery
Battery capacity: 1200mAh



HEAD LIGHT

ART.No. **L924**
 Product material: ABS+spray paint
 Bulb type: XPE+COB
 Battery: 1x1200mAh 18650- built-in
 Product size: 25x29x140mm



HEAD LIGHT

ART.No. **L939**
 Product material: ABS plastic
 Bulb type: XPE 80LM+COB 250LM
 Battery: 1PCx18650 lithium battery or 3AAA universal
 Including 1 1200mAh 18650 battery
 (including battery rack, excluding dry battery)
 Product size: 82x43x55MM



HEAD LIGHT

ART.No. **L911**
 Product material: ABS
 Bulb type: XPE+4SMD white+2SMD red
 Using battery: 1x1200mAh 18650 built-in battery
 Product size: 71x43x31MM



HEAD LIGHT
 ART.No. **WB1249**
 Product material: ABS
 Bulb type: 3030+9 SMD+2LED
 red light+2LED blue light
 Product size: 56 * 30 * 52MM



HEAD LIGHT
 ART.No. **WB1250**
 Product material: ABS
 Bulb type: COB 240LM
 Product size: 54 * 30 * 43MM



HEAD LIGHT
 ART.No. **WB1251**
 Product material: ABS
 Bulb type: 2 * 3030 (yellow+white light)+
 10SMD white+2SMD red+2SMD blue
 Product size: 54 * 30 * 43MM

HEAD LIGHT

ART.No. **L941**
 Product material: ABS
 Bulb type: 2xXTE
 Battery usage: 1x800mAh
 polymer lithium battery - built-in
 Product size: 54x41x62MM



HEAD LIGHT

ART.No. **L921**
 Product material: ABS
 Bulb type: XPG+COB
 Battery: 1x1200mAh 1 8650- built-in
 Product size: 91x46x39mm



HEAD LIGHT

ART.No. **L938**
 Product material: ABS+aluminum alloy head
 Bulb type: White laser+8 white SMDs+2 red SMDs
 White laser strong range 280LM,
 weak range 120LM, white light SMD 100LM
 Battery: 1PCx1200mAh 18650- external
 Product size: 76x81x39mm



HEAD LIGHT
 ART.No. **WB1248**
 Product material: ABS
 Bulb type: COB 240LM
 Product size: 54 * 30 * 43MM



HEAD LIGHT
 ART.No. **WB1263**
 Material: ABS+aluminum alloy
 Lumen: XPG250lm COB 200lm
 Size: 4 * 3.5cm



HEAD LIGHT
 ART.No. **WB1264**
 Material: ABS+aluminum alloy
 Lumen: XPG250lm COB 200lm
 Size: 4 * 3.5cm

HEAD LIGHT

ART.No. **L940**
 Product material: ABS plastic regular color/
 black+red decorative ring
 Bulb type: XPE+COB
 Battery: Built in 1PCx18650 lithium battery
 Battery capacity: 1200mAh
 Product size: 75x79x38MM



HEAD LIGHT

ART.No. **L300**
 Product material: ABS+TPR encapsulation
 Bulb type: XPG+COB maximum lumen 500LM
 Battery usage: Built in 1800mAh polymer
 lithium battery
 Product size: 60x43x36MM



HEAD LIGHT

ART.No. **L914**
 Product material: ABS+aluminum alloy head
 Bulb type: White laser+8 white SMDs+2 red SMDs
 Battery: 1x1200mAh 18650- external
 Product size: 76x81x39mm



HEAD LIGHT
 ART.No. **WB1265**
 Material: PC+Aluminum Alloy
 Lumen: 450LM
 Size: 61.5 * 53.7 * 47.8MM



HEAD LIGHT
 ART.No. **WB1266**
 Material: Aluminum+PC
 Lumen: 1000LM
 Size: 95 * 52 * 32MM
 Charging method: Type-C USB



HEAD LIGHT
 ART.No. **WB1230**
 Material: ABS
 Lamp type: Main lamp XPG+4* white
 light SMD+2* red light SMD
 Battery: 1*1200 mah 18650- built-in
 Size: 75*45*41MM
 Weight: 100G (including battery)
 Charging mode: type-c



HEAD LIGHT

ART.No. **WB1240**
Material: ABS+AS
Lamp type: XPE+2led red light
+2SMD white light
Battery: 1200 mah lithium polymer
battery life 4-5h
Weight: 56G



HEAD LIGHT

ART.No. **WB1242**
Material: ABS
Bulb type: XPE+COB+1 * Red/Blue/Green LED
Battery usage: Built in 1200mAh
polymer lithium battery
Size: 60*43*36MM
Charging mode: type-c



HEAD LIGHT

ART.No. **WB1286**
Material: ABS
Light bulb type: COB 6W
Battery usage: 1 * 1200mAh 18650 built-in,
with a range of 3-6H
Size: 79 * 52 * 42MM

HEAD LIGHT

ART.No. **L312B**
Product material: ABS+AS
Bulb type: XPE+2LED red light+
2SMD white light
Use battery:
1200mAh polymer lithium battery
Product size: 57x34x32mm
Product features: Type-c charging



HEAD LIGHT

ART.No. **L943**
Product material: aluminum alloy
Bulb type:P50 LED+2 XPE LED+2 red LED
Battery:External 1x21700
lithium battery 4000mAh
Product size: 97x53x42mm



HEAD LIGHT

ART.No. **L942**
Product material:ABS+aluminum alloy
Bulb type:2xT6 500LM
Battery usage:External 18650
lithium battery 1200mAh
Product size:105x45MM



HEAD LIGHT

ART.No. **WB1223**
Product material: ABS
Lamp type: COB strong 150LM, weak 70LM
Use battery: 3AA(not included in the quote)
Product size: 69*36*53MM
Product weight: 54G (without battery)



HEAD LIGHT

ART.No. **WB1228**
Product material: ABS
Bulb type: 5 * 3030+COB yellow light+COB red light
5 * 3030 200LM, COB yellow light 200LM, simultaneously
illuminated 400LM
Use battery: 1 * 600mAh polymer lithium battery
Battery life: 3030 3H, COB yellow 3H,
simultaneously lit for 1.5H
Product size: 67 * 41 * 30MM
Charging method: type-c



HEAD LIGHT

ART.No. **WB1290**
Bulb Type:3535+COB
Battery Type:103040 polymer Li 1200mAh
Brightness:200LM
Charging time:2h
Working time:3.5h
Product Size:65.5*52.9*42.8mm
Accessory: USB Cable

HEAD LIGHT

ART.No. **L944**
Product material:ABS
Bulb type:2xXPE+2xCOB yellow light
Battery:1x600mAh polymer lithium battery
Product size:67x41x30MM



HEAD LIGHT

ART.No. **L945**
Product material:ABS
Bulb type:5x3030+COB yellow
light+COB red light
Battery:1x600mAh polymer lithium battery
Product size:67x41x30MM



HEAD LIGHT

ART.No. **L946**
Product material:ABS
Bulb type:3x3030+COB yellow light+COB
white light+COB red light
Battery:1x600mAh polymer lithium battery
Product size:67x41x30MM



HEAD LIGHT

ART.No. **WB1291**
Bulb Type:3535+COB
Battery Type:103040 polymer 1200mAh
Brightness:200LM
Charging time:2h
Working time:3.5h
Product Size:65*45.6*42.2mm
Accessory: USB Cable



HEAD LIGHT

ART.No. **L909**
Product material:ABS+aluminum alloy
Bulb type:White laser 10W
Battery usage:1x1800mAh 18650 lithium
battery - built-in
Product size:73x74x40mm



HEAD LIGHT

ART.No. **L916**
Product material:ABS
Bulb type:3x3030LED
Battery:1x500mAh polymer - built-in
Product size:63x29x54mm

HEAD LIGHT

ART.No. **L279**
Product material:ABS
Bulb type:XPE+COB
Battery usage:Built in 1200mAh polymer
lithium battery



HEAD LIGHT

ART.No. **L317**
Product material:ABS
Bulb type:XPE+COB+1xRed/Blue/Green LED
Battery usage:Built in 1200mAh polymer
lithium battery
Product size:60x43x36MM



HEAD LIGHT

ART.No. **L934**
Product material:ABS
Bulb type:1xTG3+10x3030+2xRed SMD
Battery:Polymer 1200mAh - built-in
Product size:75x31x44mm



TRAILER LIGHT

ART.No. **L204**
 four function trailer tail lamp kits
 Material: Pure copper wire
 Size:5x0.5mm+4x0.5mmRVV
 cable 7.5M+2.5M



TRAILER LIGHT

ART.No. **L201**
 five functions trailer LED lights
 Material:Pure copper wire
 Size:5x0.5+4x0.5mmRVV,
 5x0.5+4x0.5mmRVV
 cable 7.5M+2.5M



TRAILER LIGHT

ART.No. **L202G**
 four function trailer tail lamp kits with triangles.
 Material:Pure copper wire
 Size:5x0.5+4x0.5mmRVV
 cable 7.5M+2.5M



TRAILER LIGHT

ART.No. **L206**
 five functions trailer LED lights with triangles



TRAILER LIGHT

ART.No. **L206**
 five functions trailer LED lights
 Material:Pure copper wire
 Size:5x0.5+4x0.5mmRVV,
 5x0.5+4x0.5mmRVV
 cable 7.5M+2.5M



TRAILER LIGHT

ART.No. **L202G**
 five functions trailer LED lights with triangles



LED WARNING LIGHT

ART.No. **L202A**
 Material:PC-Lens/abs base
 Power:6W/9.6W/20W
 Voltage:DC10-30V/DC10-60V
 Optional LEDs:
 2835-30LED/2835-48LED/
 5730-40LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L202B**
 Material:PC-Lens/abs base
 Power:6W/9.6W/15W/20W
 Voltage:DC10-30V/DC10-60V/
 dc10-110V
 Optional LEDs:
 2835-30LED/2835-48LED/
 5730-40LED/3535-3LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L210**
 Material:PC-Lens/abs base
 Power:6W/9.6W/20W
 Voltage:DC10-30V/DC10-60V
 Optional LEDs:
 2835-30LED/2835-48LED/
 5730-40LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L213A**
 Material:ABS+TPR rubber coating
 Bulb type:
 XPG 280LM+COB 100LM+12LED
 red light
 Type-C charging



LED WARNING LIGHT

ART.No. **L214**
 Material:PC-Lens/abs base
 Power:30W
 Voltage:DC10-30V
 Optional LEDs:
 5730-72LED
 Flash model:
 Strobe rotate



LED WARNING LIGHT

ART.No. **L217C**
 Material:PC-Lens/abs base
 Power:36W
 Voltage:DC10-30V/DC10-48V
 Optional LEDs:5730-72LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L225Y**
 Material:AS Case+ABS Handle
 Power:3W
 Voltage:DC12V/24V
 With Magnet



LED WARNING LIGHT

ART.No. **L244**
 Material:PC-Lens/abs base
 Power:0.8W
 Voltage:Solar
 Optional LEDs:2835-8LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L245**
 Material:PC-Lens/abs base
 Power:6W/9.6W/20W
 Voltage:DC10-30V/DC10-60V
 Optional LEDs:
 2835-30LED/2835-48LED/
 5730-40LED
 Flash model:Strobe rotate



LED WARNING LIGHT

ART.No. **L247**
 Material:PC-Lens/abs base
 Power:15W
 Voltage:DC10-48V
 Optional LEDs:3535-3LED
 Flash model:Strobe rotate





CROSS WRENCH

ART.No. **T010A**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 Surface treatment: full polish chrome



CROSS WRENCH

ART.No. **T010B**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 Surface treatment: sandblasted chrome plating



CROSS WRENCH

ART.No. **T010C**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Surface treatment: galcanizing processing



CROSS WRENCH

ART.No. **T010D**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 Surface treatment: paint coating



CROSS WRENCH

ART.No. **T010E**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 Surface treatment: silver powder



CROSS WRENCH

ART.No. **T015A**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 Surface treatment: full polish chromizing



CROSS WRENCH

ART.No. **T015B**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 with clip
 Surface treatment: silver powder



CROSS WRENCH

ART.No. **T011**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 17-19-21-23mm
 with plastic sleeve
 Surface treatment: all plain chrome plated



CROSS WRENCH

ART.No. **T012**
 Dia: 14, 15.5
 Length: 14" (355mm)
 Socket size: 1/2"-17-19-21mm
 with sponge sleeve
 Surface treatment: full polish chrome



CROSS WRENCH

ART.No. **T016**
Dia: 14,15.5
Length: 14" (355mm)
Socket size: 1/2"-17-19-21mm
with clip
Surface treatment: galcanizing processing



CROSS WRENCH

ART.No. **T017**
Dia: 15.5
Length: 14" (355mm)
Socket size: 17-19-21-23mm
Surface treatment: all plain chrome plated



CROSS WRENCH

ART.No. **T065A**
Socket size: 8x9x10mm, 10x11x13mm,
10x12x14mm, 13x14x17mm, 14x17x19mm
Surface treatment: galcanizing processing



CAR WRENCH

ART.No. **T047**
Length:150mm(16mm,21mm)
Bar size:8x150mm
Surface treatment:zinc



CAR WRENCH

ART.No. **T047A**
Length:300mm(16mm,21mm)
Bar size:8x150mm
Surface treatment:zinc



CAR WHEEL WRENCH

ART.No. **T009**
Socket size: 17-19mm
Surface treatment: nickel plating



CAR WHEEL WRENCH

ART.No. **T009A**
Socket size: 17-19mm, 21-23mm
Surface treatment: nickel plating



CAR WHEEL WRENCH

ART.No. **T041**
Socket size: 17mm, 19mm, 21mm
Rod diameter: 14mm
Total length: 300mm
Surface treatment: galcanizing processing



SPARK PLUG WRENCH

ART.No. **T1009**
Size:16mm/21mm



SPARK PLUG WRENCH

ART.No. **T008**
Size:16mm/21mm



SPARK PLUG WRENCH

ART.No. **T008A**
Size:16mm



SPARK PLUG WRENCH

ART.No. **T008B**
Size:21mm



SPARK PLUG WRENCH

ART.No. **T1007**
Size:16mm/21mm



OIL FILTER WRENCH

ART.No. T036



OIL FILTER WRENCH

ART.No. T030



OIL FILTER WRENCH

ART.No. T034



OIL FILTER WRENCH

ART.No. T035



OIL FILTER WRENCH

ART.No. T037



OIL FILTER WRENCH

ART.No. T037A



SCISSOR JACK

ART.No. T614
Capacity:0.6T



SCISSOR JACK

ART.No. T601

- 1T Height range:85-330mm
Net weight:1.8kg
- 1.5T Height range:90-370mm
Net weight:2.1kg
- 2.0T Height range:95-380mm
Net weight:2.9kg



SCISSOR JACK

ART.No. T604

- 1T Height range:105-350mm
Net weight:1.9kg
- 1.5T Height range:110-390mm
Net weight:2.2kg
- 2.0T Height range:115-400mm
Net weight:3.0kg



SCISSOR JACK

ART.No. T602

- 1T Height range:85-330mm
Net weight:1.8kg
- 1.5T Height range:90-370mm
Net weight:2.1kg
- 2.0T Height range:95-380mm
Net weight:2.9kg



SCISSOR JACK

ART.No. T603

- 1T Height range:105-350mm
Net weight:1.9kg
- 1.5T Height range:110-390mm
Net weight:2.2kg
- 2.0T Height range:115-400mm
Net weight:3.0kg



SCISSOR JACK

ART.No. T611

- 1T Height range:105-350mm
Net weight:1.9kg
- 1.5T Height range:110-390mm
Net weight:2.2kg
- 2.0T Height range:115-400mm
Net weight:3.0kg



SCISSOR JACK

ART.No. T612

- Capacity:2T
- Height range:85-450mm
- Net weight:2.9kg



SCISSOR JACK

ART.No. **T608**
Capacity:2T
Height range:100-470mm
Net weight:3.0kg



SCISSOR JACK

ART.No. **T615-2.!**
Capacity:2.5T
Height range:100-380MM
N.W:2.5KG



SCISSOR JACK

ART.No. **T615-3T**
Capacity:3T
Height range:100-430MM
N.W:3.1KG




SCISSOR JACK

ART.No. **T609**
Capacity:2T
Height range:100-470mm
Net weight:3.0kg



SCISSOR JACK

ART.No. **T610**
Capacity:2T
Height range:100-470mm
Net weight:3.0kg



SCISSOR JACK

ART.No. **T605**
Capacity:2T
Height range:90-390mm
Net weight:2.6kg



SCISSOR JACK

ART.No. **T606**
Capacity:2T
Height range:110-410mm
Net weight:2.7kg



SCISSOR JACK

ART.No. **T607**
Capacity:1T
Height range:110-320mm
Net weight:1.77kg



FLOOR JACK

ART.No. **T518-6.5kg**
Capacity:2T
Minimum height:125mm
Lifting Height:175mm
Maximum height:300mm
N.W:6.5 kg



FLOOR JACK

ART.No. **T519**
Capacity:2T
Minimum height:135mm
Lifting Height:360mm
Maximum height:495mm
N.W:29.5 kg



FLOOR JACK

ART.No. **T520**
Capacity:3T
Minimum height:135mm
Lifting Height:360mm
Maximum height:495mm
N.W:35 kg



FLOOR JACK

ART.No. **T524**
Capacity:3T
Minimum height:75mm
Lifting Height:425mm
Maximum height:500mm
N.W:31 kg



FLOOR JACK

ART.No. **T525**
Capacity:3.5T
Minimum height:75mm
Lifting Height:430mm
Maximum height:505mm
N.W:43 kg



FLOOR JACK

ART.No. **T526**
Capacity:3.5T
Minimum height:90mm
Lifting Height: 460mm
Maximum height:550mm
N.W:48 kg



FLOOR JACK

ART.No. **T528-12.5**
Capacity:2.5T
Minimum height:85 mm
Lifting Height:300mm
Maximum height:385 mm
N.W.:12.5 kg



FLOOR JACK

ART.No. **T519-9.7KG**
Capacity:2T
Minimum height:85 mm
Lifting Height:240mm
Maximum height:325 mm
N.W.:9.7 kg



BOTTLE JACK T558



| | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| Capacity(Ton) | 2 | 4 | 6 | 8 | 10 | 12 | 16 | 20 | 32 | 50 |
| Min.H.(mm) | 148 | 180 | 185 | 200 | 200 | 210 | 225 | 235 | 255 | 255 |
| Lifting H.(Mm) | 80 | 110 | 115 | 125 | 125 | 130 | 135 | 145 | 150 | 150 |
| Adjust H.(mm) | 50 | 50 | 60 | 60 | 60 | 60 | 60 | 60 | / | / |
| Max H.(mm) | 278 | 340 | 360 | 385 | 385 | 400 | 420 | 440 | 405 | 405 |
| N.W.(kg) | 2.1 | 2.9 | 3.6 | 4.6 | 5.0 | 6.2 | 7.2 | 9.5 | 11.5 | 18.5 |

FLOOR JACK

ART.No. **T516**
Capacity:1.5T
Minimum height:125mm
Lifting Height:165mm
Maximum height:300mm
N.W.:6.8 kg



FLOOR JACK

ART.No. **T527**
Capacity:3T
Minimum height:140mm
Lifting Height:320mm
Maximum height:460mm
N.W.:22 kg



BOTTLE JACK T555



| | | | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Capacity(Ton) | 2T | 2T | 3T | 4T | 5T | 5T | 6T | 8T | 10T | 12T | 15T | 16T | 20T |
| Min.H.(mm) | 148 | 158 | 180 | 195 | 180 | 195 | 197 | 185 | 205 | 215 | 225 | 225 | 244 |
| Lifting H.(Mm) | 82 | 90 | 120 | 125 | 110 | 125 | 125 | 115 | 125 | 125 | 140 | 140 | 145 |
| Adjust H.(mm) | 50 | 60 | 50 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Max H.(mm) | 280 | 308 | 350 | 380 | 350 | 380 | 382 | 360 | 390 | 400 | 425 | 425 | 449 |
| N.W.(kg) | 2.2 | 2.4 | 2.6 | 3.4 | 3.2 | 3.4 | 4.4 | 4.7 | 5.6 | 6.9 | 7.5 | 7.5 | 10.5 |



FLOOR JACK

ART.No. **T518-8.7kg**
Capacity:2T
Minimum height:135mm
Lifting Height:200mm
Maximum height:335mm
N.W.:8.7 kg



FARM JACK

ART.No. **T530-20"**
Capacity:20"
Minimum height:110mm
Lifting Height:398mm
Maximum height:508mm
N.W.:8.5kg



BOTTLE JACK T552



| | | | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Capacity(Ton) | 2T | 2T | 3T | 4T | 5T | 5T | 6T | 8T | 10T | 12T | 15T | 16T | 20T |
| Min.H.(mm) | 148 | 158 | 180 | 195 | 180 | 195 | 197 | 185 | 205 | 215 | 225 | 225 | 244 |
| Lifting H.(Mm) | 82 | 90 | 120 | 125 | 110 | 125 | 125 | 115 | 125 | 125 | 140 | 140 | 145 |
| Adjust H.(mm) | 50 | 60 | 50 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Max H.(mm) | 280 | 308 | 350 | 380 | 350 | 380 | 382 | 360 | 390 | 400 | 425 | 425 | 449 |
| N.W.(kg) | 2.2 | 2.4 | 2.6 | 3.4 | 3.2 | 3.4 | 4.4 | 4.7 | 5.6 | 6.9 | 7.5 | 7.5 | 10.5 |



FARM JACK

ART.No. **T530-33"**
Capacity:33"
Minimum height:110mm
Lifting Height:550mm
Maximum height:660mm
N.W.:10kg



FARM JACK

ART.No. **T530-48"**
Capacity:48"
Minimum height:110mm
Lifting Height:610mm
Maximum height:720mm
N.W.:12kg



BOTTLE JACK T559



| | | | | | | | | | | | | | |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Capacity(Ton) | 2T | 2T | 3T | 4T | 5T | 5T | 6T | 8T | 10T | 12T | 15T | 16T | 20T |
| Min.H.(mm) | 148 | 158 | 180 | 195 | 180 | 195 | 197 | 185 | 205 | 215 | 225 | 225 | 244 |
| Lifting H.(Mm) | 82 | 90 | 120 | 125 | 110 | 125 | 125 | 115 | 125 | 125 | 140 | 140 | 145 |
| Adjust H.(mm) | 50 | 60 | 50 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Max H.(mm) | 280 | 308 | 350 | 380 | 350 | 380 | 382 | 360 | 390 | 400 | 425 | 425 | 449 |
| N.W.(kg) | 2.2 | 2.4 | 2.6 | 3.4 | 3.2 | 3.4 | 4.4 | 4.7 | 5.6 | 6.9 | 7.5 | 7.5 | 10.5 |



JACK STAND T652



| | | | | |
|----------------|------|------|------|------|
| Capacity(Ton) | 2 | 3 | 6 | 12 |
| Min.H.(mm) | 275 | 295 | 395 | 460 |
| Max H.(mm) | 420 | 425 | 600 | 715 |
| N.W.(kg) | 5.0 | 5.5 | 10.0 | 24.0 |
| G.W.(kg) | 5.3 | 5.8 | 10.5 | 25.0 |
| QTY/20*(pairs) | 2300 | 1900 | 860 | 540 |

JACK STAND T653



| | | | | |
|----------------|------|------|------|------|
| Capacity(Ton) | 2 | 3 | 6 | 12 |
| Min.H.(mm) | 280 | 287 | 417 | 490 |
| Max H.(mm) | 428 | 428 | 612 | 750 |
| N.W.(kg) | 5.5 | 7.0 | 14.0 | 26.0 |
| G.W.(kg) | 5.8 | 7.5 | 14.5 | 27.0 |
| QTY/20*(pairs) | 2000 | 1850 | 700 | 430 |

JACK STAND T654



| | | | |
|----------------|------|------|------|
| Capacity(Ton) | 2 | 3 | 6 |
| Min.H.(mm) | 280 | 280 | 350 |
| Max H.(mm) | 355 | 355 | 580 |
| N.W.(kg) | 3.2 | 3.3 | 7.2 |
| G.W.(kg) | 3.4 | 3.5 | 8.3 |
| QTY/20*(pairs) | 4900 | 4500 | 2000 |

CAR RAMP



ART.No. **RT11**
 Length:900mm
 Height:265mm
 Width:345mm
 Tire width:225mm
 Max.load:2000kg(a pair)
 Material:Q235-A
 2pcs/set
 With GS



REPAIR CHAIR

ART.No. **RT01**
 Product Material:
 Leather+Sponge+Steel+PP
 Product size: 380x320 x(430-550) MM



REPAIR CHAIR

ART.No. **RT04**
 Product Material:
 Leather+Sponge+Metal+PP
 Product size:
 360x360x340MM



CAR CREEPER T5811

Product Size(mm):910x420x105
 N.W.(kg):6



CAR CREEPER T5812

Product size(mm):914x380x90
 N.W.(kg):6.3



CAR CREEPER T5818

Product size(mm):102x40x10
 N.W.(kg):7.0



CAR CREEPER T5814

Product size(mm):1010x475x115
 N.W.(kg):5.0



CAR CREEPER T5815

Product size(mm):1010x475x115
 N.W.(kg):6.3



ELECTRIC JACK

ART.No. **T649**
Jack functional parameters:
Load capacity: 3T
Operating voltage: DC 12V
Rated current: 15A
Lifting height: 170-420mm
Rated power: 120W



ELECTRIC JACK

ART.No. **T651**
Jack functional parameters:
Load capacity: 3T
Operating voltage: DC 12V
Maximum current: 13A
Lifting range: 170-420mm
Rated power: 100W



ELECTRIC JACK SET

ART.No. **T654**
Jack function parameters:
Load capacity: 3T
Operating voltage: DC 12V
Maximum current: 13A
Lifting range: 120-370/170-420mm
Rated power: 100W



ELECTRIC JACK SET

ART.No. **T663**
Jack functional parameters:
Load capacity: 3T
Operating voltage: DC 12V
Rated current: 15A
Lifting height: 170-420mm
Rated power: 120W



ELECTRIC JACK SET

ART.No. **T674**
Jack functional parameters:
Load capacity: 5T
Operating voltage: DC 12V
Rated current: 15A
Lifting height: 150-450mm
Rated power: 150W



CAR ELECTRIC HYDRULIC JACK

ART.No. **T638**
Jack functional parameters:
Load capacity: 3T
Operating voltage: DC 12V
Maximum current: 13A
Lifting range: 120-350mm
Rated power: 100W



CAR ELECTRIC HYDRULIC JACK

ART.No. **T679**
Jacking function parameters:
Load capacity: 5T
Operating voltage: DC 12V
Maximum current: 15A
Lifting range: 155-450mm
Rated power: 180W



CAR ELECTRIC HYDRULIC JACK

ART.No. **T675**
Jacking function parameters:
Load capacity: 5T
Operating voltage: DC 12V
Maximum current: 15A
Lifting range: 155-450mm
Rated power: 180W



ELECTRIC JACK

ART.No. **T691**
Jacking function parameters:
Load capacity: 5T
Operating voltage: DC 12V
Rated current: 15A
Lifting range: 155-450mm / 235-530mm
Rated power: 180W



ELECTRIC JACK

ART.No. **T690**
Jacking function parameters:
Load capacity: 5T
Operating voltage: DC 12V
Rated current: 15A
Lifting range: 155-450mm / 235-530mm
Rated power: 180W



ELECTRIC CIRCUIT TESTER

ART.No. **T451**
Voltage: 6-24V
Material: ABS+PVC



ELECTRIC CIRCUIT TESTER

ART.No. **E8005**
Voltage: 6-24V
Material: ABS+PVC



ELECTRIC CIRCUIT TESTER

ART.No. **T550**
Voltage: 6-24V
Material: ABS+PVC



ELECTRIC CIRCUIT TESTER

ART.No. **T557**
Voltage: 6-24V
Material: ABS+PVC+copper wire



ELECTRIC CIRCUIT TESTER

ART.No. **T448**
Voltage: 6-24V
Material: ABS+PVC+copper wire



ELECTRIC CIRCUIT TESTER

ART.No. **T456**
Voltage: 6-24V
Material: ABS+PVC+copper wire



ELECTRIC CIRCUIT TESTER

ART.No. **T464**
Voltage: 3-48V
Material: PVC + copper wire



ELECTRIC CIRCUIT TESTER

ART.No. **T465**
Voltage: 6-12V
Material: ABS+PVC + copper wire



TIRE PRESSURE GAUGE

ART.No. **T890C**
Material:Zinc alloy+plastic
Range: 0-220psi



TIRE PRESSURE GAUGE

ART.No. **T890D**
Material:aluminium alloy+plastic
Range: 0-300psi,0-20kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T8053**
Material: Plastic Sheet
Range: 10-50 psi



TIRE PRESSURE GAUGE

ART.No. **01708**
Material: Metal
Pressure range:0-220psi and 0-16kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T880A**
Material:Aluminum+plastic
Pressure range:10-120 psi



TIRE PRESSURE GAUGE

ART.No. **T880B**
Material:Chrome-plated Zinc
Pressure range:10-120 psi or 10-170 psi



TIRE PRESSURE GAUGE

ART.No. **T8055**
Material:Plastic
Range: 10-75psi



TIRE PRESSURE GAUGE

ART.No. **T8056**
Material:plastic+metal
Pressure range:0-60psi or 0-100psi



TIRE PRESSURE GAUGE

ART.No. **T8007**
Material:palastic
Range:0-170psi



TIRE PRESSURE GAUGE

ART.No. **T8009**
Material:Plastic
Range:0.5-4.5bar



TIRE PRESSURE GAUGE

ART.No. **T8052**
Material: Aluminium alloy
Pressure range: 10-60 psi or 10-100 psi



TIRE PRESSURE GAUGE

ART.No. **T8061**
Material: plastic
Pressure range: 3-150psi,0.20-10.35bar,
20-1034kpa,0.2-10.5kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T8051**
Material:Plastic
Range: 3-150psi,
0.20-10.34bar,2
0-1034kpa,0.2-10.5kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T8102**
Material:Plastic
Pressure range: 3-150psi,
0.20-10.35bar,20-1034kpa,
0.2-10.5kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T8105A**
Material:Plastic head,metal tube
Pressure range:10-50 psi or 10-100psi



TIRE PRESSURE GAUGE

ART.No. **T8109**
Material:Plastic head,metal tube
Pressure range:10-50 psi or 10-100psi



TIRE PRESSURE GAUGE

ART.No. **T8058**
Material:Plastic
Pressure range: 3-150psi,
0.20-10.35bar



TIRE PRESSURE GAUGE

ART.No. **T8105**
Material:Plastic
Pressure range:0-150psi,
0-10.3bar 0-1030kpa 0-10.5kgf/cm²



TIRE PRESSURE GAUGE

ART.No. **T8114**
Material:Plastic head,
aluminum tube
Pressure range:10-50psi



FOOT PUMP

ART.No. **T5076**
Product Material: Metal
Cylinder length: 130mm
Product diameter: 45mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5052**
Product Material: Metal
Cylinder length: 130mm
Product diameter: 45mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5051**
Product Material: Metal
Cylinder length: 130mm
Product diameter: 55mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5058**
Product Material: Metal
Product length: 174mm
Product diameter: 45mm
Maximum air pressure: 85psi



FOOT PUMP

ART.No. **T5056**
Product material: Seamless steel pipe
Product length: 590mm
Product diameter: 32mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5066A**
Material of cylinder body:
steel pipe+spray coating
Product height: 600mm
Product diameter: 35mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5055C**
Material of cylinder body:
steel pipe+spray coating
Product height: 600mm
Product diameter: 32mm
Maximum air pressure: 160psi



FOOT PUMP

ART.No. **T5053A**
Material of cylinder body:
steel pipe+spray coating
Product height: 600mm
Product diameter: 45mm
Maximum air pressure: 160psi



GREASE GUN

ART.No. **G030**
Capacity: 500CC
Working pressure resistance: 8000PSI



GREASE GUN

ART.No. **G029**
Capacity: 500CC
Maximum working pressure resistance: 8000PSI



GREASE GUN

ART.No. **G027**
Capacity: 400CC
Maximum working pressure resistance: 8000PSI



GREASE GUN

ART.No. **G028**
Capacity: 600CC
Pressure: 10000-12000psi



GREASE GUN

ART.No. **G027**
Capacity: 600CC
Pressure: 560-9100psi



TORQUE WRENCH SET

ART.No. **K1035**
 Material: carbon steel
 11-piece set
 1PC ratchet wrench :1/410PC socket, (4.5.6.7.8.9.10.11.12.13)MM
 Material: carbon steel surface treatment: fog surface
 24T
 Inclusion heat treatment




TORQUE WRENCH SET

ART.No. **K1036**
 10PCS SOCKET:
 10MM,11MM,12MM,13MM,15MM,16MM,17MM,1
 9MM,21MM,24MM,1PCS RATCHET.
 1PCS: EXTENSION BAR 5"



TORQUE WRENCH SET

ART.No. **K1037**
 18PCS SOCKET:
 10MM,11MM,12MM,13MM,14MM,15MM,16MM,17MM,1
 8MM,19MM,20MM,21MM,22MM,23MM,24MM,27MM,30MM,32MM,
 1PCS: RATCHET.
 1PCS: EXTENSION BAR 5"



TORQUE WRENCH SET

ART.No. **T055B-4pcs**
 Material: 40crv
 Quick release twisting force:40-210N/M
 length:475mm
 Socket:17mm,19mm,21mm;extension bar :1/2"*5"
 polish surface
 Surface treatment:Mirror finish

SCREWDRIVER SET

ART.No. **K1295**
 3pcs/set
 Slotted Screwdriver
 (4.0X100 MM -5.5X125 MM)
 Phillips Screwdriver
 (PH2X100mm)



SCREWDRIVER SET

ART.No. **K1296**
 5pcs/set
 Slotted Screwdriver
 (4.0X100 MM 3.0x75mm
 5.5x125mm)
 Phillips Screwdriver
 (PH1x100mm PH2x125mm)



SCREWDRIVER SET

ART.No. **K1297**
 7pcs/set
 1. PH2X38 MM/ #2X1-1/2"
 2. PH0X75 MM/ #0 X 3"
 3. PH2X 100 MM/ #2 X 4"
 4. 8.0X200 MM/ #3X 8"
 5. 6.5X38MM/1/4X1-1/2"
 6. 3.0X75 MM/ 1/8 X 3"
 7. 6.5X100 MMI 1/4X4"



SCREWDRIVER SET

ART.No. **K1298**
 7pcs/set
 Slotted Screwdriver (5.5 x100 MM)
 Phillips Screwdriver (PH1x100 MM)
 Voltage Teater (AC100 -500V)
 Tape Measure (3M/10FT)
 COMBINATION PLIERS (6"-155 MM)
 UTILITY KNIFE (18 MM)
 ADJUSTABLE WRENCH (6"/150 MM)



SCREWDRIVER SET

ART.No. **K1001**
 7pcs/set
 Material:Carbon steel + PP
 SL: 3x75mm,4x100mm,
 5x125mm, 6x150mm
 PH: PH1x100mm, PH2x100mm,
 PH3x150mm
 Color: black



SCREWDRIVER SET

ART.No. **K1020**
 6pcs/set
 Material:CRV + PP
 6.5*150,-5.5*125,-4*100,-6*100+,
 5*80+,3*60+
 Color: red



SCREWDRIVER SET

ART.No. **K1261**
6pcs/set
Material:40CR
Knife head with magnetic
3pcs Slotted:3x75mm,
4x100mm,5x125mm
2pcs Phillips:Ph1x80mm,
Ph2x1 50mm



SCREWDRIVER SET

ART.No. **K1271**
6pcs/set
3pcs Slotted: 3x75mm,
4x100mm,6x150mm
3pcs Phillips: Phx75mm,
Ph1x80mm,Ph2x100mm




SCREWDRIVER SET

ART.No. **K1232S-38**
24pcs/set
H6 bits 25mm:
PH1,PH2,PH3,PZ1,PZ2,PZ3,H4,H5,H6,T15,T20
H4 Small batch head:
PH000,PH00,PH1,PH0,φ3.0,2.0,1.5,1.0,PZ1,PZ0,T15



SCREWDRIVER SET

ART.No. **K1280**
6pcs/set
3pcs Slotted:3x75mm,
5x80mm,5x125mm
3pcs Slotted: Ph0x75mm,
Ph1x100mm,Ph2x100mm



SCREWDRIVER SET

ART.No. **K1250**
4pcs/set
Material:40CR
Knife head with magnetic
2pcs Slotted:5x100mm,6x38mm
2pcs Phillips:Ph1x100mm,Ph2x38mm



SCREWDRIVER SET

ART.No. **K1229S**
4pcs/set
Tool bar material:6150
With magnetic head



SCREWDRIVER SET

ART.No. **K1258**
23pcs/set
Material:40CR
Knife head with magnetic
1pc Bits Holder
1pc Adaptor
2pcs Screwdriver: 6x38mm
Ph2x38mm
19pcs Bits(6.35x25mm):3mm,
4mm, 5mm,6mm,Ph0,Ph1 ,Ph2,Ph3
PZ1,PZ2,T8,T10,T15,T20,T25,
H3,H4,H5,H6



SCREWDRIVER SET

ART.No. **K1276**
12pcs/set
1pc Screwdriver bits holder (100 mm)
1pc spring tube screwdriver (150 mm)
10pcs screwdriver bits
4mm,5mm,6mm,PH1,PH2,PH3,
T10,T15.T20,ADP



SCREWDRIVER SET

ART.No. **T1031**
6PCS/Set
Material: 45 carbon steel
3X75 Ten, 5X100 Ten, 6X100 Ten



SCREWDRIVER SET

ART.No. **K1025**
6PCS/Set
Material: 45 carbon steel
5x75 ten, 6X100 ten, 8X150 ten



SCREWDRIVER SET

ART.No. **K1258B**
Hex key-2.5mm
Hex key-3mm
Hex key-4mm



SCREWDRIVER SET

ART.No. **K1259**
1/8X3" - 3x75mm,
SLOTTED SCREWDRIVER,
COMFORT GRIP
Total length:154 mm;
Bar length:75 mm,
Bar diameter: 3mm



SCREWDRIVER SET

ART.No. **K1001**
7PCS/Set
Material: 45 carbon steel
3X75 Ten, 5X100 Ten, 6X100 Ten



SCREWDRIVER SET

ART.No. **K1030A**
4PCS/Set
Material: 45 carbon steel
Size: External leakage hook length 75mm
Sleeves without heat treatment, batch heads with heat treatment



JERRY CAN

ART.No. **OP002-5L**
 Jerry Can
 Product capacity:5L
 Material:iron
 Sheet metal thickness:0.6mm
 Surface treatment:spray plastic
 Color:green
 Product weight:1.5kg



JERRY CAN

ART.No. **OP005**
 Product capacity:5L
 Net weight:0.50 kg
 Single size:225x150x220mm
 Material:PE



TRIM REMOVAL TOOL KIT

ART.No. **DS01**
 Material:202 stainless steel
 Size:32 x12cm



JERRY CAN

ART.No. **OP002-10L**
 Jerry Can
 Product capacity:10L
 Material:iron
 Sheet metal thickness:0.6mm
 Surface treatment:spray plastic
 Color:green
 Product weight:1.85kg



JERRY CAN

ART.No. **OP010**
 Product capacity:10L
 Net weight:0.85kg
 Single size:280x175x300mm
 Material:PE



JERRY CAN

ART.No. **OP002-20L**
 Jerry Can
 Product capacity:20L
 Material:iron
 Sheet metal thickness:0.6mm
 Surface treatment:spray plastic
 Color:green
 Product weight:2.9kg



JERRY CAN

ART.No. **OP011**
 Product capacity:20L
 Net weight:1.4kg
 Single size:335x175x450mm
 Material:PE



TRIM REMOVAL TOOL KIT

ART.No. **K8050-5**
 5pcs/set
 Material:nylon



TRIM REMOVAL TOOL KIT

ART.No. **K8050-4**
 4pcs/set
 Material:Nylon



TRIM REMOVAL TOOL KIT

ART.No. **K8050-26**
 26pcs/set
 Material:POM



TRIM REMOVAL TOOL KIT

ART.No. **K8050-25**
 25pcs/set
 Material:POM



TRIM REMOVAL TOOL KIT

ART.No. **K8050-38**
 38pcs/set
 Material:POM



TRIM REMOVAL TOOL KIT

ART.No. **K8050-32**
 32pcs/set
 Material:POM



100PCS CLIPS

ART.No. **PS04-100**
 100pcs/set
 Material:PP



620PCS BLACK CLIPS

ART.No. **PS04-635**
 635pcs/set
 Material:PP



CAR FILM TOOLS

ART.No. **FK02-7pcs**
Material:PP



CAR FILM TOOLS

ART.No. **FK01-6pcs**
Material:PP



CAR FILM TOOLS

ART.No. **FK03-10pcs**
Material:PP+Hardware
10PCS/SET




CAR FILM TOOLS

ART.No. **FK03-6pcs**
Material:PP



CAR FUSE

ART.No. **EP02**
10pcs/set
5A-1PC
7.5A-1PC
10A-2PCS
15A-2PCS
20A-2PCS
25A-1PC
30A-1PC



CAR FUSE

ART.No. **EP03**
10pcs/set
5A-1PC
7.5A-1PC
10A-2PCS
15A-2PCS
20A-2PCS
25A-1PC
30A-1PC



CAR FUSE

ART.No. **EP04**
10pcs/set
5A-2PCS
8A-2PCS
16A-4PCS
25A-2PCS



CAR FUSE

ART.No. **EP05**
10pcs/set
5A-1PC
7.5A-1PC
10A-2PCS
15A-2PCS
20A-2PCS
25A-1PC
30A-1PC



FUNNEL

ART.No. **PF11**
Material:PP
Caliber:13CM



FUNNEL

ART.No. **PF121**
Material:PP
Caliber:4.5CM



FUNNEL

ART.No. **PF128**
Material:PP
Upper diameter:12CM
Lower diameter:1.2CM
Height:46CM
Color:Black



FUNNEL

ART.No. **PF119**
Size:80x290mm
Material:PP



FUNNEL

ART.No. **PF122**
Size:8.5x10.5cm
Material:Silicone



FUNNEL

ART.No. **PF123**
Size:6x7.5cm
Lower diameter:1.5cm
Material:Silicone



FUNNEL

ART.No. **PF120**
Tube length:53cm
Material:PP
color:red



FUNNEL

ART.No. **PF200-8**
Diameter:37cm
Height: 9cm
Material:PP
Capacity:6L
Color:Black



POUR THE TUBING

ART.No. **PT15**
Material:Steel Pipe
Thickness:0.8mm



POUR THE TUBING

ART.No. **PU16**
Material:Stainless steel
Thickness:0.8mm



DENT REPAIR TOOL SET

ART.No. DR13



DENT REPAIR TOOL SET

ART.No. DR19



DENT REPAIR TOOL SET

ART.No. DR16



DENT REPAIR TOOL SET

ART.No. DR18



DENT REPAIR TOOL SET

ART.No. DR10



DENT REPAIR TOOL SET

ART.No. DR20



DENT REPAIR TOOL SET

ART.No. DR21



DENT REPAIR TOOL SET

ART.No. DR22



PUMPING UNIT

ART.No. PU01
Fluid Change Syringe Capacity:200ml
Length:36.5cm



LUGGAGE NET

ART.No. N2007
Material:PP
Size:30x28cm



LUGGAGE NET

ART.No. N2010A
Material:PP
Size:70x70cm




LUGGAGE NET

ART.No. N2008
Material:PP
Size:80x60cm




LUGGAGE NET

ART.No. N2012
Material:PP
Size:90x30cm



LUGGAGE NET

ART.No. N2011
Material:PP
Size:90x40cm




LUGGAGE NET

ART.No. N2025
Material:PP
Size:110x30x30cm



LUGGAGE NET

ART.No. N2010
Material:PP
Size:120-180x60cm



LUGGAGE NET

ART.No. **N2024**
Material:PP
Size:40x25cm



LUGGAGE NET

ART.No. **N2015**
Material:PP
Size:83x50cm



LUGGAGE NET

ART.No. **T300**
Material:PP
Size:18x7cm




LUGGAGE NET

ART.No. **N2016**
Material:PP
Size:40x25cm




LUGGAGE NET

ART.No. **T133**
Material:PP+rubber
Size:120x180cm
Mesh size:15x15mm
Wire diameter:5mm
12xPlastic Hook



LUGGAGE NET

ART.No. **N2029**
Material:Iron+PP
Size:31.5x21cm



WIPER REMOVER

ART.No. **WP01**
Material:Carbon steel



WIPER REMOVER

ART.No. **WP02**
Material:Carbon steel



WIPER REMOVER

ART.No. **WP03**
Material:Carbon steel



ROOF BAR

ART.No. **CR016**
Material: aluminum alloy
Length: 120cm



ROOF RACK

ART.No. **CR128**
Material: Aluminum+Plastic
Size:127X96CM



ROOF BAR

ART.No. **CR115**
Material: Iron
Length: 120CM



SKI SNOWBOARD RACK

ART.No. **CR150**
Material:Aluminum alloy



BIKE RACK

ART.No. **CR020**
Material:Steel



BIKE RACK

ART.No. **CR140**
Material:Steel



BIKE RACK

ART.No. **CR141**
Material:Steel



ROOF BAR

ART.No. **CR015**
Material: aluminum alloy + iron + plastic
Size:122cm



TYRE HOLDER

ART.No. **D91001**
For holding max: 4 wheels
Suit for wheels:225 mm
Capacity:100 kg



TYRE HOLDER

ART.No. **D91002**
For holding max:4 wheels
Suit for wheels:13-17inch
Capacity:100 kg



TYRE HOLDER

ART.No. **D91009**
For holding max:4 wheels
Suit for wheels:225 mm
Capacity:100 kg

CAR CLEANING CLOTH

ART.No. **C313C**
Size:40x40cm
Material:Microfiber



CAR CLEANING CLOTH

ART.No. **C371**
Size:40x50cm
Material:One-sided braided cloth



CAR CLEANING CLOTH

ART.No. **C313B**
Size:40x40cm
Material:High density composite coral velvet



CAR CLEANING CLOTH

ART.No. **C301C**
Size:40x40cm
Material:Warp knitting towel



CAR CLEANING CLOTH

ART.No. **C301D**
Size:25x25cm
Material:Warp knitting towel



CAR CLEANING CLOTH

ART.No. **C313B**
Size:40x40cm
Material:One-sided coral velvet



CAR CLEANING CLOTH

ART.No. **C313A**
Size:40x40cm
Material:Microfiber



CAR CLEANING CLOTH

ART.No. **C310**
Size:40x40cm
Material:Microfiber



CAR CLEANING CLOTH

ART.No. **C301**
Size:40x40cm
Material:Big pearl




CAR CLEANING CLOTH

ART.No. **C309C**
Size:40x40cm
Material:Waffle cloth



CAR CLEANING CLOTH

ART.No. **C309B**
Size:40x40cm
Material:Waffle cloth



CAR CLEANING CLOTH

ART.No. **C301A**
Size:30x30cm
Material:Warp knitting towel



CAR CLEANING CLOTH

ART.No. **C313**
Size:40x40cm
Material:Coral Fleece



CAR CLEANING CLOTH

ART.No. **C372**
Size:40x40cm
Material:Microfiber




CAR CLEANING CLOTH

ART.No. **C360**
Size:40x40cm
Material:Microfiber



CAR CLEANING CLOTH

ART.No. **C328**
Size:25x25cm
Material:
High density coral cloth



CAR CLEANING CLOTH

ART.No. **C319D**
Size:30x30cm
Material:Glass towel



CAR CLEANING CLOTH

ART.No. **C318**
Size:40x40cm
Material:Microfiber



PVC CHAMOIS CLOTH

ART.No. **C310**
Size: 1 sq ft/1.5 sq ft/2 sq ft/3 sq ft
Small tube size: 43x32x0.2cm
Large tube size: 66x43x0.2cm



CAR WASH GLOVES

ART.No. **C206**
Size:24x18cm
Material:Clenille



CAR WASH GLOVES

ART.No. **C207A**
Size:24x18cm
Material:Clenille



CAR CLEANING CLOTH

ART.No. **C399**
Size:40x40cm
Material:Microfiber




CAR CLEANING CLOTH

ART.No. **C319**
Size:40x40cm
Material:Microfiber



CAR WASH GLOVES

ART.No. **C207B**
Size:24x20cm
Material:Clenille



CAR WASH GLOVES

ART.No. **C206A**
Size:24x18cm
Material:Clenille



CAR CLEANING CLOTH

ART.No. **C218**
Size:40x40cm
Material:Microfiber



CAR CLEANING CLOTH

ART.No. **C398**
Size:40x40cm
Material:Microfiber



CAR WASH GLOVES

ART.No. **C205B**
Size:24x18cm
Material:Clenille



CAR WASH GLOVES

ART.No. **A213B**
Material:Chenille



CAR WASH GLOVES

ART.No. **C204A**
Material:Chenille



CAR WASH GLOVES

ART.No. **C204B**
Material:Microfiber



CAR WASH GLOVES

ART.No. **C208**
Plush gloves



SPONGE

ART.No. **C131A**
Material:Polyester
Size:11.5x5.5x4.5cm



SPONGE

ART.No. **C131**



SPONGE

ART.No. **S303**
Material:Polyester
Size:10.5x10.5x6.5cm



SPONGE

ART.No. **S302**
Material:Polyester
Size:9.6x4x6cm



CAR WASH GLOVES

ART.No. **C204**
Material:Microfiber



CAR WASH GLOVES

ART.No. **C205A**
Material:Microfiber



CAR WASH GLOVES

ART.No. **C205B**
Material: Microfiber



SPONGE

ART.No. **S302A**
Material:PP
Size:12x5.5x7cm



SPONGE

ART.No. **C143A**



CAR WASH GLOVES

ART.No. **C205**
Size:24x16cm
Material:Microfiber



CAR WASH GLOVES

ART.No. **C383**
Size:25x18cm
Material:Microfiber



CAR WASH GLOVES

ART.No. **C220**
Size:23x17cm
Material:Microfiber



SPONGE

ART.No. **C136**
Holey non-woven fabric sponge



SPONGE

ART.No. **C115**




SPONGE

ART.No. **C109**



SPONGE

ART.No. **C128**



SPONGE
ART.No. C130



SPONGE
ART.No. C131



SPONGE
ART.No. C122B
Uneven cut &
Coarse mesh fabric sponge



SPONGE
ART.No. C129A
Microfiber cloth waxing PADS



SPONGE
ART.No. C129



SPONGE
ART.No. C312B
Both sides sandwich sponge



SPONGE
ART.No. C141A
Holey non-woven fabric sponge



SPONGE
ART.No. C135



SPONGE
ART.No. C132



SPONGE
ART.No. C133




CLEAN SPONGE
ART.No. C121A
Size:22x11x5cm
Material:Polyester



CLEAN SPONGE
ART.No. C202A
Size:22x11x5cm
Material:Polyester



CLEAN SPONGE
ART.No. C202D
Size:22x11x5cm
Material:Polyester



CLEANING BRUSH

ART.No. CK36
Material:PP
Size:10x5cm



CLEANING BRUSH

ART.No. CK38
Material:TPR
Total length:240mm
Size:160x43mm



CLEANING BRUSH

ART.No. C398
Material:Microfiber+PP
Size:12x5.5x7cm



CLEANING BRUSH

ART.No. C208
Material:Microfiber+PP
Size:16x4cm



CAR CLEANING CLOTH SET

ART.No. CK40B
Material:PU+Nanocilia
Size:12x5.5cm



CLEANING BRUSH

ART.No. CK39
Material:PP+TPR
Total length:160/240mm
Size:160x43/50x240mm



CLEANING BRUSH

ART.No. CK37
Material: Handle PP+TPR+Wool PBT+PP Base
Wire diameter:0.1mm
Total length:125mm



CLEANING BRUSH

ART.No. CK34
Material:ABS+coral velvet+nylon wool
Size:12cm



WINDOW WIPER

ART.No. C902B
Length:10"
Sque width:2,2/5"
Material:PP



WINDOW SQUEEGEE

ART.No. C900A
Des:8" iron/10" iron head, wooden handle
Meas:52x19x22cm



WINDOW SQUEEGEE

ART.No. C501
Des:8" iron head, wooden handle
Des:10" iron head, wooden handle
Des:12" iron head, wooden handle




WINDOW SQUEEGEE

ART.No. C505
Des:8" plastic head, 36" telescopic aluminum handle, diameter 16-19mm
Des:10" plastic head, 36" telescopic aluminum handle, diameter 16-19mm



WINDOW WIPER

ART.No. C900A
Length:12"
Sque width:3/4"
Material:PP



WINDOW BRUSH

ART.No. C203A
Dust removal sleeve size:14.5x10.5cm
Handle+dust cover size:30x10.5cm
(without adding fur length)
Material:Brush cover:polyester Chenille
Brush handle:plastic



WINDOW SQUEEGEE

ART.No. C506
Des:8" plastic head, 16" plastic head, 10" plastic head



WINDOW SQUEEGEE

ART.No. C502
Des:8" iron head, plastic head
Des:12" iron head, plastic head



WINDOW BRUSH

ART.No. **2305**
2pcs red cover
Color:Red and black
Material:Aluminum +EVA+Polyester+Chinlon
Product size:
Plastic brush head:13x13.5CM
Total length:33-48.5CM
Diameter of brush handle:1.5CM
Microfiber cleaning pad:13.5x15CM
Product configuration:
Plastic brush + 2x microfiber cleaning pads



WINDOW BRUSH

ART.No. **2310**
Material:Microfiber +ABS
Size:44x15 cm



WINDOW BRUSH

ART.No. **2308**
Size:30-44.5cm
Square plate:15x10cm
Material:PP+EVA
2 pcs cloth covers



WINDOW BRUSH

ART.No. **2309**
Size:44x15cm
Square plate:13x9cm
Material:PP
2 pcs cloth covers
1pc plastic bottle



WINDOW BRUSH

ART.No. **2306**
Size:37.5-48.5cm
Triangle boade:13cmx13.5cm
Material:PP+EVA
2 pcs cloth covers



WINDOW BRUSH

ART.No. **2307A**
Size:44x15.5x3cm
Square plate:13x9cm
Material:PP
2 pcs cloth covers



WHEEL BRUSH

ART.No. **C560A**

Material:PP+PP hollow wire+iron wire
Size:25.5x8x4cm



WHEEL BRUSH

ART.No. **C560B**

Material:PP+TPR+PP hollow wire+iron wire
Size:29x8x8cm
Double circle



WHEEL BRUSH

ART.No. **C562A**

Material:PP+PET+iron wire
Size:6x6x33cm/8x8x34.5cm
Weight:42g



WHEEL BRUSH

ART.No. **C565**

Material:PP+TPR+PET(flowering wool)
Size:7x13x26cm



WHEEL BRUSH

ART.No. **C598**

Material:PP+TPR+TPE
Size:17x14x11cm



WHEEL BRUSH

ART.No. **C598A**

Material:PP+TPR+TPE
Size:19x10x12.5cm



WHEEL BRUSH

ART.No. **C599**

Material:PP+TPR+(PP hollow wire)+
iron wire double circle
Size:8x8x27cm



WHEEL BRUSH

ART.No. **C599A**

Material:PP+TPR+(PP hollow wire)+
iron wire single circle
Size:8x8x27cm



WHEEL BRUSH

ART.No. **C568**

Material:Wooden handle+PVC stretch brush
Size:430mm
Length of the bristles:245mm
Diameter:100mm
Weight:170g



WHEEL BRUSH

ART.No. **C570**

Material:PP+TPR
Length:28cm
Color:Black+gray



WATER BRUSH

ART.No. **C592A**

Material:PP+PVC+EVA
Tube diameter:22MM
Pole length: 30cm
Bristle length: 5cm



WATER BRUSH

ART.No. **C523A**

Material:PP+PVC+EVA
Tube diameter: 22MM
Pole length: 46cm
Bristle length: 5cm



WATER BRUSH

ART.No. **C256D**

Material:PP+PVC+ABS
Tube diameter: 22/25MM
Pole length: 2m
Bristle length: 5cm
Scrape width: 10 inches



WATER BRUSH

ART.No. **C544A**

Material:PP+PVC
Tube diameter: 18/21.6/25MM
Pole length: 140cm
Brush head size: 32x9x8cm
Bristle length: 5.5cm
Scrape width: 1cm



WATER BRUSH

ART.No. **C546A**

Material:PP+PVC
Tube diameter: 22/25/30MM
Pole length: 3m
Bristle length: 5cm
Scraper size: 10 inches



WATER BRUSH

ART.No. **C543A**

Material:PP+PVC+ABS
Tube diameter: 30/25MM
Pole length: 2.5M
Brush head size: 22x9x8cm
Bristle length: 5cm



CAR DRILL CLEANING BRUSH

ART.No. CK43
16 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. BH10
16pcs kit



CAR DRILL CLEANING BRUSH

ART.No. BH11
9pcs kit



CAR DRILL CLEANING BRUSH

ART.No. CK41
18 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. CK42
21 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. BH12
5pcs kit



CAR DRILL CLEANING BRUSH

ART.No. BH13
31pcs kit



CAR DRILL CLEANING BRUSH

ART.No. CK60
22 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. CK61
11 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. BH14
30pcs kit



CAR DRILL CLEANING BRUSH

ART.No. BH15
38pcs kit



CAR DRILL CLEANING BRUSH

ART.No. CK62
7 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. CK63
8 pieces/set



CAR DRILL CLEANING BRUSH

ART.No. BH16
16pcs kit



CAR DRILL CLEANING BRUSH

ART.No. BH17
14pcs kit



CAR POLISH SET

ART.No. **S305**
3pcs/set
Size:85x75x28mm
Dia:6mm
Color:red+blue+yellow



CAR POLISH SET

ART.No. **SP07**
11pcs 80mm car polishing set
1x80mm polishing pads
1xM14 adaptor
1x80mm wool pad
8x80mm sponge pad
Color and hardness
Plane:black 1pc+orange 2pcs
Wave:black+blue+green+orange+red each 1



CAR POLISH SET

ART.No. **SP08**
Dia:125mm+M14 adaptor
Color:white+red+black



CAR POLISH SET

ART.No. **SP10**
Dia:125mm
Thickness:10mm
Material:Technical felt, fastened with Velcro



CAR POLISH SET

ART.No. **SP11**
M14 125mm
2pcs wool pads(red color)
1pc electric disc(red color)



CAR POLISH SET

ART.No. **SP21**
19pcs 3" car polishing set
1xM10 adaptor
1x3" microfiber pad
1x3" waffle black fram pad



CAR POLISH SET

ART.No. **SP22**
Dia:150x45mm,180x45mm
Function:
Orange-heavy cutting
White-compounding
Black-finishing
Color:white,red,black
With M14 adaptor



CAR POLISH SET

ART.No. **SP23**
Dia:3",4",5",6",7"
Density:Medium
Thickness:25mm



LEATHER&VINYL REPAIR KIT

ART.No. **LV001A-17pcsset**
17pcs/set
7x3ml Color Paints
1x15gm Leather Sealer Glue
1xHeat Transfer Tool
3xGrain Papers
1xPractise Leather
1xBacking Fabric
1xMixing Bottle
1xPlastic Spatula
1xInstruction Book



WINDSHIELD REPAIR KIT

ART.No. **WR001A-16pcs**
16pcs/set
1x2ml Repair Resin
3xAdhesive Seal
1xCleaning Cloth
1xPedestal
5xCuring Film
1xPush Pin
1xRazor Blade
1xInjector with Spring Clip
2xBlack O-Ring



ALLOY WHEEL REPAIR KIT

ART.No. **AW001B**
14pcs/set
1 x Repair Adhesive
1 x Silver Paint (vibration-resistant)
2 x Gloves
1 x Sander
2 x Alcohol Prep Pads
2 x Plastic Spatula
2 x Paint Brush
2x Cotton Swabs
1x Instruction Book



LEATHER&VINYL REPAIR KIT

ART.No. **LV001B**
17pcs/set
7x3ml Color Paints
1x15gm Leather Sealer Glue
1xHeat Transfer Tool
3xGrain Papers
1xPractise Leather
1xBacking Fabric
1xMixing Bottle
1xPlastic Spatula
1xInstruction Book



HEADLIGHT RESTORATION KIT

ART.No. **HR001B**
16pcs/set
2x40gm Polishing Paste
2x3ml UV Protective Paste
1xWhite Sponge Pad
1xOrange Sponge Pad
1xBacker Pad
1xAdaptor
1xMasking tape
2xWaterproof Sandpaper P800
2xWaterproof Sandpaper P1200
2xWaterproof Sandpaper P2000
1xInstruction Book



WINDSHIELD REPAIR KIT

ART.No. **WR001B**
16pcs/set
1x2ml Repair Resin
3xAdhesive Seal
1xCleaning Cloth
1xPedestal
5xCuring Film
1xPush Pin
1xRazor Blade
1xInjector with Spring Clip
2xBlack O-Ring



HEADLIGHT RESTORATION KIT

ART.No. **HR001A**
15pcs/set
1x85gm Polish Paste
2x3ml UV Protective Paste
1xWool Felt
1xBacker Pad
1xAdaptor
1xMasking tape
2xWaterproof Sandpaper P1200
2xWaterproof Sandpaper P800
2xWaterproof Sandpaper P2000
1xWhite Sponge Pad
1xInstruction Book



WINDSHIELD REPAIR KIT

ART.No. **WR001A-11pcs**
11pcs/set
1x2ml Repair Resin
1xRepair Device
1xCleaning Cloth
5xCuring Film
1xPush Pin
1xRazor Blade
1xInstruction Book



LEATHER&VINYL REPAIR KIT

ART.No. **LV001A-18pcsset**
18pcs/set
7x20ml Color Paints
2x15gm Leather Sealer Glue
1xPractise Leather
3xGrain Papers
1xMixing Bottle
1xPlastic Spatula
1xPaint Brush
1xSandpaper
1xInstruction Book



ALLOY WHEEL REPAIR KIT

ART.No. **AW001A**
14pcs/set
1 x Repair Adhesive
1 x Silver Paint (vibration-resistant)
2 x Gloves
1 x Sander
2 x Alcohol Prep Pads
2 x Plastic Spatula
2 x Paint Brush
2x Cotton Swabs
1x Instruction Book



FOAM KETTLE

ART.No. **T880D**
Product size:30X13X23CM
Capacity:1000ml



FOAM KETTLE

ART.No. **T880C**
Product size:30X13X23CM
Capacity:1000ml



FOAM KETTLE

ART.No. **T880B**
Product size:30X13X23CM
Capacity:1000ml



FOAM KETTLE

ART.No. **T907**
Product size:30X13X23CM
Capacity:1000ml



FOAM KETTLE

ART.No. **T904D**
Material:PE+PP
Capacity:2L/2.5L



FOAM KETTLE

ART.No. **T905D**
Material:PE+PP
Capacity:1.5L



FOAM KETTLE

ART.No. **T904B**
Material:PE+PP
Capacity:1.8L/2.5L/3L



FOAM KETTLE

ART.No. **T904C**
Material:PE+PP
Capacity:1.5L/2L



FOAM SPRAYER

ART.No. **T901**
Material:PE+PP
Capacity:2L



FOAM SPRAYER

ART.No. **T905B**
Material:PP+PE
Capacity:2L



AIR FILTER

ART.No. **A1263**
Top cover width: 118mm
Lower cover width: 155mm
Total height: 156mm
Caliber: 76mm



AIR FILTER

ART.No. **A1211A**
Top cover width: 118mm
Lower cover width: 155mm
Total height: 156mm
Caliber: 76mm



AIR FILTER

ART.No. **A1259**
Top cover width: 118mm
Lower cover width: 155mm
Total height: 156mm
Caliber: 76mm



AIR FILTER

ART.No. **A1204B**
Top cover width: 88mm
Lower cover width: 118mm
Total height: 156mm
Caliber: 88mm



AIR FILTER

ART.No. **A1222**
Top cover width: 50mm
Lower cover width: 50mm
Total height: 58mm
Caliber: 20mm



PHONE HOLDER

ART.No. **P332**
Material: ABS+silicone



PHONE HOLDER

ART.No. **P333**
Material: ABS+silicone



PHONE HOLDER

ART.No. **P093-AN**
Material: ABS+silicone



PHONE HOLDER

ART.No. **P093-BH2**
Material: ABS+silicone



PHONE HOLDER

ART.No. **P1816**
Material: aluminum alloy



PHONE HOLDER

ART.No. **P1913**
Material: ABS+Silicone+Zinc Alloy



PHONE HOLDER

ART.No. **P118-EA**
Material: ABS+TPU



PHONE HOLDER

ART.No. **P329-DC**
Material: ABS + EVA



PHONE HOLDER

ART.No. **P536A**
Material: Bottom silicone+ABS



PHONE HOLDER

ART.No. **P334**
Material: ABS+TPR



PHONE HOLDER

ART.No. **P015-PL**
Material:ABS+PC



PHONE HOLDER

ART.No. **P2322**
Material: ABS + aluminum alloy



CUP HOLDER

ART.No. **P409**
Material: ABS+silicone



CUP HOLDER

ART.No. **P408B**
Material: ABS+Metal



PHONE HOLDER

ART.No. **P030**
Material: ABS + aluminum alloy + silica gel



PHONE HOLDER

ART.No. **P301**
Material: ABS+ foam



PHONE HOLDER

ART.No. **P311**
Material: ABS+silica gel



CUP HOLDER

ART.No. **C302**
Material: PS+Spring wire



CUP HOLDER

ART.No. **P403**
Material: ABS



PHONE HOLDER

ART.No. **P310**
Main materials:silica gel



PHONE HOLDER

ART.No. **P307**
Main materials:silica gel




CAR NOTEPAD

ART.No. **P033-C**
Material: ABS



CUP HOLDER

ART.No. **P407**
Size:5.5x8x10cm
Material:ABS+POM
Color:Black



CUP HOLDER

ART.No. **P403**
Size:59x79x141mm
Material:ABS+PE



BEEP STOPPER

ART.No. **SL010**
Length:12cm
Size:50x120mm



BEEP STOPPER

ART.No. **PB105**
Length:25cm
Size:5x25mm



BEEP STOPPER

ART.No. **PB110**
Length:110cm



BEEP STOPPER

ART.No. **ST015**
Length:111cm



BEEP STOPPER

ART.No. **SL113**
Length:7.1cm



BEEP STOPPER

ART.No. **ST009**
Length:300cm,Customizable



BEEP STOPPER

ART.No. **ST013**
Length:300cm,Customizable



BEEP STOPPER

ART.No. **ST011**
Length:90-135cm,Customizable



BEEP STOPPER

ART.No. **ST014**
Length:210cm,Customizable



BEEP STOPPER

ART.No. **ST015**
Length:210cm,Customizable



FLXED BANDAGE

ART.No. **FE01**
Material:Nylon
Size:60x5cm+10x5cm



FLXED BANDAGE

ART.No. **FE03**
Material:Elastic and non scratching



FLXED BANDAGE

ART.No. **FE04**
Material:Elastic and non scratching




FLXED BANDAGE

ART.No. **FE05**
Material:Elastic and non scratching



DESICCANT

ART.No. **DC02**
Material:400G silicone
Bag:polyester fabric
Moisture absorption rate:35%



DESICCANT

ART.No. **DC03**
Material:400G silicone
Bag:polyester fabric
Moisture absorption rate:35%



DESICCANT

ART.No. **DC04**
Material:1000G silicone
Bag:polyester fabric
Moisture absorption rate:35%



DESICCANT

ART.No. **DC05**
Material:75G bamboo charcoal
Cloth bag:imitation linen fabric



CAR HOLDER

ART.No. **C213W**
2pcs/pair
Size:120x30x15mm
Material:ABS



NECK PILLOW

ART.No. **CP10A**
Material: Nylon + Polyester
Inner liner: Memory foam
Size: 28x29x15cm



CAR TRUNK ORGANIZER

ART.No. **PO105**
Material: 600D Oxford cloth
Size: 34x23x23cm



CAR TRUNK ORGANIZER

ART.No. **PO100**
Material: 600D Oxford cloth
Size: 38x30x25cm



NECK PILLOW

ART.No. **CP17A**
Material: Nylon + Polyester
Inner liner: Memory foam
Size: 29x23x14.5cm



NECK PILLOW

ART.No. **CP18A**
Material: Nylon + Polyester + Cotton
Inner liner: Memory foam
Size: 31.5x21x18.5cm



CAR TRUNK ORGANIZER

ART.No. **PO125**
Material: 600D Oxford cloth
Size: 60x38x25cm



CAR TRUNK ORGANIZER

ART.No. **PO139**
Material: 600D Oxford cloth
Size: 74x28x36cm



NECK PILLOW

ART.No. **CP02**
Material: ABS+Memory Foam+PVC



NECK PILLOW

ART.No. **CP01**
Material: ABS+Memory Foam+PVC



NECK PILLOW

ART.No. **CP04**
Material: ABS+Memory Foam+PVC



CAR HOLDER

ART.No. **FR175-A**
Material: Aluminum alloy
Product size:130mmx68mm
(Essential oil bottle78mm)
Power supply power: 3W
Charging interface: Type-c
Oil bottle capacity: 100ml
Power Source:DC 5V 1A
Battery capacity:2000Ah
Data cable length:1m
Color: Black



CAR TRUNK ORGANIZER

ART.No. **PO121**
Material: Carpet cloth
Size: 50X15X23CM



CAR TRUNK ORGANIZER

ART.No. **PO120**
Material: Carpet cloth
Size: 36X9X26CM



FRAGRANCE

ART.No. **FR189**
Size:7(D)*13.6(H)cm
Material:PP+Auminum+glass
Voltage:DC 5V/1A
1500 mAh Auminium-ion battery
charging time: 3 hrs
Light:7 colors
Time mode:1h/2h/3h
Capacity:5ml/10ml
Automaticallyshut offin 2 hrs
Workingtime:intermittently30-50hrs
Working mode:on 30s,off 150s/
on60s,off 120s/on 120s,off 60s
CE-EMC,ROHS,FCC



CAR HOLDER

ART.No. **FR175**
Size: 70x70x127mm
Material: Aluminum alloy shell+POM
structural components+glass oil bottle
Bare weight: 420g
Glass oil bottle capacity: 100ml;
Compatible with 5/10ml essential
oil bottles for direct installation
and use
Timer mode: 1/2/3H (default
normally on when not set)
Type-C charging port



CAR TRUNK ORGANIZER

ART.No. **PO137**
Material: 600D Oxford cloth
Size:61x31x28cm



CAR TRUNK ORGANIZER

ART.No. **PO102**
Material: 600D Oxford cloth
Size:71x31x31cm



CAR TRUNK ORGANIZER

ART.No. **PO106**
Material: 600D Oxford cloth
Size: 35x19x21cm



CAR TRUNK ORGANIZER

ART.No. **PO118**
Material: felt cloth
Size: 50x15x21cm



BACKSEAT ORGANIZER

ART.No. **PO11**
Material: 600D Oxford cloth
Size: 59x41cm



CAR SEAT BACK PROTECTOR

ART.No. **PO031**
Material: 420D Oxford cloth
Size: 60x48cm



CAR TRUNK ORGANIZER

ART.No. **PO113**
Material: 600D Oxford cloth
Size: 92x33x32cm



CAR TRUNK ORGANIZER

ART.No. **PO110**
Material: 600D Oxford cloth
Size: 69x35x30cm



BACKSEAT ORGANIZER

ART.No. **PO038**
Material: felt fabric
Size: 55x40CM



BACKSEAT ORGANIZER

ART.No. **PO080**
Material: 600D Oxford cloth+
210D lining cloth
Size: 47x39CM



CAR TRUNK ORGANIZER

ART.No. **PO125**
Material: 1680d Oxford cloth
Size: 60x35x30cm



CAR TRUNK ORGANIZER

ART.No. **PO131**
Material: 600D Oxford cloth
Size: 55x40x26CM



BACKSEAT ORGANIZER

ART.No. **PO080A**
Material: 600D Oxford cloth
Size: 65x47CM



BACKSEAT ORGANIZER

ART.No. **PO056**
Material: 420D Oxford cloth+
2mm pearl cotton lining
Size: 35x28x10CM



STEERING WHEEL COVER

ART.No. **D1120**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1463**
Size:38x8.2CM
Material:White TPR



STEERING WHEEL COVER

ART.No. **D1464**
Size:38x8.2CM
Material:White TPR



STEERING WHEEL COVER

ART.No. **D1461**
Size:38x8.2CM
Material:White TPR



STEERING WHEEL COVER

ART.No. **D1465**
Size:38x8.2CM
Material:White TPR



STEERING WHEEL COVER

ART.No. **D1466**
Size: 38x8.2CM
Material: White TPR



STEERING WHEEL COVER

ART.No. **D1121**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1122**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1123**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1430**
Size:38x8.2CM
Material:PVC
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1428**
Size:38x8.2CM
Material:Black PVC,PU
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1457**
Size:38x8.2CM
Material:PU
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1124**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1125**
Size:38x8.2CM
Material:PVC



STEERING WHEEL COVER

ART.No. **D1467**
Size:38x8.2CM
Material:White TPR



STEERING WHEEL COVER

ART.No. **D1448**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1454**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1449**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1448**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1433**
Size:38x8.2CM
Material:PVC
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1444**
Size:38x8.2CM
Material:Black PU
Carbon PVC,Massage PE
Inner core:white TPR



CAR MATS

ART.No. **M3112**
4pcs/set
Front :45 x 39cm
Rear:45x69cm
Material: PVC



STEERING WHEEL COVER

ART.No. **D1440**
Size:38x8.2CM
Material:PVC
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1453**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1455**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



CAR MATS

ART.No. **M2021**
4pcs/set
Front:68x48cm
Rear:48x47cm
Material:Rubber



CAR MATS

ART.No. **M2001**
4pcs/set
Front:63.4x39.8cm
Rear:37.5x33cm
Material:PVC



STEERING WHEEL COVER

ART.No. **D1446**
Size:38x8.2CM
Material:PU
Inner core:Black TPR



STEERING WHEEL COVER

ART.No. **D1458**
Size:38x8.2CM
Material:PVC
Inner core:white TPR



STEERING WHEEL COVER

ART.No. **D1450**
Size:38x8.2CM
Material:PVC
Inner core:white TPR



CAR MATS

ART.No. **M2400**
4pcs/set
Front:70x53cm
Rear:57x53cm
Material:PVC



CAR MATS

ART.No. **M2509-3pcs**
3pcs/set
Front:70x45cm
Rear:134x44cm
Material:PVC



CAR MATS

ART.No. **M2509**-4pcs
4pcs/set
Material:PVC
Front size:71x43cm
Rear size:44x43cm
Net weight:3.2kg (±5%)



CAR MATS

ART.No. **M2517**
4pcs/set
Front:70.5x50cm
Rear:48x50cm
Material:PVC



CAR MATS

ART.No. **M2534**
4pcs/set
Front:63.5x42.5cm
Rear:42x35cm
Material:PVC



CAR MATS

ART.No. **M2535**
4pcs/set
Front:64.5x42cm
Rear:41.5x33cm
Material:PVC




CAR MATS

ART.No. **M2518**
4pcs/set
Front:69x44.9cm
Rear:47x48cm
Material:Rubber



CAR MATS

ART.No. **M2521**
4pcs/set
Material:PVC
Front size:70x45cm
Rear size:42x45cm
Net weight:3kg



CAR MATS

ART.No. **M2536**
4pcs/set
Front:69x42cm
Rear:44x32cm
Material:Rubber,PU



CAR MATS

ART.No. **M2550**
4pcs/set
Front:69.5x45.5cm
Rear:43.5x46cm
Material:PVC



CAR MATS

ART.No. **M2526**
4pcs/set
Front:70.5x48.8cm
Rear:38.5x45.5cm
Material:PVC



CAR MATS

ART.No. **M2528**
4pcs/set
Front:70x46cm
Rear:43.5x37cm
Material:PVC



CAR MATS

ART.No. **M3111**
4pcs/set
Front:69 x 46cm
Rear:46 x 35cm
Material: PVC



CAR MATS

ART.No. **M2552**
4pcs/set
Front:67x45cm
Rear:34x45cm
Material:PVC



CAR MATS

ART.No. **M2553**
4pcs/set
Front:68.5x45.7cm
Rear:36x44.3cm
Material:PVC



CAR MATS

ART.No. **M2554**
4pcs/set
Front:72x45.5cm
Rear:46x37cm
Material:PVC




CAR MATS

ART.No. **M3042**
4pcs/set
Front:66x44cm
Rear:44x33cm
Material:Carpet



CAR MATS

ART.No. **M3050**
4pcs/set
Front:65x45cm
Rear:44x43cm
Material:Carpet




CAR MATS

ART.No. **M2555**
4pcs/set
Front:71x48cm
Rear:42x48cm
Material:Rubber



CAR MATS

ART.No. **M3014**
4pcs/set
Front:64x42cm
Rear:42x28cm
Material:Carpet



CAR MATS

ART.No. **M3109**
4pcs/set
Front:68,5x45cm
Rear:45 x42.8cm
Material:PVC



CAR MATS

ART.No. **M3110**
4pcs/set
Front:68 x 48cm
Rear:45.5 x42cm
Material:PVC



CAR MATS

ART.No. **M3017**
4pcs/set
Front:63x41cm
Rear:37x28cm
Material:Carpet



CAR MATS

ART.No. **M3041**
4pcs/set
Front:63.5x43.7cm
Rear:43x33cm
Material:PVC




CAR MATS

ART.No. **M2560**
4pcs/set
Front:70x45cm
Rear:45 x 35cm
Material:PVC



CAR MATS

ART.No. **M2521**
4pcs/set
Front :44 x 36cm
Rear:45x70cm
Material: ALU



CAR MATS

ART.No. **M2021**
Front:68x48CM
Rear:48x47cm
Material:Rubber



CAR MATS

ART.No. **M2022**
Front:71x48CM
Rear:43x39cm
Material:Rubber



SEAT COVER

ART.No. **SC024**
4 piece set
2 caps:28x28cm
2 front size:65x57cm (one piece)
Front seat size:67x74cm



SEAT CUSHION

ART.No. **D2020**
Material:wooden
Size:125x39CM
Color:yellow,white,black



CAR MATS

ART.No. **M2400**
Front:70x53CM
Rear:57x53cm
Material:PVC



CAR MATS

ART.No. **M2509-3pcs**
Front:70x45CM
Rear:134x44cm
Material:PVC



SEAT CUSHION

ART.No. **FC-3107**
Material:wooden
Size:40x86cm



SEAT COVER

ART.No. **SC064**
8pcs/set
4 caps:27x27cm
2 conjoined front seats:117x56cm
1 rear:80x128cm
1 back seat:56x128cm



SEAT COVER

ART.No. **SC064**
11pcs/set
4 large caps:28 x 30cm
1 small cap:20 x 24.5cm
2 front seats:66 x 56cm
2 front seats:60 x 54cm
1 rear seat:86 x 156cm
1 rear seat:59 x 132cm



SEAT COVER

ART.No. **SC071**
11pcs/set
4 large caps:28x30cm
1 small cap:20x24.5cm
2 front leaning:66x56cm
2 front seats:60x54cm
1 backrest:86x156cm
1 Rear seat:59x132cm



SEAT COVER

ART.No. **SC045**
10pcs/set
4 caps:27x27cm
2 front leaning:66x56cm
2 front seat :51x56cm
1 rear:80x128cm
1 back seat:56x128cm



SEAT COVER

ART.No. **SC027**
4pcs/set
2 caps:28x28cm
2 front size:65x57cm (one piece)
Front seat size:67x74cm



SEAT COVER

ART.No. **SC070**
 10pcs/set
 4 caps 24x25cm
 2 front leaning 56x68cm
 2 front seats 53x52cm
 1 rear backrest 74x140cm
 1 Rear seat 60x136cm



SEAT COVER

ART.No. **SC069**
 11pcs/set
 4 large caps 28x30cm
 1 small cap 20x24.5cm
 2 front leaning 66x56cm
 2 front seats 60x54cm
 1 backrest 86x156cm
 1 Rear seat 59x132cm



SEAT COVER

ART.No. **SC041**
 8pcs/set
 4 caps:27x27cm
 2 conjoined front seats:117x56cm
 1 rear:80x128cm
 1 back seat:56x128cm



SEAT COVER

ART.No. **SC042**
 8pcs/set
 4 caps:27x27cm
 2 conjoined front seats:117x56cm
 1 rear:80x128cm
 1 back seat:56x128cm



SEAT COVER

ART.No. **SC029**
 8pcs/set
 4 caps:27x27cm
 2 conjoined front seats:117x56cm
 1 rear:80x128cm
 1 back seat:56x128cm



SEAT COVER

ART.No. **SC027**
 8pcs/set
 4 caps:27x27cm
 2 conjoined front seats:117x56cm
 1 rear:80x128cm
 1 back seat:56x128cm



CAR SEAT HEAT CUSHION

ART.No. **D2314**
 Product size: 94x46CM (± 2CM)
 Material: Flat cloth+sponge+heating pad+non-woven fabric
 Sponge thickness: 0.8CM
 Switch: high/low two speed adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: black

CE RoHS



CAR SEAT HEAT CUSHION

ART.No. **D2316**
 Product size: 100x50CM (± 2CM)
 Material: Flat cloth+sponge+heating plate+non-woven fabric
 Sponge thickness: 0.8CM
 Switch: high/low two speed adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: black

CE RoHS



CAR SEAT HEAT CUSHION

ART.No. **D2364**
 Product size: 98x48CM (± 2CM)
 Materials: lamb wool+sponge+heating pad+non-woven fabric
 Sponge thickness: 0.8CM
 Switch: high/low two speed adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: black+gray

CE RoHS



CAR SEAT HEAT CUSHION

ART.No. **D2334**
 Product size: 100x50CM (± 2CM)
 Materials: lamb wool+sponge+heating pad+non-woven fabric
 Sponge thickness: 0.8CM
 Switch: high/low two speed adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: Gray

CE RoHS



CAR SEAT HEAT CUSHION

ART.No. **D2338**
 Product size: 94x46CM (± 2CM)
 Material: Flat cloth+sponge+heating plate+non-woven fabric
 Sponge thickness: 0.8CM
 Switch: high/low two speed adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: Black

CE RoHS



SEAT HEAT MAT

ART.No. **D2365**
 Product size: 42x42CM (± 2CM)
 Material: Plush fabric+Silk wool+Heating element
 Switch: High/Low Dual Adjustment
 Power: 12V, 2.8A-3.7A, 35W-45W
 Total length of wire: 1.4 meters
 Color: Gray

CE RoHS





BABY SEAT

ART.No. **S506**
ISOFIX Baby Car Seat
Suitable Height:76-150cm
Product size:42x45x66cm
Material:hdpe+knitted fabric
Installation:Forward Facing
Isofix and Top Tether System
Adjustable Headrest
with cup holder
Blowing mold
R129



BABY SEAT

ART.No. **S523A**
40-150cm i-Size
40-105cm rearward facing
76-150cm forward facing
360° rotation
Isofix and support leg
side protection
High-strength EPP foam for headrest
5 recline positions (4 positions for forward facing and most recline position for rearward facing)
12 adjustable headrest positions
foldable support leg
Buckle and harness storage when switching to 100-150cm
Detachable and washable cover
Fabric: Cationic fabric
R129



BABY SEAT

ART.No. **S519**
Baby Car Seat
Suitable Height: 76-150cm
Product size: 45x42x70cm
Material:hdpe+knitted fabric
Installation:Forward Facing
Vehicle belt System
Adjustable Headrest
Blowing mold
R129

BABY SEAT

ART.No. **TH01A**
Suitable Height: 125-150cm
Product size: 40x40x20cm
Material: hdpe+knitted fabric
Installation: Forward Facing
Adjustable Isofix
Blowing mold
Customized product color and logo
R129



BABY SEAT

ART.No. **TH01**
Suitable Height: 125-150cm
Product size: 40x40x20cm
Material: hdpe+knitted fabric
Installation: Forward Facing
Blowing mold
Customized product color and logo
R129






SUN SHADE

ART.No. **D5201**
Material:55g nylon mesh
Size:44x36cm




SUN SHADE

ART.No. **D5202**
Material:55g nylon mesh
Size:44x36cm



SUN SHADE

ART.No. **D5205**
Material:55g nylon mesh
Size:44x36cm



SUN SHADE

ART.No. **D5030**
Material:170t silver coated cloth
Size:140x79cm



SUN SHADE

ART.No. **D5002B**
Material:PE Bubble
Size:130*60CM/140*70CM(Customized)



SUN SHADE

ART.No. **D3021**
Material:laser film
Size:130x 60mm



SUN SHADE

ART.No. **D8015**
Material:55g nylon mesh
Size:40x45cm



SUN SHADE

ART.No. **D8016**
Material:55g nylon mesh
Size:100x50cm



SUN SHADE

ART.No. **D5002A-200**
Material:EPE
Size:200x100cm



SUN SHADE

ART.No. **D3036**
Material:1.5mm pearl cotton single-sided aluminum film
Size:200x70cm



SUN SHADE

ART.No. **D5002B**
2pcs/set
Material:55g nylon mesh
Length:60-100 cm
width:35-54 cm



SUN SHADE

ART.No. **D8015**
Material:55g nylon mesh
Size:40x45cm



CAR RACK

ART.No. **CR133**
Material: Aluminum+Plastic
Size:127x96CM



CAR RACK

ART.No. **CR132**
Material: Aluminum+Plastic
Size:127x96CM



CAR RACK

ART.No. **C2129**
Material: Aluminum+Plastic
Size:127x96CM



CAR RACK

ART.No. **C2127**
Material: Aluminum plate base
Size:127x96CM



CAR RACK

ART.No. **CR175**
Material: Aluminum plate base
Size:127x96CM



CAR RACK

ART.No. **CR176**
Material: Aluminum plate base
Size:127x96CM



MUD FLAPS

ART.No. **FD001**
Universal Mud Flaps
Size:32x22cm
Material:plastic
Color:black



MUD FLAPS

ART.No. **FD002**
Universal Mud Flaps
Size:28.5x21cm
Material:plastic
Color:black



VALVE CAP

ART.No. **VC020**
4pcs/set
Material:aluminum
Size:12x32mm



VALVE CAP

ART.No. **V043**
4pcs/set
Material:aluminum
Size:46mm



VALVE CAP

ART.No. **TC057-B**
4pcs/set
Material:aluminum
Size:10x17mm



VALVE CAP

ART.No. **TC057-A**
4pcs/set
Material:aluminum
Size:10x15mm



VALVE CAP

ART.No. **VC003**
4pcs/set
Material:aluminum
Size:11x17mm



VALVE CAP

ART.No. **V015**
4pcs/set
Material:ABS+copper screw
Size:18x20mm

