Ningbo Poolstar Pool Products Co., Ltd.

Add: No. 727-1, Jinshan road, Ningbo City, China (315033)

Tel: +86-574-5680 8878 Email: info@cnpoolstar.com

youtube: @poolstar0574 Web: www.cnpoolstar.com



2027

POOLSTAR POOL PRODUCTS

Devoting to have the Innovation of pool products
and to make people have the better life

ABOUT US

Ningbo Poolstar Pool Products established in 2008 in Ningbo city, China. We are a growing up and innovative style company to swimming pool and spa market.

We design and manufacture pool cleaning products and related products besides the pool and SPA to different buyers worldwide, including pool vacuum cleaners, cleaning accessories, solar products, cover reels, ladders etc…

Over the past more than 15 years, when people pursues higher relaxation and leisure lifestyle, Poolstar products becomes fashion leader in the market, especially in the pool cleaners, like AQUAJACK. Poolstar products are designed by our specialist teams in China and produced under the strict and careful supervision of our quality control teams. We do OEM services and private label production, we are flexible by different business cooperation way.

Honest, Profession, Innovation and Development is Poolstar commitment to all people and our business culture.





POOLSTAR CULTURE

Working
Soft、Happy、Harmonious

Attitude
Self-Regulation、Collaboration、Positiveness

Vision
Make Each Pool Has Poolstar Product

Employment
Ability,Integrity,And Post In Right Position

Rewards
No Pain No Gain

Mission
Devoting To Have The Innovation Of Pool Products, And To Make People Have The Better Life.

Concept
Honesty、Profession、Innovation、Development



COMPANY MILESTONE

2008

Ningbo Poolstar Pool Products Co., Ltd. established and the company focuses on pool cleaning products R&D and marketing since foundation.

2010

The company brings the ERP software to well organize workshop system work;

The 1st diaphragm automatic pool cleaner Inspiring gains the 1st Utility Patent in China, and its 1st such cleaner becomes one of the best selling model in European market.

2012

The company starts to engineering and developing cordless handheld pool vacuum cleaner Aquajack 201, which has an Invention Patent in Europe, USA and China.

2016

The company finishes full range of Handheld Pool Vacuum Cleaners, and successfully sold worldwild.

2017

The company brings the FEMA into products engineering and development, to help and upgrade the R&D qualification.

2018

The company brings a new software to manufacturing system, to improve the efficiency and coordination of various operation modules, accordingly to meet the customers demands and satisfaction.

2019

The company starts to engineering and developing robotic pool cleaner Aquajack 600 with patent worldwide, such as Europe, USA and China.

2020

The 2nd generation of cordless handheld pool cleaners are completed, such as Aquajack 221, 222, 223, 226, which are more advanced on efficiency and working time.

2022


The company starts to refit the production lines to be more planed and organized production line, accordingly, improving the efficiency and be satisfied with markets and customers needed.

2025

The 1st solar power pool skimmer Aquajack 900 is developed and will be launed to the market for 2026 season. The pool skimmer has a super big filter basket and running time under the sun.

BRAND VALUE





Design Patent



Utility Patent



Invention Patent







ISO 14001



ics

BSCI

Sedex

CONTENTS

- POOL CLEANER 01-06
- CLEANING ACCESSORIES 07-20
- SOLAR ENERGY PRODUCTS 21-25
- POOL WHITE PRODUCTS 26-28
- POOL PUMP AND FILTERS 29-32
- POOL LIGHTS 33-34
- POOL LADDER 35-36
- WINTER PRODUCTS 37
- PACKING DEFINITIONS 38
- POOL LEISURE 39-40



Robotic Pool Cleaner



P2901 Aquajack 900 New

Solar powered robotic pool skimmer to collect and clean various floating debris onto the pool surface



Product Feature

- By advanced brushless motor into
- Automatic sun search function
- Effortless Control with the App
- Dual infrared sensing wall surface
- Solar-Power & Adapter Charging

BLDC	Working time	Battery	Filter capacity	Filter system
	30 hours	11.1 V/ 4500 mAh	10 L	150 um

P1180 Aquajack 800

Cordless robotic pool cleaner climbing the wall, cleaning the floor and waterline



Product Feature

- With a technology sonar into, it could evaluate the working routine
- Adjustable by 3 working methods to run differently : waterline cleaning - wall cleaning - floor cleaning
- A unique battery cabine design, it lasts to work till 2 hours + 2 hours.
- Updating the program: by bluetooth
- Individual Battery Cabin

Working time	Battery	Power rating	Charging time	Filter capacity	Dual Filters
2 + 2 hours	22.2V/4400 mAh	50 W	2 hours	4.0 L	70 + 150 um

P1181 Aquajack 810

Cordless robotic pool cleaner climbing the wall, cleaning the floor and waterline



Product Feature

- Adopts inertial navigation technology
- Adjustable by 3 working methods to run differently : waterline cleaning - wall cleaning - floor cleaning
- Updating the program: by bluetooth

Working time	Battery	Power rating	Charging time	Filter capacity	Filter system
90 mins	22.2 V / 4400 mAh	50 W	3 hours	4.0 L	150 um

P1197 Aquajack 970 New

Corded APP Robotic Pool Cleaner , Remote Control, Pool Vacuum Robot with Powerful Suction



Product Feature

- Adopts inertial navigation technology
- Adjustable by 3 working methods to run differently : waterline cleaning -wall cleaning - floor cleaning
- Updating the program: by bluetooth

Cycle Selector	Rated Power	Output Voltage	Output Current	Filter capacity	Dual Filters
YES	156 W	24 V DC	6.5 A	4.0 L	50 + 150 um

P1165 Aquajack 650

Pool Vacuum cleaner for aboveground pools and small inground pools



Product Feature

- Fashion robot design.
- Universal wheels, moving freely.
- Stop at the edge of the pools while no battery.

Stop when out of water	Working time	Battery	Power rating	Charging time	Climb slope	Filter capacity	Dual Filters
STOP	75 mins	7.4 V/ 5200 mAh	27 W	5 hours	15°	2.5 L	50 + 180 um

P1175 Aquajack 075

Pool Vacuum Cleaner for aboveground pools



Product Feature

- Fashion robot design.
- Universal wheels, moving freely.
- Efficient suction power, quickly cleaning the moving areas.
- Stop at the edge of the pools while no battery.
- Individual Battery Cabin

Stop when out of water	Working time	Battery	Power rating	Charging time	Filter capacity	Dual Filters
STOP	45 mins	7.4V/3000 mAh	22.2 W	2 hours	2.0 L	50 + 180 um

Cordless Handheld Pool Vacuum



- Catching leaves,stones, tree seed, hairs, sands, debris, to clean the pool and spa
- Energy saving when working
- Easy to install, no tools needed

P1121
Aquajack 221



P1131
Aquajack 510



P1123
Aquajack 223



P1124
Aquajack 224



P1133
Aquajack 233



Type	P1121 AquaJack 221	P1131 AquaJack 510	P1123 AquaJack 223	P1124 AquaJack 224	P1133 AquaJack 233
Water depth	0.4~3m	0.5~3m	0.4~3m	0.4~3m	0.4~3m
Suction power	70L/min	130L/min	25L/min	70L/min	45L/min
Working time	45mins	50mins	30mins	60mins	90mins
Charging time	3-4 hours	3-4 hours	5 hours	3-4 hours	4-5 hours
Filter capacity	3.0L	3.0L	0.5L	1.0+2.0L	0.65+1.0L
Power rating	18W	24.42W	10W	14.8W	10W
Battery parameter	7.4V/2000mAh	11.1V/2000mAh	3.7V/2000mAh	7.4V/2000mAh	3.7V/2500mAh
Battery type	Lithium battery	Ni-MH battery	Lithium battery	Lithium battery	Lithium battery
Vacuum head	30cm	30cm	17.5/5.5cm	30cm	17cm

P1155
Aquajack 550



P1156
Aquajack 560



P1117
Elek SPA 51



P1127
Elek SPA 65



P1106



Type	P1155 AquaJack 550	P1156 AquaJack 560	P1117 Elek SPA 51	P1127 Elek SPA 65	P1106
Water depth	0.4~3m	0.15~3m	0.35~3m	0.45~3m	A Manual Vacuum Cleaner For Setup Pools And Spas Size: L150-198cm
Suction power	90L/min	120L/min	17L/min	17L/min	
Working time	75mins	60mins	60mins	60mins	
Charging time	4-5 hours	4-5 hours	3-4 hours	5 hours	
Filter capacity	10L	10L	0.65L	0.15L	
Power rating	22W	33W	14.5W	9W	
Battery parameter	11.1V/2600mAh	11.1V/3000mAh	1.5*8(Not included)	3.7V/2000mAh	
Battery type	Lithium battery	Lithium battery	AA battery	Lithium battery	
Vacuum head	26cm	26cm	11cm	16.8/9cm	

Automatic Pool Cleaner

Automatic Pool Vacuum Cleaner



PATENT IPX8

P1803 Tracy L2



- Water depth 0.3~3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.06hp~0.75hp
- Length Of The Hose 7.5m(10pcsx75cm/pc)
- Pool Type Above ground

P1805 Inspring



- Water depth 1.8m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~1.5hp
- Length Of The Hose 9.6m(12pcs x 80cm/pc)
- Pool Type In /Above ground

P1808 INSPIRATION L4B



- Water depth 3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~2.0ph
- Length Of The Hose 10.0m(10pcsx100cm/pc)
- Pool Type In /Above ground

P1808B INSPIRATION L4B



- Water depth 3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~2.0ph
- Length Of The Hose 10.0m(10pcsx100cm/pc)
- Pool Type In /Above ground

Shipping with





P1150

large Leaf Canister With Basket For Filter 1.5l

Materials:ABS+PE



POOL CLEANER SPARE PARTS





P2235

Cleaner Bag Suitable To Polaris Cleaner 360/380

Material: ABS
Net bag: Polyester fiber
Size:230*350mm



P2237

Cleaner Bag Suitable To Polaris Cleaner 280/480

Material: ABS
Net bag: Polyester fiber
Size:300*300mm



P2236

Cleaner Bag Suitable To Polaris Cleaner 180

Material: PVC
Net bag: Polyester fiber
Size:220*380mm



P2245

Cleaner Hose Connector For Barracuda Cleaner

Material: LDPE
Size:D48*24.5mm



P2226

1"1/2by 45° Male/Female Connector


Material: PVC
Size: 91*62*47mm



P1801-2

Footpad

Material: PVC
OD:150mm，ID:75mm，
H:12.9mm



P1805-2-1

Footpad

Material: PVC
Size: 141*136*39mm,ID97mm



P1805-2-3

Diaphragm


Material: TPU70
Size: D4.4*14.8mm



P1801-1

MAT

Material:PUR
Size: OD420.7*9.6mm,
ID111mm



P1805-1

MAT

Maerial:TPU
Size: OD469.5*26mm,
ID108mm



P1806-1

MAT

Material:TPU
Size:OD455.3*30.5mm,
ID108.5mm



P2225-1

1m Hose Suitable For Barracuda Cleaner

Material: EVA+LDPE
Size: ID:38mm，OD:46.5mm
Length:1000mm





P2201

Set of 3 Replacement Short Brushes

Brush strip: PE, Flocking:PP
Size: 220*7.7*37.8mm



P2202

Set of 3 Replacement Short Brushes

Brush strip: PE, Flocking:PP
Size: 81.8*8.2*28mm



P2203

Standard Vacuum Handle

Handle:ABS,Clips:POM
Size: 143.2*53*28.8mm



P2204

Vacuum Head Handle with EZ-Clip

Handle:ABS,Clips:POM
Size: 173*53*28.3mm



P2205

Australian Standard Vacuum Head Handle

Handle:ABS,Clips:POM
Size: 134*55*40mm



P2207

Set of 3Lock Pins

Material: POM
Size: Length:53mm



P2208

Quick Snap Butterfly Clips(3pcs)

Material: POM
Size: 50*46*8mm



P2209

Long Lock Pin(3pcs)

Material: POM
Size: L: 53mm



P2210

Set of 3 Replacement EZ-Clip

Material: POM
Size: L: 48mm



P2211

Wishbone clip(1pc)

Material: POM
Size: 138*55*9.6mm



P2212

Set of 4 PVC Wheels with Locks&Pins

Material: PVC+POM
Size: Dia:32mm



P2213

Cuff For Vacuum Hose

Material:PE
Dia:55mm,Height:100mm



P2214

Hose Connector For Jet Vac Red Main

Material: ABS
Dia:35mm,Height:57mm



P2215

Stainless Steel Hose Clamp 1-1/4"-2"(1pc)

Material: SS 202
Size: 57*50.5*12mm



P2216

Hose Connector 1-1/4"×1-1/2"(32×38)

Material:PE
L: 205.4mm, Max Dia: 38mm



P2256

Hose Connector 1-1/4"×1-1/2"(32×38)

Material:PP
Length:120mm,Max Dia: 38mm



P2228

Pressure Gauge Side Mount

Main Material: Joint:CU
Watch case:Fe
Size:74*54*27mm



P2229

Pressure Gauge Back Mount,Us Standard

Main Material: Joint:CU
Watch case:ABS
Size: 54*54*45mm



P2253

Pressure Gauge Side Mount(Oil Seal)

Material: Joint: CU
Watch case: stainless steel
Size: D57.5*77mm(L)*29.3mm(W)



P2254

Pressure Gauge Back Mount(Oil Seal)

Material: Joint: CU
Watch case: stainless steel
Size: D57.5*53mm(L)



P2224

T-Shape Regulator Valve

Material: ABS
Size: 122*67*106mm



P3240

Winter Cap

Material:ABS
Size: D38mm



P1985

Foot Bath

Material: PP
Size:55.4*39*9cm

VACUUM HEADS





Deluxe Weighted Liner Vac Head W/Bumper

Materials:ABS
Size:28.2*23.5*9.2cm



Deluxe Triangular Transparent Cast Iron Weighted Vac Head W/Swivel Cuff

Materials:ABS
Size:28.5*29*10.5cm



Triangular Liner Vac Head W/ Swivel Cuff

Materials:ABS
Size:28.5*26.5*11cm



Economy Liner Vac Head

Materials:ABS
Size:25.5*22.6*11.5cm



Large Cast Iron Weighted Vac Head

Materials:ABS
Size:28.2*23.5*9.2cm



Large Weighted Vac Head W/ Side Brushes

Materials:ABS
Size:35*26*9cm



Flexible Vac Head For In-Ground Pool (Blue)

Materials:LDPE
Size:35.7*25.8*6cm



Flexible Vac Head W/Side Brush For IG Pool (Blue)

Materials:LDPE
Size:39.6*25.2*6.5cm



Flexible Vac Head W/Swivel&Ez-Clip

Materials: EVA
Size:34.4*30*8cm



Vacuum Head With Air Relief Valve

Materials:ABS
Size:34*25*10cm



14" heavy weighted flexible vacuum head with bearing wheels and metal handle

Materials:LDPE+ABS
Size:48.2*25.5*6.1cm



Extra large vac head with side brushes

Materials: HDPE+ABS+PP
Size:44.5*24cm



14" Aluminium Professional Vac Head

Materials:AL+ABS
Size:34.5*27*9.3cm



18" Aluminium Professional Vac Head

Materials:AL+ABS
Size:45*27*9.3cm



Deluxe Super Weighted Vac Head With Bearing Wheels, And Alu. Handle

Materials:EVA
Size:47.7*29.5*11.5cm



Economy Jet Vacuum

Materials:ABS+Nylon
Size:25.8*11*24.7cm



Jet Vac Kit With Brush For Spa&Splasher

Materials:ABS+Nylon
Size:12.8*13.7*24.7cm



Jet Vac Kit with 5 Section Pole of 48"/120cm

Materials:ABS+PP+AL+POM
Size:21.7*13.7*120cm



Leaf Eater With Bag,Brush and Wheel

Materials:ABS
Size:45*36.5*14cm



LEAF RAKE





P1201

Economy Deep Bag Rake

Materials:PE+PE net
Size:43.5*29.2*38.5cm



P1202

Heavy Duty Plastic Leaf Rake With Long Wearing Screen Mesh

Materials:PP+Nylon net
Size:51*41.5*36.6cm



P1203

Aluminium Frame Deep Rake Bule Anodized Handle

Materials:Alu +PE net
Size:44.8*35*36.7cm



P1204

Professional Heavy Duty Deep Rake With Aluminum Frame

Materials:Alu+Nylon net
Size:46*46*47.9cm



P1208

Professional Leaf Rake With Nylon Net And Alu. Handle. A Rubbish Deck To Be Easy To Pick Up The Rubbish

Materials:Alu+Nylon net
Size:50*48.2*48.5cm



P1209

Deep Rake With Replaceable Mesh, Magnet And EZ Clip Australian Handle Available

Materials:ABS+ Nylon net
Size:49*43.5*49cm



P1213

Aluminium Reinforced Leaf Rake

Materials:ABS+AL+PE+PE net
Size:45.5*37.6*42.9cm



P1222

Professional reinforced alu. Frame leaf rake

Materials: PE+PC
Size: 51*38*2.8cm



P1223

Disassemble deep rake with alu. Frame, and double duel nets

Materials: ABS+LDPE+AL +Nylon net
Size: 44.5*42*39cm



P1218

Pool and Spa skimmer

Materials:ABS+TPE
Size:31.5*13*4.5cm



P1320

Deep net leaf skimmer (net depth 14cm)

Materials: PP+NY
Size: 42*27.5*14cm



P1323

Economic leaf rake

Materials: PP+NY
Size: 33.5*24.6*17cm



P1301

Standard Leaf Skimmer (Blue)

Materials:PE+PE net
Size:44.5*30.5*2.8cm



P1302

Heavy Duty Plastic Leaf Rake With Long Wearing Screen Mesh

Materials:PP+Nylon net
Size:54.5*41*4.55cm



P1303

Aluminium Frame Deep Rake Blue Anodized Handle

Materials:Alu +PE net
Size:56.4*36*3cm



P1304

Standard Leaf Skimmer Australian Handle Available

Materials:Alu + Nylon net
Size:55.2*36*4cm



P1313

Disassemble deep rake with alu. Frame, and double duel nets

Materials: ABS+POM+AL
Size: 53.5*33.5*2.8cm



P1322

Professional reinforced alu. Frame leaf skimmer

Materials: AL+LDPE+PE net
Size: 51*38*2.8cm



P1307

Leaf Skimmer W/5 Sections Pole Of 48"/122cm

Materials:ABS+AL+PE+PE net
Size:Φ2*25.5cm,5pcs



P1318

Leaf Skimmer With 3 Sections Aluminium Pole* 50cm/Pc

Materials:AL+PE+PE net
Size:Φ3*50cm,3pcs



P1321

Hot tub skimmer with a pole, total 66cm


Materials:PE+AL net
Size:39*29*61CM



P1305

Leaf Skimmer With 3 Sections Telescopic Poles, Total 121cm For The Poles

Materials:PE+AL+PE net
Size:Φ3.2*118cm,1pcs



P1306

Leaf Skimmer With 48"/122cm Aluminium Pole

Materials:AL+PE+PE net
Size:Φ1.5*122cm,1pcs



P1308

Leaf Skimmer With 60"/150cm Aluminium Pole

Materials:AL+PE+PE net
Size:Φ2*152cm,1pcs

BRUSHES





P1401

18"/45cm Standard Curved Wall Brush

Materials:ABS+PP
Size:45*16.2*4.9cm



P1402

18"/45cm Deluxe Wall Brush W/Polished Alu Back

Materials:AL+PP
Size:45.1*16.7*5.1cm



P1402/SS

18"/45cm Deluxe Wall Brush With SS Bristle

Materials:AL+SS+PP
Size:45.1*16.7*5.1cm



P1403

20"Oversized Poly Bristle Wall Brush W/Ez-Clip

Materials:ABS+PP
Size:49.6*20.8*5cm



P1407/SS

5.5"/14cm wall brush with alu. handle and EZ clip, with stainless steel bristle

Materials:AL+EVA+DPE+PP
Size:47.1*21.4*5.3cm



P1408

3 sections 52"/135cm Alu Pole and Poly Bristle 10"Wall Brush

Materials:AL+PP
Size:25*4.5*143cm



P1409

Corner Vacuum Brush With Adjustable Vacuum Ring


Materials:ABS+PP+POM
Size:8*15.3*18cm



P1410

24"/60cm Curved Brush W/Alu Handle And Ez-Clip

Materials:AL+ABS+PP
Size:62*20.2*5.5cm





P1404

20"Flexible Brush w/Alu handle&Extra Bristles

Materials:AL+EVA+DPE+PP
Size:47.1*21.4*5.3cm



P1405

10"26cm Poly Bristle Wall Brush

Materials:PP+ABS
Size:25.6*16.3*4.8cm



P1411

36"/90cm curved brush w/alu handle and EZ-Clip

Materials:AL+ABS+PP
Size: 91.5*20*5.5cm



P1424

Vacuum Brush W/Swivel And Ez Clip

Materials:ABS+PP
Size:51*19*13.5cm



P1427

17.5" alu. Back reinforced wall brush, with extra corner brush

Materials: PP +AL+POM
Size: 42.5*10.5*16.5cm



P1428

13" disassembled reinformed wall brush with extra corner brush

Materials: PP+AL+POM
Size: 33*22*16.5cm



P1405/SS

10"/26cm Stainless Steel Algae Brush (Blue)

Materials:SS 304+ABS+POM
Size:25.6*16.3*4.8cm



P1406

10"/26cm Wall Brush With Alu. Handle And Ez Clip

Materials:AL+ABS+PP
Size:25*19.6*5.8cm



P1406/SS

10" / 26cm Wall Brush With Alu. Handle And Ez Clip, With Stainless Steel Bristle

Materials:AL+EVA+DPE+PP
Size:47.1*21.4*5.3cm



P1407

5.5"/14cm Wall Brush With Alu. Handle And Ez Clip

Materials:AL+EVA+DPE+PP
Size:47.1*21.4*5.3cm



P1480

Scrubbing Pad Brush

Materials:PP+Nonwovens
Size14.5*8.3*7.2cm



P1481

Finger Brush

Materials:PP
Size:14.5*6.2*6cm



P1482

Poly Bristle Corner Brush On Ez-Clip Handle

Materials:ABS+PP+POM
Size:28.3*8.1*8.1cm



P1483

Pumice Stone On Ez-Clip Handle

Materials:ABS+Stone
Size:20.3*4*2.5cm



P1486

Waterline Magic Foam

Materials:foam
Size:(2small 7.5x3x4cm +2big 7.5x3X12CM /pack)



P1487

Oil Sponge X 6

材料Materials:foam
尺寸Size: 7.5*10.5cm



P1488

Cartridge Filter Brush With Connector

Materials:ABS+PP+TPR+硅胶
Size:28*9*6cm



P2247

Waterline Glove

Materials:Rubber+Nonwovens
Size:36*17*2.5cm







THERMOMETER



P1501

Economy Thermometer W/String

Materials: ABS
Size: 3.9*3*16.7cm



P1502

Large Thermometer W/String

Materials: ABS
Size: 4.7*3.2*24.2cm



P1504

Deluxe Round Thermometer W/String

Materials: ABS
Size: 1.8*1.8*15.5cm



P1506

Deluxe Floating Thermometer W/Cord

Materials: ABS
Size: 5.2*4.2*18.6cm



P1508

Floating Animal Thermometer in 4 styles

Materials: PVC+ABS
Size: 9*24cm



P1517

Floating Animal Thermometer In 3 Styles

Materials: PVC+ABS
Size: 9*24cm



P1526

Floating Animal Thermometer in 4 styles

Materials: PVC+ABS
Size: 8.2*24cm



P1507

Jumbo Buoy Thermometer W/ String


Materials: ABS
Size: 6.6*5.8*22.2cm



P1503

Jumbo Easy Read Thermometer


Materials: ABS
Size: 7.8*1*26.4cm



P1511

Large Scale Floating Dial Thermometer

Materials: ABS
Size: 18.5*18.5*31.5cm



P1541

Large Scale Thermometer

Material: ABS+AS+EVA
OD165*390mm



P1543

Flamingo Thermometer


Materials: PVC+ABS
Size: 8.2*21cm



P1524

Turtle Thermometer

Materials: PVC+ABS+PMMA+CU
Size: 10.5*21cm




P1525

Turtle Thermometer


Materials: PVC+ABS+PMMA+CU
Size: 8.2*24cm

PE / EVA HOSES



P1666

Vacuum Hose Reel With Aluminum Handle
(Available With Hoses Rolled Up To 13m, Hose Not Included Into)



P1667

Vacuum Hose Reel
(Available With Hoses Rolled Up To 13m, Hose Not Included Into)



Extruded PE Hose



EVA Spiral Wound Hose



Extruded Pe Hose 1m Per Section

Size	Extruded PE Hose		EVA Spiral Wound Hose		Extruded PE Hose	
	1-1/2" Extruded PE	1-1/4" Extruded PE	1-1/4"Spiral Wounded EVA	1-1/2"Spiral Wounded EVA	1-1/4"Extruded PE 1m/Section	1-1/2"Extruded PE 1m/Section
	Item No	Item No	Item No	Item No	Item No	Item No
20ft(6m)			P1610			
23ft(7m)	P1601	P1691				
25ft(7.5m)	P1602	P1692	P1612	P1622		
30ft(9m)	P1603	P1693	P1613	P1623		
35ft(10.5m)	P1604	P1694	P1614	P1624		
36ft(11m)	P1605	P1695		P1625		
40ft(12m)	P1606	P1696	P1616	P1626		
42ft(13m)	P1607	P1697		P1627		
45ft(13.5m)	P1608	P1698		P1628		
50ft(15m)	P1609	P1699		P1629		
15m					P1636	P1646
30m					P1637	P1647
50m					P1638	P1648
100m					P1639	P1649
Any Length Available						



Item No	Size	Materials	Length
P1651	1-1/2" back wash hose	PVC	Any Length Available
P1652	2" back wash hose	PVC	Any Length Available

TELESCOPIC POLES



Type		2x120cm	2x180cm	2x240cm	3x100cm	3x120cm	3x150cm	4x120cm
TYPE A (Standard Grip & Lock)	Smooth pole-0.8mm thick	P1701	P1702	P1703	P1704	P1705	P1706	
	Ribbed pole-0.8mm thick	P1711	P1712	P1713	P1714	P1715	P1716	
	Ribbed pole-1.1mm thick	P1721	P1722	P1723	P1724	P1725	P1726	
TYPE B (Oversized Deluxe Grip & Lock)	Corrugated pole-0.8mm thick	P1731	P1732	P1733				
	Corrugated pole-1.1mm thick	P1741	P1742	P1743				
TYPE C (H-Duty Grip & Lock)	Corrugated pole-1.1mm thick	P1761	P1762	P1763				
TYPE D (Click Clock)	Smooth pole-1.1mm thick							P1798
TYPE E (Fiberglass material)	2.0mm thick			P1799				



P1790

Plastic pole hanger(2pcs)With screws

Materials:PP



P1791

Aluminum Pole Hanger(2pcs) With screws

Materials:AL



P3302

Pool Tool Holder

Material: Aluminum+PVC+nylon
Size: 56*4.5*10.5cm

CHEMICAL DISPENSER



P1901
Deluxe Large Chemical Dispenser For 3" Tablets
Materials:PP
Size: D 22.5*19.5cm

P1902
Chemical Dispenser For 1-1/2" Tablets
Materials:PP
Size: D 12.8*13cm



P1903
Chemical Dispenser For 3" Tablets
Materials:PP
Size: D 17.9*17.5cm



P1908
Chemical Dispenser For 3" Tablets
Materials:PP
Size: D 18*17.5cm



P1533
Chemical Dispenser For 3" Tablets With Thermometer
Materials:PP
Size: 18*17*19.5cm



P1990
Expandable Chemical Dispenser For 1-1/2"Tables
Materials:PP
Size: D12.3*9.3cm



P1991
Expandable Chemical Dispenser For 3"Tables
Materials:PP
Size: D19.5*14cm



P1907
Chemical Dispenser For 3" Tablets With Replaceable Sock
Materials:PP
Size: D19.5*11cm



P1994
Chemical Dispenser for 1.5" Tablets with Thermometer
Materials:PP
Size: D11*12cm



P1993
Frog chemical dispenser for 3" tablet
Materials:PVC/PP/ABS
Size: D10*13(Extended:23)cm



P1996
Duck chemical dispenser for 3" tablet
Materials:PVC/PP/ABS
Size: D10*24(Extended:29.5)cm



P1997
Flamingo chemical dispenser for 3" tablet
Materials:PVC/PP/ABS
Size: D10*24(Extended:29.5)cm



P3353
Solar Pool Purifier Ionizer
Material: ABS
Size: D23*17 cm



P1913
9lb (4kg) Inline Chlorine Feeder Kit
Materials:ABS+NBR



P1910/22
4.2lb (1.9kg) Inline Chlorine Feeder Kit With Accessories
Materials:ABS+NBR

TEST KITS & REPAIR KITS





P1920
Test Kit PH&CL (20cc/bottle)



P1921
Test Kit Refill PH&CL (20cc/bottle)



P1922
5-way Test Kit (PH/CL/ Bromine/ Alkalinity/Acid Demand)



P1923
Refill Set for 5-way Test Kit



P1924
3 Way Test Strips (Free Chlorine, Ph, Total Alkalinity)



P1924-4
4 Way Test Strips (Free Chlorine,Total Bromine PH, Total Alkalinity)



P1924-5
5 Way Test Strip (PH, Total Hardness, Total Chlorine,Free Chlorine, Total Alkalinity)



P1924-6
6 Way Test Strips (Total Alkalinity, Free Chlorine, Total Chlorine, Total Hardness, Total Bromine, PH)



P1925
Salt Test Strip



P1926
Vinyl Pool Repair Kit (30ml)



P1927
Vinyl Pool Repair Kit (60ml)



P1928
Vinyl Pool Repair Patch



P1930B
Test Tablets Kits (DPD NO. 1 & Phenol Red, 2*10pills)



P1931
Refill Tablets (DPD NO. 1 & Phenol Red, 2*10pills)

SOLAR SHOWERS

P2602/FT

Curved PVC Solar
Shower 23L
Body:Φ11cm



Φ15cm shower head



Control valve



Foot shower



Hose connection

- Material: PVC/Stainless steel
- Heating time: 3hours
- Soaking time: 3hours
- Height: 218cm/7.15Ft
- Foot Shower:Available per model
- Max Working Pressure: 3.5Bar/50Psi





Φ15cm

P2601

Straight PVC solar shower 20L
Body:Φ11cm



Φ15cm

P2602

Straight PVC solar shower 20L
Body:Φ11cm



Φ15cm

P2603

2 Sections PVC solar shower 20L
Body:Φ11cm



Φ15cm

P2604

Round PVC solar shower 35L
Body:Φ16cm



Φ15cm

P2605

Round solar shower 35L PVC foot shower luxe model (With silver paint in middle)
Body:Φ16cm



Φ15cm

P2608

2 Sections round PVC solar shower 35L
Body:Φ16cm



Φ7cm

P2609

Straight solar PVC shower 9L
Body:Φ11cm



Φ15cm

P2611

2sectons, 20L round curved PVC solar shower with footshower



P2615

1sectons, 20L round 20L Eco solar shower with foothshower

SOLAR PANEL

Pool Solar Heating Panels,
Solar Collectors Made



Product Description

Poolstar solar heating panels are designed for both in-ground and above-ground swimming pools; MAX-FLOW design with 2" OD headers - better water circulation - less back pressure on your pump.

Product Feature


1. Easy & cost-effective way to heat your pool.
2. Raises water temperature 11-15 degrees Celsius.
3. Works with most pool pumps.
4. Quick connect design for easy assembly.
5. You can buy more and hook them together for larger pools.
6. Universal to 32-38mm HOSE ADAPTER, D50mm PVC PIPE.

How Solar Heating Panels Works

* Using your pool pump, water is automatically pumped through the solar collectors.
* The water is then heated by the sun as it moves through the collectors.
* The heated water is returned back to the pool, through your return lines.
* You enjoy your own heated pool with no fuel costs.

P2650	Solar heating panel 300*76*6cm
P2651	Solar heating panel 700*76*6cm
P2652	Solar heating panel 480*76*6cm
P2653	Solar heating panel 600*76*6cm

Solar Heating Panels



SOLAR COVER AND REELS

P1820



Applications

Inground pools, by width less than 6m

Description

Frame: stainless steel 304 with 8pcs buckle straps
Poles: aluminium in D. 76mm * 240cm * 2pcs and D. 81mm * 240cm * 1pc

P1821



Applications

Inground pools, by width less than 7m

Description

Frame: stainless steel 304 with 8pcs elastic straps
Poles: aluminium in D. 95mm * 270cm * 2pcs and D. 100mm * 270cm * 1pc

P1822



Applications

Inground pools, by width less than 6m

Description

Frame: stainless steel 304 with 8pcs elastic straps
Poles: aluminium in D. 76mm * 240cm * 2pcs and D. 81mm * 240cm * 1pc

P1823



Applications

Inground pools, by width less than 5.5m

Description

Frame: stainless steel 304 with 8pcs buckle straps
Poles: aluminium in D. 76mm * 215cm * 2pcs and D. 81mm * 215cm * 1pc

P1824



Applications

Inground pools, by width less than 4.5m

Description

Frame: aluminum with 8pcs buckle straps
Poles: aluminium in D. 70mm * 180cm * 2pcs and D. 75mm * 180cm * 1pc

P1825



Applications

Inground pools, by width less than 5m

Description

Frame: aluminum with 8pcs buckle straps, and universal wheels stop
Poles: aluminium in D. 70mm * 210cm * 2pcs and D. 75mm * 210cm * 1pc

SOLAR COVER AND REELS

P1826



Applications

Above ground pools, by width less than 4m

Description

Frame: aluminum with 8pcs buckle straps
Poles: aluminium in D. 70mm * 160cm * 2pcs and D. 75mm * 160cm * 1pc

P1831



Applications

Above ground pools, by width less than 6.15m

Description

Frame: plastic ABS, with 8pcs buckle straps and 2 brackets fitting to frame and ledges pools
Poles: 7pcs octagonal poles and 1pc short pole adaptor



Solar bubble cover

Item No.	Description	Cover Shape	Application
P2302	200micros cover	Round	Any sizes
P2304	400micros cover	Round	Any sizes
P2312	200micros cover	Rectangular	Any sizes
P2314	400micros cover	Rectangular	Any sizes
P2315	500micros cover	Rectangular	Any sizes



PE pool cover

Item No.	Description	Cover Shape	Application
P2355	80g/m2 cover with plastic cord	Round	Any sizes



PE winter cover


Item No.	Description	Cover Shape	Application
P2353	90g/m2 cover, with steel rope	Round	Any sizes
P2373	90g/m2 cover, with steel rope	Oval	Any sizes
P2354	180g/m2 cover, with steel rope	Round	Any sizes
P2374	180g/m2 cover, with steel rope	Oval	Any sizes
P2364	180g/m2 cover, with steel rope	Rectangular	Any sizes
P2356	200g/m2 cover, with steel rope	Round	Any sizes

POOL WHITE PRODUCTS

Product Description

Skimmers for Concrete and Liner Pools. Manufactured in white ABS with top round lid and square frame. With weir flap and flow regulation plug Supplied with extra strong plastic basket.
Overflow connection φ40mm
Max recommended flow 5m3/hr
For optimum results it is recommended to use 1 skimmer per 25m2 of pool surface area.
The skimmer suction can also be used for suction sweeping the pool.





P2001


Std wall skimmer w/face plate cover for aboveground & inground pools



P2001+cover

Standard wall skimmer with protection winter cover





P2002

Wide mouth wall skimmer w/face plate cover for aboveground & inground pools



P2002+cover

One piece wide mouth skimmer with protection winter cover



P2004

Wide Mouth Wall Skimmer W/Face Plate Cover For Aboveground & Inground Pools

POOL WHITE PRODUCTS





P2011
Complete Return Inlet
Materials:ABS+TPR



P2012
Return Eyeball And Ring
Material:ABS



P2013
Wide Mouth Face Plate
Materials:ABS



P2014
Standard Face Plate
Materials:ABS



P2024
Double Layer Wide Mouth
Materials:NBR



P2025
Ball Set Bush
Materials:ABS



P2026
Octagonal Nut
Materials:ABS



P2027
Eyeball Base
Materials:ABS



P2015
Double Layer Standard Gasket
Materials:TPR



P2016
Return Gaskets (2pcs)
Materials:TPR



P2017
1-1/4" And 1-1/2" Hose Connector With 1-1/2" Npt Thread
Materials:ABS



P2018
Vacuum Plate With Hose Adaptor
Materials:ABS



P2028
Protective Wall Support For Skimmer
Materials:TPR



P2029
Wintering Skimmer Protection For Standard Mouth Skimmer
Materials:ABS+TPR+PE+SS 304



P2030
Winter Covering For Wide Mouth Skimmer
Materials:ABS+TPS



P2019
10 Screws For Standard Skimmer
Materials:SS304



P2020
18 Screws For Wide Mouth Skimmer
Materials:SS304

P2021
Skimmer Cover
Materials:ABS



P2022
Basket For Skimmer
Materials:ABS



P2023
Spring Loaded Skimmer Weir W/Foam
Materials:ABS+PE



P2227
Standard Filter Socks
Materials:Nylon
Size: 12*18cm



P2227L
Bigger Filter Socks
Materials:Nylon
Size: 14*20cm



P2268
12pcs bypass set

3 Way Valve: ABS	Size: D. 40mm
Clamp: SS 202	Size: 57*50.5*12mm
Connector: ABS	Size: D4.85*10.25
T valve: ABS	Size: 96.7*151.3mm
Tape: PTFE	Size: 12*1000mm

WATER PUMP





WATER PUMP

Quiet, efficient and self priming corrosion proof polymer construction for high durability transparent lid allows for quick inspection of strainer

Item NO.	Power	Voltage/Frequence	Flowrate	Height
P2111	370W/0.5HP	110–120V / 60hz or 220V– 240V / 50hz	13.2m³ /h	13m
P2112	550W/0.75HP		14.4m³ /h	14m
P2113	750W/1.0HP		19.2m³ /h	17m
P2114	1200W/1.5HP		27m³ /h	17m
P2115	1500W/2.0HP		33.6m³ /h	17m





P2101

Pool Filter Pump (1000gallon)



P2102

Pool Filter Pump (600gallon)



P2103

Pool Filter Pump (300gallon)





P2101-1

Replacement Filter For P2101



P2102-1

Replacement Filter For P2102



P2103-1

Replacement Filter For P2103



P2270

Pool Filter Ball
Diameter Around 4.5-5cm/ Pc,Around 5g/Pc



P2271

Pool filter ball with silver nanoparticles
Diameter around 4.5-5cm/ pc,around 5g/pc

SAND FILTER

P2124

sand filter pump

Voltage	220-240V/50Hz	110v-120v/ 60hz
Power (W)	180	180
Current (A)	1.0	1.1
Internal pressure (bar)	0.10	0.10
Pump range (M)	5	7
Pump flow (m^3/h)	11	9
Matching pump (HP)	0.25	0.25
Tank Dia. (mm)	250	250
Sand cylinder flow (m^3/h)	5.9	5
Sand quantity (Kg)	10	10
Sand cylinder volume	14L	14L

Voltage	220-240V/50Hz	110-120V/60Hz
Power (W)	250	250
Current (A)	1.33	2.89
Internal pressure (bar)	0.1	0.1
Pump range (M)	8	8
Pump flow (m^3/h)	10	10
Matching pump (HP)	0.35	0.35
Tank Dia. (mm)	250	250
Sand cylinder flow (m^3/h)	5.6	5.6
Sand quantity (Kg)	10	10
Sand cylinder volume	14L	14L







P2127

Voltage	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	110-120V /60Hz
Power (W)	180	250	370	550	750	250
Current (A)	1.1	1.3	1.9	2.2	2.6	2.7
Internal pressure (bar)	0.10	0.13	0.15	0.20	0.26	0.13
Pump range (M)	7	8	11	13	14	8
Pump flow (m^3/h)	9	10	12	18	20	10
Matching pump (HP)	0.25	0.35	0.5	0.75	1	0.35
Tank Dia. (mm)	330	330	330	330	330	330
Sand cylinder flow (m^3/h)	4.45	5.4	6.5	7.2	7.5	5.6
Sand quantity (Kg)	20	20	20	20	20	20
Sand cylinder volume	24L	24L	24L	24L	24L	24L




P2129

Voltage	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz	110-120V /60Hz
Power (W)	250	370	550	750	250
Current (A)	1.35	2.0	2.35	3.0	2.8
Internal pressure (bar)	0.20	0.25	0.30	0.35	0.20
Pump range (M)	8	11	13	14	8
Pump flow (m^3/h)	10	12	18	20	10
Matching pump (HP)	0.35	0.5	0.75	1	0.35
Tank Dia. (mm)	400	400	400	400	400
Sand cylinder flow (m^3/h)	6.6	7.9	8.9	9.6	6.6
Sand quantity (Kg)	30	30	30	30	30
Sand cylinder volume	38L	38L	38L	38L	38L



P2130

Voltage	220-240V /50Hz	220-240V /50Hz	220-240V /50Hz
Power (W)	550	750	1100
Current (A)	2.4	3.0	3.85
Internal pressure (bar)	0.40	0.45	0.55
Pump range (M)	13	14	16
Pump flow (m^3/h)	18	20	21.5
Matching pump (HP)	0.75	1	1.5
Tank Dia. (mm)	500	0.2	0.2
Sand cylinder flow (m^3/h)	9.2	9.85	10.6
Sand quantity (Kg)	65	65	65
Sand cylinder volume	71L	71L	71L



UNDERWATER LIGHT

POOL LIGHT



P1971





P1973



Type	P1971/White	P1971/RGB	P1971/RGB/RM	P1973	P1973/White	P1973/RGB/RM
Description	Pool Light, 198 LEDs, 12v, 12w, 5000mcd	Pool Light, 198 LEDs, 2v, 12w, 3000–4000mcd	Pool Light, 198 LEDs, 12v, 12w,3000–4000mcd with remote control	Replacement Par 56, 12v 12w, 252 Led,15changes	Replacement Par 56, 12v, 12w 252led, White	Replacement Par 56, 12v, 12w, 252led, RGB remote control
Material	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover
Size	295*170*65mm	295*170*65mm	295*170*65mm	177*105mm	177*105mm	177*105mm
Color	White	RGB(14 kinds of color changing patterns)	RGB(16 kinds of color changing patterns)	Single–White,Red, Green, Blue, Yellow	White	White/RGB
Wattage (W)	12±1W	12±1W	12±1W	13±1 W	17±1 W	13±1 W
Other		RGB control method: inner control	RGB control method: remote control	With 15 working modes		With remote control

P1962






Item No	P1962
Description	Floating Light With Solar Panel
Material	PC+ABS
Size	D110mm
Color	Nature
Wattage (W)	0.06W

P1963






Item No	P1963
Description	Loating Light With Solar Panel
Material	PS
Size	D190*62mm
Color	White/RGB
Wattage (W)	0.06W

POOL LADDER

P1840/1841

For In-Ground Pool





Item No		Tube Dia	STEP	B
With Plastic step	With S.S step			
P1840-2/42	P1841-2/42	Φ42	2	1320
P1840-3/42	P1841-3/42	Φ42	3	1570
P1840-4/42	P1841-4/42	Φ42	4	1820
	P1841-2/48	Φ48	2	1320
	P1841-3/48	Φ48	3	1570
	P1841-4/48	Φ48	4	1820



P1842-1

2 Steps As Standard (For Pools Height Less Than 76cm / 30")


Materials: Fe+PP+ABS



P1843/1844

For Above Ground Pool





Item No		Tube Dia	STEP	B
With Plastic step	With S.S step			
P1843-2/42	P1844-2/42	Φ42	2	1070
P1843-3/42	P1844-3/42	Φ42	3	1302
P1843-4/42	P1844-4/42	Φ42	4	1570



P1842-2

3 Steps As Standard (For Pools Height 91.5cm-105cm / 36"-42")

Materials: Fe+PP+ABS



P1842-2/PT

3 Steps With Platform As Standard(For Pools Height 91.5cm-105cm / 36-42")

Materials:Fe+PP+ABS



P1842-3/PT

4 Steps With Platform As Standard (For Pools Height 122-132cm / 48"-52")

Materials:Fe+PP+ABS





P3221

Heavy Duty Flamingo Cup Floater 33cm



P3262

Micky swimming goggles for kids

Material: Silicone， PC
Size: Uniform size



P3263

Rainbow swimmming goggles for kids

Material: Silicone， PC
Size: Uniform size



P3264/W

Anti fog swimming goggles for adults

Material: Silicone， PC
Size: Uniform size



P3231

Swimming cap in PU for kids

Material: PU
Size: 23*15CM



P3232

Swimming cap in silicone for kids

Material: Silicon rubber
Size: 21*19CM



P3265

Diving goggles for adults

Material: PC+Tempered Glass+RTV
Size: 14.8*7.5CM



P3266

Diving goggles with a breath tube for adults

Material: PC+Tempered Glass+RTV
Size: 16.5*9CM



P3267

Diving goggles with a breath tube for adults

Material: PC+Tempered Glass+RTV
Size: 16.5*9CM



P3233

Swimming hand paddles

Material: PC，RTV
Size: 19.5*13.6CM



P3234

Swimming hand paddles

Material: RTV
Size: 20CM*19CM，15CM*15CM



P3236

Swimming fins in mermaid for kids

Material: PP，PC
Size: 40*44CM



P3235

Swimming fins for adults

Unit: centimeter (cm)

Size	Fin length	Fin width
29-30	25	12
31-1.5	25.8	12.2
32-33.5	27.5	13
34-35.5	29	13.2
36-37	31	14.6
37.5-38.5	32.5	15.5
39-41	34.5	16.2
42-43	35.5	17

Material: Nylon, iron



P3252/L

Diving goggles for adult



P3252/S

Diving goggles for kids



P3253

Diving goggles for kids



P3254

Diving goggles for kids



P3267

Diving goggles for kids

Pool Winter Products



P1980

40cm Winter Floater

Materials:PE+Fine sand
Size:39.5*19.62*5cm



P1981

Wintering Gizmo Bottles Threaded 1.5"

Materials:PE+Fine sand
Size: 8*8*36.5cm



P1989

50cm Winter Floater

Materials:PE+Fine sand
Size:50*19.6*5.3cm



P3216

Winter Pillow

Materials:PVC



P3241

Water weight: 198*18cm, when flated 192*13*7cm, thick: 0.5mm, with water valve, black color



P3243

Corner water weight: 60*60cm, when flated
55*55*5cm, thick: 0.5mm, with water valve,black color



P1988-1"

1"Wintering Plug

Materials:NR+SS304+POM
Size: 1"(Φ25mm), H: 22/43mm



P1988-1.25"

1.25"Wintering Plug

Materials:NR+SS304+POM
Size: 1.25"(Φ32mm), H: 24/45mm



P1988-2.5"

2.5"Wintering Plug

Materials:NR+SS304+POM
Size: 2.5"(Φ63mm), H: 26.6/47.5mm



P1982

1.5"Wintering Plug

Materials:NR+SS304+POM
Size: 1.25-1.5", H: 25.8/45mm



P1983

2"Wintering Plug

Materials:NR+SS304+POM
Size: 1.5-2.0", H: 26.6/47.8mm



P1986

16" Winter Expansion Absorber

Materials:PE
Size: D8.2, L: 43.5



P1986A

16" Winter Gizmo With Plug

Materials:PE
Size:D8, L: 42.2



P1988-2.5"

9" Winter Expansion Absorber

Materials:PE
Size: D8.1, L: 25

PACKING DEFINITIONS



BU

BU: Bulk



CS

CS: Clamshell



CB

CB: Card board wrap



BL

BL: Blister Card



PBH

PBH: Hanging Card



SW

SW: Shrink Wrap



CBX

CBX: color box



WBX

WBX: White Box



DIS&PDQ

DIS: Display

NOTE



NOTE

