

Specification



LED / LCD

PPT Page Flipper And Timer

- **CuePlus Presenter Remote**
- **Wireless Presenter And Timer**
- **1 Receiver + 2 Transmitters**
- **For PowerPoint Presentation**

AMS - CUE_Plus

Safety

This chapter illustrates safety of the AMS-CUE_Plus · PPT Page Flipper And Timer to ensure the product's storage, transport, installation and use safety. Safety instructions are applicable to all personnel who contact or use the product. First of all, pay attention to following points.

- Read through the instructions.
- Retain all instructions.
- Comply with all instructions

■ Storage And Transport Safety

- Pay attention to dust and water prevention.
- Avoid long-term direct sunlight.
- Do not place the product at a position near fire and heat.
- Do not place the product in an area containing explosive materials and strong electromagnetic environment.
- Place the product at a stable position to prevent damage or personal injury caused by dropping.
- Save the packing box and materials which will come in handy if you ever have to store and ship the product. For maximum protection during storage and shipping, repack the product as it was originally packed at the factory.

■ Installation And Use Safety


- Only trained professionals may install the product.
- Plugging and unplugging operations are prohibited when the power is on.
- Ensure safe grounding of the product.
- Always wear a wrist band and insulating gloves.
- Do not place the product in an area having frequent or strong shake.
- Perform dust removing regularly.
- Contact Amoonsky for maintenance at any time, rather than have the product disassembled and maintained by non-professionals without authorization.
- Replace faulty parts only with the spare parts supplied by Amoonsky.

Overview


AMS-CUE_Plus Is A PPT Presentation Controller, The Device Integrates An Intelligent Operating System And Have Powerful Features, Such As Wireless Control, Timer, And Touch Screen Parameter Settings, Designed For Event Producers And Presenters, Ensure That The PPT Presentation Is Presented Perfectly And Completed On Time During The Event.

- **Wireless Control** -- The Device Up To 100 Meters (330 Feet) In An Indoor Environment. And Has A Range Of Up To 300 Meters (1000 Feet) In Open Space;
- **Timer** -- Besides A Simple Countdown, Advanced Options Like Count-Up, Time Of Day (Clock), Time Formats (12H / 24H), Wrap-Up Colors, And Chimes Are Available.
- **Control Method** -- AMS-CUE_Plus Can Remotely Control Presentation Apps Such As PowerPoint, Keynote, Google Slides, And WPS On Four Computers.
- **Easy-to-operate System Interface** -- The Simple And Intuitive Design Enables Users Can Quickly Setting, Combined With Real-time Messages And Status Updates. Users Can Keep Track Of Task Progress And System Status At Any Time, Ensuring Clear And Controllable Operation..

■ Diagram



Application



Parameters

Main-unit Specifications	
USB (PPT)	USB-B * 4 , Connect To The Computer;
Antenna	Device_SMA Female * 2 , Antenna_SMA Male; -- (433 MHz)
HD Port	Type_A * 1, Timer Output Port, Connect LCD Screen;
LAN	RJ45 *1 , Network Control;
USB	USB_A *1, Program Upgrade For The Device;
RST	Reset Button, Press Can Restore Factory Settings;
Power Supply	DC 12V_1A / 2A ;
Material	Metal Case ;
Remote Specifications	
Antenna	433 MHz
Power Supply	Laser -- CR123A_ 3V , Laser_520nm_Green ; Remote_CR2032_3V ;
Material	Plastic Material ;
* Wireless Timer Specifications (Optional)	
Antenna	Device_SMA Female * 1 , Antenna_SMA Male; -- (433 MHz)
HD Port	Type_A * 1, Timer Output Port, Connect LCD Screen;
LAN	RJ45 *1 , Network Control;
USB	USB_A *1, Program Upgrade For The Device;
RST	Reset Button, Press Can Restore Factory Settings;
Power Supply	DC 12V_1A / 2A ;
Material	Metal Case ;

Parameters

General Specifications		
Temperature	Storage : T: -40℃ ~ +80 ℃ 、 H: 10% ~ 90%, Non-condensing; Working: T: 0 ℃ ~ +60 ℃ 、 H: 10% ~ 90%, Non-condensing;	
Machine Size	200mm (Length) x 133 mm (Width) x 45mm (Height)	
Packing Size	365mm (Length) x 315 mm (Width) x 180mm (Height)	
Product Weight	Gross Weight : 4.0Kg ;	
Package Weight	Volume Weight : 5.0Kg ;	
Warranty	1 Year; Note: All Rated Voltages Are On Average ±10%;	
Packing List		
Standard	Main-Unit *1, Remote * 2, Power Supply * 1; USB Cable * 4, Antenna * 1, Manual * 1 ;	
Model	Description	P/N
AMS-CUE_Plus	Standard Model	PN20260209A