专注骨科事业

# 创伤器械手册

## Trauma Instrument Manual

北京富乐科技有限公司
Beijing Fule Technology Co., Ltd

地址:北京市平谷区马坊工业园区西区 50号
Add:No.50, Mafang West Industry Zone, Pinggu District, Beijing

# 目 录

catalogue


1 3.5空心钉器械 3.5 Hollow nail instrument ····· 01

2 4.0空心钉器械 4.0 Hollow nail instrument ····· 02

3 4.5空心钉器械 4.5 Hollow nail instrument ····· 03

4 7.3空心钉器械 7.3 Hollow nail instrument ····· 04

5 基础骨科工具(Φ10经皮股骨头扩大减压器械) Basic orthopedic tools (Φ 10 percutaneous femoral head expansion decompression instrument) ····· 05

6 基础骨科工具(Φ12经皮股骨头扩大减压器械) Basic orthopedic tools (Φ 12 percutaneous femoral head expansion decompression instrument) ····· 06

7 FQ外固定器(φ11系列)器械 FQ external fixator (φ 11 series) instrument ····· 07

8 FQ外固定器(φ5系列)器械 FQ external fixator (φ 5 series) instrument ····· 08

9 FQ外固定器(φ8系列)器械 FQ external fixator (φ 8 series) instrument ····· 10

10 FQ外固定器(φ3系列)器械 FQ external fixator (φ 3 series) instrument ····· 12

11 FGW骨外固定器器械 FGW bone external fixator instrument ····· 13

12 FQ外固定器(横向骨搬移)器械 FQ external fixator (transverse bone transfer) instrument ····· 16

13 2.4\2.7接骨板器械 2.4 \ 2.7 Bone Plate Instrument ····· 18

14 LCP2.0接骨板器械 LCP 2.0 bone plate instrument ····· 20

15 微型接骨板器械 Miniature bone plate instrument ····· 21

16 小儿板专用器械 Pediatric board specialized equipment ····· 24

17 2.0系统器械 2.0 System Instruments ····· 28

18 2.4\2.7系统器械 2.4 \ 2.7 System Instrument ····· 31

19 DHC空心钉器械 DHC hollow nail instrument ····· 35

20 ETN胫骨髓内钉器械 ETN tibial intramedullary nail device ····· 36

21 股骨重建髓内钉器械 Femoral reconstruction intramedullary nail device ····· 41

22 下肢接骨板(大骨折块手术)(全配)器械 Lower limb bone plate (large fracture fragment surgery) (fully equipped) instrument ····· 46

23 下肢接骨板(大骨折块手术)(简配)器械 Lower limb bone plate (large fracture fragment surgery) (simplified) instrument ····· 48

24 下肢锁定接骨板(大骨折块手术)(全配)器械 Lower limb locking plate (large fracture fragment surgery) (fully equipped) instrument ····· 49

25 下肢锁定接骨板(大骨折块手术)(简介)器械 Lower limb locking plate (large fracture fragment surgery) (Introduction) Instrument ····· 53

26 下肢(膝关节截骨)内固定手术器械 Lower limb (knee joint osteotomy) internal fixation surgical instrument ····· 55

27 5.0系统器械 5.0 System Instrument ····· 56

28 上肢接骨板(小骨折块手术)(全配)器械 Upper limb bone plate (small bone fracture surgery) (fully equipped) instrument ····· 62

29 上肢接骨板(小骨折块手术)(简配)器械 Upper limb bone plate (small bone fracture surgery) (simplified) instrument ····· 64

30 上肢锁定接骨板(小骨折块手术)(全配)器械 Upper limb locking plate (small bone fracture surgery) (fully equipped) instrument ····· 68

31 上肢锁定接骨板(小骨折块手术)(简配)器械 Upper limb locking plate (small bone fracture surgery) (simplified) instrument ····· 69

32 小儿截骨板器械 Pediatric osteotomy plate instrument ····· 71

33 3.5系统器械 3.5 System Instrument ····· 75

34 2.4\3.0空心钉器械 2.4 \ 3.0 Hollow Nail Instrument ····· 80

35 肋骨固定系统器械 Rib fixation system instrument ····· 82

36 断钉取出器械 Remove the instrument from the broken nail ····· 83

37 LHC空心钉(上肢)器械 LHC hollow nail (upper limb) instrument ····· 85

38 LHC空心钉(下肢)器械 LHC hollow nail (lower limb) instrument ····· 87

39 金属缆索内固定系统器械 Metal cable internal fixation system instrument ····· 89

40 金属髓内针器械 Metal intramedullary needle instrument ····· 90

41 足踝矫形系统专用器械 Special equipment for ankle orthopedic system ····· 92

42 距下关节稳定器器械 Ankle stabilizer device ····· 96

43 髓内钉取出器械 Intramedullary nail removal device ····· 97

44 外固定器(头颅骨盆环)器械 External fixator (skull pelvic ring) instrument ····· 99

45 骨盆重建手术器械 Pelvic reconstruction surgical instrument ····· 101

46 DHS\DCS接骨板器械 DHS/DCS bone plate instrument ····· 104

47 股骨颈动力钉板系统器械 Femoral neck dynamic nail plate system instrument ····· 107

48 UHC空心螺钉(齿状突螺钉)器械 UHC hollow screw (serrated screw) instrument ····· 109

49 骨盆微创(6.5空心钉)器械 Pelvic minimally invasive (6.5 hollow nail) instrument ····· 111

50 肱骨多维锁定髓内钉器械 Multi dimensional locking intramedullary nail device for humerus ····· 112

51 PFNA髓内钉(标准钉)器械 PFNA intramedullary nail (standard nail) device ····· 116

52 股骨髁上倒置髓内钉器械 Inverted intramedullary nail device on femoral condyle ····· 121

53 股骨联合加压髓内钉器械 Femoral combined compression intramedullary nail device ····· 125

54 PFNA髓内钉(加长钉)器械 PFNA intramedullary nail (extended nail) device ····· 130

55 前臂外固定器械 Forearm external fixation device ····· 136

56 纵向骨搬移器械 Longitudinal bone transfer device ····· 138

57 FG\WEF外固定架器械 FG \ WEF external fixation device ····· 140


58 肩关节手术器械 Shoulder joint surgical instruments ····· 141

59 膝关节手术器械 Knee joint surgical instruments ····· 143




# 3.5空心钉器械

## 3.5 Hollow nail instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Broken nail extractor (II) | \ | 420-010 | 1 |  |
| 2 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.2×150 | 411-653 | 3 |  |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.2×150 | 411-650 | 3 |  |
| 4 | 骨导引针 Bone guide needle | Φ1.2 | 402-030 | 1 |  |
| 5 | 骨科导向器(II) Orthopedic guide (II) | Φ1.2\Φ2.5 | 402-040 | 1 |  |
| 6 | 空心钻(I) Hollow drill (I) | Φ2.5 | 2060013 | 1 |  |
| 7 | 丝攻(空心) Silk attack (hollow) | Φ3.5 | 402-061 | 1 |  |
| 8 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=2.5 | 402-071 | 1 |  |
| 9 | 埋头钻(空心II) Countersunk drill (hollow II) | Φ2.5 | 402-081 | 1 |  |
| 10 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=2.5 | 402-091 | 1 |  |
| 11 | 持钉镊 Nail tweezers | 小 | 411-131 | 1 |  |
| 12 | 螺钉取出器(打滑II) Screw extractor (slip II) | Φ2.5 | 402-150 | 1 |  |
| 13 | φ3.5空心钉器械箱 φ3.5 Hollow nail instrument box | \ | 402-110 | 1 |  |

# 4.0空心钉器械

## 4.0 Hollow nail instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Depth sounder (III) | \ | 420-010 | 1 |  |
| 2 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.2×150 | 411-653 | 3 |  |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.2×150 | 411-650 | 3 |  |
| 4 | 骨导引针 Bone guide needle | Φ1.2 | 402-030 | 1 |  |
| 5 | 骨科导向器(II) Orthopedic guide (II) | Φ1.2\Φ2.8 | 403-010 | 1 |  |
| 6 | 空心钻(I) Hollow drill (I) | Φ2.8 | 2060014 | 1 |  |
| 7 | 丝攻(空心) Silk attack (hollow) | Φ4.0 | 403-031 | 1 |  |
| 8 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=3.0 | 403-041 | 1 |  |
| 9 | 埋头钻(空心II) Countersunk drill (hollow II) | Φ2.5 | 402-081 | 1 |  |
| 10 | 骨科用扳手(六方) Countersunk drill (hollow II) | S=3.0 | 403-051 | 1 |  |
| 11 | 持钉镊 Nail tweezers | 大 | 418-610 | 1 |  |
| 12 | 螺钉取出器(打滑II) Screw extractor (slip II) | Φ3.0 | 403-061 | 1 |  |
| 13 | ϕ4.0空心钉器械箱 ϕ4.0 hollow nail instrument box | \ | 403-070 | 1 |  |





# 4.5空心钉器械

## 4.5 Hollow nail instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Depth sounder (III) | \ | 420-010 | 1 |  |
| 2 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.5×150 | 419-011 | 3 |  |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.5×150 | 419-013 | 3 |  |
| 4 | 骨导引针 Bone guide needle | Φ1.5 | 404-030 | 1 |  |
| 5 | 骨科导向器(VII) Orthopedic guide device (VII) | Φ3.2 | 404-040 | 1 |  |
| 6 | 空心钻(I) Hollow drill (I) | Φ3.2 | 404-051 | 1 |  |
| 7 | 丝攻(空心) Silk attack (hollow) | Φ4.5 | 404-061 | 1 |  |
| 8 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=3.5 | 404-071 | 1 |  |
| 9 | 埋头钻(空心II) Countersunk drill (hollow II) | Φ3.0 | 404-081 | 1 |  |
| 10 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=3.5 | 404-091 | 1 |  |
| 11 | 持钉镊 Nail tweezers | 大 | 418-610 | 1 |  |
| 12 | 螺钉取出器(打滑II) Screw extractor (slip II) | Φ3.5 | 404-101 | 1 |  |
| 13 | ϕ4.5空心钉器械箱 ϕ4.5Hollow nail instrument box | \ | 404-110 | 1 |  |

# 7.3空心钉器械

## 7.3 Hollow nail instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Depth sounder (III) | Φ2.5 | 405-010 | 1 |  |
| 2 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.5×250 | 405-020 | 3 |  |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ2.5×250 | 405-021 | 3 |  |
| 4 | 骨导引针(I) Bone guide needle (I) | Φ2.5 | 405-030 | 1 |  |
| 5 | 骨科导向器(II) Orthopedic guide (II) | Φ2.5\Φ5.0 | 405-040 | 1 |  |
| 6 | 空心钻(I) Hollow drill (I) | Φ5.0 | 2060003 | 1 |  |
| 7 | 骨科定位器 Orthopedic locator | Φ5.0 | 418-532 | 1 |  |
| 8 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 9 | 骨科钻孔瞄准器(I) Orthopedic drilling sight (I) | Φ2.5 | 405-061 | 1 |  |
| 10 | 丝攻(空心) Silk attack (hollow) | Φ7.3 | 2060004 | 1 |  |
| 11 | 骨科导向器(多孔I) Orthopedic guide (porous I) | Φ2.5 | 405-080 | 1 |  |
| 12 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=4.0 | 405-091 | 1 |  |
| 13 | 埋头钻(空心II) Countersunk drill (hollow II) | Φ4.5 | 405-101 | 1 |  |
| 14 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=4.0 | 405-111 | 1 |  |
| 15 | 持钉镊 Nail tweezers | 大 | 402-101 | 1 |  |
| 16 | 螺钉取出器(打滑II) Screw extractor (slip II) | Φ4.0 | 405-130 | 1 |  |
| 17 | ф7.3空心钉器械箱 ф7.3Hollow nail instrument box | \ | 405-120 | 1 |  |
| 1 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=4.0 | 424-031 | 选配 Optional |  |





# 基础骨科工具(Φ10系列经皮股骨头扩大减压器械)

## Basic orthopedic tools (Φ 10 series percutaneous femoral head expansion and decompression instruments)

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨锯(空心) Bone saw (hollow) | Φ8 | 409-022 | 1 | |
| | | Φ10 | 409-023 | 1 | |
| 2 | 打入器(圆头) Injector (round head) | 小 | 409-031 | 1 |  |
| 3 | 打入器(L型) Injector (L-shaped) | 小 | 409-041 | 1 |  |
| 4 | 骨铰刀(单刀) Bone Reamer (Single Knife) | Φ10 | 409-052 | 1 |  |
| 5 | 骨科钻孔瞄准器(II) Orthopedic drilling sight (II) | Φ2.5 | 409-061 | 1 | |
| 6 | 骨科用夹持器(II) Orthopedic Gripper (II) | 小 | 409-071 | 1 | |
| 7 | 植骨漏斗(II) Bone graft funnel (II) | Φ4 | 409-081 | 1 | |
| 8 | 髂骨取出器(I) Iliac bone extractor (I) | Φ6 | 409-101 | 1 | |
| 9 | 空心钻(II) Hollow Drill (II) | Φ10 | 409-111 | 1 |  |
| 10 | 刮匙(弯头) Scrap key (bend) | Φ6 | 409-132 | 1 | |
| 11 | 刮匙(椭圆弯头) Scrap key (oval bend) | 11.0 | 409-133 | 1 | |
| 12 | 快装手柄(棘轮) Quick installation handle (ratchet) | S=14 | 409-010 | 1 | |
| 13 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.5×300 | 409-090 | 2 |  |
| 14 | 骨用牵开器 Bone retraction device | / | 409-120 | 1 |  |
| 15 | 器械箱 Equipment box | / | 409-170 | 1 | |
| 16 | 骨科用扳手(一字) Orthopedic wrench (one character) | / | 409-141 | 选配 Optional | |
| 17 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=3.0 | 409-181 | 选配 Optional | |

# 基础骨科工具(Φ12系列经皮股骨头扩大减压器械)

## Basic orthopedic tools (Φ 12 series percutaneous femoral head expansion and decompression instruments)

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 快装手柄(棘轮) Quick installation handle (ratchet) | S=14 | 409-010 | 1 | |
| 2 | 骨锯(空心) Bone saw (hollow) | Φ10 | 409-020 | 1 |  |
| | | Φ12 | 409-021 | 1 | |
| 3 | 打入器(圆头) Injector (round head) | 大 | 409-030 | 1 | |
| 4 | 打入器(L型) Injector (L-shaped) | 大 | 409-040 | 1 | |
| 5 | 骨铰刀(单刀) Bone Reamer (Single Knife) | Φ12 | 409-050 | 1 |  |
| | 骨铰刀(双刀) Bone Reamer (Double Knife) | Φ12 | 409-051 | 1 | |
| 6 | 骨科钻孔瞄准器(Ⅱ) Orthopedic drilling sight (II) | Φ2.5 | 409-060 | 1 |  |
| 7 | 骨科用夹持器(Ⅱ) Orthopedic Gripper (II) | 大 | 409-070 | 1 |  |
| 8 | 植骨漏斗(Ⅲ) Bone graft funnel (III) | Φ4 | 409-080 | 1 |  |
| 9 | 骨定位针(光杆Ⅰ) Bone positioning needle (light rod I) | Φ2.5×300 | 409-090 | 2 |  |
| 10 | 髂骨取出器(Ⅱ) Iliac bone extractor (II) | Φ7.5 | 409-100 | 1 |  |
| 11 | 空心钻(Ⅱ) Hollow Drill (II) | Φ12 | 409-110 | 1 | |
| 12 | 骨用牵开器 Bone retraction device | / | 409-120 | 1 |  |
| 13 | 刮匙(弯头) Scrap key (bend) | Φ6 | 409-130 | 1 |  |
| 14 | 刮匙(椭圆弯头) Scrap key (oval bend) | 11.0 | 409-131 | 1 |  |
| 15 | 骨科用扳手(一字) Orthopedic wrench (one character) | / | 409-141 | 1 | |
| 16 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=3.0 | 403-051 | 1 |  |
| 17 | 器械箱 Equipment box | / | 409-170 | 1 | |
| 18 | 骨科用扳手(组合) Orthopedic wrench (combination) | 中 | 409-161 | 选配 Optional | |





# FQ外固定器(φ11系列)器械

## FQ external fixator (φ 11 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科用夹持器(III) Orthopedic Clamp (III) | Φ5 | 410-010 | 1 |   |
| 2 | 骨科导向器(V) Orthopedic guide (V) | Φ5×60 | 410-020 | 4 |  |
| | | Φ5×100 | 410-021 | 4 | |
| | | Φ6×60 | 410-022 | 4 | |
| | | Φ6×100 | 410-023 | 4 | |
| 3 | 骨科用扳手(套筒T型) Orthopedic wrench (T-shaped socket) | \ | 410-030 | 1 |  |
| 4 | 骨科用扳手(套筒T型万向) Orthopedic wrench (socket T-shaped universal) | S=10 | 410-040 | 1 |  |
| 5 | 锁针加压器 Lock needle pressure device | Φ11.0 | 410-050 | 1 |  |
| 6 | 骨科用扳手(开口) Orthopedic wrench (open) | S=10 | 410-060 | 1 |  |
| 7 | 弓形钻 Bow drill | \ | 410-070 | 1 |  |
| 8 | 骨科用扳手(三角) Orthopedic wrench (triangle) | 6.0 | 106-010 | 1 |  |
| 9 | 器械箱 Equipment box | \ | 410-080 | 1 | |




# FQ外固定器(φ5系列)器械
## FQ external fixator (φ 5 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 快装手柄(T型Ⅰ) Quick installation handle (T-shaped I) | 5×5 | 410-100 | 1 |  |
| 2 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | Φ3 | 410-110 | 1 |  |
| | | Φ4 | 410-111 | 1 | |
| 3 | 护套 sheath | Φ5 | 410-120 | 1 |  |
| 4 | 转接头(I) Adapter (I) | 7/5 | 410-130 | 1 |  |
| 5 | 骨科用扳手(双头II) Orthopedic wrench (double headed II) | 7/5 | 410-131 | 1 |  |
| 6 | 骨科钻孔瞄准器 Orthopedic drilling sight | \ | 410-132 | 1 |  |
| 7 | 骨科导向器(III) Orthopedic guide device (III) | Φ3.0 | 410-140 | 1 |  |
| 8 | | Φ4.0 | 410-141 | 1 | |
| 9 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.0 | 410-052 | 1 |  |
| 10 | 器械箱 Equipment box | \ | 410-150 | 1 |  |









# FQ外固定器(φ5系列)器械
## FQ external fixator (φ 5 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 11 | 器械箱托盘 Instrument box tray | 托盘 1 | 410-151 | 1 |  |
| 12 | | 托盘 2 | 410-152 | 1 |  |
| 13 | | 托盘 3 | 410-153 | 1 |  |
| 14 | 铭牌 Orthopedic wrench (L-shaped hexagonal) | \ | 410-154 | 2 |   |
| 以下为选配器械 The following are optional equipment | | | | | |
| 1 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | Φ3.5 | 2120010 | 1 |  |
| 2 | 弓形钻 Bow drill | \ | 410-070 | 1 |  |
| 3 | 弓形钻(夹头) | Φ3 | 410-090 | 1 |  |
| | | Φ4 | 410-091 | 1 | |

# FQ外固定器(φ8系列)器械
## FQ external fixator (φ 8 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 快装手柄(T型I) Quick installation handle (T-shaped I) | 7×7 | 410-101 | 1 |  |
| 2 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | Φ4 | 410-111 | 1 |  |
| 3 | | Φ5 | 410-112 | 1 | |
| 4 | 护套 Sheath | Φ8 | 410-121 | 1 |  |
| 5 | 转接头(I) Adapter (I) | 7\5 | 410-130 | 1 |  |
| 6 | 骨科用扳手(双头II) Orthopedic wrench (double headed II) | 7\5 | 410-131 | 1 |  |
| 7 | 骨科钻孔瞄准器 Orthopedic drilling sight | \ | 410-132 | 1 |  |
| 8 | 骨科导向器(III) Orthopedic guide device (III) | Φ4.0 | 410-141 | 1 |  |
| 9 | | Φ5.0 | 410-142 | 1 | |
| 10 | 器械箱箱体 Instrument box body | \ | 410-150 | 1 |  |
| 11 | 器械箱托盘 Instrument box tray | 托盘 1 | 410-161 | 1 |  |
| 12 | | 托盘 2 | 410-162 | 1 |  |
| 13 | | 托盘 3 | 410-163 | 1 |  |





FQ外固定器(φ8系列)器械
FQ external fixator (φ 8 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 14 | 器械箱铭牌 Equipment box nameplate | \ | 410-164 | 2 |  |
| 以下为选配器械 The following are optional equipment | | | | | |
| 1 | 骨科钻头(II) Orthopedic drill bit (II) | Φ4.5 | 413-075 | 2 |  |
| 2 | 骨科导向器(IV) Bow drill | Φ6.0×100 | 413-044 | |  |
| 3 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | Φ4.5 | 2120011 | |  |
| 4 | 弓形钻 Bow drill | | 410-070 | |  |
| 5 | 弓形钻(夹头) Bow shaped drill (chuck) | Φ4 | 410-091 | 1 |  |
| | | Φ5 | 410-092 | 1 | |

# FQ外固定器(φ3系列)器械

## FQ external fixator (φ 3 series) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科用扳手(球型) Orthopedic wrench (ball type) | 4.0 | 410-200 | 1 |  |
| 2 | 护套 sheath | Φ3 | 410-201 | 1 |  |
| 3 | 骨科用扳手(开口) Orthopedic wrench (open) | S=4 | 410-202 | 1 |  |
| 4 | 骨科钻孔瞄准器 Orthopedic drilling aiming device | \ | 410-203 | 1 |  |
| 5 | 骨科导向器(I) Orthopedic guide (I) | Φ2.0 | 410-205 | 1 |  |
| 6 | 骨科用扳手(L型六方) Orthopedic wrench(L-shaped hexagonal) | S=2.5 | 410-206 | 1 |  |
| 7 | 骨科用扳手(快装T型) Orthopedic wrench (Quick installation T-shaped) | φ2.0 | 413-090 | 1 |  |








# FGW骨外固定器器械

## FGW bone external fixator instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻头(II) Orthopedic drill bit (II) | Φ2.5 | 410-620 | 3 |  |
| 2 | | Φ3.0 | 410-621 | 3 | |
| 3 | | Φ3.9 | 413-074 | 1 |  |
| 4 | | Φ4.5 | 413-075 | 1 | |
| 5 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ2.5 | 410-630 | 3 |  |
| 6 | | Φ3.0 | 410-631 | 3 | |
| 7 | 骨科导向器(IV) Orthopedic guide device (IV) | Φ4.0×90 | 413-040 | 1 |  |
| 8 | | Φ5.0×90 | 413-041 | 1 | |
| 9 | | Φ6.0×100 | 413-044 | 1 | |
| 10 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | φ3 | 410-110 | 1 |  |
| 11 | | φ4 | 410-111 | 1 | |
| 12 | | φ5 | 410-112 | 1 | |
| 13 | 骨锤 bone mallet | \ | 110-420 | 1 |  |
| 14 | 骨科定位器(I) Orthopedic locator (I) | φ2.5 | 410-650 | 2 |  |
| 15 | | φ3.0 | 410-651 | 2 | |
| 16 | 骨科钻孔瞄准器(V) Orthopedic drilling sight (V) | 2-φ2.5 | 410-660 | 1 |  |
| 17 | | 2-φ3.0 | 410-662 | 1 | |
| 18 | | 3-φ2.5 | 410-661 | 1 |  |
| 19 | | 3-φ3.0 | 410-663 | 1 | |
| 20 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=5 | 413-086 | 2 |  |
| 21 | 骨科用扳手(开口) Orthopedic wrench (open) | S=10 | 410-060 | 5 |  |

# FGW骨外固定器器械

## FGW bone external fixator instrument



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 22 | 锁针加压器(II) Lock Needle Pressurizer (II) | \ | 410-612 | 1 |  |
| 23 | 弯棒器 Bending rod device | φ2.5\φ3.0 | 410-680 | 2 |  |
| 24 | 医用尺(I) Medical ruler (I) | 300 | 410-700 | 1 |  |
| 25 | 骨克丝钳(I) Bone wire forceps (I) | φ2.5 | 410-691 | 1 |  |
| 26 | 骨刀 Osteotome | 6mm | 410-342 | 1 |  |
| 27 | 器械箱 Equipment box | 箱盖 | P000014 | 1 |  |
| 28 | | 箱体 | 2130002 | 1 |  |
| 29 | 托盘 tray | 托盘 1 | 2130003 | 1 |  |
| 30 | | 托盘 2 | 2130004 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 骨凿(I) Bone chisel (I) | 160×6mm | 410-351 | 1 |  |
| 2 | 骨锥 bone awl | Φ5 | 413-020 | 1 |  |
| 3 | 截骨板(Ⅱ) Osteotomy Plate (II) | Φ6.0 | 410-721 | 1 |  |
| 4 | 截骨板(I) Osteotomy Plate (II) | Φ3.0 | 410-720 | 1 | |






# FGW骨外固定器器械

## FGW bone external fixator instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 箱内配套产品 Supporting products inside the box | | | | | |
| 1 | 光杆骨针 Light rod bone needle | Φ2.0×250 | 6117020250 | 2 |  |
| 产品箱明细 Product Box Details | | | | | |
| 1 | 器械箱盖 Instrument box cover | \ | P000014 | 1 |  |
| 2 | FGW产品-箱体 FGW Product - Box | \ | 2130006 | 1 |  |
| 3 | FGW产品-托盘-上 FGW Products - Tray - On | \ | 2130007 | 1 |  |
| 4 | FGW产品-托盘-中 FGW Products - Tray - Medium | \ | 2130008 | 1 |  |
| 5 | FGW产品-托盘-下 FGW Products - Tray - Bottom | \ | 2130009 | 1 |  |

# FQ外固定器(横向骨搬移)器械

## FQ type external fixation and transverse bone transfer device





| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻头(II) Orthopedic drill bit (II) | Φ2.5 | 410-620 | 2 |  |
| 2 | | Φ3.0 | 410-621 | 1 | |
| 3 | 骨科导向器(III) Orthopedic guide (III) | Φ3.0 | 410-140 | 1 |  |
| 4 | | Φ4.0 | 410-141 | 1 | |
| 5 | 骨科导向器(IV) Orthopedic guide (IV) | Φ4.0×90 | 413-040 | 1 |  |
| 6 | | Φ5.0×60 | 413-042 | 1 | |
| 7 | | Φ5.0×90 | 413-041 | 1 | |
| 8 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=4.0 | 413-085 | 2 |  |
| 9 | | S=2.0 | 410-052 | 1 | |
| 10 | 快换手柄(T型I) Quick change handle (T-type I) | 7×7 | 410-101 | 1 |  |
| 11 | 骨科用扳手(双头II) Orthopedic wrench (double headed II) | 7\5 | 410-131 | 1 |  |
| 12 | 骨科导向器(双头II) Orthopedic guide (double head II) | Φ2.5/Φ3.5 | 419-331 | 1 |  |
| 13 | 骨科用扳手(T型I) Orthopedic wrench (T-type I) | Φ3 | 410-110 | 1 |  |
| 14 | | Φ4 | 410-111 | 1 | |
| 15 | | Φ5 | 410-112 | 1 | |
| 16 | 骨科定位器(I) Orthopedic locator (I) | Φ2.5 | 410-650 | 2 |  |
| 17 | 骨科钻孔瞄准器(V) Orthopedic drilling sight (V) | 2-Φ2.5 | 410-660 | 1 |  |
| 18 | 骨刀 Osteotome | 6mm | 410-342 | 1 |  |





FQ外固定器(横向骨搬移)器械

FQ type external fixation and transverse bone transfer device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 19 | 器械箱 Equipment box | 箱盖 | 2120003 | 1 |  |
| 20 | | 箱体 | 2120004 | 1 |  |
| 21 | | 托盘 | 2120005 | 1 |  |
| 箱内配套产品 Supporting products inside the box | | | | | |
| 1 | 骨针固定夹(横向骨搬移) Bone Needle Fixation Clip (Horizontal Bone Movement) | Φ3/Φ8 | 21200072 | 1 | |
| 2 | 开式针杆固定夹(Φ4/Φ5-Φ8) Open needle bar fixing clip (Φ 4/Φ 5- Φ 8) | Φ5/Φ8 | 640301001 | 4 |  |
| 3 | 连接杆(碳纤维) Connecting rod (carbon fiber) | Φ8×200 | 640807003 | 1 |  |
| 4 | | Φ8×250 | 640808003 | 1 | |
| 5 | 方型骨针 Square bone needle | Φ4×135-35 | 611013000 | 4 |  |
| 6 | | Φ5×150-40 | 611016000 | 4 | |
| 7 | | Φ3.0×140/15 | 611003120 | 4 | |
| 8 | | Φ3.0×120/15 | 611003140 | 4 | |
| 9 | | Φ3.0×160/15 | 611003160 | 4 | |
| 以下为选配器械 The following are optional equipment | | | | | |
| 1 | 截骨板(Ⅰ) Osteotomy Plate (Ⅰ) | Φ3.0 | 410-720 | 1 |  |
| 2 | 截骨板(Ⅱ) Osteotomy Plate (II) | Φ6.0 | 410-721 | 1 | |

# 2.4\2.7接骨板器械

## 2.4 \ 2.7 Bone Plate Instruments




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆) Bone Positioning Needle (Light Rod) | Φ1.8×150 | 411-301 | 3 |  |
| 2 | 骨钻 Bone Drill | ϕ1.8×110mm | 411-263 | 2 |  |
| 3 | | ϕ2.0×115mm | 411-264 | 2 | |
| 4 | 丝攻 Tap | HA2.7 | 411-028 | 1 |  |
| 5 | 丝攻(LCP) Silk Tapping (Lcp) | LCP2.4 | 411-320 | 1 |  |
| 6 | | LCP2.7 | 411-321 | 1 | |
| 7 | 骨科用扳手(梅花) Orthopedic Wrench (Plum Blossom) | T8 | 430-650 | 1 |  |
| 8 | 持钉夹(HA II) Nail Clamp (Ha Ii) | HA2.7 | 411-217 | 1 |  |
| 9 | | HA2.7 | 411-216 | 1 | |
| 10 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T8×105mm | 411-253 | 2 |  |
| 11 | 持钉夹 Nail Clamp | 2.4 | 411-210 | 1 |  |
| 12 | 导钻(LCP) Lead Drill (LCP) | ϕ1.8 | 411-230 | 2 |  |
| 13 | | ϕ2.0 | 411-231 | 2 | |
| 14 | 导钻(VA-LCP) Guide Drill (VA-LCP) | ϕ1.8 | 411-233 | 2 |  |
| 15 | 导钻(LC-DCP) Guide Drill (LC-DCP) | 1.8\2.4 | 411-310 | 1 |  |
| 16 | | 2.0\2.7 | 411-311 | 1 | |
| 17 | 测深器 Depth Sounder | 0-60 | 411-051 | 1 |  |
| 18 | 快装手柄(限扭力) Quick Installation Handle (Limited Torque) | 0.8Nm | 411-240 | 1 |  |
| 19 | 快装手柄(直型) Quick Installation Handle (Straight Type) | 直型 | 411-170 | 1 |  |
| 20 | 快装手柄(转换头) Quick Installation Handle (Conversion Head) | \ | 418-081 | 1 |  |
| 21 | 快装手柄(T型) Quick Installation Handle (T-Shaped) | \ | 418-080 | 1 |  |





2.4\2.7接骨板器械

2.4 \ 2.7 Bone Plate Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 22 | 器械箱 Equipment Box | \ | 411-341 | 1 |  |
| 23 | 托盘 Tray | \ | 411-342 | 1 |  |
| 24 | | \ | 411-343 | 1 |  |
| 25 | 铭牌 Nameplate | \ | 411-344 | 2 |  |
| 26 | 螺钉盒 Screw Box | \ | 411-299 | 1 |  |
| 1 | 起子(十字快换) Screwdriver (Cross Quick Change) | 2.7 | 411-068 | 选配 |  |
| 2 | 持钉夹 Nail Clamp | HA2.7 | 411-064 | 选配 |  |
| 3 | 起子(六角) Screwdriver (Hexagonal) | S=2.5 | 419-117 | 选配 |  |
| 4 | 持钉夹(2.7) Nail Clamp (2.7) | 2.7 | 411-069 | 选配 |  |

# LCP2.0接骨板器械

## LCP 2.0 bone plate instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 bone drill | Φ1.5 | 411-018 | 2 |  |
| | | Φ2.0 | 411-264 | 2 | |
| 2 | 丝攻 tap | HA2.0 | 411-027 | 1 |  |
| 3 | 丝攻(LCP) Silk Tapping (Lcp) | Φ2.0 | 411-029 | 1 |  |
| 4 | 起子(十字) Screwdriver (Cross) | 1.5\2.0 | 411-066 | 1 |  |
| 5 | 持钉夹 Nail Clamp | HA1.5\2.0 | 411-062 | 1 |  |
| 6 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T6 | 411-252 | 2 |  |
| 7 | 持钉夹 Nail Clamp | 2 | 411-211 | 1 |  |
| 8 | 导钻(LCP) Lead Drill (Lcp) | Φ1.5 | 411-232 | 2 |  |
| 9 | 导钻(双头) Guide Drill (Double Headed) | 1.5\2.0 | 411-043 | 1 |  |
| 10 | 测深器 Depth Sounder | 0-35 | 411-050 | 1 |  |
| 11 | 快装手柄(直型) Quick Installation Handle (Straight Type) | \ | 411-170 | 1 |  |
| 12 | 器械盒 Instruments Box | HA2.0\LCP2.0 | 411-292 | 1 |  |







# 微型接骨板器械

## Miniature bone plate instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 Bone Drill | Φ1.1 | 411-014 | 5 |  |
| | | Φ1.5 | 411-015 | 5 | |
| | | Φ2.0 | 411-016 | 5 | |
| | | Φ2.7 | 411-017 | 2 | |
| 2 | 丝攻 Tap | HA1.5 | 411-026 | 1 |  |
| | | HA2.0 | 411-027 | 1 | |
| | | HA2.7 | 411-028 | 1 | |
| 3 | 埋头钻 Bury Oneself In The Drill | Φ3 | 411-032 | 1 |  |
| | | Φ4 | 411-033 | 1 | |
| 4 | 导钻(双头) Guide Drill (Double Headed) | Φ1.1-Φ1.5 | 411-040 | 1 |  |
| | | Φ1.5-Φ2.0 | 411-043 | 1 | |
| | | Φ2.0-Φ2.7 | 411-042 | 1 | |
| 5 | 测深器 Depth Sounder | 0-35 | 411-050 | 1 |  |
| 6 | 骨科用扳手(梅花快换) Orthopedic Wrench (Plum Blossom Quick Change) | T6 | 411-570 | 2 |  |
| 7 | 持钉夹(HAI) Nail Holder (HAI) | HA2.0 | 411-212 | 1 |  |
| 8 | 骨科用扳手(梅花起子) Orthopedic Wrench (Plum Blossom Screwdriver) | T8 | 430-400 | 2 |  |
| 9 | 骨科用扳手(梅花) Orthopedic Wrench (Plum Blossom) | T8 | 430-650 | 1 |  |
| 10 | 持钉夹(HA II) Nail Clamp (Ha Ii) | HA2.7 | 411-217 | 1 |  |
| 11 | 起子(十字) Screwdriver (cross) | HA1.5\HA2.0 | 411-331 | 2 |  |
| 12 | 骨膜剥离器 Periosteal Raspatory | 3mm | 411-072 | 1 |  |
| | | 5mm | 411-073 | 1 | |
| 13 | 钢板弯曲器 Steel Plate Bending Device | 微型 | 411-080 | 2 |  |
| 14 | 骨科复位(尖头) Orthopedic Reduction (Pointed) | 微型 | 411-090 | 1 |  |


# 微型接骨板器械
## Miniature bone plate instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 15 | 骨科复位钳(带齿尖头) Orthopedic Reduction Forceps (With Toothed Tips) | 微型 | 411-100 | 1 |  |
| 16 | 持板钳 Plate Clamp | \ | 411-110 | 1 |  |
| 17 | 骨撬 Elevator | 6.5 | 411-120 | 1 |  |
| | | 8.5 | 411-121 | 1 | |
| | | 15.5 | 411-122 | 1 | |
| 18 | 持钉镊 Nail Tweezers | \ | 411-130 | 1 |  |
| 19 | 快装手柄(直型) Quick Installation Handle (Straight Type) | \ | 411-170 | 1 |  |
| 20 | 快装手柄(T型) Quick Installation Handle (T-Shaped) | \ | 418-080 | 1 |  |
| 21 | 皮肤拉钩 Skin Retractor | \ | 411-180 | 2 |  |
| 22 | 钉盒 Nail Box | HA1.5\2.0 | 411-200 | 1 |  |
| | | HA2.7 | 411-201 | |  |
| 23 | 器械箱 Equipment Box | \ | 411-294 | 1 |  |
| 24 | 托盘1(微型接骨板) Tray 1 (Mini Bone Plate) | \ | 411-295 | 1 |  |







# 微型接骨板器械
## Miniature bone plate instruments


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 25 | 托盘2(微型接骨板) Tray 2 (Mini Bone Plate) | \ | 411-296 | 1 |  |
| 26 | 铭牌 Nameplate | \ | 411-297 | 2 |   |
| 1 | 起子(十字) Screwdriver (Cross) | HA2.7 | 411-330 | 选配 Optional |  |

# 小儿板专用器械-2.7系列专用

## Pediatric board special equipment -2.7 series special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆) Bone Positioning Needle (Light Rod) | Φ1.8×150 | 411-301 | 3 |  |
| 2 | 骨钻 Bone Drill | ϕ2.0×115mm | 411-264 | 2 |  |
| 3 | 丝攻 Tap | HA2.7 | 411-028 | 1 |  |
| 4 | 丝攻(LCP) Silk Tapping (Lcp) | LCP2.7 | 411-321 | 1 |  |
| 7 | 骨科用扳手(梅花) Orthopedic Wrench (Plum Blossom) | T8 | 430-650 | 1 |  |
| 8 | 持钉夹(HA II) Nail Clamp (Ha Ii) | HA2.7 | 411-216 | 1 |  |
| 9 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T8×105mm | 411-253 | 2 |  |
| 10 | 持钉夹 Nail Clamp | 2.4 | 411-210 | 1 |  |
| 11 | 导钻(LCP) Lead Drill (LCP) | ϕ2.0 | 411-231 | 2 |  |
| 12 | 导钻(LC-DCP) Lead Drill (LC-DCP) | 2.0\2.7 | 411-311 | 1 |  |
| 13 | 测深器 Depth Sounder | 0-60 | 411-051 | 1 |  |
| 14 | 快装手柄(限扭力) Quick Installation Handle (Limited Torque) | 0.8Nm | 411-240 | 1 |  |
| 15 | 快装手柄(直型) Quick Installation Handle (Straight Type) | 直型 | 411-170 | 1 |  |
| 16 | 快装手柄(T型) Quick Installation Handle (T-Shaped) | \ | 418-080 | 1 |  |
| 17 | 螺钉盒 Screw Box | \ | 411-299 | 1 |  |
| 1 | 起子(六角) Screwdriver (Hexagonal) | S=2.5 | 419-117 | 选配 1 |  |





# 小儿板专用器械-2.7系列专用

## Pediatric board special equipment -2.7 series special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 2 | 持钉夹(2.7) Nail Clamp (2.7) | 2.7 | 411-069 | 选配 1 |  |

# 小儿板专用器械-3.5系列专用

## Pediatric board special equipment -3.5 series special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 Bone Drill | Φ2.5 | 419-022 | 2 |  |
| | | Φ3.5 | 419-023 | 1 | |
| 2 | 丝攻 Tap | HA3.5 | 419-032 | 1 |  |
| 3 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | ϕ2.5-ϕ3.5 | 419-060 | 1 |  |
| 4 | 测深器 Depth Sounder | 0-60 | 406-060 | 1 |  |
| 5 | 骨钻(LCP) Bone Drill (LCP) | Φ2.8 | 419-131 | 2 |  |
| 6 | 骨钻(限位器) Bone drill (limiter) | Φ2.8 | 419-132 | 1 |  |
| 7 | 丝攻(LCP) Silk Tapping (Lcp) | Φ3.5 | 419-141 | 1 |  |
| 8 | 导钻(LCP) Lead Drill (LCP) | Φ2.8 | 419-150 | 3 |  |
| 9 | 起子(梅花) Screwdriver (Plum Blossom) | T15 | 419-115 | 1 |  |
| 10 | 持钉夹 Nail Clamp | HA3.5 | 419-112 | 1 |  |
| 11 | 起子(梅花限扭力) Screwdriver (Plum Blossom Limited Torque) | T15 | 419-163 | 1 |  |
| 12 | 持钉夹(LCP) Pin Clamp (Lcp) | LCP3.5 | 419-170 | 1 |  |
| 13 | 快装手柄(T型) Quick Installation Handle (T-Shaped) | \ | 418-080 | 1 |  |

## 小儿板专用器械-3.5系列专用

Pediatric board special equipment -3.5 series special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 14 | 钢板弯曲器 Steel Plate Bending Device | 左 | 417-130 | 1 |  |
| | | 右 | 417-131 | 1 |  |
| 15 | 螺钉盒 Screw Box | \ | 406-152 | 1 |  |
| 1 | 起子(六角) Screwdriver (Hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |
| 2 | 起子(限扭力) Screwdriver (limited torque) | 1.5NM | 419-164 | 选配 Optional |  |

## 小儿板专用器械-4.5\5.0系列专用

Pediatric board special equipment -4.5 \ 5.0 series special


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 Bone Drill | Φ3.2 | 418-023 | 2 |  |
| 2 | 丝攻 Tap | HA4.5 | 418-032 | 1 |  |
| 3 | 快装手柄(T型) Quick Installation Handle (T-Shaped) | \ | 418-080 | 1 |  |
| 4 | 快装手柄(转换头) Quick Installation Handle (Conversion Head) | \ | 418-081 | 2 |  |
| 5 | 导钻(LC-DCP通用) Guide Drill (Lc-Dcp Universal) | ф3.2-ф4.5 | 418-060 | 1 |  |
| 6 | 骨定位针(螺纹) Bone Positioning Needle (Threaded) | Φ2.0×150 | 418-011 | 3 |  |
| 7 | 骨钻(LCP) Bone Drill (LCP) | Φ4.3 | 418-141 | 2 |  |
| 8 | 骨钻(限位器) Bone Drill (Limiter) | Φ4.3 | 418-142 | 1 |  |





## 小儿板专用器械-4.5\5.0系列专用

Pediatric board special equipment -4.5 \ 5.0 series special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 9 | 丝攻(LCP) Silk Tapping (Lcp) | Φ5.0 | 418-151 | 1 |  |
| 10 | 导钻(LCP) Lead Drill (LCP) | Φ4.3 | 418-160 | 3 |  |
| 11 | 测深器 Depth Sounder | 4-100 | 407-080 | 1 |  |
| 12 | 起子(梅花) Screwdriver (Plum Blossom) | T25 | 418-075 | 1 |  |
| 13 | 持钉夹 Nail Clamp | HA4.5 | 418-175 | 1 |  |
| 14 | 起子(梅花限扭力) Screwdriver (Plum Blossom Limited Torque) | 4.0NM | 418-177 | 1 |  |
| 15 | 持钉夹(LCP) Pin Clamp (Lcp) | LCP5.0 | 418-174 | 1 |  |
| 16 | 螺钉盒 Screw Box | \ | 407-174 | 1 |  |
| 1 | 起子(六方) Screwdriver (Hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 2 | 起子(限扭力) Screwdriver (Limited Torque) | 4.0NM | 418-250 | 选配 Optional |  |



# 2.0系统器械
## 2.0 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻头(III) Orthopedic Drill Bit (Iii) | Φ1.1 | 2030074 | 2 |  |
| 2 | | Φ1.5 | 2030067 | 2 | |
| | | φ2.0 | 2030068 | 1 | |
| 3 | 丝攻(I) Silk Attack (I) | HA1.5 | 411-550 | 1 |  |
| | | HA2.0 | 411-551 | 1 | |
| 4 | 丝攻(LCP) Silk Tapping (Lcp) | LCP2.0 | 411-560 | 1 |  |
| 5 | 骨科导向器(双头) Orthopedic Guide (Dual Head) | Φ1.1-Φ1.5 | 411-044 | 1 |  |
| 6 | 埋头钻 Bury Oneself In The Drill | Φ3.0 | 430-492 | 1 |  |
| 7 | 骨科用扳手(梅花快换) Orthopedic Wrench (Plum Blossom Quick Change) | T4 | 411-571 | 2 |  |
| 8 | 骨科用扳手(梅花快换) Orthopedic Wrench (Plum Blossom Quick Change) | T6 | 2020046 | 2 |  |
| 9 | 骨科用扭力扳手(梅花II) Orthopedic Torque Wrench (Plum Blossom Ii) | T4 | 411-760 | 1 |  |
| 10 | 骨科用扭力扳手(梅花II) Orthopedic Torque Wrench (Plum Blossom Ii) | T6 | 2020047 | 1 |  |
| 11 | 骨科导向器(I) Orthopedic Guide (I) | Φ1.1 | 411-581 | 2 |  |
| 12 | 骨科导向器(LCPII) Orthopedic Guide Device (Lcpii) | Φ1.5 | 411-580 | 2 |  |
| 13 | 骨科导向器(双头) Orthopedic Guide (Dual Head) | Φ1.5-Φ2.0 | 411-045 | 1 |  |
| 14 | 测深器(IV) Depth Sounder (Iv) | \ | 411-441 | 1 | |
| 15 | 快装手柄(直型) Quick Installation Handle (Straight Type) | \ | 411-172 | 1 |  |
| 16 | 骨拉钩 Bone Pulling Hook | \ | 411-181 | 2 |  |
| 17 | 钉孔清除器 Nail Hole Cleaner | \ | 411-610 | 1 |  |
| 18 | 复位钳(IV) Reset Pliers (Iv) | 小 | 430-700 | 2 |  |







2.0系统器械
2.0 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 19 | 复位钳(弯头I) Reset Pliers (Elbow I) | \ | 411-690 | 2 |  |
| 20 | 钢板弯曲钳(II) Steel Plate Bending Pliers (Ii) | \ | 411-700 | 2 |  |
| 21 | 骨膜剥离器(I) Periosteal Peeler (I) | 3.0 | 411-074 | 1 |  |
| | | 5.0 | 411-075 | 1 | |
| 22 | 骨撬 Elevator | 6.5 | 411-640 | 1 |  |
| | | 8.5 | 411-641 | 1 | |
| 23 | 2.0系统器械箱 2.0 System Instrument Box | 箱体 | 2020037 | 1 |  |
| 24 | | 箱盖 | 2020038 | 1 |  |
| 25 | 2.0系统器械托盘 2.0 System Instrument Box | 上 | 2020035 | 1 |  |
| 26 | | 下 | 2020036 | 1 |  |

# 2.0系统器械

## 2.0 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 27 | Φ1.5\Φ2.0螺钉盒<br>Φ 1.5\Φ 2.0 screw box | \ | 2170003 | 1 |  |
| 1 | 持钉夹(HAI)<br>Nail Holder (HAI) | HA2.0 | 411-212 | 选配<br>Optional |  |
| 2 | 持钉夹(LCPI)<br>Pin Holder Clamp (Lcpi) | LCP2.0 | 411-214 | 选配<br>Optional |  |
| 3 | 测深器(螺钉)<br>Depth Sounder (Screw) | \ | 2020003 | 选配<br>Optional |  |
| 4 | 1.5\2.0板盒<br>1.5\2.0 Board Box | \ | 2170001 | 选配<br>Optional |  |
| 5 | 填塞钉钉盒<br>Fill The Nail Box | \ | 2020064 | 选配<br>Optional |  |





# 2.4\2.7系统器械

## 2.4\2.7 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆I)<br>Bone positioning needle (light rod I) | Φ1.2×150 | 411-653 | 3 |  |
| | | ϕ1.5×150 | 411-654 | 3 | |
| 2 | 骨定位针(光杆I)<br>Bone positioning needle (light rod I) | Φ2.0×150 | 411-655 | 3 |  |
| 3 | 骨科钻头(III)<br>Orthopedic drill bit (III) | ϕ1.8 | 2030069 | 2 |  |
| 4 | 丝攻(IV)<br>Silk Attack (IV) | LCP2.4 | 430-420 | 1 |  |
| 5 | 骨科导向器(LCPIV)<br>Orthopedic guide device (LCP IV) | ϕ1.8 | 430-530 | 2 |  |
| 6 | 骨科导向器(VA-LCPII)<br>Orthopedic guide device (VA-LCPII) | ϕ1.8 | 430-550 | 2 |  |
| 7 | 骨科钻头(III)<br>Orthopedic drill bit (III) | ϕ2.0 | 2030068 | 2 |  |
| 8 | 丝攻(IV)<br>Silk Attack (IV) | HA2.7 | 430-430 | 1 |  |
| 9 | 丝攻(IV)<br>Silk Attack (IV) | LCP2.7 | 430-421 | 1 |  |
| 10 | 埋头钻<br>Bury oneself in the drill | Φ4.0 | 430-491 | 1 |  |
| 11 | 骨科导向器(万向)<br>Orthopedic guide (universal) | ϕ1.8 | 430-011 | 1 |  |
| 12 | | ϕ2.0 | 430-021 | 1 | |
| 13 | 骨科导向器(LCPIV)<br>Orthopedic guide device (LCP IV) | ϕ2.0 | 430-540 | 2 |  |
| 14 | 骨科导向器(VA-LCPII)<br>Orthopedic guide device (VA-LCPII) | ϕ2.0 | 430-551 | 2 |  |
| 15 | 骨科导向器(LC-DCP)<br>Orthopedic Guidance Device (LC-DCP) | ϕ1.8\ϕ2.4 | 411-312 | 1 |  |
| 16 | | ϕ2.0\ϕ2.7 | 411-313 | 1 | |
| 17 | 测深器(VIII)<br>Depth sounder (VIII) | \ | 430-051 | 1 |  |
| 18 | 扭力快换接头<br>Torque quick change connector | 0.8N·m | 430-440 | 1 |  |
| 19 | | 1.2N·m | 430-450 | 1 | |
| 20 | 快装手柄(T型II)<br>Quick installation handle (T-type II) | \ | 411-660 | 1 |  |



# 2.4\2.7系统器械
## 2.4\2.7 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 21 | 快装手柄(直型IV) Quick installation handle (straight type IV) | 小 | 411-661 | 1 |  |
| 22 | 快装手柄(直型) Quick installation handle (straight type) | \ | 411-172 | 1 |  |
| 23 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T8 | 2020050 | 2 |  |
| 24 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom quick change) | T8 | 2020051 | 1 |  |
| 25 | 持钉夹(HA II) Nail clamp (HA II) | HA2.7 | 411-216 | 1 |  |
| 26 | 持钉夹(HA II) Nail clamp (HA II) | HA2.7 | 411-217 | 1 |  |
| 27 | 钉孔清除器 Nail hole cleaner | \ | 411-610 | 1 |  |
| 28 | 复位钳(IV) Reset pliers (IV) | 小 | 430-700 | 2 |  |
| 29 | 复位钳(弯头I) Reset pliers (elbow I) | \ | 411-690 | 2 |  |
| 30 | 钢板弯曲钳(I) Steel plate bending pliers (I) | \ | 2050016 | 2 |  |
| 31 | 骨拉钩(通用) Bone pulling hook (universal) | \ | 411-730 | 2 |  |
| 32 | 骨膜剥离器(I) Periosteal peeler (I) | 3.0 | 411-074 | 1 |  |
| 33 | 骨膜剥离器(II) Periosteal peeler (II) | 6.5( 平 ) | 2020008 | 1 |  |
| 34 | 骨撬 elevator | 6.5 | 411-640 | 2 |  |
| | | 8.5 | 411-641 | 2 | |
| | | 15.5 | 411-644 | 2 | |
| 35 | 转接头(II) Adapter (II) | \ | 411-680 | 1 |  |






2.4\2.7系统器械
2.4\2.7 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 36 | 持钉镊 Nail tweezers | 小 | 411-131 | 1 |  |
| 37 | 骨刀 Osteotome | 5mm | 430-244 | 1 |  |
| | | 10mm | 430-246 | 1 | |
| 38 | 持钉夹(LCP II) Pin clamp (LCP II) | LCP2.4 | 411-215 | 1 |  |
| 39 | 通用器械箱 General equipment box | 箱体 | 1100026 | 1 |  |
| 40 | | 箱盖 | P000012 | 1 |  |
| 41 | 2.4\2.7系统器械托盘 2.4 \ 2.7 System Instrument Tray | 上 | 2020024 | 1 |  |
| 42 | | 下 | 2020025 | 1 |  |
| 43 | Φ2.4\Φ2.7螺钉盒 Φ 2.4 \ Φ 2.7 screw box | \ | 2020060 | 1 |  |
| 1 | 骨科撑开钳(双孔) Orthopedic brace (double hole) | ϕ1.6\ϕ2.5 | 430-143 | 选配 Optional |  |
| 2 | 压缩钳(双孔) Compression pliers (double hole) | ϕ1.6\ϕ2.5 | 430-153 | 选配 Optional |  |

## 2.4\2.7系统器械

2.4\2.7 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.2×150 | 411-650 | 选配 Optional |  |
| 4 | | φ1.5×150 | 411-651 | 选配 Optional | |
| 5 | | Φ2.0×150 | 411-652 | 选配 Optional | |
| 6 | 骨科用扭力扳手(梅花II) Orthopedic torque wrench (Plum Blossom II) | 0.8N·m | 2020052 | 选配 Optional | |
| 7 | | 1.2N·m | 2020053 | 选配 Optional | |
| 8 | 钢板弯曲钳(II) Steel plate bending pliers (II) | \ | 411-700 | 选配 Optional |  |
| 9 | 填塞钉钉盒 Fill the nail box | \ | 2020064 | 选配 Optional |  |
| 10 | 测深器(螺钉) Depth sounder (screw) | \ | 2020003 | 选配 Optional |  |

## 2.0系统专用器械

2.0 System specific equipment

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻头(III) Orthopedic drill bit (III) | Φ1.5 | 2030067 | 2 |  |
| 2 | 丝攻(LCP) Silk tapping (LCP) | LCP2.0 | 411-560 | 1 |  |
| 3 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T6 | 2020046 | 2 |  |
| 4 | 骨科导向器(LCP II) Orthopedic guide device (LCP II) | Φ1.5 | 411-580 | 2 |  |
| 5 | 持钉夹(LCP I) Pin clamp (LCP I) | LCP2.0 | 411-214 | 1 |  |
| 6 | 测深器(IV) Depth sounder (IV) | / | 411-441 | 1 |  |






## DHC空心钉器械

DHC hollow nail instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(VI) Depth sounder (VI) | \ | 412-010 | 1 |  |
| 2 | 骨定位针(螺纹 I) Bone positioning needle (thread I) | φ1.6×230 | 412-020 | 3 |  |
| 3 | | φ2.0×230 | 412-021 | 3 | |
| 4 | 空心钻(I) Hollow Drill (I) | φ3.0 | 2060018 | 1 |  |
| 5 | | φ4.5 | 412-033 | 1 | |
| 6 | 骨科钻头(限深) Orthopedic drill bit (limited depth) | φ4.0 | 412-042 | 1 |  |
| 7 | | φ5.5 | 412-043 | 1 | |
| 8 | 骨锯(空心 I) Bone saw (hollow I) | φ6.2 | 412-051 | 1 |  |
| 9 | | φ8.2 | 412-053 | 1 | |
| 10 | 丝攻(空心) Silk attack (hollow) | φ4.5 | 412-062 | 1 | |
| 11 | | φ6.5 | 412-063 | 1 | |
| 12 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=2.5 | 412-072 | 1 | |
| 13 | | S=3.5 | 412-073 | 1 | |
| 14 | 骨科导向器(双头II) Orthopedic guide (double head II) | φ2.0 | 412-080 | 1 |  |
| 15 | FD- II 空心钉器械箱 FD - II hollow nail instrument box | \ | 412-090 | 1 |  |

# ETN胫骨髓内钉器械

## ETN tibial intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 模板(I) Template (I) | \ | 414-270 | 1 |  |
| 2 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×300 | 414-280 | 3 |  |
| 3 | 打拔器(导针II) Puller (guide needle II) | Φ2.0-Φ3.2 | 414-290 | 1 |  |
| 4 | 导钻(III) Guide drill (III) | Φ12.5 | 414-300 | 1 |  |
| 5 | 骨凿(开口) Bone chisel (opening) | Φ12 | 414-310 | 1 |  |
| 6 | 开口锥 Open coneffffffff | Φ4.1 | 414-320 | 1 |  |
| 7 | 髓腔扩大钻(近端II) Spinal cavity enlargement drill (proximal II) | Φ12\Φ3.2×300 | 414-330 | 1 |  |
| 8 | 快装手柄(T型I) Quick installation handle (T-shaped I) | Φ8 | 425-210 | 1 |  |
| 9 | 骨用牵开器(小) Bone retraction device (small) | Φ12 | 414-350 | 1 |  |
| 10 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5\Φ4.0×1000 | 425-010 | 1 |  |
| 11 | 骨撬 elevator | Φ4.2\Φ6.5 | 414-370 | 1 |  |
| 12 | 柔性扩髓器(单向II) Flexible pulp expander (unidirectional II) | Φ2.5\Φ7.5 | 414-380 | 2 |  |
| 13 | 髓腔铰刀(I) Marrow cavity reamer (I) | Φ2.5\Φ7.5 | 414-390 | 1 |  |
| 14 | | Φ2.5\Φ8.0 | 414-391 | 1 | |
| 15 | | Φ2.5\Φ8.5 | 414-392 | 1 | |





ETN胫骨髓内钉器械

ETN tibial intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 髓腔铰刀(II) Marrow cavity reamer (II) | Φ2.5\Φ9 | 414-400 | 1 |  |
| 17 | | Φ2.5\Φ9.5 | 414-401 | 1 | |
| 18 | | Φ2.5\Φ10 | 414-402 | 1 | |
| 19 | | Φ2.5\Φ10.5 | 414-403 | 1 | |
| 20 | | Φ2.5\Φ11 | 414-404 | 1 | |
| 21 | | Φ2.5\Φ11.5 | 414-405 | 1 | |
| 22 | | Φ2.5\Φ12 | 414-406 | 1 | |
| 23 | 髓腔铰刀盒 Marrow cavity reamer box | \ | 2070193 | 1 |  |
| 24 | 快速连接杆(手把) Quick connect rod (handle) | M8 | 414-420 | 2 |  |
| 25 | 骨锤(I) Bone Hammer (I) | 11 | 425-361 | 1 |  |
| 26 | 骨科用扳手(六方I) Orthopedic wrench (hexagonal I) | SW6.5 | 414-440 | 1 |  |
| 27 | 打拔器(连接块) Puller (connection block) | 16 | 414-450 | 1 |  |
| 28 | 打拔器(连接杆) Puller (connecting rod) | M8 | 414-460 | 2 |  |
| 29 | 骨科用扳手(开口) Orthopedic wrench (open) | SW11 | 414-470 | 1 |  |
| 30 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 31 | 打拔器(滑锤I) Puller (slide hammer I) | M8 | 414-490 | 1 |  |
| 32 | 快速连接杆(瞄准架锁轮) Quick connect rod (aiming frame lock wheel) | M8 | 414-511 | 3 |  |
| 33 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S5 | 425-580 | 1 |  |
| 34 | 护套(I) Sheath (I) | Φ8.1 \Φ10 | 414-530 | 2 |  |

# ETN胫骨髓内钉器械

## ETN tibial intramedullary nail device





| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 35 | 护套(Ⅱ) Sheath (II) | Φ4/Φ8.1 | 414-540 | 2 |  |
| 36 | | Φ5.2/Φ8.1 | 414-560 | 1 | |
| 37 | 骨锥 bone awl | Φ4.2 | 414-550 | 2 |  |
| 38 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 3 |  |
| 39 | 骨科定位器(限位I) Orthopedic locator (limit I) | Φ4 | 425-090 | 2 |  |
| 40 | 骨科钻头 Orthopedic drill bit | Φ5.2×250 | 425-140 | 1 |  |
| 41 | 骨科钻头(平头) Orthopedic drill bit (flat head) | Φ5.2×220 | 425-170 | 1 |  |
| 42 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S3 | 425-100 | 1 |  |
| 43 | 测深器(II) Depth sounder (II) | 130 | 414-660 | 1 |  |
| 44 | 骨定位针(直角) Bone positioning needle (right angle) | Φ4.0 | 414-670 | 1 |  |
| 45 | 骨定位针(直角) Bone positioning needle (right angle) | ϕ3.0 | 414-671 | 1 |  |
| 46 | 骨科用扳手(手柄锁定II) Orthopedic wrench (handle locking II) | T25 | 2070140 | 1 |  |
| 47 | 快速连接杆(加压) Quick connect rod (pressurized) | M6 | 2070141 | 1 |  |
| 48 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T25 | 414-690 | 1 |  |
| 49 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T40 | 414-710 | 1 |  |
| 50 | 骨科钻头(多用) Orthopedic drill bit (versatile) | Φ3.2x250 | 414-720 | 2 |  |





ETN胫骨髓内钉器械

ETN tibial intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 51 | 固定针(加压) Fixed needle (pressure) | Φ4 | 414-780 | 1 |  |
| 52 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW6.5 | 414-790 | 1 |  |
| 53 | 骨科用夹持器 Orthopedic clamps | T40 | 414-800 | 1 |  |
| 54 | 通用器械箱 General equipment box | 箱体 | P000011 | 1 |  |
| 55 | | 箱盖 | P000012 | 1 |  |
| 56 | 胫骨髓内钉托盘 Tibial intramedullary nail tray | 上 | 2070194 | 1 |  |
| 57 | | 中 | 2070195 | 1 |  |
| 58 | | 下 | 2070196 | 1 |  |
| 59 | 骨科定位架(手把) Orthopedic positioning frame (handle) | Φ8 | 2070105 | 1 |  |
| 60 | 骨科定位架 Orthopedic positioning frame | Φ8 | 2070100 | 1 |  |
| 61 | 骨科定位架(远端瞄准器Ⅰ) Orthopedic positioning frame (distal sight I) | Φ4 | 2070103 | 1 |  |

# ETN胫骨髓内钉器械

## ETN tibial intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 62 | 骨科定位架(超远端) Orthopedic positioning frame (ultra distal) | \ | 2070102 | 1 |  |
| 63 | 骨科定位架(近端瞄准器Ⅰ) Orthopedic positioning frame (proximal sight I) | Φ5 | 2070101 | 1 |  |
| 64 | 骨科定位架(近端松质骨) Orthopedic positioning frame (proximal cancellous bone) | \ | 2070104 | 1 |  |
| 65 | 骨科定位架(定位针) Orthopedic positioning frame (positioning needle) | Φ6 | 2070108 | 1 |  |
| 66 | 骨科定位架(定位器Ⅰ) Orthopedic positioning frame (locator I) | \ | 2070109 | 1 |  |
| 67 | 骨科定位架(手把) Orthopedic positioning frame (handle) | Φ8 | 414-821 | 1 |  |
| 68 | 骨科定位架 Orthopedic positioning frame | Φ8 | 414-822 | 1 |   |
| 69 | 骨科定位架(远端瞄准器Ⅰ) Orthopedic positioning frame (distal sight I) | Φ4 | 414-823 | 1 |  |
| 70 | 骨科定位架(超远端) Orthopedic positioning frame (ultra distal) | \ | 414-824 | 1 |  |
| 71 | 骨科定位架(近端瞄准器Ⅰ) Orthopedic Positioning Frame (Proximal Aiming Device Ⅰ) | Φ5 | 414-827 | 1 |  |
| 72 | 骨科定位架(近端松质骨) Orthopedic Positioning Frame (Proximal Cancellous Bone) | \ | 414-828 | 1 |  |
| 73 | 骨科定位架(定位针) Orthopedic Positioning Frame (Positioning Pin) | Φ6 | 414-825 | 1 |  |
| 74 | 骨科定位架(定位器Ⅰ) Orthopedic Positioning Frame (Positioner Ⅰ) | \ | 414-826 | 1 |  |
| 1 | 胫骨髓内钉钉盒 Tibial intramedullary nail box | \ | 2070203 | 选配 Optional |  |





# 股骨重建髓内钉器械

## Femoral reconstruction intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 开口锥 Open cone | Φ4.1 | 414-320 | 1 |  |
| 2 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×400 | 425-050 | 2 |  |
| 3 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×340 | 2070129 | 2 |  |
| 4 | 骨导引针(清洁I) Bone guide needle (clean I) | Φ2.8 | 425-070 | 1 |  |
| 5 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 3 |  |
| 6 | 骨科定位器(限位I) Orthopedic locator (limit I) | Φ4.0 | 425-090 | 1 |  |
| 7 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | SW3 | 425-100 | 1 |  |
| 8 | 快装手柄(直型) Quick installation handle (straight type) | \ | 425-191 | 1 |  |
| 9 | 快装手柄(T型I) Quick installation handle (T-shaped I) | \ | 425-210 | 1 |  |
| 10 | 打拔器(导针I) Puller (guide needle I) | \ | 425-350 | 1 |  |
| 11 | 骨锤(I) Bone Hammer (I) | \ | 425-361 | 1 |  |
| 12 | 骨科用扳手(开口) Orthopedic wrench (open) | S=11 | 414-470 | 1 |  |

# 股骨重建髓内钉器械

## Femoral reconstruction intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 13 | 柔性扩髓器(双向II) Flexible pulp expander (bidirectional II) | Φ2.5\Φ8 | 425-500 | 2 |  |
| 14 | 髓腔铰刀(I) Marrow cavity reamer (I) | Φ2.5\Φ8.5 | 425-510 | 1 |  |
| 15 | 髓腔铰刀(II) Marrow cavity reamer (II) | Φ2.5\Φ9 | 425-511 | 1 |  |
| 16 | | Φ2.5\Φ9.5 | 425-512 | 1 | |
| 17 | | Φ2.5\Φ10 | 425-513 | 1 | |
| 18 | | Φ2.5\Φ10.5 | 425-514 | 1 | |
| 19 | | Φ2.5\Φ11 | 425-515 | 1 | |
| 20 | | Φ2.5\Φ11.5 | 425-516 | 1 | |
| 21 | | Φ2.5\Φ12 | 425-517 | 1 | |
| 22 | | Φ2.5\Φ12.5 | 425-518 | 1 | |
| 23 | | Φ2.5\Φ13 | 425-519 | 1 | |
| 24 | 髓腔铰刀盒 Marrow cavity reamer box | 10 孔 | 2070134 | 1 |  |
| 25 | 骨撬 elevator | Φ4.2 ／ Φ7 | 425-530 | 1 |  |
| 26 | 骨科钻头 Orthopedic drill bit | Φ5.2×250 | 425-140 | 1 |  |
| 27 | 骨科钻头(平头) Orthopedic drill bit (flat head) | Φ5.2×220 | 425-170 | 1 |  |
| 28 | 打入器(I) Injector (I) | M8 | 2070082 | 1 |  |
| 29 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 30 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | SW5 | 425-580 | 1 |  |
| 31 | 测深器(II) Depth sounder (II) | 170 | 425-030 | 1 |  |
| 32 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW6.5 | 414-790 | 1 |  |
| 33 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5\Φ4.0 ×1000 | 425-010 | 2 |  |





股骨重建髓内钉器械

Femoral reconstruction intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 34 | 骨锥(定位杆) Bone cone (positioning rod) | Φ4 | 425-110 | 2 |  |
| 35 | 护套(II) Sheath (II) | Φ4\Φ8 | 425-120 | 2 |  |
| 36 | 护套(II) Sheath (II) | Φ8/Φ11 | 425-130 | 3 |  |
| 37 | | Φ5.2/Φ8 | 425-160 | 1 | |
| 38 | 骨锥(定位杆) Bone cone (positioning rod) | Φ5.2 | 425-150 | 1 |  |
| 39 | 取钉器(I) Nail extractor (I) | Φ8 | 2070083 | 1 |  |
| 40 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S3.5 | 2070145 | 1 |  |
| 41 | 快速连接杆(加压) Quick connect rod (pressurized) | M6 | 2070141 | 1 |  |
| 42 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=3.5 | 2070086 | 1 |  |
| 43 | 骨科用扳手(六方万向快换) Orthopedic wrench (hexagonal universal quick change) | S=5.0 | 432-330 | 1 |  |
| 44 | 骨科用扳手(尾帽万向) Orthopedic wrench (tail cap universal) | S5 | 2070136 | 1 |  |
| 45 | 骨科用扳手(拉力螺钉持杆) Orthopedic wrench (tension screw holder) | Φ3.5 | 2070137 | 1 |  |
| 46 | 快速连接杆(长钉近端) Quick connect rod (proximal end of long nail) | M8 | 2070198 | 1 |  |
| 47 | 快速连接杆(长钉远端) Quick connecting rod (distal end of long nail) | M6 | 2070191 | 2 |  |
| 48 | 导钻(III) Guide drill (III) | Φ14 | 2070167 | 1 |  |

# 股骨重建髓内钉器械

## Femoral reconstruction intramedullary nail device




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 49 | 骨科钻孔瞄准器(多孔I) Orthopedic drilling sight (porous I) | Φ14\Φ3.2 | 2070168 | 1 |  |
| 50 | 髓腔扩大钻(I) Spinal cavity enlargement drill (I) | Φ3.2\Φ13.6 | 2070169 | 1 |  |
| 51 | 快速连接杆(加压) Quick connect rod (pressurized) | M6 | 2070170 | 1 |  |
| 52 | 模板(II) Template (II) | \ | 2070171 | 1 |  |
| 53 | 快速连接杆(手把) Quick connect rod (handle) | M8 | 2070172 | 2 |  |
| 54 | 骨科定位架(手把IV) Orthopedic positioning frame (handle IV) | \ | 2070173 | 1 |  |
| 55 | 骨科定位架(近端III) Orthopedic positioning frame (proximal III) | \ | 2070174 | 1 |  |
| 56 | 骨科定位架(近端导杆II) Orthopedic positioning frame (proximal guide rod II) | \ | 2070175 | 1 |  |
| 57 | 骨科定位架(远端导杆II) Orthopedic positioning frame (distal guide rod II) | \ | 2070176 | 1 |  |
| 58 | 骨科定位架(远端瞄准器I) Orthopedic positioning frame (distal sight I) | \ | 2070177 | 1 | |
| 59 | 骨科定位架(定位针) Orthopedic positioning frame (positioning needle) | Φ6 | 2070178 | 1 | |
| 60 | 骨锥 bone awl | Φ2.5 | 2070180 | 2 |  |
| 61 | 护套(VI) Sheath (VI) | Φ2.5\Φ8 | 2070181 | 2 |  |
| 62 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.5×320 | 2070182 | 3 |  |
| 63 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ2.5×320 | 2070183 | 2 |  |





股骨重建髓内钉器械

Femoral reconstruction intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 64 | 测深器(I) Depth sounder (I) | \ | 2070184 | 1 |  |
| 65 | 髓腔扩大钻(近端I) Spinal cavity enlargement drill (proximal I) | Φ6.5 | 2070185 | 1 |  |
| 66 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | SW4.5 | 2070186 | 1 |  |
| 67 | 通用器械箱 General equipment box | 箱体 | P000011 | 1 |  |
| 68 | | 箱盖 | P000012 | 1 |  |
| 69 | 股骨重建髓内钉托盘 Intramedullary nail tray for femoral reconstruction | 上 | 2070188 | 1 |  |
| 70 | | 中 | 2070189 | 1 |  |
| 71 | | 下 | 2070190 | 1 |  |
| 72 | 股骨重建髓内钉钉盒 Intramedullary nail box for femoral reconstruction | \ | 2070192 | 1 |   |

# 下肢接骨板(大骨折块手术)(全配)器械

## Lower limb bone plate (large fracture fragment surgery) (fully) instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.0×150 | 418-011 | 3 |  |
| 2 | 骨钻 bone drill | Φ3.2 | 418-023 | 2 |  |
| | | Φ4.5 | 418-024 | 1 | |
| 3 | 丝攻 Puller (guide needle I) | HA4.5 | 418-032 | 1 |  |
| | | HB6.5 | 418-033 | 1 | |
| 4 | 埋头钻 Bury oneself in the drill | Φ8 | 418-041 | 1 |  |
| 5 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | ф3.2-ф4.5 | 418-060 | 1 |  |
| 6 | 导钻(双头) Guide drill (double headed) | ф3.2-ф4.5 | 418-050 | 1 |  |
| 7 | | ф3.2-ф6.5 | 418-051 | 1 | |
| 8 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 9 | 钢板塑型片 Steel plate plastic sheet | 4.5A | 418-090 | 1 |  |
| | | 4.5B | 418-091 | 1 | |
| | | 4.5C | 418-092 | 1 | |
| 10 | 断钉取出器 Broken nail extractor | 4.5\6.5 | 418-134 | 1 |  |
| 11 | 螺钉打滑取出器 Screw slippage extractor | S=3.5 | 418-133 | 1 |  |
| 12 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T25 | 418-074 | 1 |  |
| 13 | 起子(梅花) Screwdriver (Plum Blossom) | T25 | 418-075 | 1 |  |
| 14 | 持钉夹 Nail clamp | HA4.5 | 418-175 | 1 |  |
| 15 | 导钻 Guide drill | Φ3.2 | 418-052 | 1 |  |
| 16 | 导钻(LC-DCP基础) Guide drill (LC-DCP foundation) | Φ3.2 | 407-051 | 1 |  |
| 17 | 导钻(C型) Guide drill (C-type) | \ | 407-070 | 1 |  |
| 18 | 测深器 depth sounder | 4-100 | 407-080 | 1 |  |
| 19 | 持钉镊 Nail tweezers | \ | 402-100 | 1 |  |








# 下肢接骨板(大骨折块手术)(全配)器械

## Lower limb bone plate (large fracture fragment surgery) (fully) instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 20 | 骨膜剥离器 periosteal raspatory | 圆 8mm | 407-110 | 1 |  |
| | | 平 16mm | 407-111 | 1 | |
| 21 | 钢板弯曲器 Steel plate bending device | 左 | 407-120 | 1 |  |
| | | 右 | 407-121 | 1 |  |
| 22 | 骨科复位钳(尖头) Orthopedic reduction forceps (pointed) | 大号 | 407-130 | 1 |  |
| 23 | 持骨钳 bone holding forceps | 大号 | 407-140 | 2 |  |
| 24 | 骨科复位钳(弯头) Orthopedic reset forceps (elbow) | 大号 | 407-150 | 1 |  |
| 25 | 导钻 Guide drill | Φ4.5 | 407-061 | 1 |  |
| 26 | 骨撬 elevator | 16 | 407-160 | 1 |  |
| | | 44 | 407-161 | 1 | |
| 27 | 快装手柄(转换头) Quick installation handle (conversion head) | \ | 418-081 | 2 |  |
| 1 | 螺钉盒 Screw box | \ | 407-171 | 选配 Optional |  |
| 2 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=3.5 | 418-178 | 选配 Optional |  |
| 3 | 起子(六方) Screwdriver (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 4 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |
| 5 | 髌骨钳 Patellar forceps | \ | 419-190 | 选配 Optional |  |

# 下肢接骨板(大骨折块手术)(简配)器械

## Lower limb bone plate (large fracture fragment surgery) (simplified) instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 bone drill | Φ3.2 | 418-023 | 2 |  |
| | | Φ4.5 | 418-024 | 1 | |
| 2 | 丝攻 tap | HA4.5 | 418-032 | 1 |  |
| | | HB6.5 | 418-033 | 1 | |
| 3 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | ф3.2-ф4.5 | 418-060 | 1 |  |
| 4 | 导钻(双头) Guide drill (double headed) | ф3.2-ф4.5 | 418-050 | 1 |  |
| 5 | 导钻(双头) Guide drill (double headed) | ф3.2-ф6.5 | 418-051 | 1 |  |
| 6 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 7 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T25 | 418-074 | 1 |  |
| 8 | 起子(梅花) Screwdriver (Plum Blossom) | T25 | 418-075 | 1 |  |
| 9 | 持钉夹 Nail clamp | HA4.5 | 418-175 | 1 |  |
| 10 | 导钻( LC-DCP基础) Guide drill (LC-DCP foundation) | Φ3.2 | 407-051 | 1 |  |
| 11 | 测深器 depth sounder | 4-100 | 407-080 | 1 |  |
| 12 | 钢板弯曲器 Steel plate bending device | 左 | 407-120 | 1 |  |
| | | 右 | 407-121 | 1 | |
| 13 | 螺钉盒 Screw box | \ | 407-171 | 1 |  |
| 14 | 器械箱 Equipment box | \ | 418-242 | 1 |  |
| 1 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=3.5 | 418-178 | 选配 Optional |  |
| 2 | 起子(六方) Screwdriver (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |





# 下肢锁定接骨板(大骨折块手术)(全配)器械

## Lower limb locking plate (large fracture fragment surgery) (fully) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.0×150 | 418-011 | 3 |  |
| 2 | 骨钻 bone drill | Φ3.2 | 418-023 | 2 |  |
| | | Φ4.5 | 418-024 | 1 | |
| 3 | 丝攻 tap | HA4.5 | 418-032 | 1 |  |
| | | HB6.5 | 418-033 | 1 | |
| 4 | 埋头钻 Bury oneself in the drill | Φ8 | 418-041 | 1 |  |
| 5 | 导钻(双头) Guide drill (double headed) | ф3.2-ф4.5 | 418-050 | 1 |  |
| 6 | | ф3.2-ф6.5 | 418-051 | 1 | |
| 7 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | ф3.2-ф4.5 | 418-060 | 1 |  |
| 8 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 9 | 钢板塑型片 Steel plate plastic sheet | 4.5A | 418-090 | 1 |  |
| | | 4.5B | 418-091 | 1 | |
| | | 4.5C | 418-092 | 1 | |
| 10 | 断钉取出器 Broken nail extractor | 4.5\6.5 | 418-134 | 1 |  |
| 11 | 螺钉打滑取出器 Screw slippage extractor | S=3.5 | 418-133 | 1 |  |
| 12 | 骨钻(LCP) Bone Drill (LCP) | Φ4.3 | 418-141 | 2 |  |
| 13 | 骨钻(限位器) Bone drill (limiter) | Φ4.3 | 418-142 | 2 |  |
| 14 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 15 | 丝攻(LCP) Silk tapping (LCP) | Φ5.0 | 418-151 | 1 |  |
| 16 | 导钻(LCP) Lead Drill (LCP) | Φ4.3 | 418-160 | 3 |  |

# 下肢锁定接骨板(大骨折块手术)(全配)器械

## Lower limb locking plate (large fracture fragment surgery) (fully) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 17 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T25 | 418-074 | 1 |  |
| 18 | 起子(梅花限扭力) Screwdriver (plum blossom limited torque) | 4.0NM | 418-177 | 1 |  |
| 19 | 持钉夹(LCP) Pin clamp (LCP) | LCP5.0 | 418-174 | 1 |  |
| 20 | 起子(梅花) Screwdriver (Plum Blossom) | T25 | 418-075 | 1 |  |
| 21 | 持钉夹 Nail clamp | HA4.5 | 418-175 | 1 |  |
| 22 | 测深器 depth sounder | 4-100 | 407-080 | 1 |  |
| 23 | 持钉镊 Nail tweezers | \ | 402-100 | 1 |  |
| 24 | 骨膜剥离器 periosteal raspatory | 圆 8mm | 407-110 | 1 |  |
| | | 平 16mm | 407-111 | 1 | |
| 25 | 钢板弯曲器 Steel plate bending device | 左 | 407-120 | 1 |  |
| | | 右 | 407-121 | 1 | |
| 26 | 骨科复位钳(尖头) Orthopedic reduction forceps (pointed) | 大号 | 407-130 | 1 |  |
| 27 | 持骨钳 bone holding forceps | 大号 | 407-140 | 2 |  |
| 28 | 骨科复位钳(弯头) Orthopedic reset forceps (elbow) | 大号 | 407-150 | 1 |  |
| 29 | 骨撬 elevator | 16 | 407-160 | 1 |  |
| | | 44 | 407-161 | 1 | |
| 30 | 快装手柄(转换头) Quick installation handle (conversion head) | \ | 418-081 | 2 |  |





下肢锁定接骨板(大骨折块手术)(全配)器械

Lower limb locking plate (large fracture fragment surgery) (fully) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 锁定螺钉(HB6.5空心)（390301000系列)专用 Locking screw (HB6.5 hollow) (390301000 series) special | | | | | |
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.8×250 | 418-180 | 3 |  |
| 2 | 骨钻(空心) Bone drill (hollow) | Φ5.0\Φ2.8 | 418-192 | 1 |  |
| 3 | 导钻(LCP) Lead Drill (LCP) | Φ2.8 | 418-200 | 3 |  |
| 4 | 起子(六角空心) Screwdriver (hexagonal hollow) | S=4.5 | 418-216 | 1 |  |
| 5 | 起子(六角) Screwdriver (hexagonal) | S=4.5 | 418-217 | 1 |  |
| 6 | 测深器 depth sounder | Φ2.8 | 418-220 | 1 |  |
| 7 | 骨导引针 Bone guide needle | Φ2.8 | 418-230 | 1 |  |
| 股骨近端接骨板(372801002系列）+锁定螺钉(HB6.5）（391001000及390901000系列)专用 Locking screw (small head HB6.5 hollow) (3928665050 series) special | | | | | |
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.5×250 | 418-181 | 2 |  |
| 2 | 骨钻(空心) Bone drill (hollow) | Φ5.7\Φ2.5 | 418-193 | 1 |  |
| 3 | 导钻(LCP) Lead Drill (LCP) | Φ2.5 | 418-201 | 2 |  |
| 4 | 起子(六角空心) Screwdriver (hexagonal hollow) | S=4.0 | 418-215 | 1 |  |
| 5 | 起子(六角) Screwdriver (hexagonal) | S=4.0 | 418-214 | 1 |  |
| 锁定螺钉(小头HB6.5空心）（3928665050系列)专用 Locking screw (small head HB6.5 hollow) (3928665050 series) special | | | | | |
| 1 | 骨导引针(I) Bone guide needle (I) | Φ2.5 | 418-451 | 1 |  |
| 2 | 测深器(V) Depth sounder (V) | Φ2.5 | 418-542 | 1 |  |
| 3 | 骨科导向器(LCPV) Orthopedic guide device (LCPV) | Φ5.0 | 418-630 | 1 |  |
| 4 | 骨科导向器(II) Orthopedic guide (II) | Φ2.5 | 418-631 | 1 |  |
| 5 | 空心钻(I) Hollow drill (I) | Φ5.0\Φ2.5 | 418-195 | 1 |  |

# 下肢锁定接骨板(大骨折块手术)(全配)器械

## Lower limb locking plate (large fracture fragment surgery) (fully) instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 6 | 骨科定位器 Orthopedic locator | Φ5.0 | 418-532 | 1 |  |
| 7 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.5×250 | 419-019 | 3 |  |
| 8 | 骨科用扳手(空心六方I) Orthopedic wrench (hollow hexagonal I) | S=4.0 | 418-563 | 1 |  |
| 9 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S=4.0 | 418-564 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=3.5 | 418-178 | 选配 Optional |  |
| 2 | 起子(六方) Screwdriver (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 3 | 起子(限扭力) Screwdriver (limited torque) | 4.0NM | 418-250 | 选配 Optional |  |






# 下肢锁定接骨板(大骨折块手术)(简配)器械

## Lower limb locking plate (large fracture fragment surgery) (simplified) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 bone drill | Φ3.2 | 418-023 | 2 |  |
| | | Φ4.5 | 418-024 | 1 | |
| 2 | 丝攻 tap | HA4.5 | 418-032 | 1 |  |
| | | HB6.5 | 418-033 | 1 | |
| 3 | 导钻(双头) Guide drill (double head) | ϕ3.2-ϕ6.5 | 418-051 | 1 |  |
| 4 | 导钻(LC-DCP通用) Guide drill (LC-DCP general) | ϕ3.2-ϕ4.5 | 418-060 | 1 |  |
| 5 | 快装手柄(T型) Quick mounting handle (T type) | \ | 418-080 | 1 |  |
| 6 | 骨钻(LCP) Bone drill (LCP) | Φ4.3 | 418-141 | 2 |  |
| 7 | 骨钻(限位器) Bone drill (limit stop) | Φ4.3 | 418-142 | 2 |  |
| 8 | 丝攻(LCP) Wire tap(LCP) | Φ5.0 | 418-151 | 1 |  |
| 9 | 导钻(LCP) Lead Drill (LCP) | Φ4.3 | 418-160 | 3 |  |
| 10 | 起子(梅花快换) Screwdriver (quick-change, phillips) | T25 | 418-074 | 1 |  |
| 11 | 起子(梅花限扭力) Screwdriver (Torx limited torque) | 4.0NM | 418-177 | 1 |  |
| 12 | 持钉夹(LCP) LCP (Laser Captured Plate) | LCP5.0 | 418-174 | 1 |  |
| 13 | 起子(梅花) Screwdriver (Torx) | T25 | 418-075 | 1 |  |
| 14 | 持钉夹 Nail clamp | HA4.5 | 418-175 | 1 |  |
| 15 | 骨定位针 Bone positioning needle | Φ2.8 | 418-180 | 3 |  |
| 16 | 骨钻(空心) Bone drill (hollow) | Φ5.0 | 418-192 | 1 |  |
| 17 | 导钻(LCP) Lead drill (LCP) | Φ2.8 | 418-200 | 3 |  |

# 下肢锁定接骨板(大骨折块手术)(简配)器械

## Lower limb locking plate (large fracture fragment surgery) (simplified) instrument



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 起子(六角空心) Screwdriver (hexagonal hollow) | S=4.5 | 418-216 | 1 |  |
| 19 | 起子(六角) Hexagonal screwdriver | S=4.5 | 418-217 | 1 |  |
| 20 | 测深器 depth sounder | Φ2.8 | 418-220 | 1 |  |
| 21 | 骨导引针 Bone guide needle | Φ2.8 | 418-230 | 1 |  |
| 22 | 测深器 depth sounder | 4-100 | 407-080 | 1 |  |
| 23 | 钢板弯曲器 Steel plate bender | 左 | 407-120 | 1 |  |
| | | 右 | 407-121 | 1 | |
| 24 | 螺钉盒 Screw box | \ | 407-174 | 1 |  |
| 25 | 器械箱 Equipment box | \ | 418-243 | 1 |   |
| 选配器械 Optional equipment | | | | | |
| 1 | 起子(六角快换) Screwdriver (hexagonal quick-change) | S=3.5 | 418-178 | 选配 Optional |  |
| 2 | 起子(六方) Screwdriver (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 3 | 起子(限扭力) Screwdriver (limited torque) | 4.0NM | 418-250 | 选配 Optional |  |





# 下肢(膝关节截骨)内固定手术器械

## Lower limb (knee joint osteotomy) internal fixation surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科导向器(LCPII) Orthopedic guide device (LCPII) | Φ2.0 | 418-320 | 1 |  |
| 2 | 骨科撑开钳(I) Orthopedic Open Pliers (I) | \ | 418-330 | 1 |  |
| 3 | 骨测量器(II) Bone Measuring Device (II) | \ | 418-340 | 2 |  |
| 4 | 骨科撑开器 Orthopedic brace | \ | 418-350 | 1 |   |
| 5 | 骨凿 osteotome | 10 | 418-360 | 1 |  |
| 6 | | 15 | 418-361 | 1 | |
| 7 | | 20 | 418-362 | 1 | |
| 8 | | 25 | 418-363 | 1 | |
| 9 | 医用尺(II) Medical ruler (II) | Φ4 | 418-370 | 1 |  |
| 10 | 医用尺(III) Medical ruler (III) | Φ4 | 418-380 | 3 |  |
| 11 | 骨刀 Osteotome | 12mm | 418-387 | 1 |  |
| 12 | | 10mm | 418-388 | 1 | |
| 13 | | 8mm | 418-389 | 1 | |
| 14 | 器械箱 Equipment box | \ | 418-400 | 1 |  |
| 15 | 托盘 Tray | \ | 418-401 | 1 |  |
| 16 | | \ | 418-404 | 1 |  |
| 17 | 铭牌 nameplate | \ | 418-402 | 2 |  |
| 1 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |


# 5.0系统器械
## 5.0 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.0×250 | 418-012 | 3 |  |
| 2 | 骨科钻头(I) Orthopedic drill bit (I) | Φ3.2 | 418-028 | 2 |  |
| | | Φ4.5 | 418-029 | 1 | |
| 3 | 丝攻(IV) Silk Attack (IV) | HA4.5 | 418-034 | 1 |  |
| | | HB6.5 | 418-035 | 1 | |
| 4 | 埋头钻 Bury oneself in the drill | Φ8.0 | 418-042 | 1 |  |
| 5 | 骨科导向器(双头III) Orthopedic guide (double headed III) | ф3.2-ф4.5 | 418-053 | 1 |  |
| 6 | 骨科导向器(双头I) Orthopedic guide (double headed I) | ф3.2-ф6.5 | 418-054 | 1 |  |
| 7 | 骨科导向器(LC-DCP通用II) Orthopedic Guidance Device (LC-DCP Universal II) | ф3.2-ф4.5 | 418-064 | 1 |  |
| 8 | 骨科导向器(LC-DCP基础) Orthopedic guide device (LC-DCP foundation) | Φ3.2 | 418-065 | 1 |  |
| 9 | C型导钻 C-type guide drill | / | 418-590 | 1 |  |
| 10 | 骨科导向器(VI) Orthopedic guide (VI) | Φ4.5 | 418-581 | 1 |  |
| 11 | 骨科导向器(VII) Orthopedic guide device (VII) | Φ3.2 | 418-582 | 1 |  |
| 12 | 快装手柄(直型V) Quick installation handle (straight type V) | 大 | 418-600 | 1 |  |
| 13 | 钢板塑型片 Steel plate plastic sheet | 4.5A | 418-093 | 1 |  |
| 14 | | 4.5B | 418-094 | 1 | |
| 15 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T25 | 418-560 | 2 |  |
| 16 | 骨科用扭力扳手(梅花) Orthopedic torque wrench (plum blossom) | 4.0N·m | 418-561 | 1 |  |
| 17 | 持钉夹(LCP II) Nail Clamp (LCPII) | LCP5.0 | 418-570 | 1 |  |
| 18 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T25 | 418-562 | 1 |  |


# 5.0系统器械
## 5.0 System Instruments


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 19 | 持钉夹(HA II) Nail clamp (HA II) | HA4.5 | 418-690 | 1 |  |
| 20 | 骨科钻头(III) Orthopedic drill bit (III) | Φ4.3 | 418-145 | 2 |  |
| 21 | 骨科定位器 Orthopedic locator | Φ4.3 | 418-531 | 2 |  |
| 22 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 23 | 丝攻(IV) Orthopedic wrench (L-shaped hexagonal) | Φ5.0 | 418-152 | 1 |  |
| 24 | 测深器(IV) Depth sounder (IV) | / | 418-541 | 1 |  |
| 25 | 持钉镊 Nail tweezers | 大 | 418-610 | 1 |  |
| 26 | 骨科导向器(LCPV) Orthopedic guide device (LCP V) | Φ4.3 | 418-063 | 2 |  |
| 27 | 转接头(II) Adapter (II) | / | 411-680 | 1 |  |
| 28 | 骨导引针(I) Bone guide needle (I) | Φ2.5 | 418-451 | 1 |  |
| 29 | 测深器(V) Depth sounder (V) | Φ2.5 | 418-542 | 1 |  |
| 30 | 骨科导向器(LCPV) Orthopedic guide device (LCP V) | Φ5.0 | 418-630 | 1 |  |
| 31 | 骨科导向器(II) Orthopedic guide (II) | Φ2.5 | 418-631 | 1 |  |
| 32 | 空心钻(I) Hollow Drill (I) | Φ5.0 | 418-195 | 1 |  |
| 33 | 骨科定位器 Orthopedic locator | Φ5.0 | 418-532 | 1 |  |
| 34 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.5×250 | 419-019 | 3 |  |
| 35 | 骨科用扳手(空心六方I) Orthopedic wrench(hollow hexagonal I) | S=4 | 418-563 | 1 |  |
| 36 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S=4 | 418-564 | 1 |  |

# 5.0系统器械
## 5.0 System Instruments


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 37 | 骨膜剥离器(圆) Periosteal peeler (round) | 8 | 418-640 | 1 |  |
| 38 | 骨膜剥离器(平) Periosteal peeler (flat) | 16 | 418-641 | 1 |  |
| 39 | 钢板弯曲器(III) Steel Plate Bender (III) | 左 | 418-650 | 1 |  |
| 40 | | 右 | 418-651 | 1 |  |
| 41 | 复位钳(尖头IV) Reset pliers (pointed IV) | 大 | 418-660 | 2 |  |
| 42 | 复位钳(弯头I) Reset pliers (elbow I) | / | 418-661 | 2 |  |
| 43 | 持骨钳(II) Bone holding forceps (II) | / | 418-670 | 2 |  |
| 44 | 骨撬(I) Bone pry (I) | 16 | 418-680 | 1 |  |
| 45 | | 44 | 418-681 | 1 | |
| 46 | 快装手柄(T型II) Quick installation handle (T-type II) | / | 411-660 | 1 |  |
| 47 | 通用器械箱(中配三层) General equipment box(Mid end Three layer) | 箱体 | P000011 | 1 |  |
| 48 | | 箱盖 | P000012 | 1 |  |


# 5.0系统器械
## 5.0 System Instruments


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 49 | 5.0系统器械托盘 5.0 System Instrument Tray | 上 | 2020018 | 1 |  |
| 50 | | 中 | 2020019 | 1 |  |
| 51 | | 下 | 2020020 | 1 |  |
| 52 | Φ4.5/Φ5.0/Φ6.5螺钉盒 Φ 4.5/Φ 5.0/Φ 6.5 screw box | / | 2020063 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 复位钳(C型) Quick installation handle (T-type II) | 大 | 418-662 | 选配 Optional |  |
| 2 | 骨定位针(螺纹Ⅰ) Quick installation handle (T-type II) | Φ2.0×250 | 418-013 | 选配 Optional |  |
| 3 | | Φ2.5×250 | 419-016 | 选配 Optional | |
| 4 | 断钉取出器(Ⅰ) Broken nail extractor (I) | 4.5/6.5 | 418-136 | 选配 Optional |  |
| 5 | 螺钉取出器(打滑Ⅰ) Screw extractor (slip I) | Φ3.5 | 418-137 | 选配 Optional |  |
| 6 | 骨科钻头(Ⅴ) Orthopedic drill bit (V) | Φ6.0×60 | 418-146 | 选配 Optional |  |
| 7 | 填塞钉钉盒 Fill the nail box | \ | 2020064 | 选配 Optional |  |

## 5.0系统器械-5.0儿童截骨专用

5.0 System Instruments -5.0 Children's Osteotomy Special

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 角度尺（Ⅰ） Angle ruler (I) | 20° /60° /100° | 419-380 | 1 |  |
| | | 30° /70° /80° | 419-390 | 1 | |
| | | 40° /50° /90° | 419-400 | 1 | |
| 2 | 骨测量器(Ⅰ) Bone Measuring Device (I) | S=6 | 419-440 | 1 |  |
| 3 | 测深器(Ⅶ) Depth sounder (VII) | LCP3.5/ LCP5.0 | 419-450 | 1 |  |
| 4 | 骨科导向器(Ⅷ) Orthopedic guide device (VIII) | LCP5.0 | 418-580 | 1 |  |
| 5 | 角度尺（Ⅱ） Orthopedic guide device (VIII) | / | 419-530 | 1 |  |
| 6 | 扳手(六方) Wrench (hexagonal) | S=2.0 | 410-052 | 1 |  |

## 5.0系统器械-3.5专用器械（选配）

5.0 System Instruments -3.5 Special equipment(Optional)

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆Ⅰ) Bone positioning needle (light rod I) | ϕ1.5×150 | 411-654 | 3 |  |
| 2 | 骨科定位器 Orthopedic locator | Φ2.8 | 419-135 | 2 |  |
| 3 | 骨科钻头（Ⅴ） Orthopedic drill bit (V) | Φ2.8×230 | 2030071 | 2 |  |
| 4 | 骨科导向器(LCP Ⅰ) Orthopedic guide device (LCP Ⅰ) | Φ2.8 | 2030043 | 2 |  |
| 5 | 丝攻(Ⅳ) Silk Attack (IV) | LCP3.5 | 430-460 | 1 |  |
| 6 | 骨科钻头(Ⅲ) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 2 |  |
| 7 | 丝攻(Ⅳ) Silk Attack (IV) | HA3.5 | 430-470 | 1 |  |
| 8 | 丝攻(Ⅳ) Silk Attack (IV) | HB4.0 | 430-480 | 1 |  |

## 5.0系统器械-3.5专用器械（选配）

5.0 System Instruments -3.5 Special equipment(Optional)

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 9 | 骨科导向器(LC-DCP通用) Orthopedic guide (LC-DCP universal) | ϕ2.5-ϕ3.5 | 419-330 | 1 |  |
| 10 | 骨科用扳手(梅花Ⅰ) Orthopedic wrench (Plum Blossom I) | T15 | 430-211 | 1 |  |
| 11 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T15 | 430-410 | 2 |  |
| 12 | 持钉夹(HA Ⅱ) Nail clamp (HA Ⅱ) | HA3.5 | 419-490 | 1 |  |
| 13 | 骨科用扭力扳手(梅花Ⅱ) Orthopedic torque wrench (Plum Blossom II) | 1.5N·m | 430-570 | 1 |  |
| 14 | 持钉夹(LCP Ⅱ) Pin clamp (LCP Ⅱ) | LCP3.5 | 419-500 | 1 |  |
| 15 | 测深器(Ⅳ) Depth sounder (IV) | / | 430-680 | 1 |  |

# 上肢接骨板(小骨折块手术)(全配)器械

## Upper limb bone plate (small fracture block surgery) (fully) instrument




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | ϕ1.5×150 | 419-013 | 3 |  |
| 2 | 骨钻 bone drill | Φ2.5 | 419-022 | 2 |  |
| | | Φ3.5 | 419-023 | 1 | |
| 3 | 丝攻 tap | HA3.5 | 419-032 | 1 |  |
| | | HB4.0 | 419-033 | 1 | |
| 4 | 埋头钻 Bury oneself in the drill | Φ6 | 419-041 | 1 |  |
| 5 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | ϕ2.5-ϕ3.5 | 419-060 | 1 |  |
| 6 | 导钻(双头) Guide drill (double headed) | ϕ2.5-ϕ3.5 | 419-051 | 1 |  |
| 7 | 钢板塑型片 Steel plate plastic sheet | 3.5A | 419-070 | 1 |  |
| | | 3.5B | 419-071 | 1 | |
| 8 | 骨膜剥离器 periosteal raspatory | 平 6mm | 419-090 | 1 |  |
| 9 | 骨撬 elevator | 6.5 | 419-100 | 1 |  |
| | | 8.5 | 419-101 | 1 | |
| | | 15.5 | 419-102 | 1 | |
| 10 | 起子(梅花) Screwdriver (Plum Blossom) | T15 | 419-115 | 1 |  |
| 11 | 持钉夹 Nail clamp | HA3.5 | 419-112 | 1 |  |
| 12 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T15 | 419-116 | 1 |  |
| 13 | 螺钉打滑取出器 Screw slippage extractor | S=2.5 | 419-123 | 1 |  |
| 14 | 断钉取出器 Broken nail extractor | 3.5/4.0 | 419-122 | 1 |  |
| 15 | 导钻(LC-DCP基础) Guide drill (LC-DCP foundation) | Φ2.5 | 406-051 | 1 |  |
| 16 | 测深器 depth sounder | 0-60 | 406-060 | 1 |  |
| 17 | 骨科复位钳(尖头) Orthopedic reduction forceps (pointed) | 小号 | 406-110 | 1 |  |






上肢接骨板(小骨折块手术)(全配)器械

Upper limb bone plate (small fracture block surgery) (fully) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 持骨钳 bone holding forceps | 小号 | 406-120 | 2 |  |
| 19 | 骨科复位钳(弯头) Orthopedic reset forceps (elbow) | 小号 | 406-130 | 1 |  |
| 20 | 持钉镊 Nail tweezers | \ | 411-130 | 1 |  |
| 21 | 钢板弯曲器 Steel plate bending device | 左 | 417-130 | 1 |  |
| | | 右 | 417-131 | 1 | |
| 22 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 23 | 快装手柄(转换头) Quick installation handle (conversion head) | \ | 418-081 | 2 |  |
| 1 | 螺钉盒 Screw box | \ | 406-151 | 选配 Optional |  |
| 2 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=2.5 | 419-118 | 选配 Optional |  |
| 3 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |
| 4 | 骨科用扳手(梅花Ⅰ) Orthopedic wrench (Plum Blossom I) | T10 | 419-540 | 选配 Optional |  |
| 5 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T10 | 419-550 | 选配 Optional |  |
| 6 | 骨科钻头(Ⅲ) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 选配 Optional |  |
| 7 | 测深器(Ⅳ) Depth sounder (IV) | / | 430-680 | 选配 Optional |  |

# 上肢接骨板(小骨折块手术)(简配)器械

## Upper limb bone plate (small fracture block surgery) (simplified) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 bone drill | Φ2.5 | 419-022 | 2 |  |
| | | Φ3.5 | 419-023 | 1 | |
| 2 | 丝攻 tap | HA3.5 | 419-032 | 1 |  |
| | | HB4.0 | 419-033 | 1 | |
| 3 | 导钻(LC-DCP通用) Pilot drill (LC-DCP universal) | ϕ2.5-ϕ3.5 | 419-060 | 1 |  |
| 4 | 导钻(双头) Pilot drill (double-headed) | ϕ2.5-ϕ3.5 | 419-051 | 1 |  |
| 5 | 起子(梅花) Screwdriver (Torx) | T15 | 419-115 | 1 |  |
| 6 | 持钉夹 Nail clamp | HA3.5 | 419-112 | 1 |  |
| 7 | 起子(梅花快换) Screwdriver (quick-change, phillips) | T15 | 419-116 | 1 |  |
| 8 | 导钻(LC-DCP基础) Pilot drill (LC-DCP foundation) | Φ2.5 | 406-051 | 1 |  |
| 9 | 测深器 depth sounder | 0-60 | 406-060 | 1 |  |
| 10 | 钢板弯曲器 Steel plate bending device | 左 | 417-130 | 1 |  |
| | | 右 | 417-131 | 1 |  |
| 11 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 12 | 螺钉盒 Screw box | \ | 406-151 | 1 |  |
| 13 | 器械箱 Equipment box | \ | 419-181 | 1 |  |





上肢接骨板(小骨折块手术)(简配)器械

Upper limb bone plate (small fracture block surgery) (simplified) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科用扳手(梅花Ⅰ) Orthopedic wrench (Plum Blossom I) | T10 | 419-540 | 选配 Optional |  |
| 2 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T10 | 419-550 | 选配 Optional |  |
| 3 | 骨科钻头(Ⅲ) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 选配 Optional |  |
| 4 | 测深器(Ⅳ) Depth sounder (IV) | / | 430-680 | 选配 Optional |  |
| 5 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=2.5 | 419-118 | 选配 Optional |  |
| 6 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |

# 上肢锁定接骨板(小骨折块手术)(全配)器械

## Upper limb locking plate (small bone fracture surgery) (fully equipped) instrument




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | φ1.5×150 | 419-013 | 3 |  |
| 2 | 骨钻 bone drill | Φ2.5 | 419-022 | 2 |  |
| | | Φ3.5 | 419-023 | 1 | |
| 3 | 丝攻 tap | HA3.5 | 419-032 | 1 |  |
| | | HB4.0 | 419-033 | 1 | |
| 4 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | φ2.5-φ3.5 | 419-060 | 1 |  |
| 5 | 骨膜剥离器 periosteal raspatory | 平 6mm | 419-090 | 1 |  |
| 6 | 骨撬 elevator | 6.5 | 419-100 | 1 |  |
| | | 8.5 | 419-101 | 1 | |
| | | 15.5 | 419-102 | 1 | |
| 7 | 起子(梅花) Screwdriver (Plum Blossom) | T15 | 419-115 | 1 |  |
| 8 | 持钉夹 Nail clamp | HA3.5 | 419-112 | 1 |  |
| 9 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T15 | 419-116 | 1 |  |
| 10 | 螺钉打滑取出器 Screw slippage extractor | S=2.5 | 419-123 | 1 |  |
| 11 | 断钉取出器 Broken nail extractor | 3.5/4.0 | 419-122 | 1 |  |
| 12 | 骨钻(LCP) Bone Drill (LCP) | Φ2.8 | 419-131 | 2 |  |
| 13 | 骨钻(限位器) Bone drill (limiter) | Φ2.8 | 419-132 | 2 |  |
| 14 | 丝攻(LCP) Silk tapping (LCP) | Φ3.5 | 419-141 | 1 |  |
| 15 | 导钻(LCP) Lead Drill (LCP) | Φ2.8 | 419-150 | 2 |  |
| 16 | 起子(梅花限扭力) Screwdriver (plum blossom limited torque) | T15 | 419-163 | 1 |  |
| 17 | 持钉夹(LCP) Pin clamp (LCP) | LCP3.5 | 419-170 | 1 |  |





上肢锁定接骨板(小骨折块手术)(全配)器械

Upper limb locking plate (small bone fracture surgery) (fully equipped) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 测深器 depth sounder | 0-60 | 406-060 | 1 |  |
| 19 | 骨科复位钳(尖头) Orthopedic reduction forceps (pointed) | 小号 | 406-110 | 1 |  |
| 20 | 持骨钳 bone holding forceps | 小号 | 406-120 | 2 |  |
| 21 | 骨科复位钳(弯头) Orthopedic reset forceps (elbow) | 小号 | 406-130 | 1 |  |
| 22 | 持钉镊 Nail tweezers | / | 411-130 | 1 |  |
| 23 | 钢板弯曲器 Steel plate bending device | 左 | 417-130 | 1 |  |
| | | 右 | 417-131 | 1 | |
| 24 | 快装手柄(T型) Quick installation handle (T-shaped) | / | 418-080 | 1 |  |
| 25 | 快装手柄(转换头) Quick installation handle (conversion head) | / | 418-081 | 2 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 螺钉盒 Screw box | / | 406-152 | 选配 Optional |  |
| 2 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=2.5 | 419-118 | 选配 Optional |  |
| 3 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |
| 4 | 起子(限扭力) Screwdriver (limited torque) | 1.5NM | 419-164 | 选配 Optional |  |

# 上肢锁定接骨板(小骨折块手术)(全配)器械

## Upper limb locking plate (small bone fracture surgery) (fully equipped) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 5 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T10 | 419-540 | 选配 Optional |  |
| 6 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T10 | 419-550 | 选配 Optional |  |
| 7 | 骨科钻头(III) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 选配 Optional |  |
| 8 | 测深器(IV) Depth sounder (IV) | / | 430-680 | 选配 Optional |  |
| 9 | 骨科钻头(V) Orthopedic drill bit (V) | Φ2.8×230 | 2030071 | 选配 Optional |  |
| 10 | 骨科导向器(LCPI) Orthopedic drill bit (V) | Φ2.8 | 2030043 | 选配 Optional |  |
| 11 | 髌骨钳 Patellar forceps | / | 419-190 | 选配 Optional |  |





# 上肢锁定接骨板(小骨折块手术)(简配)器械

## Upper limb locking plate (small bone fracture surgery) (simplified) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨钻 bone drill | Φ2.5 | 419-022 | 2 |  |
| | | Φ3.5 | 419-023 | 1 | |
| 2 | 丝攻 tap | HA3.5 | 419-032 | 1 |  |
| | | HB4.0 | 419-033 | 1 | |
| 3 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | φ2.5-φ3.5 | 419-060 | 1 |  |
| 4 | 起子(梅花) Screwdriver (Plum Blossom) | T15 | 419-115 | 1 |  |
| 5 | 持钉夹 Nail clamp | HA3.5 | 419-112 | 1 |  |
| 6 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T15 | 419-116 | 1 |  |
| 7 | 骨钻(LCP) Bone Drill (LCP) | Φ2.8 | 419-131 | 2 |  |
| 8 | 骨钻(限位器) Bone drill (limiter) | Φ2.8 | 419-132 | 2 |  |
| 9 | 丝攻(LCP) Silk tapping (LCP) | Φ3.5 | 419-141 | 1 |  |
| 10 | 导钻(LCP) Lead Drill (LCP) | Φ2.8 | 419-150 | 3 |  |
| 11 | 起子(梅花限扭力) Screwdriver (plum blossom limited torque) | T15 | 419-163 | 1 |  |
| 12 | 持钉夹(LCP) Pin clamp (LCP) | LCP3.5 | 419-170 | 1 |  |
| 13 | 测深器 depth sounder | 0-60 | 406-060 | 1 |  |
| 14 | 钢板弯曲器 Steel plate bending device | 左 | 417-130 | 1 |  |
| | | 右 | 417-131 | 1 | |
| 15 | 快装手柄(T型) Quick installation handle (T-shaped) | / | 418-080 | 1 |  |

# 上肢锁定接骨板(小骨折块手术)(简配)器械

## Upper limb locking plate (small bone fracture surgery) (simplified) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 螺钉盒 Screw box | / | 406-152 | 1 |  |
| 17 | 器械箱 Equipment box | / | 419-182 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=2.5 | 419-118 | 选配 |  |
| 2 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | Optional |  |
| 3 | 起子(限扭力) | 1.5NM | 419-164 | 选配 |  |
| 4 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T10 | 419-540 | 选配 |  |
| 5 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T10 | 419-550 | 选配 |  |
| 6 | 骨科钻头(III) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 选配 |  |
| 7 | 测深器(IV) Depth sounder (IV) | / | 430-680 | 选配 |  |
| 8 | 骨科钻头(V) Orthopedic drill bit (V) | Φ2.8×230 | 2030071 | 选配 |  |
| 9 | 骨科导向器(LCPI) Orthopedic Guidebook (LCPI) | Φ2.8 | 2030043 | 选配 |  |





# 小儿截骨板器械-3.5系列小儿截骨器械

## Pediatric osteotomy plate instrument - 3.5 series pediatric osteotomy instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.0×150 | 418-011 | 4 |  |
| 2 | 测深器(I) Depth sounder (I) | Φ2.0 | 419-200 | 1 |  |
| 3 | 测深器 depth sounder | 0-60 | 406-060 | 1 |  |
| 4 | 骨钻 bone drill | Φ2.5 | 419-022 | 2 |  |
| 5 | 骨钻(LCP) Bone Drill (LCP) | Φ2.8 | 419-131 | 2 |  |
| 6 | 丝攻 tap | HA3.5 | 419-032 | 1 |  |
| 7 | 丝攻(LCP) Silk tapping (LCP) | Φ3.5 | 419-141 | 1 |  |
| 8 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | Φ2.5-Φ3.5 | 419-060 | 1 |  |
| 9 | 导钻(LCPI) Lead Drill (LCPI) | Φ2.8 | 419-061 | 3 |  |
| 10 | 起子(梅花) Screwdriver (Plum Blossom) | T15 | 419-115 | 1 | |
| 11 | 持钉夹 Nail clamp | HA3.5 | 419-112 | 1 |  |
| 12 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T15 | 419-116 | 1 |  |
| 13 | 起子(梅花限扭力) Screwdriver (plum blossom limited torque) | T15 | 419-163 | 1 |  |
| 14 | 持钉夹(LCP) Pin clamp (LCP) | LCP3.5 | 419-170 | 1 |  |
| 15 | 快装手柄(T型) Quick installation handle (T-shaped) | \ | 418-080 | 1 |  |
| 16 | 快装手柄(转换头) Quick installation handle (conversion head) | \ | 418-081 | 2 |  |
| 1 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=2.5 | 419-118 | 选配 Optional |  |

## 小儿截骨板器械-3.5系列小儿截骨器械

Pediatric osteotomy plate instrument - 3.5 series pediatric osteotomy instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 2 | 起子(六角) Screwdriver (hexagonal) | S=2.5 | 419-117 | 选配 Optional |  |
| 3 | 起子(限扭力) Screwdriver (limited torque) | 1.5NM | 419-164 | 选配 Optional |  |

## 小儿截骨板器械-5.0系列小儿截骨器械

Pediatric osteotomy plate instrument - 5.0 series pediatric osteotomy instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ2.8×250 | 418-180 | 8 |  |
| 2 | 测深器 depth sounder | Φ2.8 | 418-220 | 1 |  |
| 3 | | 4-100 | 407-080 | 1 | |
| 4 | 骨钻 bone drill | Φ3.2 | 418-023 | 2 |  |
| 5 | 骨钻(LCP) Bone Drill (LCP) | Φ4.3 | 418-141 | 2 |  |
| 6 | 丝攻 tap | HA4.5 | 418-032 | 1 |  |
| 7 | 丝攻(LCP) Silk tapping (LCP) | Φ5.0 | 418-151 | 1 |  |
| 8 | 导钻(LC-DCP通用) Guide drill (LC-DCP universal) | Φ3.2-Φ4.5 | 418-060 | 1 |  |
| 9 | 导钻(LCPI) Lead Drill (LCPI) | Φ4.3 | 418-061 | 3 |  |
| 10 | 导钻(II) Guide Drill (II) | Φ2.8 | 418-062 | 2 |  |
| 11 | 起子(梅花快换) Screwdriver (Plum Blossom Quick Change) | T25 | 418-074 | 1 |  |
| 12 | 起子(梅花) Screwdriver (Plum Blossom) | T25 | 418-075 | 1 |  |
| 13 | 持钉夹 Nail clamp | HA4.5 | 418-175 | 1 |  |





## 小儿截骨板器械-5.0系列小儿截骨器械

Pediatric osteotomy plate instrument - 5.0 series pediatric osteotomy instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 14 | 起子(梅花限扭力) Screwdriver (plum blossom limited torque) | 4.0NM | 418-177 | 1 |  |
| 15 | 持钉夹(LCP) Pin clamp (LCP) | LCP5.0 | 418-174 | 1 |  |
| 16 | 起子(六角快换) Screwdriver (hexagonal quick change) | S=3.5 | 418-178 | 选配 Optional |  |
| 17 | 骨科复位钳(弯头) Orthopedic reset forceps (elbow) | 小号 | 406-130 | 1 |  |
| 1 | 起子(限扭力) Screwdriver (limited torque) | 4.0NM | 418-250 | 选配 Optional |  |
| 2 | 起子(六方) Screwdriver (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 3 | 持骨钳 bone holding forceps | 小号 | 406-120 | 2 |  |




## 小儿截骨板器械-3.5系统\5.0系统通用器械

Pediatric osteotomy plate instrument - 3.5 system/5.0 system universal device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科定位片 Orthopedic positioning film | 20° \60° \100° | 418-260 | 1 |  |
| | | 30° \70° \80° | 418-261 | 1 | |
| | | 40° \50° \90° | 418-262 | 1 | |
| 2 | 骨测量器 Bone measuring device | SW6 | 418-270 | 1 |  |
| 3 | 测深器(V) Depth sounder (V) | LCP3.5\5.0 | 418-280 | 2 |  |
| 4 | 导钻(I) Guide drill (I) | LCP3.5 | 418-290 | 1 |  |
| | | LCP5.0 | 418-291 | 1 | |
| 5 | 角度尺 Angle ruler | \ | 418-300 | 1 |  |

# 小儿截骨板器械-3.5系统\5.0系统通用器械

## Pediatric osteotomy plate instrument - 3.5 system/5.0 system universal device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 6.1 | 器械箱 Equipment box | \ | 418-301 | 1 |  |
| 6.2 | 托盘 tray | 托盘 1 | 418-302 | 1 |  |
| 6.3 | | 托盘 2 | 418-303 | 1 | |
| 6.4 | | 托盘 3 | 418-304 | 1 |  |
| 6.5 | 铭牌 nameplate | \ | 418-305 | 2 |  |





# 3.5系统器械

## 3.5 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.5×150 | 411-654 | 3 |  |
| 2 | | Φ2.0×150 | 411-655 | 3 | |
| 3 | | Φ2.5×250 | 419-019 | 3 | |
| 4 | 骨科钻头(V) Orthopedic drill bit (V) | Φ2.8×200 | 2030072 | 1 |  |
| 6 | | Φ2.8×230 | 2030071 | 2 | |
| 5 | 骨科导向器(LCP I) Orthopedic guide device (LCP I) | Φ2.8 | 430-560 | 1 |  |
| 7 | 骨科导向器(LCPI) Orthopedic Guidebook (LCPI) | Φ2.8 | 2030043 | 2 |  |
| 8 | 骨科定位器 Orthopedic locator | Φ2.8 | 419-135 | 2 |  |
| 9 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 10 | 丝攻(IV) Silk Attack (IV) | LCP3.5 | 430-460 | 1 |  |
| 11 | 骨科导向器(万向) Orthopedic guide (universal) | ϕ2.8 | 430-101 | 1 |  |
| 12 | 骨科导向器(VA-LCPII) Orthopedic guide device (VA-LCPII) | ϕ2.8 | 430-552 | 2 |  |
| 13 | 骨科钻头(III) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 2 |  |
| 14 | | Φ3.5 | 430-390 | 1 | |
| 15 | 丝攻(IV) Silk Attack (IV) | HA3.5 | 430-470 | 1 |  |
| 16 | | HB4.0 | 430-480 | 1 |  |
| 17 | 埋头钻 Bury oneself in the drill | Φ6.0 | 430-490 | 1 |  |
| 18 | 骨科导向器(LC-DCP通用) Bury oneself in the drill | ϕ2.5-ϕ3.5 | 419-330 | 1 |  |
| 19 | 骨科导向器(双头) Orthopedic guide (dual head) | ϕ2.5-ϕ3.5 | 419-331 | 1 |  |
| 20 | 骨科导向器(LC-DCP基础) Orthopedic guide device (LC-DCP foundation) | Φ2.5 | 419-332 | 1 |  |
| 21 | 转接头(II) Adapter (II) | \ | 411-680 | 1 |  |
| 22 | 钢板塑型片 Steel plate plastic sheet | 3.5A | 430-670 | 1 |  |
| 23 | | 3.5B | 430-671 | 1 | |

# 3.5系统器械

## 3.5 System Instruments




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 24 | 钢板塑型片(直形) Steel plate plastic sheet (straight) | \ | 419-072 | 1 |  |
| 25 | 钢板弯曲器(I) Steel Plate Bender (I) | 左 | 419-350 | 1 |  |
| 26 | | 右 | 419-351 | 1 | |
| 27 | 钢板弯曲器(V) Steel Plate Bender (V) | / | 430-091 | 2 |  |
| 28 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T15 | 430-211 | 1 |  |
| 29 | 持钉夹(HA II) Nail clamp (HA II) | HA3.5 | 419-490 | 1 |  |
| 30 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T15 | 430-410 | 2 |  |
| 31 | 骨科用扭力扳手(梅花II) Orthopedic torque wrench (Plum lossom II) | T15 | 430-570 | 1 |  |
| 32 | 持钉夹(LCP II) Pin clamp (LCP II) | LCP3.5 | 419-500 | 1 |  |
| 33 | 测深器(VI) Depth sounder (VI) | 0-110 | 430-680 | 1 |  |
| 34 | 持钉镊 Nail tweezers | 小 | 411-131 | 1 |  |
| 35 | 骨膜剥离器(II) Depth sounder (VI) | 6.5(圆) | 2020010 | 1 |  |
| 36 | | 6.5(平) | 2020008 | 1 | |
| 37 | 骨撬 elevator | 6.5 | 411-640 | 2 |  |
| 38 | | 8.5 | 411-641 | 2 | |
| 39 | | 15.5 | 411-644 | 2 | |
| 40 | 复位钳(IV) Reset pliers (IV) | 小 | 430-700 | 2 |  |
| 41 | 持骨钳(II) Bone holding forceps (II) | \ | 430-702 | 2 |  |
| 42 | 复位钳(弯头I) Reset pliers (elbow I) | \ | 411-690 | 2 |  |
| 43 | 快装手柄(直型V) 复位钳(弯头I) | 小 | 419-470 | 1 |  |







# 3.5系统器械

## 3.5 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 44 | 快装手柄(T型II) Quick installation handle (T-type II) | \ | 411-660 | 1 |  |
| 45 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T10 | 2020058 | 1 |  |
| 56 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T10 | 2020059 | 2 |  |
| 47 | 通用器械箱(中配三层) General equipment box (with three layers of middle configuration) | 箱体 | P000011 | 1 |  |
| 48 | | 箱盖 | P000012 | 1 |  |
| 49 | 3.5系统器械托盘 3.5 System Instrument Tray | 上 | 2020015 | 1 |  |
| 50 | | 中 | 2020016 | 1 |  |
| 51 | | 下 | 2020017 | 1 |  |
| 52 | 螺钉盒 Screw box | Φ3.5\Φ4.0 | 2020061 | 1 |  |
| 53 | | Φ2.7\Φ3.5 | 2020062 | 1 |  |

# 3.5系统器械

## 3.5 System Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(螺钉) Depth sounder (screw) | \ | 2020003 | 选配 Optional |  |
| 2 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.0×150 | 419-510 | 选配 Optional |  |
| 3 | | ϕ1.5×150 | 411-651 | 选配 Optional | |
| 4 | | Φ2.0×150 | 411-652 | 选配 Optional | |
| 5 | | Φ2.5×250 | 419-016 | 选配 Optional | |
| 6 | 断钉取出器(I) Broken nail extractor (I) | 3.5\4 | 419-126 | 选配 Optional |  |
| 7 | 螺钉取出器(打滑I) Screw extractor (slip I) | Φ2.5 | 419-360 | 选配 Optional |  |
| 8 | 填塞钉钉盒 Fill the nail box | \ | 2020064 | 选配 Optional |  |

# 3.5系统-3.5跟骨板专用器械

## 3.5 System- 3.5 Calcaneal Plate Specialized Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ1.0×150 | 420-020 | 3 |  |
| 2 | 骨科钻头(III) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 2 |  |
| 3 | 骨科导向器(LCP I) Orthopedic guide device (LCP I) | Φ2.5 | 419-520 | 2 |  |
| 4 | 复位钳(C型) Reset pliers (C-type) | 小 | 430-600 | 1 |  |






# 3.5系统-2.7专用器械

## 3.5 System - 2.7 Special Equipment

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科导向器(LCP Ⅳ) Orthopedic guide device (LCP IV) | ϕ2.0 | 430-540 | 2 |  |
| 2 | 骨科钻头(Ⅲ) Orthopedic drill bit (III) | ϕ2.0 | 2030068 | 2 |  |
| 3 | 丝攻(Ⅳ) Silk Attack (IV) | LCP2.7 | 430-421 | 1 |  |
| 4 | 扭力快换接头 Torque quick change connector | 1.2N·m | 430-450 | 1 |  |
| 5 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T8 | 2020050 | 2 |  |
| 6 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T8 | 2020051 | 1 |  |
| 7 | 快装手柄(直型Ⅳ) Quick installation handle (straight type IV) | 小 | 411-661 | 1 |  |

# 3.5系统-3.5小儿截骨专用器械

## 3.5 System - 3.5 Specialized instruments for pediatric osteotomy

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Depth sounder (III) | Φ2.0 | 419-370 | 1 |  |
| 2 | 角度尺(I) Angle ruler (I) | 20° \60° \100° | 419-380 | 1 |  |
| | | 30° \70° \80° | 419-390 | 1 | |
| | | 40° \50° \90° | 419-400 | 1 | |
| 3 | 骨测量器(I) Bone Measuring Device (I) | S=6 | 419-440 | 1 |  |
| 4 | 测深器(VII) Depth sounder (VII) | LCP3.5\ LCP5.0 | 419-450 | 1 |  |
| 5 | 骨科导向器(VIII) Orthopedic guide device (VIII) | LCP3.5 | 419-460 | 1 |  |
| 6 | 角度尺(II) Angle ruler (II) | \ | 419-530 | 1 |  |
| 7 | 扳手(六方) Wrench (hexagonal) | S=2.0 | 410-052 | 1 |  |

# 2.4\3.0 空心钉器械

## 2.4 \ 3.0 Hollow Nail Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器(III) Depth sounder (III) | \ | 420-010 | 1 |  |
| 2 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.0×150 | 420-020 | 3 |  |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.0×150 | 420-021 | 3 |  |
| 4 | 骨导引针 Bone guide needle | Φ1.0 | 420-030 | 1 |  |
| 5 | 骨科导向器(I) Orthopedic guide (I) | Φ1.0 | 420-040 | 1 |  |
| 6 | 骨科钻头(限深) Orthopedic drill bit (limited depth) | ф2.9 | 420-052 | 1 |  |
| 7 | 骨科用扳手(空心梅花) Orthopedic wrench (hollow plum blossom) | T8 | 2060027 | 1 | |
| 8 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T8 | 2060028 | 1 |  |
| 9 | 空心钻(II) Hollow Drill (II) | ф1.9 | 2060019 | 1 | |
| 10 | 骨锯(空心) Bone saw (hollow) | ф4.2 | 420-061 | 1 |  |
| 11 | 丝攻(空心) Silk attack (hollow) | Φ3.0 | 420-071 | 1 |  |
| 12 | 埋头钻(空心II) Countersunk drill (hollow II) | Φ2.0 | 420-081 | 1 |  |
| 13 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=2.0 | 420-091 | 1 |  |
| 14 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=2.0 | 420-101 | 1 |  |
| 15 | 骨科用扳手(空心十字) Orthopedic wrench (hollow cross) | \ | 420-113 | 1 |  |






# 2.4\3.0 空心钉器械

## 2.4 \ 3.0 Hollow Nail Instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 骨科用扳手(十字I) Orthopedic wrench (cross I) | \ | 420-112 | 1 |  |
| 17 | 持钉镊 Nail tweezers | 小 | 411-131 | 1 |  |
| 18 | 2.4、3.0空心钉系统器械箱 2.4, 3.0 Hollow Nail System Instrument Box | \ | 420-121 | 1 |  |
| 19 | 托盘1 Tray 1 | \ | 420-122 | 1 |  |
| 20 | 托盘2 Tray 2 | \ | 420-123 | 1 |  |
| 21 | 铭牌 nameplate | \ | 420-124 | 2 |  |
| 22 | 空心螺钉盒 Hollow screw box | \ | 420-125 | 1 |  |
| 1 | 断钉取出器(II) Broken nail extractor (II) | Φ3.0 | 423-110 | 选配 Optional |  |
| 2 | | Φ3.5 | 423-111 | | |

# 肋骨固定系统器械

## Rib fixation system instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 折弯钳(枪式) Bending pliers (gun type) | \ | 421-010 | 1 |  |
| 2 | 折弯钳（Ⅰ） PFNA blade screwdriver | \ | 421-020 | 1 |  |
| 3 | 折弯钳(II) Bending pliers (II) | \ | 421-021 | 1 |  |
| 4 | 折弯钳(III) Bending pliers (III) | \ | 421-022 | 1 |  |
| 5 | 剪切钳 Cutting pliers | \ | 421-030 | 1 |  |
| 6 | 持板钳(II) Hold the wrench (II) | \ | 421-040 | 1 |  |
| 7 | 器械箱 Equipment box | \ | 421-050 | 1 |   |






# 断钉取出器械

## Remove the instrument from the broken nail

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科用扳手(四方起子) Orthopedic wrench (square screwdriver) | 1.2 | 421-060 | 1 |  |
| 2 | | 1.5 | 421-061 | 1 | |
| 3 | 骨科用扳手(T型II) Orthopedic wrench (T-type II) | \ | 421-062 | 1 |  |
| 4 | 骨科钻头(环钻) Orthopedic drill bit (ring drill) | Φ6.5 | 421-063 | 1 |  |
| 5 | | Φ5 | 421-064 | 1 | |
| 6 | | Φ4 | 421-065 | 1 | |
| 7 | 骨科用扳手(十字起子) Orthopedic wrench (cross screwdriver) | \ | 421-066 | 1 |  |
| 8 | 骨科用扳手(一字起子) Orthopedic wrench (straight screwdriver) | 3mm | 421-067 | 1 |  |
| 9 | | 6mm | 421-068 | 1 | |
| 10 | 骨科用扳手(梅花起子) Orthopedic wrench (plum blossom screwdriver) | T6 | 421-109 | 1 |  |
| 11 | | T8 | 421-069 | 1 | |
| 12 | | T9 | 421-070 | 1 | |
| 13 | | T10 | 421-071 | 1 | |
| 14 | | T15 | 421-072 | 1 | |
| 15 | | T18 | 421-073 | 1 | |
| 16 | | T20 | 421-074 | 1 | |
| 17 | | T25 | 421-075 | 1 | |
| 18 | | T30 | 421-076 | 1 | |
| 19 | 骨科用扳手(六角起子) Orthopedic wrench (hexagonal screwdriver) | SW1.5 | 421-077 | 1 |  |
| 20 | | SW2.0 | 421-078 | 1 | |
| 21 | | SW2.5 | 421-079 | 1 | |
| 22 | | SW3.0 | 421-080 | 1 | |
| 23 | | SW3.5 | 421-081 | 1 | |
| 24 | | SW4.0 | 421-082 | 1 | |
| 25 | | SW4.5 | 421-083 | 1 | |
| 26 | | SW5.0 | 421-084 | 1 | |
| 27 | | SW5.5 | 421-085 | 1 | |

# 断钉取出器械

## Remove the instrument from the broken nail

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 28 | 螺钉取出器(六角打滑) Screw extractor (hexagonal slip) | 1.2mm | 421-086 | 1 |  |
| 29 | | 2.5mm | 421-087 | 1 | |
| 30 | | 2.7mm | 421-088 | 1 | |
| 31 | | 3.5mm | 421-089 | 1 | |
| 32 | | 4.0mm | 421-090 | 1 | |
| 33 | 断钉取出器(III) Broken nail extractor (III) | ϕ2.0 | 421-091 | 1 |  |
| 34 | | ϕ2.7 | 421-092 | 1 | |
| 35 | | ϕ4.0 | 421-093 | 1 | |
| 36 | | ϕ5.0 | 421-094 | 1 | |
| 37 | | ϕ6.5 | 421-095 | 1 | |
| 38 | | ϕ8.0 | 421-096 | 1 | |
| 39 | 骨铰刀 Bone reamer | \ | 421-097 | 1 |  |
| 40 | 钉孔清除器 Nail hole cleaner | \ | 421-098 | 1 |  |
| 41 | 快装手柄(T型III) Quick installation handle (T-type III) | \ | 421-099 | 1 |  |
| 42 | 快装手柄(直型I) Quick installation handle (straight type I) | \ | 421-100 | 1 |  |
| 43 | 拔出器(断钉) Puller (broken nail) | ϕ4.5 | 421-101 | 1 |  |
| 44 | | ϕ3.5 | 421-102 | 1 | |
| 45 | 夹持钳 gripping pliers | \ | 421-103 | 1 |  |
| 46 | 骨刀(圆) Bone knife (round) | 8mm | 421-104 | 1 |  |
| 47 | 骨科钻头(取钉钻) Orthopedic drill bit (nail drill) | ϕ4 | 421-105 | 1 |  |
| 48 | | ϕ5 | 421-106 | 1 | |
| 49 | | ϕ6 | 421-107 | 1 | |
| 50 | 断钉取出器械箱 Remove the instrument box with broken nails | \ | 421-108 | 1 |  |







# LHC 空心钉（上肢）器械

## LHC hollow nail (upper limb) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ0.88×150 | 423-010 | 3 |  |
| 2 | | Φ1.1×150 | 423-011 | 3 | |
| 3 | | Φ1.2×150 | 411-653 | 3 | |
| 4 | 测深器(III) Depth sounder (III) | \ | 420-010 | 1 |  |
| 5 | 骨导引针 Bone guide needle | Φ0.88 | 423-020 | 1 |  |
| | | Φ1.1 | 423-021 | 1 | |
| 6 | 骨科导向器(多孔) Orthopedic guide (porous) | Φ0.88 | 423-030 | 1 |  |
| 7 | | Φ1.2 | 423-031 | 1 | |
| 8 | 埋头钻(空心I) Countersunk drill (hollow I) | Φ2.5 | 423-040 | 1 |  |
| 9 | | Φ3.5 | 423-041 | 1 | |
| 10 | | Φ4.0 | 423-042 | 1 | |
| 11 | 空心钻(II) Hollow Drill (II) | Φ1.7 | 2060015 | 1 |  |
| 13 | | Φ2.1 | 2060016 | 1 | |
| 15 | | Φ2.4 | 2060017 | 1 | |
| 12 | 骨科定位器 Orthopedic locator | Φ1.7 | 423-053 | 1 |  |
| 14 | | Φ2.1 | 423-054 | 1 | |
| 16 | | Φ2.4 | 423-055 | 1 | |
| 17 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 18 | 骨科用扳手(空心梅花快换) Orthopedic wrench (hollow plum blossom quick change) | T6 | 2020048 | 1 |  |
| 19 | | T8 | 2020054 | 1 | |
| 20 | | T10 | 2020056 | 1 | |
| 21 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T6 | 2020049 | 1 |  |
| 22 | | T8 | 2020055 | 1 | |
| 23 | | T10 | 2020057 | 1 | |
| 24 | 持钉镊 Nail tweezers | 小 | 411-131 | 1 |  |
| 25 | 转换头(II) Conversion Head (II) | \ | 411-680 | 1 |  |

# LHC 空心钉（上肢）器械

## LHC hollow nail (upper limb) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 26 | 快装手柄(T型空心) Quick installation handle (T-shaped hollow) | Φ1.2 | 423-120 | 1 |  |
| 27 | 骨科用夹持器 Orthopedic clamps | \ | 423-080 | 1 |  |
| 28 | LHC空心螺钉(上肢)器械箱 LHC hollow screw (upper limb) instrument box | \ | 423-090 | 1 |  |
| 29 | 托盘 Tray | \ | 423-091 | 1 |  |
| 30 | 铭牌 Nameplate | \ | 423-092 | 2 |   |
| 32 | LHC钉盒 LHC nail box | Φ2.5 | 423-100 | 1 |  |
| 33 | | Φ3.5 | 423-101 | 1 | |
| 34 | | Φ4.0 | 423-102 | 1 | |
| 1 | 断钉取出器(II) Broken nail extractor (II) | Φ3.0 | 423-110 | 选配 Optional |  |
| 2 | | Φ4.5 | 423-112 | | |







# LHC 空心钉（下肢）器械

## LHC hollow nail (lower limb) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ1.5×150 | 411-654 | 3 |  |
| 2 | | Φ2.5×250 | 405-020 | 3 | |
| 3 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ1.5×150 | 411-651 | 3 |  |
| 4 | | Φ2.5×250 | 405-021 | 3 | |
| 5 | 测深器(III) Depth sounder (III) | Φ2.5 | 405-010 | 1 |  |
| 6 | | \ | 420-010 | 1 | |
| 7 | 骨导引针 Bone guide needle | Φ1.5 | 404-030 | 1 |  |
| 8 | | Φ2.5 | 405-030 | 1 | |
| 9 | 骨科导向器(VII) Orthopedic guide device (VII) | Φ2.5\Φ4.5 | 404-040 | 1 |  |
| 10 | 骨科导向器(II) Orthopedic guide (II) | Φ2.5\Φ4.5 | 424-010 | 1 |  |
| 11 | 埋头钻(空心III) Countersunk drill (hollow III) | Φ5.0\Φ1.5 | 424-020 | 1 |  |
| 12 | | Φ6.0\Φ2.5 | 424-021 | 1 | |
| 13 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=3.5 | 424-030 | 1 |  |
| 14 | | S=3.5 | 424-040 | 1 | |
| 15 | | S=4.0 | 424-031 | 1 | |
| 16 | | S=4.0 | 424-041 | 1 | |
| 17 | 空心钻(I) Hollow drill (I) | Φ3.2 | 424-050 | 1 |  |
| 19 | | Φ4.5 | 424-051 | 1 | |
| 18 | 骨科定位器 Orthopedic locator | Φ3.2 | 424-054 | 1 |  |
| 20 | | Φ4.5 | 424-055 | 1 | |
| 21 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 410-206 | 1 |  |
| 22 | 持钉镊 Nail tweezers | 大 | 418-610 | 1 |  |
| 23 | 快装手柄(T型III) Quick installation handle (T-type III) | \ | 424-080 | 1 |  |

# LHC 空心钉（下肢）器械

## LHC hollow nail (lower limb) instrument




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 24 | LHC空心螺钉(下肢)器械箱 LHC hollow screw (lower limb) instrument box | \ | 424-060 | 1 |  |
| 25 | 托盘 tray | \ | 424-061 | 1 |  |
| 26 | 铭牌 nameplate | \ | 424-062 | 2 |  |
| 27 | LHC钉盒 LHC nail box | Φ5.0 | 424-070 | 1 |  |
| 28 | | Φ6.0 | 424-071 | 1 |  |





# 金属缆索内固定系统器械

## Metal cable internal fixation system instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 剪切钳 Cutting pliers | \ | 304-081 | 1 |  |
| 2 | 骨科用穿线器 Orthopedic threading device | 小 | 426-010 | 1 |  |
| | | 大 | 426-011 | 1 | |
| 3 | 骨科用穿线器(直) Orthopedic threading device (straight) | Φ1.3 | 426-020 | 1 |  |
| 4 | 骨科用穿线器(弯) Orthopedic threading device (bend) | Φ1.3 | 426-030 | 1 |  |
| 5 | | Φ1.7 | 426-040 | 1 | |
| 6 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=3.0 | 426-110 | 1 |  |
| 7 | 折弯钳 Bending pliers | Φ2.5\Φ2.0 | 426-050 | 1 |  |
| 8 | 剪切钳 Cutting pliers | \ | 304-080 | 1 |  |
| 9 | 压缩钳 Compression pliersv | \ | 426-060 | 1 |  |
| 10 | 打入器 Impactor | M7 | 426-070 | 1 |  |
| 11 | 金属缆线收紧器(主体) Metal cable tightener (main body) | \ | 2100019 | 2 |  |
| 12 | 金属缆线收紧器(接头) Metal cable tightener (connector) | Φ1.7 | 2100020 | 2 |  |
| 13 | 器械箱 Equipment box | \ | 426-100 | 1 |  |
| 14 | 托盘 tray | 托盘 1 | 426-101 | 1 |  |
| 15 | | 托盘 2 | 426-102 | 1 |  |
| 16 | 铭牌 nameplate | \ | 426-103 | 2 |  |

# 金属髓内针器械

## Metal intramedullary needle instrument



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 开口锥(直形) Open cone (straight) | \ | 427-011 | 1 |  |
| 2 | 开口锥(弧形) Open cone (arc-shaped) | \ | 427-010 | 1 |  |
| 3 | 骨科钻头 Orthopedic drill bit | Φ2.7×115 | 427-020 | 2 |  |
| 4 | | Φ3.2×150 | 427-030 | 2 | |
| 5 | | Φ4.5×150 | 427-040 | 2 | |
| 6 | 导钻导向器(双头III) Drill guide (double head III) | Φ3.2-Φ4.5 | 418-053 | 1 |  |
| 7 | 打入器(III) Injector (III) | \ | 427-060 | 1 |  |
| 8 | 骨锤(I) Bone Hammer (I) | 11 | 425-361 | 1 |  |
| 9 | 打拔器 Puller | M10 | 427-080 | 1 |  |
| 10 | 剪断器(主体) Clipper (main body) | Φ4.1 | 427-090 | 1 |  |
| 11 | 剪断器(扳手) Clipper (wrench) | \ | 427-100 | 1 |  |
| 12 | 打入器(直形) Injector (straight) | Φ4.2 | 427-110 | 1 |  |
| 13 | 打入器(斜形) Injector (oblique) | Φ4 | 427-120 | 1 |  |
| 14 | 骨科用扳手(T型) Injector (oblique) | Φ3.5 | 427-130 | 1 |  |
| 15 | | Φ5.0 | 427-140 | 1 | |
| 16 | 取出钳 Remove the pliers | \ | 427-150 | 1 |  |
| 17 | 撬棒(复位板) Pry bar (reset board) | \ | 427-160 | 1 |  |






# 金属髓内针器械

## Metal intramedullary needle instrument


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 撬棒(复位杆) Pry bar (reset bar) | \ | 427-170 | 3 |  |
| 19 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4.5 | 427-180 | 1 |  |
| 20 | 弯棒器 Bending rod device | Φ4 | 427-190 | 2 |  |
| 21 | 钢针剪 Steel needle scissors | \ | 427-200 | 1 |  |
| 22 | 骨科用扳手(锁紧) Orthopedic wrench (locking) | Φ4.5 | 2080001 | 1 |  |
| 23 | 器械箱 Equipment box | \ | 427-210 | 1 |  |
| 24 | 托盘 tray | \ | 427-211 | 1 |  |
| 25 | | \ | 427-212 | 1 |  |
| 26 | 铭牌 | \ | 427-213 | 2 |   |

# 足踝矫形系统专用器械

## Special equipment for ankle orthopedic system

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(球头) Bone positioning needle (ball head) | Φ1.6×150-10 | 411-710 | 4 |  |
| | | Φ1.6×150-15 | 411-711 | 4 | |
| | | Φ1.6×150-20 | 411-712 | 4 | |
| | | Φ1.6×150-25 | 411-713 | 4 | |
| | | Φ1.6×150-30 | 411-714 | 4 | |
| | | Φ1.6×150-35 | 411-715 | 4 | |
| | | Φ1.6×150-40 | 411-716 | 4 | |
| 2 | 套管(球头定位针) Sleeve (ball head positioning needle) | \ | 430-660 | 1 |  |
| 3 | 加压钳(球头针) Pressure pliers (ball pins) | \ | 411-720 | 1 |  |
| 4 | 骨定位针(光杆I) Bone positioning needle (light rod I) | φ1.5×150 | 411-654 | 2 |  |
| 5 | 磨头(凹) Grinding head (concave) | φ1.6\φ14 | 430-580 | 1 |  |
| | | φ1.6\φ16 | 430-581 | 1 | |
| | | φ1.6\φ18 | 430-582 | 1 | |
| | | φ1.6\φ20 | 430-583 | 1 | |
| | | φ1.6\φ22 | 430-584 | 1 | |
| | | φ1.6\φ24 | 430-585 | 1 | |
| 6 | 磨头(凸) Grinding head (convex) | φ1.6\φ14 | 430-590 | 1 |  |
| | | φ1.6\φ16 | 430-591 | 1 | |
| | | φ1.6\φ18 | 430-592 | 1 | |
| | | φ1.6\φ20 | 430-593 | 1 | |
| | | φ1.6\φ22 | 430-594 | 1 | |
| | | φ1.6\φ24 | 430-595 | 1 | |
| 7 | 骨科撑开钳(双孔) Orthopedic brace (double hole) | φ1.6\φ2.5 | 430-143 | 1 |  |
| 8 | 压缩钳(双孔) Compression pliers (double hole) | φ1.6\φ2.5 | 430-153 | 1 |  |










# 足踝矫形系统专用器械

## Special equipment for ankle orthopedic system


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 9 | 骨科撑开钳(测量 I) Orthopedic Open Pliers (Measurement I) | \ | 430-131 | 1 |  |
| 10 | 骨刀 Osteotome | 5mm | 430-244 | 1 |  |
| | | 7mm | 430-245 | 1 | |
| | | 10mm | 430-246 | 1 | |
| | | 20mm | 430-247 | 1 | |
| 11 | 骨凿(阴I) Bone chisel (Yin I) | 12mm | 430-252 | 1 |  |
| 12 | 骨凿(阳I) Bone chisel (Yang I) | 12mm | 430-253 | 1 |  |
| 13 | 刮匙(I) Scratch key (I) | 3mm | 430-271 | 1 |  |
| | | 5mm | 430-272 | 1 | |
| 14 | 骨科撑开钳(II) Orthopedic Open Pliers (II) | 8mm | 430-720 | 1 |  |
| 15 | 骨科撑开钳(方叶片) Orthopedic opening forceps (square blade) | 15×12 | 430-291 | 1 |  |
| 16 | 复位钳(C型) Reset pliers (C-type) | 小 | 430-600 | 1 |  |
| 17 | 骨科撑开钳(单钩) Orthopedic opening forceps (single hook) | 11.5mm | 2050002 | 1 |  |
| | | 16mm | 2050003 | 1 | |

# 足踝矫形系统专用器械

## Special equipment for ankle orthopedic system





| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 咬骨钳(直) Bite-off forceps (straight) | 2mm | 2050004 | 1 |  |
| 19 | | 2.5mm | 2050005 | 1 | |
| 20 | | 3mm | 2050006 | 1 | |
| 21 | 咬骨钳(弯) Bone-biting forceps (curved) | 2mm | 2050007 | 1 |  |
| 22 | 咬骨钳(弯加长) Bite-off forceps (curved and extended) | 弯 | 2050014 | 1 |  |
| 23 | 咬骨钳(弯) Bite-off forceps (curved) | 2.5mm | 2050008 | 1 |  |
| 24 | 打入器(圆头Ⅰ) Driving tool (round head I) | φ5 | 2050009 | 1 |  |
| 25 | | φ8 | 2050010 | 1 | |
| 26 | 打入器(球头) Driving tool (ball head) | φ5 | 2050011 | 1 |  |
| 27 | | φ8 | 2050012 | 1 | |
| 28 | 通用器械箱(中配三层) Universal equipment box (medium, with three layers) | 箱体 | P000011 | 1 |  |
| 29 | | 箱盖 | P000012 | 1 |  |








# 足踝矫形系统专用器械

## Special equipment for ankle orthopedic system


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 30 | 足踝矫形系统器械 Ankle orthopedic system device | 上 | 2020021 | 1 |  |
| 31 | | 中 | 2020022 | 1 |  |
| 32 | | 下 | 2020023 | 1 |  |
| 1 | 足踝板盒 Ankle plate box | \ | 2050001 | 选配 Optional |  |
| 2 | 骨定位针(螺纹Ⅰ) Bone positioning pin (thread I) | φ1.5×150 | 411-651 | 选配 Optional |  |
| 3 | 咬骨钳(枪式) Bone-cutting forceps (gun type) | 5mm | 2050013 | 选配 Optional |  |
| 4 | 刮匙(I) Curette (I) | 7mm | 2050015 | 选配 Optional |  |

# 距下关节稳定器器械

## Ankle stabilizer device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 试模(II) Trial Model (II) | Φ5.5 | 430-740 | 1 |  |
| | | Φ6.5 | 430-741 | 1 | |
| | | Φ7.3 | 430-742 | 1 | |
| | | Φ8.5 | 430-743 | 1 | |
| | | Φ9.5 | 430-744 | 1 | |
| 2 | 试模(I) Trial Model (I) | Φ8.5 | 430-750 | 1 |  |
| | | Φ10 | 430-751 | 1 | |
| | | Φ11 | 430-752 | 1 | |
| | | Φ12 | 430-753 | 1 | |
| 3 | 剥离器 stripper | \ | 430-760 | 1 |  |
| 4 | 骨定位针(光杆I) Bone positioning needle (light rod I) | Φ2.0×250 | 418-012 | 2 |  |
| 5 | 夹持钳(I) Clamping pliers (I) | \ | 430-780 | 1 |  |
| 6 | 骨剪 bone shears | \ | 430-790 | 1 |  |
| 7 | 骨拉钩(通用) Bone pulling hook (universal) | \ | 411-730 | 2 |  |
| 8 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=4.0 | 430-800 | 1 |  |
| 9 | | S=4.5 | 430-801 | 1 | |
| 10 | 快装手柄(I) Quick installation handle (I) | \ | 101-247 | 1 |  |
| 11 | 距下关节稳定器器械箱 Distance joint stabilizer instrument box | 箱体 | 2060047 | 1 |  |
| 12 | | 箱盖 | 2060048 | 1 |  |
| 13 | | 托盘 | 2060049 | 1 |  |
| 14 | 距下关节稳定器钉盒 | | 2060053 | 1 |  |





# 髓内钉取出器械

## Intramedullary nail removal device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 连接杆 connecting rod | 1 | 431-010 | 1 |  |
| 2 | | 2 | 431-020 | 1 | |
| 3 | | 3 | 431-030 | 1 | |
| 4 | | 4 | 431-040 | 1 | |
| 5 | | 5 | 431-050 | 1 | |
| 6 | | 6 | 431-060 | 1 | |
| 7 | | 7 | 431-070 | 1 | |
| 8 | | 8 | 431-080 | 1 | |
| 9 | | 9 | 431-090 | 1 | |
| 10 | | 锥度 1 | 431-100 | 1 | |
| 11 | | 锥度 2 | 431-110 | 1 | |
| 12 | | 10 | 431-120 | 1 | |
| 13 | | 11 | 431-130 | 1 | |
| 14 | | 12 | 431-140 | 1 | |
| 15 | | 13 | 431-410 | 1 | |
| 16 | | 锥度 3 | 431-420 | 1 | |
| 17 | PFNA刀片起子 PFNA blade screwdriver | 左旋 | 431-150 | 1 |  |
| 18 | | 右旋 | 431-160 | 1 | |
| 19 | 六角起子 hex key | SW2.5*150 | 431-170 | 1 |  |
| 20 | | SW3.0*150 | 431-180 | 1 | |
| 21 | | SW3.5*150 | 431-190 | 1 | |
| 22 | | SW4.0*150 | 431-200 | 1 | |
| 23 | | SW4.5*150 | 431-210 | 1 | |
| 24 | | SW5.0*150 | 431-220 | 1 | |
| 25 | | SW8.0*150 | 431-430 | 1 | |
| 26 | | SW7.0*150 | 431-440 | 1 | |
| 27 | 一字起子 A screwdriver | 大号 | 431-230 | 1 |  |
| 28 | 梅花起子 Plum blossom screwdriver | T18*150 | 431-240 | 1 |  |
| 29 | | T20*150 | 431-250 | 1 | |
| 30 | | T25*150 | 431-260 | 1 | |
| 31 | 圆骨刀 Round bone knife | Φ6 | 431-270 | 1 |  |
| 32 | 打拔器连杆 Puller connecting rod | \ | 431-280 | 1 |  |

# 髓内钉取出器械

## Intramedullary nail removal device



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 33 | 打拔器把手 Puller handle | \ | 431-281 | 1 |  |
| 34 | 滑动骨锤 Sliding bone hammer | \ | 431-290 | 1 |  |
| 35 | 取出钳(强力) Remove the pliers (strong) | \ | 431-300 | 1 |  |
| 36 | 钻头 bit | Φ4 | 431-310 | 1 |  |
| 37 | | Φ5 | 431-311 | 1 | |
| 38 | | Φ6 | 431-312 | 1 | |
| 39 | 快装手柄 Quick installation handle | T 型 | 431-320 | 1 |  |
| 40 | 开口扳手 open end wrench | \ | 431-450 | 1 |  |
| 41 | 扳手(L型) Wrench (L-shaped) | \ | 431-330 | 1 |  |
| 42 | 打滑取出器(空心) Slippery extractor (hollow) | 400mm( 左旋 ) | 431-340 | 1 |  |
| 43 | 打滑取出器(150mm) Slippery extractor (150mm) | SW2.5 | 431-350 | 1 |  |
| 44 | | SW3.5 | 431-360 | 1 | |
| 45 | | SW4.0 | 431-370 | 1 | |
| 46 | 起子(万向) Screwdriver (universal) | SW5.0 | 431-380 | 1 |  |
| 47 | 刀片取出器 Blade extractor | 3# | 431-400 | 1 |  |
| 48 | 器械箱 Equipment box | \ | 431-390 | 1 |  |





# 外固定器（头颅骨盆环）器械

## External fixator (skull pelvic ring) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 固定环II Fixed ring II | 中 | 502-011 | 1 |  |
| 2 | 固定环I Fixed ring I | 中 | 502-060 | 1 |  |
| 3 | 延长固定夹 Extend the fixed clip | 6 | 502-030 | 12 |  |
| 4 | 连接杆 connecting rod | Φ6 | 502-040 | 4 |  |
| 5 | 固定环体(II) Fixed ring body (II) | 中 | 502-012 | 1 |  |
| 6 | 固定环体(I) Fixed ring body (I) | 中 | 502-023 | 2 |  |
| 7 | 调节块 Adjust Block | \ | 502-024 | 12 |  |

# 外固定器（头颅骨盆环）器械

## External fixator (skull pelvic ring) instrument



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 8 | 调节螺钉 Adjusting screw | \ | 502-025 | 12 |  |
| 9 | 螺钉 screw | M6×72 | 502-061 | 4 |  |
| 10 | | M6×27 | 502-031 | 16 | |
| 11 | 延长垫 Extended cushion | \ | 13300003 | 12 |  |
| 12 | 通丝杆 | \ | 13300002 | 4 |  |
| 13 | 夹块 Clamp block | \ | 502-022 | 8 |  |
| 14 | 球面六角螺母 Hexagon nuts with raised face | M6×7 | 502-041 | 60 |  |
| 1 | 骨科用扳手( 开口 ) Orthopedic wrench (open) | S=10 | 410-060 | 2 |  |
| 2 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S=4.0 | 418-564 | 1 |  |
| 3 | 骨科定位器 Orthopedic locator | \ | 1330001 | 1 |  |






# 骨盆重建手术器械

## Pelvic reconstruction surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 打入器(球头) Hammer (ball head) | Φ8 | 2010003 | 2 |  |
| 2 | 骨盆复位钳(侧向长) Pelvic reduction forceps (laterally long) | \ | 417-020 | 1 |  |
| 3 | 骨盆复位钳(侧向短) Pelvic reduction forceps (laterally short) | \ | 417-021 | 1 |  |
| 4 | 骨盆复位钳(直) Pelvic reduction forceps (straight) | \ | 417-022 | 1 |  |
| 5 | 骨盆复位钳(高低双爪) Pelvic reduction forceps (high and low claws) | 中 | 417-023 | 1 |  |
| 6 | 骨盆复位钳(双爪) Pelvic reduction forceps (double claws) | \ | 417-024 | 1 |  |
| 7 | 骨盆复位钳(髋臼) Pelvic reduction forceps (acetabulum) | \ | 417-025 | 1 |  |
| 8 | 骨盆复位钳(三爪) Pelvic reduction forceps (three claws) | \ | 417-026 | 1 |  |
| 9 | 骨盆复位钳(弧钳头) Pelvic reduction forceps (arc forceps head) | \ | 417-030 | 2 |  |
| 10 | 骨盆复位钳(平钳头) Pelvic reduction forceps (flat jaw) | \ | 417-031 | 2 |  |
| 11 | 持骨钳(小) Bone holding forceps (small) | \ | 417-040 | 1 |  |
| 12 | 持骨钳(大) Bone holding forceps (large) | \ | 417-041 | 1 |  |

# 骨盆重建手术器械

## Pelvic reconstruction surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 13 | 钢板弯曲钳 Steel plate bending pliers | \ | 417-050 | 1 |  |
| 14 | 持钉钳 Nail pliers | \ | 417-060 | 1 |  |
| 15 | 骨撬(II) Bone pry (II) | \ | 417-080 | 1 |  |
| 16 | 骨科钻头(软) Orthopedic drill bit (soft) | Φ2.5 | 417-090 | 2 |  |
| 17 | 骨科导向器(软钻用) Orthopedic guide (for soft drills) | Φ2.5 | 417-100 | 1 |  |
| 18 | 骨科用扳手(梅花万向) Orthopedic guide (for soft drills) | T15 | 2010001 | 1 |  |
| 19 | 钢板塑型片(直形) Steel plate plastic sheet (straight) | \ | 417-120 | 1 |  |
| 20 | 钢板塑型片(弧形) Steel plate plastic sheet (curved) | \ | 417-121 | 1 |  |
| 21 | 钢板弯曲器(I) Steel Plate Bender (I) | 左 | 419-350 | 1 |  |
| | | 右 | 419-351 | 1 | |
| 22 | 骨科钻头(III) Orthopedic drill bit (III) | Φ2.5 | 2030070 | 2 |  |
| 23 | | Φ3.0 | 417-141 | 2 | |
| 24 | 丝攻(II) Silk Attack (II) | HA3.5 | 406-022 | 1 |  |
| 25 | | HB4.0 | 406-023 | 1 | |
| 26 | 骨科导向器 (双头) Orthopedic guide (dual head) | φ2.5-φ3.5 | 419-331 | 1 |  |
| 27 | 骨科导向器(LC-DCP通用) Orthopedic guide (LC-DCP universal) | φ2.5-φ3.5 | 419-330 | 1 |  |
| 28 | 测深器(VI) Depth sounder (VI) | 0-110 | 430-680 | 1 |  |
| 29 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T15 | 2020045 | 1 |  |
| 30 | 持钉夹(HA II) Nail clamp (HA II) | HA3.5 | 419-490 | 1 |  |
| 31 | 骨拉钩(I) Bone pulling hook (I) | \ | 417-070 | 1 |  |





骨盆重建手术器械

Pelvic reconstruction surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 32 | 骨拉钩(II) Bone Pulling Hook (II) | \ | 417-071 | 1 |  |
| 33 | Φ3.5\Φ4.0螺钉盒 Φ 3.5 \ Φ 4.0 screw box | \ | 2020012 | 1 |  |
| 34 | 器械箱 Equipment box | \ | 417-150 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | S=2.5 | 417-110 | 1 |  |
| 2 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=2.5 | 417-160 | 1 |  |
| 3 | 持钉夹(HA II) Nail clamp (HA II) | HA3.5 | 419-112 | 1 |  |
| 锁定专用器械 Locking specialized equipment | | | | | |
| 1 | 骨科钻头(V) Orthopedic drill bit (V) | Φ2.8×230 | 2030071 | 2 |  |
| 2 | 骨科定位器 Orthopedic locator | Φ2.8 | 419-135 | 2 |  |
| 3 | 丝攻(IV) Silk Attack (IV) | LCP3.5 | 430-460 | 1 |  |
| 4 | 骨科导向器(LCPI) Orthopedic Guidebook (LCPI) | Φ2.8 | 2030043 | 2 |  |
| 5 | 快装手柄(T型II) Quick installation handle (T-type II) | \ | 411-660 | 1 |  |
| 6 | 骨科用扭力扳手(梅花II) Orthopedic torque wrench (Plum Blossom II) | T15 | 430-570 | 1 |  |
| 7 | 持钉夹(LCP II) Pin clamp (LCP II) | LCP3.5 | 419-500 | 1 |  |
| 1 | 骨科用扭力扳手(六方) Orthopedic torque wrench (hexagonal) | 1.5N·m | 419-164 | 选配 Optional |  |

# DHS\DCS 接骨板器械

## DHS/DCS bone plate instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨定位针(螺纹I) Bone positioning needle (thread I) | Φ3.2×230 | 408-010 | 2 |  |
| 2 | 丝攻(空心组合) Silk Attack (Hollow Combination) | \ | 408-020 | 1 |  |
| 3 | 骨科钻头(空心组合) Orthopedic drill bit (hollow combination) | \ | 408-040 | 1 |  |
| 4 | 测深器(VI) Depth sounder (VI) | \ | 408-050 | 1 |  |
| 5 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=5.0 | 408-060 | 1 |  |
| 6 | 快装手柄(T型II) Quick installation handle (T-type II) | \ | 408-070 | 1 | |
| 7 | 骨科用扳手(卸钉) Orthopedic wrench (nail removal) | \ | 408-071 | 1 |  |
| 8 | 骨科用扳手(拉紧杆) Orthopedic wrench (nail removal) | Φ4 | 408-080 | 1 | |
| 9 | 打入器(DHS) Injector (DHS) | Φ20 | 408-090 | 1 | |
| 10 | 打入器(DCS) Injector (DCS) | Φ9 | 408-091 | 1 |  |
| 11 | 骨科钻孔瞄准器(DHS) Orthopedic Drilling Sight (DHS) | / | 408-100 | 1 |  |
| 12 | 骨科钻孔瞄准器(DCS) Orthopedic drilling sight (DCS) | \ | 408-101 | 1 |  |
| 13 | 骨科钻头(V) Quick installation handle (T-type II) | Φ3.2×130 | 407-013 | 1 |  |
| | | Φ3.2×180 | 407-014 | 1 | |
| | | Φ4.5×150 | 407-015 | 1 | |
| 14 | 丝攻(II) Silk Attack (II) | HA4.5 | 407-022 | 1 |  |
| | | HB6.5 | 407-023 | 1 | |
| 15 | 骨科导向器(双头III) Orthopedic guide (double headed III) | ϕ3.2-ϕ4.5 | 418-053 | 1 |  |
| | 骨科导向器(双头I) Orthopedic guide (dual head I) | ϕ3.2-ϕ6.5 | 418-054 | 1 |  |





DHS\DCS 接骨板器械

DHS/DCS bone plate instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 骨科导向器(LC-DCP基础) Orthopedic guide device (LC-DCP foundation) | Φ3.2 | 418-065 | 1 |  |
| 17 | 测深器(IV) Depth sounder (IV) | \ | 418-541 | 1 |  |
| 18 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T25 | 418-562 | 1 |  |
| 19 | 持钉夹(HAII) Nail Holder (HAII) | HA4.5 | 418-690 | 1 |  |
| 20 | 骨科导向器(LC-DCP通用II) Orthopedic Guidance Device (LC-DCP Universal II) | ϕ3.2-ϕ4.5 | 418-064 | 1 |  |
| 21 | 骨科用扭力扳手(梅花) Orthopedic torque wrench (plum blossom) | 4.0N·m | 418-561 | 1 |  |
| 22 | 持钉夹(LCPII) Nail Clamp (LCPII) | LCP5.0 | 418-570 | 1 |  |
| 23 | 骨科钻头(III) Orthopedic drill bit (III) | Φ4.3 | 418-145 | 2 |  |
| 24 | 骨科定位器 Orthopedic locator | Φ4.3 | 418-531 | 1 |  |
| 25 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 26 | 丝攻(IV) Silk Attack (IV) | Φ5.0 | 418-152 | 1 |  |
| 27 | 骨科导向器(LCPV) Orthopedic guide device (LCPV) | Φ4.3 | 418-063 | 2 |  |
| 28 | 快装手柄(T型II) Quick installation handle (T-type II) | \ | 411-660 | 1 |  |
| 29 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S=4 | 418-564 | 1 |  |
| 30 | Φ4.5\Φ5.0\Φ6.5螺钉盒 Φ 4.5 \ Φ 5.0 \ Φ 6.5 screw box | \ | 2020014 | 1 | |
| 31 | 器械箱箱体(DHS\DCS) Instrument box body (DHS \ DCS) | \ | 408-111 | 1 | |
| 32 | 托盘1 Tray 1 | \ | 408-112 | 1 | |

# DHS\DCS 接骨板器械

## DHS/DCS bone plate instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 33 | 托盘2 Tray 2 | \ | 408-113 | 1 | |
| 34 | 铭牌 nameplate | \ | 408-114 | 2 | |
| 1 | 持钉夹(HAII) Nail Holder (HAII) | HA4.5 | 418-175 | 选配 Optional |  |
| 2 | 骨科用扳手（六方） Orthopedic wrench (hexagonal) | S=3.5 | 418-179 | 选配 Optional |  |
| 3 | 骨科用扭力扳手(六方) Orthopedic torque wrench (hexagonal) | 4.0NM | 418-250 | 选配 Optional |  |
| 4 | 持钉夹（LCP II） Orthopedic wrench (hexagonal) | LCP5.0 | 418-174 | 选配 Optional |  |






# 股骨颈动力钉板系统器械

## Femoral neck dynamic nail plate system instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科导向器(III) Orthopedic guide (III) | \ | 2030025 | 1 |  |
| 2 | 骨科定位器(II) Orthopedic locator (II) | \ | 2030026 | 1 |  |
| 3 | 骨定位针(螺纹) Bone positioning needle (threaded) | ϕ3.2×400 | 425-040 | 5 |  |
| 4 | 测深器( X ) Depth sounder (X) | ϕ3.2 | 2030028 | 1 |  |
| 5 | 骨科定位架(V) Orthopedic positioning frame (V) | \ | 2030029 | 1 |  |
| 6 | 骨科定位架(VI) Orthopedic positioning frame (VI) | \ | 2030030 | 1 |  |
| 7 | 骨科用持钉器 Orthopedic nail holder | \ | 2030031 | 1 |  |
| 8 | 骨科钻头(VI) Orthopedic drill bit (VI) | ϕ4.3 | 2030032 | 2 |  |
| 9 | 骨科定位器(II) Orthopedic locator (II) | \ | 2030033 | 1 |  |
| 10 | 骨科导向器(IV) Orthopedic guide (IV) | \ | 2030034 | 1 |  |
| 11 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T25 | 2030035 | 1 |  |
| 12 | 套筒 sleeve | \ | 2030036 | 1 |  |
| 13 | 测深器(I) Depth sounder (I) | ϕ2.5 | 2030037 | 1 |  |
| 14 | 快装手柄(直型VI) Quick installation handle (straight type VI) | \ | 2020004 | 1 |  |
| 15 | 骨铰刀（III） Bone Reamer (III) | / | 2020005 | 1 |  |

# 股骨颈动力钉板系统器械

## Femoral neck dynamic nail plate system instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 护套(IV) Sheath (IV) | \ | 2030039 | 1 |  |
| 17 | 空心钻(IV) Hollow Drill (IV) | ϕ10.2 | 2030040 | 1 |  |
| 18 | 骨科用保护器 Orthopedic protector | \ | 2030058 | 1 |  |
| 19 | 扭力手柄 Torque handle | 4.0N·m | 2030059 | 1 |  |
| 20 | 骨科用扳手(柱形) Orthopedic wrench (cylindrical) | ϕ6 | 2030061 | 1 |  |
| 21 | 骨科用扳手(梅花自持) Orthopedic wrench (self holding plum blossom) | T25 | 2030060 | 1 |  |
| 22 | 器械箱 Equipment box | \ | 2030062 | 1 |  |
| 23 | 托盘 tray | \ | 2030076 | 1 |  |





# UHC 空心螺钉 ( 齿状突螺钉 ) 器械

## UHC hollow screw (serrated screw) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 开路器 Open device | \ | 2060005 | 1 |  |
| 2 | 护套 sheath | Φ1.6 | 2060006 | 1 |  |
| 3 | 测深器(I) Depth sounder (I) | \ | 2060007 | 1 |  |
| 4 | 骨科钻头(空心) Orthopedic drill bit (hollow) | Φ2.9 | 2060008 | 1 |  |
| 5 | 骨科导向器 Orthopedic guide device | Φ6.3 | 2060009 | 1 |  |
| 6 | 丝攻(II) Silk Attack (II) | Φ4 | 2060010 | 1 |  |
| 7 | 骨科用扳手( X X I) Orthopedic wrench (XX) | S=2.5 | 2060011 | 2 |  |
| 8 | 骨定位针(VI) Bone positioning needle (VI) | Φ1.5×610 | 2060020 | 2 |  |

# 骨盆微创 (6.5 空心钉 ) 器械

## Pelvic minimally invasive (6.5 hollow nail) instrument




| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 测深器( X ) Depth sounder (X) | Φ3.2 | 2060030 | 1 |  |
| 2 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×350 | 2060038 | 3 |  |
| 3 | 骨导引针(清洁II) Bone guide needle (Clean II) | Φ3.2 | 2060031 | 1 |  |
| 4 | 骨科导向器(III) Orthopedic guide (III) | Φ5.0 | 2060021 | 1 |  |
| 5 | 空心钻(I) Hollow drill (I) | Φ5.0 | 2060022 | 1 |  |
| 6 | 丝攻(空心) Silk attack (hollow) | Φ6.5 | 2060035 | 1 |  |
| 7 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=2.5 | 419-281 | 1 |  |
| 8 | 骨科定位器 Orthopedic locator | Φ5.0 | 418-532 | 1 |  |
| 9 | 埋头钻(空心 II ) Orthopedic wrench (L-shaped hexagonal) | Φ4.5 | 405-101 | 1 |  |
| 10 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=4.5 | 2060040 | 1 |  |
| 11 | 骨科用扳手(空心六方) Orthopedic wrench (hollow hexagonal) | S=4.5 | 2060032 | 1 |  |
| 12 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S=4.5 | 2060033 | 1 |  |
| 13 | | S=4.5 | 2060034 | 1 | |
| 14 | 持钉镊 Nail tweezers | 大 | 402-101 | 1 |  |
| 15 | 螺钉取出器(打滑II) Screw extractor (slip II) | Φ4.5 | 2060036 | 1 |  |
| 16 | 断钉取出器(III) Broken nail extractor (III) | Φ6.5 | 2060037 | 1 |  |
| 17 | 快装手柄(T型II) Quick installation handle (T-type II) | \ | 411-660 | 1 |  |





骨盆微创 (6.5 空心钉 ) 器械

Pelvic minimally invasive (6.5 hollow nail) instrument

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 6.5空心螺钉盒 6.5 Hollow Screw Box | \ | 2060042 | 1 |  |
| 19 | 器械箱 Equipment box | 箱体 | 2120004 | 1 |  |
| 20 | | 箱盖 | 2120003 | 1 |  |
| 21 | 骨盆微创(6.5空心钉)托盘 Pelvic minimally invasive (6.5 hollow nail) tray | \ | 2060041 | 1 |  |

# 肱骨多维锁定髓内钉器械

## Multi dimensional locking intramedullary nail device for humerus

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 快装手柄(T型I) Quick installation handle (T-shaped I) | \ | 425-210 | 1 |  |
| 2 | 打拔器(导针I) Puller (guide needle I) | \ | 425-350 | 1 |  |
| 3 | 骨科用扳手(开口) Orthopedic wrench (open) | SW11 | 414-470 | 1 |  |
| 4 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 5 | 骨锤(I) Bone Hammer (I) | \ | 425-361 | 1 |  |
| 6 | 骨科用扭力扳手(梅花II) Orthopedic torque wrench (Plum Blossom II) | T15 | 430-570 | 1 |  |
| 7 | 骨科用扳手(梅花I) Orthopedic wrench (plum blossom I) | T15 | 430-211 | 1 |  |
| 8 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ2.5×650 | 2070001 | 1 |  |
| 9 | 开口锥 Open cone | \ | 2070002 | 1 |  |
| 10 | 导钻(II) Guide Drill (II) | Φ12 | 2070003 | 1 |  |
| 11 | 骨撬 elevator | \ | 2070004 | 1 |  |
| 12 | 骨铰刀 Bone reamer | Φ2.5\Φ10 | 2070005 | 1 |  |
| 13 | | Φ2.5\Φ11.5 | 2070139 | 1 | |
| 14 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ2.5×230 | 2070006 | 3 |  |
| 15 | | Φ2.5×280 | 2070007 | 3 | |
| 16 | 模板 template | \ | 2070008 | 1 |  |





肱骨多维锁定髓内钉器械

Multi dimensional locking intramedullary nail device for humerus

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 17 | 快速连接杆(远端) Quick connect rod (far end) | M6 | 2070010 | 1 |  |
| 18 | 快速连接杆(近端) Quick connect rod (proximal end) | M8 | 2070151 | 2 |  |
| 19 | 测深器(II) Depth sounder (II) | \ | 2070014 | 1 |  |
| 20 | | \ | 2070015 | 1 | |
| 21 | 骨科钻头 Orthopedic drill bit | Φ3.2×330 | 2070016 | 2 |  |
| 22 | | Φ3.8×270 | 2070017 | 2 | |
| 23 | | Φ2.8×165 | 2070018 | 2 | |
| 24 | 骨科钻头(限位器) Orthopedic drill bit (limiter) | Φ3.2\Φ3.8 | 2070019 | 2 |  |
| 25 | | Φ2.8 | 2070020 | 2 | |
| 26 | 骨科钻头(埋头) Orthopedic drill bit (countersunk) | Φ7 | 2070021 | 1 |  |
| 27 | 护套(I) Sheath (I) | \ | 2070022 | 3 |  |
| 28 | 导钻(I) Guide drill (I) | Φ2.8 | 2070023 | 3 |  |
| 29 | 固定针(加压) Fixed needle (pressure) | \ | 2070024 | 1 |  |
| 30 | 护套(III) Sheath (III) | Φ10.1\Φ13 | 2070025 | 2 |  |
| 33 | | Φ8.1\Φ12 | 2070028 | 2 | |
| 31 | 护套(I) Sheath (I) | Φ3.9\Φ10 | 2070026 | 2 |  |
| 34 | | Φ3.5\Φ8 | 2070029 | 2 | |
| 32 | 骨锥(I) Bone cone (I) | Φ3.8 | 2070027 | 2 |  |
| 35 | | Φ3.4 | 2070030 | 2 | |
| 36 | 打拔器(滑锤) Puller (sliding hammer) | \ | 2070031 | 1 |  |
| 37 | 骨科用扳手(梅花) Orthopedic wrench (plum blossom) | T25 | 2070032 | 1 |  |
| 38 | | T25 | 2070166 | 1 | |
| 39 | 骨科用扳手(梅花快换) Orthopedic wrench (plum blossom quick change) | T25 | 2070034 | 1 |  |

# 肱骨多维锁定髓内钉器械

## Multi dimensional locking intramedullary nail device for humerus



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 40 | 骨科定位器 Orthopedic locator | \ | 2070037 | 1 |  |
| 41 | 骨科用扳手(开口) Orthopedic wrench (open) | \ | 2070038 | 1 |  |
| 42 | 测深器(I) Depth sounder (I) | \ | 2070039 | 1 |  |
| 43 | 快速连接杆(手把) Quick connect rod (handle) | M6 | 2070013 | 2 |  |
| 44 | 骨科定位器 Orthopedic locator | \ | 2070009 | 1 |  |
| 45 | 骨科定位杆(近端) Orthopedic positioning rod (proximal end) | \ | 2070011 | 1 |  |
| 46 | 骨科定位架(手把) Orthopedic positioning frame (handle) | \ | 2070012 | 1 |  |
| 47 | 骨科定位杆(远端) Orthopedic positioning rod (distal end) | \ | 2070040 | 1 |  |
| 48 | 骨科钻孔瞄准器(远端I) Orthopedic drilling sight (distal I) | \ | 2070041 | 1 |  |
| 49 | 通用器械箱(中配三层) General equipment box (with three layers of middle configuration) | 箱体 | P000011 | 1 |  |
| 50 | | 箱盖 | P000012 | 1 |  |







# 肱骨多维锁定髓内钉器械

## Multi dimensional locking intramedullary nail device for humerus


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 51 | 肱骨多维锁定髓内钉托盘 Multi dimensional locking intramedullary nail tray for humerus | 下 | 2070162 | 1 |  |
| 52 | | 中 | 2070163 | 1 |  |
| 53 | | 上 | 2070164 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 54 | 柔性扩髓器(双向II) Flexible pulp expander (bidirectional II) | Φ2.5\Φ6.5 | 2070158 | 1 |  |
| 55 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5/Φ3.3×650 | 2070159 | 1 |  |
| 56 | 髓腔铰刀(I) Marrow cavity reamer (I) | Φ2.5\Φ6.5 | 2070160 | 1 |  |
| 57 | | Φ2.5\Φ7 | 2070161 | 1 | |
| 58 | | ф2.5\ф7.5 | 414-390 | 1 | |
| 59 | | ф2.5\ф8.0 | 414-391 | 1 | |
| 60 | | ф2.5\ф8.5 | 414-392 | 1 | |
| 61 | 髓腔铰刀(II) Marrow cavity reamer (II) | ф2.5\ф9 | 414-400 | 1 |  |
| 62 | | ф2.5\ф9.5 | 414-401 | 1 | |
| 63 | | ф2.5/ф10 | 414-402 | 1 | |
| 64 | 肱骨髓腔铰刀盒 Humeral medullary cavity reamer box | 8 孔 | 2070197 | 1 |  |
| 65 | 肱骨髓内钉钉盒(中配) Brachial bone marrow nail box (middle configuration) | \ | 2070165 | 1 |  |

# PFNA 髓内钉（标准钉）器械

## PFNA intramedullary nail (standard nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科定位架(远端Ⅰ) Orthopedic positioning frame (distal I) | Φ11 | 425-683 | 1 |  |
| 2 | 骨科定位架(手把I) Orthopedic positioning frame (handle I) | \ | 2070213 | 1 |  |
| 3 | 骨科定位架(远端Ⅰ) Orthopedic positioning frame (distal I) | \ | 2070049 | 1 |  |
| 4 | 模板(显影) Template (development) | \ | 2070088 | 1 |  |
| 5 | PFNA标准钉器械托盘下 Under the PFNA standard nail instrument tray | \ | 2070098 | 1 |  |
| PFNA 通用器械（适用于标准钉、加长钉） PFNA universal device (applicable to standard nails and extended nails) | | | | | |
| 6 | 骨科定位架(近端Ⅰ) Orthopedic positioning frame (proximal I) | Φ11 | 425-684 | 1 |  |
| 7 | | \ | 2070048 | 1 | |
| 8 | 骨科定位架(手把Ⅱ) | \ | 2070047 | 1 |  |
| 9 | 开口锥 Open cone | Φ4.5 | 425-020 | 1 |  |
| 10 | 测深器(Ⅱ) Depth sounder (II) | 170 | 425-030 | 1 |  |
| 11 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×400 | 425-040 | 3 |  |
| 12 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×400 | 425-050 | 3 |  |
| 13 | 骨导引针(清洁Ⅰ) Bone guide needle (clean I) | Φ2.8 | 425-070 | 1 |  |
| 14 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 2 |  |
| 15 | 骨科定位器(限位Ⅰ) Orthopedic locatwor (limit I) | Φ4 | 425-090 | 1 |  |
| 16 | 骨科用扳手(六方Ⅱ) Orthopedic wrench (hexagonal II) | S3 | 425-100 | 1 |  |
| 17 | 骨锥(定位杆) Bone cone (positioning rod) | Φ4 | 425-110 | 2 |  |





PFNA 髓内钉（标准钉）器械

PFNA intramedullary nail (standard nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 18 | 护套(Ⅱ) Orthopedic wrench (hexagonal II) | Φ4/Φ8 | 425-120 | 2 |  |
| 19 | 护套(Ⅰ) Sheath (I) | Φ8/Φ11 | 425-130 | 2 |  |
| 20 | 快装手柄(直型) Quick installation handle (straight type) | Φ8 | 425-191 | 1 |  |
| 21 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW8 | 425-200 | 1 |  |
| 22 | 快装手柄(T型Ⅰ) Quick installation handle (T-type I) | Φ8 | 425-210 | 1 |  |
| 23 | 骨科用扳手(六方万向快换) Orthopedic wrench (hexagonal universal quick change) | SW4 | 2070099 | 1 |  |
| 24 | 骨科用扳手(手柄锁定Ⅰ) Orthopedic wrench (handle locking I) | S=4 | 2070124 | 1 |  |
| 25 | 骨科用扳手(加压螺钉持杆) Orthopedic wrench (pressure screw holder) | Φ2.4 | 2070125 | 1 |  |
| 26 | 股骨髓腔对线手柄套(Ⅰ) Femoral canal alignment handle sleeve (Ⅰ) | Φ10.9 | 425-310 | 1 |  |
| 27 | 护套(Ⅴ) Sheath (V) | Φ3.2/Φ10.9 | 425-320 | 1 |  |
| 28 | 骨锥 bone awl | Φ3.2 | 425-330 | 1 |  |
| 29 | 骨锤(Ⅰ) Bone Hammer (I) | 11 | 425-361 | 1 |  |
| 30 | 测深器(Ⅰ) Depth sounder (I) | Φ3.4 | 425-370 | 1 |  |
| 31 | 打拔器(加压) Puller (pressurized) | M4 | 425-380 | 1 |  |
| 32 | 打入器(Ⅰ) Injector (I) | M8 | 425-390 | 1 |  |
| 33 | 髓腔扩大钻(Ⅰ) Expansion drill of medullary cavity (Ⅰ) | Φ3.2/Φ17 | 425-400 | 1 |  |

# PFNA 髓内钉（标准钉）器械

## PFNA intramedullary nail (standard nail) device



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 34 | 导钻（Ⅰ） Guide drill (I) | Φ17 | 425-410 | 1 |  |
| 35 | 骨科钻孔瞄准器（多孔Ⅰ） Orthopedic drilling sight (porous I) | Φ17 ／ Φ3.2 | 425-420 | 1 |  |
| 36 | 取钉器（Ⅰ） Nail extractor (I) | M8 | 425-430 | 1 |  |
| 37 | 骨科用扳手(螺旋刀片) Orthopedic wrench (spiral blade) | S=4.5 | 425-440 | 1 |  |
| 38 | 骨科用扳手（手柄锁定Ⅰ） Orthopedic wrench (handle locking I) | S=3.5 | 425-451 | 1 |  |
| 39 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S3.5 | 2070086 | 1 |  |
| 40 | 拔出器(螺旋刀片) Puller (spiral blade) | S=4.5 | 425-460 | 1 |  |
| 41 | 骨科用扳手(开口) Orthopedic wrench (open) | SW11 | 425-471 | 1 |  |
| 42 | 髓腔扩大钻(近端Ⅰ) Spinal cavity enlargement drill (proximal I) | Φ10.4 | 425-520 | 1 |  |
| 43 | 骨撬 elevator | Φ4.2 ／ Φ7 | 425-530 | 1 |  |
| 44 | 骨铰刀（Ⅰ） Bone Reamer（Ⅰ） | Φ10.9/Φ3.2 | 425-540 | 1 |  |
| 45 | 快速连接杆(手把) Quick connect rod (handle) | M12 | 425-560 | 2 |  |
| 46 | 快速连接杆(短杆) Quick connect rod (short rod) | M8 | 425-640 | 2 |  |
| 47 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 48 | 打拔器(螺旋刀片Ⅰ) Puller (Spiral Blade I) | M10 | 425-670 | 1 |  |
| 49 | 通用器械箱体 General equipment box | 箱体 | P000011 | 1 |  |
| 50 | | 箱盖 | P000012 | 1 |  |





# PFNA 髓内钉（标准钉）器械

## PFNA intramedullary nail (standard nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 51 | PFNA通用托盘上 On PFNA universal tray | 盘上 | 2070144 | 1 |  |
| 52 | | 盘中 | 2070143 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 53 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5/Φ4.0×650 | 432-010 | 1 |  |
| 54 | 护套（Ⅰ） Sheath (I) | Φ3.2/Φ5.6 | 425-060 | 2 |  |
| 55 | 锁针加压器（Ⅰ） Lock needle pressure device (I) | \ | 425-340 | 1 |  |
| 56 | 打拔器(导针Ⅰ) Puller (guide needle I) | Φ5 | 425-350 | 1 |  |
| 57 | 柔性扩髓器(双向Ⅱ) Flexible pulp expander (bidirectional II) | φ2.5/φ8 | 425-500 | 1 |  |
| 58 | 髓腔铰刀（Ⅰ） Marrow cavity reamer（Ⅰ） | φ2.5/φ8.5 | 425-510 | 1 |  |
| 59 | 髓腔铰刀（Ⅱ） Marrow cavity reamer (II) | φ2.5/φ9 | 425-511 | 1 |  |
| 60 | | φ2.5/φ9.5 | 425-512 | 1 | |
| 61 | | φ2.5/φ10 | 425-513 | 1 | |
| 62 | | φ2.5/φ10.5 | 425-514 | 1 | |
| 63 | | φ2.5/φ11 | 425-515 | 1 | |
| 64 | | φ2.5/φ11.5 | 425-516 | 1 | |
| 65 | | φ2.5/φ12 | 425-517 | 1 | |
| 66 | | φ2.5/φ12.5 | 425-518 | 1 | |
| 67 | | φ2.5/φ13 | 425-519 | 1 | |

# PFNA 髓内钉（标准钉）器械

PFNA intramedullary nail (standard nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 68 | 骨用牵开器 Bone retraction device | Φ16 | 425-620 | 1 |  |
| 69 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S4.5 | 425-441 | 1 |  |
| 70 | 骨科用扳手（手柄锁定Ⅰ） Orthopedic wrench (handle locking I) | S3.5 | 2070145 | 1 |  |
| 71 | 快速连接杆（加压） Quick connect rod (pressurized) | M6 | 2070141 | 1 |  |
| 72 | PFNA髓内钉钉盒 PFNA intramedullary nail box | \ | 2070202 | 1 |  |





# 股骨髁上倒置髓内钉器械

Inverted intramedullary nail device on femoral condyle

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 开口锥 Open cone | Φ4.1 | 414-320 | 1 |  |
| 2 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×340 | 2070128 | 3 |  |
| 3 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×400 | 425-040 | 2 |  |
| 4 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 3 |  |
| 5 | 骨科定位器(限位I) Orthopedic locator (limit I) | Φ4.0 | 425-090 | 1 |  |
| 6 | 骨科用扳手(六方II) Orthopedic wrench(hexagonal II) | S3 | 425-100 | 1 |  |
| 7 | 快装手柄(直型) Quick installation handle (straight type) | Φ8 | 425-191 | 1 |  |
| 8 | 快装手柄(T型I) Quick installation handle (T-shaped I) | Φ8 | 425-210 | 1 |  |
| 9 | 打拔器(导针I) Puller (guide needle I) | Φ5 | 425-350 | 1 |  |
| 10 | 骨锤(I) Bone Hammer (I) | 11 | 425-361 | 1 |  |
| 11 | 骨科用扳手(开口) Orthopedic wrench (open) | S=11 | 414-470 | 1 |  |
| 12 | 柔性扩髓器(双向II) Flexible pulp expander (bidirectional II) | Φ2.5\Φ8 | 425-500 | 2 |  |
| 13 | 髓腔铰刀(I) Marrow cavity reamer (I) | ϕ2.5\ϕ8.5 | 425-510 | 1 |  |

# 股骨髁上倒置髓内钉器械

## Inverted intramedullary nail device on femoral condyle


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 14 | 髓腔铰刀(II) | φ2.5\φ9 | 425-511 | 1 |  |
| 15 | | φ2.5\φ9.5 | 425-512 | 1 | |
| 16 | | φ2.5\φ10 | 425-513 | 1 | |
| 17 | | φ2.5\φ10.5 | 425-514 | 1 | |
| 18 | | φ2.5\φ11 | 425-515 | 1 | |
| 19 | | φ2.5\φ11.5 | 425-516 | 1 | |
| 20 | | φ2.5\φ12 | 425-517 | 1 | |
| 21 | | φ2.5\φ12.5 | 425-518 | 1 | |
| 22 | | φ2.5\φ13 | 425-519 | 1 | |
| 23 | 髓腔铰刀盒 Marrow cavity reamer box | 10 孔 | 2070134 | 1 |  |
| 24 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW6.5 | 414-790 | 1 |  |
| 25 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5\Φ4.0×1000 | 425-010 | 1 |  |
| 26 | 骨撬 elevator | φ4.2 ／ φ7 | 425-530 | 1 |  |
| 27 | 护套(I) Sheath (I) | Φ8.1 \Φ10 | 2070199 | 2 |  |
| 28 | 护套(II) Sheath (II) | Φ4\Φ8.1 | 2070200 | 2 |  |
| 29 | 骨锥 bone awl | Φ4 | 2070201 | 2 |  |
| 30 | 导钻(手柄) Guide drill (handle) | φ5 | 432-130 | 1 |  |
| 31 | 骨科钻头(软钻) Orthopedic drill bit (soft drill) | φ8 | 432-140 | 1 |  |
| 32 | 骨科用扳手(六方万向快换) Orthopedic wrench (hexagonal universal quick change) | S=5.0 | 432-330 | 1 |  |
| 33 | 测深器(III) Depth sounder (III) | \ | 2070063 | 1 |  |
| 34 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | SW4.5 | 2070058 | 1 |  |








股骨髁上倒置髓内钉器械

Inverted intramedullary nail device on femoral condyle

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 35 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S4.5 | 2070214 | 1 |  |
| 36 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | SW5 | 2070206 | 1 |  |
| 37 | 打入器(I) Injector (I) | M8 | 2070082 | 1 |  |
| 38 | 取钉器(I) Nail extractor (I) | φ8 | 2070083 | 1 |  |
| 39 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 40 | 导钻(II) Guide Drill (II) | φ17.5 | 432-110 | 1 |  |
| 41 | 骨科钻孔瞄准器(多孔II) Orthopedic drilling sight (porous II) | φ17\φ3.2 | 432-120 | 1 |  |
| 42 | 模板(II) Template (II) | \ | 2070077 | 1 |  |
| 43 | 快速连接杆(手把) Quick connect rod (handle) | M8 | 2070059 | 2 |  |
| 44 | 骨科定位架(手把III) Orthopedic positioning frame (handle III) | \ | 2070060 | 1 |  |
| 45 | 骨科定位架(近端松质骨) Orthopedic positioning frame (proximal cancellous bone) | \ | 2070061 | 1 |  |
| 46 | 骨科定位架(远端导杆II) Orthopedic positioning frame (distal guide rod II) | 160-420 | 2070064 | 1 |  |
| 47 | 骨科定位架(远端瞄准器II) Orthopedic positioning frame (distal sight II) | Φ8 | 2070155 | 1 |  |
| 48 | 骨科定位架(远端瞄准器I) Orthopedic positioning frame (distal sight I) | Φ10 | 2070156 | 1 |  |
| 49 | 快速连接杆(短杆) Quick connect rod (short rod) | M8 | 2070210 | 1 |  |
| 50 | 护套(I) Sheath (I) | Φ8.1\Φ10 | 2070154 | 1 |  |

# 股骨髁上倒置髓内钉器械

## Inverted intramedullary nail device on femoral condyle

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 51 | 通用器械(中配三层) General equipment (with three layers of intermediate configuration) | \ | P000011 | 1 |  |
| 52 | | \ | P000012 | 1 |  |
| 53 | 股骨髁上倒置髓内钉托盘 | 下 | 2070075 | 1 |  |
| 54 | | 54 | 2070076 | 1 |  |
| 55 | | 55 | 2070078 | 1 |  |
| 56 | 股骨髁上倒置髓内钉钉盒 Inverted intramedullary nail box on femoral condyle | \ | 2070204 | 1 |  |








# 股骨联合加压髓内钉器械

## Femoral combined compression intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 开口锥 Open cone | Φ4.5 | 425-020 | 1 |  |
| 2 | 测深器(II) Depth sounder (II) | 170 | 425-030 | 1 |  |
| 3 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×400 | 425-040 | 1 |  |
| 4 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×400 | 425-050 | 1 |  |
| 5 | 骨导引针(清洁I) Bone guide needle (clean I) | Φ2.8 | 425-070 | 1 |  |
| 6 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 2 |  |
| 7 | 骨科定位器(限位器I) Orthopedic locator (limiter I) | Φ4.0 | 425-090 | 1 |  |
| 8 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S=3 | 425-100 | 1 |  |
| 9 | 骨锥(定位杆) Bone cone (positioning rod) | Φ4.0 | 425-110 | 2 |  |
| 10 | 护套(II) Sheath (II) | Φ4\Φ8 | 425-120 | 2 |  |
| 11 | 护套(I) Sheath (I) | Φ8\Φ11 | 425-130 | 2 | |
| 12 | 快装手柄(直型) Quick installation handle (straight type) | \ | 425-191 | 1 |  |
| 13 | 快装手柄(T型I) Quick installation handle (T-shaped I) | \ | 425-210 | 1 |  |

# 股骨联合加压髓内钉器械

## Femoral combined compression intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 14 | 骨锤(I) Bone Hammer (I) | \ | 425-361 | 1 |  |
| 15 | 骨科用扳手(开口) Orthopedic wrench (open) | S=11 | 414-470 | 1 |  |
| 16 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S3.5 | 425-451 | 1 |  |
| 17 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S3.5 | 2070086 | 1 |  |
| 18 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW6.5 | 414-790 | 1 |  |
| 19 | 骨科定位架(手把V) Orthopedic positioning frame (handle V) | Φ11 | 432-050 | 1 |  |
| 20 | 骨科定位架(近端IV) Orthopedic positioning frame (proximal IV) | 125° | 432-060 | 1 |  |
| 21 | 骨科定位架(近端IV) Orthopedic positioning frame (proximal IV) | 130° | 432-070 | 1 |  |
| 22 | 骨科定位架(远端IV) Orthopedic positioning frame (distal IV) | Φ6.4 | 432-080 | 1 |  |
| 23 | 股骨髓腔对线手柄套(II) Femoral canal alignment handle sleeve (II) | \ | 432-090 | 1 |  |
| 24 | 护套(VIII) Sheath (VIII) | Φ4 | 432-100 | 1 |  |
| 25 | 导钻(II) Guide Drill (II) | Φ17.5 | 432-110 | 1 |  |
| 26 | 骨科钻孔瞄准器(多孔II) Orthopedic drilling sight (porous II) | Φ17\Φ3.2 | 432-120 | 1 |  |
| 27 | 导钻(手柄) Guide drill (handle) | Φ5 | 432-130 | 1 |  |






股骨联合加压髓内钉器械

Femoral combined compression intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 28 | 骨科钻头(软钻) Orthopedic drill bit (soft drill) | Φ8 | 432-140 | 1 |  |
| 29 | 髓腔扩大钻(II) Spinal cavity enlargement drill (II) | Φ16 | 432-150 | 1 |  |
| 30 | 髓腔扩大钻(II) Spinal cavity enlargement drill (II) | Φ17 | 432-160 | 1 |  |
| 31 | 模板(显影) Template (development) | \ | 432-170 | 1 |  |
| 32 | 快速连接杆(手把) Quick connect rod (handle) | M11 | 432-180 | 2 |  |
| 33 | 护套(IV) Sheath (IV) | Φ3.5 | 432-200 | 1 |  |
| 34 | 骨科钻头(加压开口) Orthopedic drill bit (pressure opening) | Φ7 | 432-210 | 1 |  |
| 35 | 骨科钻头(加压) Orthopedic drill bit (pressurized) | Φ7 | 432-220 | 1 |  |
| 36 | 骨科定位器(抗旋) Orthopedic locator (anti rotation) | 3 | 432-230 | 1 |  |
| 37 | 骨科钻头(限位空心) Orthopedic drill bit (limited hollow) | Φ10.9 | 432-240 | 1 |  |
| 38 | 丝锥 tap | Φ10.9\Φ3.4 | 432-250 | 1 |  |
| 39 | 骨科用扳手(拉力螺钉) Orthopedic wrench (tension screw) | Φ11.1 | 432-260 | 1 |  |
| 40 | 骨科用扳手(拉力螺钉持杆) Orthopedic wrench (tension screw holder) | Φ4.5 | 2070216 | 1 |  |
| 41 | 骨科定位器(II) Orthopedic locator (II) | Φ10.7 | 432-280 | 1 |  |
| 42 | 骨科用扳手(加压螺钉) Orthopedic wrench (pressure screw) | S5 | 432-290 | 1 |  |
| 43 | 骨科用扳手(加压螺钉持杆) Orthopedic wrench (pressure screw holder) | Φ3.5 | 432-300 | 1 |  |
| 44 | 骨科用扳手(万向) Orthopedic wrench (universal) | S=5.0 | 432-320 | 1 |  |

# 股骨联合加压髓内钉器械

## Femoral combined compression intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 45 | 骨科用扳手(六方万向快换) Orthopedic wrench (hexagonal universal quick change) | SW5 | 432-330 | 1 |  |
| 46 | 测深器(IV) Depth sounder (IV) | 42 | 432-360 | 1 |  |
| 47 | 骨科用扳手(尾帽万向) Orthopedic wrench (tail cap universal) | S5 | 2070136 | 1 |  |
| 48 | 骨科用扳手(拉力螺钉持杆) Orthopedic wrench (tension screw holder) | Φ3.5 | 2070137 | 1 |  |
| 49 | 打入器(I) Injector (I) | M8 | 2070082 | 1 |  |
| 50 | 取钉器(I) Nail extractor (I) | Φ8 | 2070083 | 1 |  |
| 51 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×340 | 2070128 | 2 |  |
| 52 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×340 | 2070129 | 2 |  |
| 53 | 通用器械箱(中配三层) General equipment box (with three layers of middle configuration) | 箱体 | P000011 | 1 |  |
| 54 | | 箱盖 | P000012 | 1 |  |
| 55 | 股骨联合加压髓内钉托盘 Femoral compression intramedullary nail tray | 下 | 2070147 | 1 |  |
| 56 | | 中 | 2070148 | 1 |  |
| 57 | | 上 | 2070149 | 1 |  |
| 选配器械 Optional equipment | | | | | |
| 58 | 柔性扩髓器(双向II) Flexible pulp expander (bidirectional II) | Φ2.5\Φ8 | 432-030 | 选配 |  |






股骨联合加压髓内钉器械

Femoral combined compression intramedullary nail device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 59 | 骨撬 elevator | Φ4.2 ／ Φ7 | 432-020 | 1 |  |
| 60 | 骨导引针(球头) Marrow cavity reamer (I) | Φ2.5/Φ4.0×650 | 432-010 | 1 |  |
| 61 | 髓腔铰刀(I) Marrow cavity reamer (I) | Φ2.5\Φ8.5 | 425-510 | 1 |  |
| 62 | 髓腔铰刀(II) Marrow cavity reamer (II) | Φ2.5\Φ9 | 425-511 | 1 |  |
| 63 | | Φ2.5\Φ9.5 | 425-512 | 1 | |
| 64 | | Φ2.5\Φ10 | 425-513 | 1 | |
| 65 | | Φ2.5\Φ10.5 | 425-514 | 1 | |
| 66 | | Φ2.5\Φ11 | 425-515 | 1 | |
| 67 | | Φ2.5\Φ11.5 | 425-516 | 1 | |
| 68 | | Φ2.5\Φ12 | 425-517 | 1 | |
| 69 | | Φ2.5\Φ12.5 | 425-518 | 1 | |
| 70 | | Φ2.5\Φ13 | 425-519 | 1 | |
| 71 | 髓腔铰刀盒 Marrow cavity reamer box | 10 孔 | 2070134 | 1 |  |
| 72 | 打拔器(导针I) Puller (guide needle I) | \ | 425-350 | 1 |  |
| 73 | 骨铰刀(I) Bone Reamer (I) | Φ10.9\Φ3.2 | 432-040 | 1 |  |
| 74 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S3.5 | 2070145 | 1 |  |
| 75 | 快速连接杆(加压) Quick connect rod (pressurized) | M6 | 2070141 | 1 |  |
| 76 | 转接头(II) Adapter (II) | Φ8 | 432-190 | 1 |  |
| 77 | 股骨联合加压髓内钉钉盒 Femoral compression intramedullary nail box | \ | 2070205 | 选配 |  |

# PFNA髓内钉(加长钉)器械

## PFNA intramedullary nail (extended nail) device



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科定位架(定位针) Orthopedic positioning frame (positioning needle) | Φ6 | 425-681 | 1 |  |
| 2 | 骨科定位架(远端瞄准器II) Orthopedic positioning frame (distal sight II) | Φ6 | 425-682 | 1 |  |
| 3 | 骨科定位架(远端导杆I) Orthopedic positioning frame (distal guide rod I) | Φ8 | 425-685 | 1 |  |
| 4 | 骨科定位架(近端导杆I) Orthopedic positioning frame (proximal guide rod I) | Φ8 | 425-686 | 1 |  |
| 5 | 骨科定位架(护套) Orthopedic positioning frame (sheath) | Φ11 | 425-688 | 1 |  |
| 6 | 骨科定位架(手把I) Orthopedic positioning frame (handle I) | \ | 425-687 | 1 |  |
| 7 | 骨导引针(球头) Bone guide needle (ball head) | Φ2.5\Φ4.0×1000 | 425-010 | 1 |  |
| 8 | 骨锥(定位杆) Bone cone (positioning rod) | Φ5.2 | 425-150 | 1 |  |
| 9 | 护套(I) Sheath (I) | Φ5.2\Φ8 | 425-160 | 1 |  |
| 10 | 骨科钻头 Orthopedic drill bit | Φ5.2×250 | 425-140 | 1 |  |
| 11 | 骨科钻头(平头) Orthopedic drill bit (flat head) | Φ5.2 | 425-170 | 1 |  |
| 12 | 模板(II) Template (II) | \ | 425-490 | 1 |  |
| 13 | 快速连接杆(长钉近端) Quick connect rod (proximal end of long nail) | M8 | 425-570 | 1 |  |
| 14 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S5 | 425-580 | 1 |  |
| 15 | 快速连接杆(长钉远端) Quick connecting rod (distal end of long nail) | M6 | 425-590 | 1 |  |





PFNA髓内钉(加长钉)器械

PFNA intramedullary nail (extended nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 16 | 快速连接杆(瞄准架锁轮) Quick connect rod (aiming frame lock wheel) | M6 | 425-600 | 1 |  |
| 17 | 柔性扩髓器(双向II) Flexible pulp expander (bidirectional II) | Φ2.5\Φ8 | 425-500 | 2 |  |
| 18 | 髓腔铰刀(I) Marrow cavity reamer (I) | Φ2.5\Φ8.5 | 425-510 | 1 |  |
| 19 | 髓腔铰刀(II) Marrow cavity reamer (II) | Φ2.5\Φ9 | 425-511 | 1 |  |
| 20 | | Φ2.5\Φ9.5 | 425-512 | 1 | |
| 21 | | Φ2.5\Φ10 | 425-513 | 1 | |
| 22 | | Φ2.5\Φ10.5 | 425-514 | 1 | |
| 23 | 髓腔铰刀(II) Marrow cavity reamer (II) | Φ2.5\Φ11 | 425-515 | 1 |  |
| 24 | | Φ2.5\Φ11.5 | 425-516 | 1 | |
| 25 | | Φ2.5\Φ12 | 425-517 | 1 | |
| 26 | | Φ2.5\Φ12.5 | 425-518 | 1 | |
| 27 | | Φ2.5\Φ13 | 425-519 | 1 | |
| 28 | 髓腔铰刀盒 Marrow cavity reamer box | 10 孔 | 2070134 | 1 |  |
| 29 | 打拔器(导针I) Puller (guide needle I) | Φ5 | 425-350 | 1 |  |
| 30 | PFNA加长钉托盘下 Under the PFNA extended nail tray | \ | 2070142 | 1 |  |
| PFNA 通用器械（适用于标准钉、加长钉） PFNA universal device (applicable to standard nails and extended nails) | | | | | |
| 31 | 骨科定位架(近端I) Orthopedic positioning frame (proximal I) | Φ11 | 425-684 | 1 |  |
| 32 | 骨科定位架(近端I) Orthopedic positioning frame (proximal I) | \ | 2070048 | 1 |  |

# PFNA髓内钉(加长钉)器械

## PFNA intramedullary nail (extended nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 33 | 骨科定位架(手把II) Orthopedic positioning frame (handle II) | \ | 2070047 | 1 |  |
| 34 | 开口锥 Open cone | Φ4.5 | 425-020 | 1 |  |
| 35 | 测深器(II) Depth sounder (II) | 170 | 425-030 | 1 |  |
| 36 | 骨定位针(螺纹) Bone positioning needle (threaded) | Φ3.2×400 | 425-040 | 3 |  |
| 37 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ3.2×400 | 425-050 | 3 |  |
| 38 | 骨导引针(清洁I) Bone guide needle (clean I) | Φ2.8 | 425-070 | 1 |  |
| 39 | 骨科钻头 Orthopedic drill bit | Φ4.0×300 | 425-080 | 2 |  |
| 40 | 骨科定位器(限位I) Orthopedic locator (limit I) | Φ4 | 425-090 | 1 |  |
| 41 | 骨科用扳手(六方II) Orthopedic wrench (hexagonal II) | S3 | 425-100 | 1 |  |
| 42 | 骨锥(定位杆) Bone cone (positioning rod) | Φ4 | 425-110 | 2 |  |
| 43 | 护套(II) Sheath (II) | Φ4\Φ8 | 425-120 | 2 |  |
| 44 | 护套(I) Sheath (I) | Φ8\Φ11 | 425-130 | 2 |  |
| 45 | 快装手柄(直型) Quick installation handle (straight type) | Φ8 | 425-191 | 1 |  |
| 46 | 骨科用扳手(六方万向) Orthopedic wrench (hexagonal universal) | SW8 | 425-200 | 1 |  |
| 47 | 快装手柄(T型I) Quick installation handle (T-shaped I) | Φ8 | 425-210 | 1 |  |








PFNA髓内钉(加长钉)器械

PFNA intramedullary nail (extended nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 48 | 骨科用扳手(六方万向快换) Orthopedic wrench (hexagonal universal quick change) | SW4 | 2070099 | 1 |  |
| 49 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S=4 | 2070124 | 1 |  |
| 50 | 骨科用扳手(加压螺钉持杆) Orthopedic wrench (pressure screw holder) | Φ2.4 | 2070125 | 1 |  |
| 51 | 股骨髓腔对线手柄套(I) Femoral canal alignment handle sleeve (I) | Φ10.9 | 425-310 | 1 |  |
| 52 | 护套(V) Sheath (V) | Φ3.2\Φ10.9 | 425-320 | 1 |  |
| 53 | 骨锥 bone awl | Φ3.2 | 425-330 | 1 |  |
| 54 | 骨锤(I) Bone Hammer (I) | 11 | 425-361 | 1 |  |
| 55 | 测深器(I) Depth sounder (I) | Φ3.4 | 425-370 | 1 |  |
| 56 | 打拔器(加压) Puller (pressurized) | M4 | 425-380 | 1 |  |
| 57 | 打入器(I) Injector (I) | M8 | 425-390 | 1 |  |
| 58 | 髓腔扩大钻(I) Spinal cavity enlargement drill (I) | Φ3.2\Φ17 | 425-400 | 1 |  |
| 59 | 导钻(I) Guide drill (I) | Φ17 | 425-410 | 1 |  |
| 60 | 骨科钻孔瞄准器(多孔Ⅰ) Orthopedic drilling sight (porous I) | Φ17 ／ Φ3.2 | 425-420 | 1 |  |
| 61 | 取钉器(I) Nail extractor (I) | M8 | 425-430 | 1 |  |
| 62 | 骨科用扳手(螺旋刀片) Orthopedic wrench (spiral blade) | S=4.5 | 425-440 | 1 |  |
| 63 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S=3.5 | 425-451 | 1 |  |

# PFNA髓内钉(加长钉)器械

## PFNA intramedullary nail (extended nail) device


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 64 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S3.5 | 2070086 | 1 |  |
| 65 | 拔出器(螺旋刀片) Puller (spiral blade) | S=4.5 | 425-460 | 1 |  |
| 66 | 骨科用扳手(开口) Orthopedic wrench (open) | SW11 | 425-471 | 1 |  |
| 67 | 髓腔扩大钻(近端I) Spinal cavity enlargement drill (proximal I) | Φ10.4 | 425-520 | 1 |  |
| 68 | 骨撬 elevator | Φ4.2 ／ Φ7 | 425-530 | 1 |  |
| 69 | 骨铰刀(I) Bone Reamer (I) | Φ10.9\Φ3.2 | 425-540 | 1 |  |
| 70 | 快速连接杆(手把) Quick connect rod (handle) | M12 | 425-560 | 2 |  |
| 71 | 快速连接杆(短杆) Quick connect rod (short rod) | M8 | 425-640 | 2 |  |
| 72 | 骨科用扳手(杆型) Orthopedic wrench (rod type) | Φ4 | 425-610 | 1 |  |
| 73 | 打拔器(螺旋刀片I) Puller (Spiral Blade I) | M10 | 425-670 | 1 |  |
| 74 | 通用器械箱(中配三层) General equipment box (with three layers of middle configuration) | 箱体(box) | P000011 | 1 |  |
| 75 | | 箱盖(cover) | P000012 | 1 |  |
| 76 | PFNA 通用托盘 PFNA Universal Tray | 上层 | 2070143 | 1 |  |
| 77 | | 中层 | 2070144 | 1 |  |





PFNA髓内钉(加长钉)器械

PFNA intramedullary nail (extended nail) device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 选配器械 Optional equipment | | | | | |
| 78 | 护套(I) Sheath (I) | Φ3.2\Φ5.6 | 425-060 | 2 |  |
| 79 | 骨导引针(钩型) Bone guide needle (hook type) | Φ2.8 | 425-220 | 1 |  |
| 80 | 骨科用扳手(六方尾帽) Orthopedic wrench (hexagonal tail cap) | S4\S11 | 425-240 | 1 |  |
| 81 | 锁针加压器(I) Lock Needle Pressurizer (I) | \ | 425-340 | 1 |  |
| 82 | 骨科用扳手(六方快换) Orthopedic wrench (hexagonal quick change) | S4.5 | 425-441 | 1 |  |
| 83 | 骨用牵开器 Orthopedic wrench (hexagonal quick change) | Φ16 | 425-620 | 1 |  |
| 84 | 护套(尾帽) Sheath (tail cap) | S11 | 425-660 | 1 |  |
| 85 | 骨科用扳手(手柄锁定I) Orthopedic wrench (handle locking I) | S3.5 | 2070145 | 1 |  |
| 86 | 快速连接杆(加压) Quick connect rod (pressurized) | M6 | 2070141 | 1 |  |
| 87 | 转接头(II) Adapter (II) | Φ8 | 432-190 | 1 |  |
| 1 | PFNA髓内钉钉盒 PFNA intramedullary nail box | \ | 2070202 | 1 |  |

# 前臂外固定器械

## Forearm external fixation device


| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻头(II) Orthopedic drill bit (II) | Φ2.5 | 410-620 | 2 |  |
| 2 | | Φ3.0 | 410-621 | 2 | |
| 3 | 骨科导向器(II) Orthopedic guide (II) | Φ3.0 | 410-140 | 1 |  |
| 4 | | Φ4.0 | 410-141 | 1 | |
| 5 | 骨科导向器(双头II) Orthopedic guide (double head II) | Φ2.5-Φ3.5 | 419-331 | 1 |  |
| 6 | 骨科用扳手(六方) Orthopedic wrench (hexagonal) | S=4.0 | 413-085 | 3 |  |
| 7 | 骨科用扳手(三角) Orthopedic wrench (triangle) | 2.5 | 106-010 | 1 |  |
| 8 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=1.5 | 2130010 | 3 |  |
| 9 | 骨科用扳手(双头II) Orthopedic wrench (double headed II) | 7/5.5 | 2130011 | 2 |  |
| 10 | 骨科用扳手(开口) Orthopedic wrench (open) | S=10 | 410-060 | 2 |  |
| 11 | 骨克丝钳(I) Bone wire forceps (I) | Φ2.5 | 410-691 | 1 |  |
| 12 | 骨定位针(光杆) Bone positioning needle (light rod) | Φ1.2×150 | 411-653 | 8 |  |
| 13 | | Φ1.5×150 | 411-654 | 2 | |
| 14 | | Φ2.0×150 | 411-655 | 2 | |
| 15 | 通用器械箱 General equipment box | 箱体 | 2130013 | 1 | |
| 16 | | 箱盖 | 2130014 | 1 | |
| 17 | 前臂外固定托盘 Forearm external fixation tray | 上 | 2130015 | 1 | |
| 18 | | 下 | 2130016 | 1 | |
| 箱内配套产品 Supporting products inside the box | | | | | |
| 1 | 单臂分体式外固定支架 Single arm split type external fixed bracket | Φ16 | 6504018000 | 1 |  |





# 前臂外固定器械

## Forearm external fixation device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 4 | 方型骨针 Square bone needle | Φ3.0×60-20 | 611002000 | 按需配备 On demand equipment |  |
| 5 | | Φ4.0×80-35 | 611007000 | | |
| 6 | 螺纹杆 threaded rod | 15 | 21300151 | |  |
| 7 | | 40 | 21300152 | | |
| 8 | | 55 | 21300153 | | |
| 9 | | 100 | 21300154 | | |
| 10 | 针座 Needle holder | 2 | 21300155 | |  |
| 11 | 垫片 shim | Φ14 | 21300141 | |  |
| 12 | | Φ14 | 21300142 | |  |
| 13 | 内螺纹连接片 Internal thread connecting piece | 1 孔 | 21300157 | |  |
| 14 | 外螺纹连接片 External thread connection piece | 2 孔 | 21300158 | |  |
| 15 | 连接板 Connecting plate | 3 孔 | 21300159 | |  |
| 16 | 螺母 nut | 5 | 21300160 | |  |
| 17 | | 10 | 21300198 | | |
| 18 | 套管 bushing | Φ9×20 | 21300162 | |  |
| 19 | 单向关节器 Unidirectional joint device | 30 | 21300161 | |  |
| 选配器械 Optional equipment | | | | | |
| 1 | 骨科钻孔瞄准器IV Orthopedic drilling sight IV | \ | 2140003 | 1 |  |
| 2 | 护套(Ⅰ) Sheath (I) | ϕ3×30 | 2140005 | 2 |  |
| 3 | | ϕ4×35 | 2140004 | 3 | |

# 纵向骨搬移器械

## Longitudinal bone transfer device



| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科用扳手(三角) Orthopedic wrench (triangle) | \ | 106-010 | 1 |  |
| 2 | 骨科用扳手(T型Ⅰ) Orthopedic wrench (T-type I) | ϕ5 | 410-112 | 1 |  |
| 3 | 骨刀 Osteotome | 6mm | 410-342 | 1 |  |
| 4 | 骨科导向器(Ⅳ) Orthopedic guide device (IV) | Φ5.0×60 | 413-042 | 6 |  |
| | | Φ5.0×90 | 413-041 | 6 | |
| | | Φ6.0×65 | 413-043 | 6 | |
| | | Φ6.0×100 | 413-044 | 6 | |
| 5 | 骨科钻头(Ⅱ) Orthopedic drill bit (II) | Φ3.0 | 410-621 | 2 |  |
| | | Φ3.9 | 413-074 | 2 | |
| | | Φ4.5 | 413-075 | 2 | |
| 6 | 骨锤 bone mallet | \ | 110-420 | 1 |  |
| 7 | 骨科用扳手(L型六方) Orthopedic drill bit (II) | S=5.0 | 413-086 | 2 |  |
| 8 | 骨科定位器(Ⅰ) Orthopedic locator (I) | ϕ3.0 | 410-651 | 2 |  |
| 9 | 骨科钻孔瞄准器(Ⅴ) Orthopedic drilling sight (V) | 2-ϕ3.0 | 410-662 | 1 |  |
| 选配器械 Optional equipment | | | | | |





纵向骨搬移器械

Longitudinal bone transfer device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 10 | 骨锥 bone awl | Φ5 | 413-020 | 配选 |  |
| 配套产品 matching products | | | | | |
| 1 | 套管 bushing | Φ6×90 | 21300267 | 1 |  |
| 2 | | Φ6×150 | 21300268 | 1 | |
| 3 | | Φ6×190 | 21300269 | 1 | |
| 4 | 杆夹头 Rod clamp | 6 | 21300270 | 1 |  |
| 5 | 万向支架 Universal bracket | Φ5 | 21300271 | 1 |  |
| 6 | | Φ5.5 | 21300272 | 1 | |
| 7 | | Φ6 | 21300273 | 1 | |
| 8 | 骨针夹头 Bone needle clamp | 5/6 | 21300274 | 1 |  |
| 9 | | 5/5 | 21300275 | 1 | |
| 10 | 针座 Needle holder | 4.5 | 21300276 | 1 |  |
| 11 | | 5.5 | 21300277 | 1 | |
| 12 | 套管 bushing | Φ14×100 | 21300278 | 1 |  |
| 13 | | Φ14×120 | 21300279 | 1 | |
| 14 | | Φ14×200 | 21300280 | 1 | |

# FG\WEF 外固定架器械

## FG \ WEF external fixation device

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 骨科钻孔瞄准器(IV) Orthopedic drilling sight (IV) | \ | 413-010 | 1 |  |
| 2 | 骨锥 bone awl | Φ5 | 413-020 | 1 |  |
| 3 | 护套(Ⅰ) Sheath (I) | Φ5×40 | 413-050 | 2 |  |
| | | Φ5×60 | 413-051 | 2 | |
| | | Φ5×85 | 413-052 | 2 | |
| | | Φ6×40 | 413-053 | 2 | |
| | | Φ6×60 | 413-054 | 2 | |
| | | Φ6×85 | 413-055 | 2 | |
| 4 | 快装手柄(T型IV) Quick installation handle (T-type IV) | Φ3 | 413-030 | 1 |  |
| | | Φ4 | 413-031 | 1 | |
| | | Φ5 | 413-032 | 1 | |
| | | Φ6 | 413-033 | 1 | |
| 5 | 骨科导向器(IV) Orthopedic guide device (IV) | Φ3.6×60 | 413-045 | 1 |  |
| | | Φ3.6×90 | 413-046 | 1 | |
| | | Φ4.0×90 | 413-040 | 1 | |
| | | Φ5.0×60 | 413-042 | 1 | |
| | | Φ5.0×90 | 413-041 | 1 | |
| | | Φ6.0×65 | 413-043 | 1 | |
| | | Φ6.0×100 | 413-044 | 1 | |
| 6 | 骨科钻头(II) Orthopedic drill bit (II) | Φ3.2 | 413-073 | 2 |  |
| | | Φ3.9 | 413-074 | 2 | |
| | | Φ4.5 | 413-075 | 2 | |
| 7 | 骨锤 bone mallet | \ | 110-420 | 1 |  |
| 8 | 骨科用扳手(L型六方) Orthopedic wrench (L-shaped hexagonal) | S=3.0 | 413-084 | 1 |  |
| | | S=4.0 | 413-085 | 1 | |
| | | S=5.0 | 413-086 | 1 | |
| | | S=6.0 | 413-087 | 1 | |
| 9 | | S=2.5 | 410-206 | 2 | |
| 10 | 骨科用扳手(快装T型) Orthopedic wrench (quick installation T-shaped) | Φ2.0 | 413-090 | 1 |  |







# 肩关节手术器械

## Shoulder joint surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 撬棒 crowbar | Φ4×307 | 4010001 | 1 |  |
| 2 | 开路器(I) Open device (I) | Φ1.8×185 | 4010002 | 1 |  |
| 3 | 骨科导向器 Orthopedic guide device | Φ3.5 | 4010003 | 1 |  |
| 4 | | Φ5.0 | 4010004 | 1 | |
| 5 | 开路器(II) Open device (II) | Φ3.5-Φ6.5 | 4010005 | 1 |  |
| 6 | 刮匙I Scratch key I | 下弯 6.3×165 | 4010006 | 1 |  |
| 7 | 骨撬 elevator | 下弯 4.1×152 | 4010007 | 1 |  |
| 8 | 骨锉 Bone rasp | 上弯 5×169 | 4010008 | 1 |  |
| 9 | 刮匙 curette | 3.4×150 | 4010009 | 1 |  |
| 10 | 骨科用穿线器I Orthopedic threading device I | 直型 | 4010010 | 1 |  |
| 11 | 骨科用穿线器II Orthopedic threading device II | 左 45° | 4010011 | 1 |  |
| 12 | 骨科用穿线器III Orthopedic threading device III | 右 45° | 4010012 | 1 |  |
| 13 | 钢丝穿引器 Wire threading device | \ | 4010013 | 3 |  |
| 14 | 骨探针 Bone probe | \ | 4010014 | 1 |  |
| 15 | 拔出器 puller | \ | 4010015 | 1 |  |
| 16 | 打入器 Impactor | \ | 4010016 | 1 |  |
| 17 | 夹持钳I Clamping pliers I | 4.5×160 | 4010017 | 1 |  |
| 18 | 夹持钳II Clamp II | 头翘 | 4010018 | 1 |  |

# 肩关节手术器械

## Shoulder joint surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 19 | 夹持钳III Clamping pliers III | 3.6×160 | 4010019 | 1 |  |
| 20 | 肌腱钳 Tendon forceps | 直型 6.3×160 | 4010020 | 1 |  |
| 21 | 剪断器 Clipper | 4.2×160 | 4010021 | 1 |  |
| 22 | 骨锤 | \ | 110-420 | 1 |  |
| 23 | 不可吸收带线锚钉器械箱 Non absorbable cable anchor instrument box | 箱体 | 4010022 | 1 |  |
| 24 | | 箱盖 | 4010025 | 1 |  |
| 25 | 不可吸收带线锚钉托盘 Non absorbable cable anchor tray | 上层 | 4010023 | 1 |  |
| 26 | | 下层 | 4010024 | 1 |  |





# 膝关节手术器械

## Knee joint surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 1 | 快装手柄I Quick installation handle I | \ | 4020001 | 1 |  |
| 2 | 骨科导向器I Orthopedic guide device I | \ | 4020002 | 1 |  |
| 3 | | \ | 4020003 | 1 | |
| 4 | 骨科定位器II Orthopedic locator II | \ | 4020004 | 1 |  |
| 5 | 骨科定位器III Orthopedic locator III | | | |  |
| 6 | 骨科定位器IV Orthopedic locator IV | \ | 4020006 | 1 |  |
| 7 | 快装手柄II Quick Install Handle II | \ | 4020007 | 1 |  |
| 8 | 骨科钻孔瞄准器I Orthopedic drilling sight I | 4mm | 4020008 | 1 |  |
| 9 | | 5mm | 4020009 | 1 | |
| 10 | | 6mm | 4020010 | 1 | |
| 11 | 骨科钻孔瞄准器II Orthopedic drilling sight II | 4mm | 4020011 | 1 |  |
| 12 | | 5mm | 4020012 | 1 | |
| 13 | | 6mm | 4020013 | 1 | |
| 14 | 空心钻I Hollow Drill I | Φ6×176 | 4020016 | 1 |  |
| 15 | | Φ6.5×176 | 4020017 | 1 | |
| 16 | | Φ7×176 | 4020018 | 1 | |
| 17 | | Φ7.5×176 | 4020019 | 1 | |
| 18 | | Φ8×176 | 4020020 | 1 | |
| 19 | | Φ8.5×176 | 4020021 | 1 | |
| 20 | | Φ9×176 | 4020022 | 1 | |
| 21 | | Φ9.5×176 | 4020023 | 1 | |
| 22 | | Φ10×176 | 4020024 | 1 | |

# 膝关节手术器械

## Knee joint surgical instruments





| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 23 | 空心钻II Hollow Drill II | Φ5×175 | 4020025 | 1 | |
| 24 | | Φ5.5×175 | 4020026 | 1 | |
| 25 | | Φ6×175 | 4020027 | 1 | |
| 26 | | Φ6.5×175 | 4020028 | 1 | |
| 27 | | Φ7×175 | 4020029 | 1 | |
| 28 | | Φ7.5×175 | 4020030 | 1 | |
| 29 | | Φ8×175 | 4020031 | 1 | |
| 30 | | Φ8.5×175 | 4020032 | 1 | |
| 31 | | Φ9×175 | 4020033 | 1 | |
| 32 | | Φ9.5×175 | 4020034 | 1 | |
| 33 | | Φ10×175 | 4020035 | 1 | |
| 34 | 空心钻III Hollow Drill III | Φ4.5×205 | 4020036 | 1 |  |
| 35 | 定位针I Positioning needle I | Φ2.4×381 | 4020037 | 2 |  |
| 36 | 测深器 depth sounder | \ | 4020038 | 1 |  |
| 37 | 骨科用保护器 Orthopedic protector | \ | 4020039 | 1 |  |
| 38 | 肌腱分张器 Tendon tensor apparatus | 7mm | 4020040 | 1 |  |
| 39 | 直径尺I Diameter ruler I | L=200.06 | 1909032 | 1 |  |
| 40 | 手术肌腱整理架 Surgical Tendon Sorting Frame | L=220 | 1909035 | 1 |  |
| 41 | 骨科用夹持器 Orthopedic clamps | \ | 4020005 | 1 |  |
| 42 | 导针 Guiding needle | \ | 4020006 | 1 |  |
| 43 | 骨科用扳手 Orthopedic wrench | 165×50×25 | 1909033 | 1 |  |





膝关节手术器械

Knee joint surgical instruments

| 序号 Serial Number | 名称 name | 规格 specifications | 编码 code | 数量 numbe | 产品图 product drawing |
|---|---|---|---|---|---|
| 44 | 器械箱 Equipment box | 箱体 | 4020046 | 1 |  |
| 45 | | 盖箱 | 4020049 | 1 |  |
| 46 | 托盘 tray | 上层 | 4020047 | 1 |  |
| 47 | | 下层 | 4020048 | 1 |  |