



Glare - IP65 LED Outdoor Garden Spike Light/Spotlight

※ Features:

- ◆ IP Rate: IP65;
- ◆ Working Temp: -20°C~+45°C;
- ◆ Lumens: Depends on the chip CRI, decorative cup color, etc..
- ◆ Lifetime: 50,000Hrs;
- ◆ Light source : CREE;
- ◆ Materials: Aluminum;
- ◆ With CE, RoHs;
- ◆ 5 years' warranty;
- ◆ Function: ON/OFF /DALI /Traic/ 0-10V...
- ◆ AC 220- 240V/DC12-24V.

※ Application:

IP65 Waterproof, Dual Installation (Spike/ Surface Mount), Adjustable Angle, High-Efficiency LED, Long Lifespan, Sleek Industrial Design, All-Weather Outdoor Use.

- ◆ Garden , Landscape, space outdoor area of a homestay;
- ◆ Courtyard , Park , Outer corridor, Trees, Passageway;
- ◆ Balconies, Villas entrances, Hotel exterior wall;

360° Horizontal Rotation & 180° Vertical Tilt, Max Landscaping Flexibility.



IP65




High CRI (>90): Delivers true color rendering for plants and stone, elevating landscape aesthetics.

✧ Drawing


unit:mm




Z240105-3*1




Z240106-3*1



Z240107-5




Z240108-5



✧ Parameters

CCT: 3000K-4000K-5000K-6000K



SMD

COB

CRI

>80

CRI


>90

Item No	Dimension (mm)	Power	Lumen $\pm 10\%$	Beam angle
Z240105-3*1	$\Phi 64 \times 124 \times 101 / H170$	3×1W	260lm	25°/45°
Z240106-3*1	$\Phi 64 \times 124 \times 101$	3×1W	240lm	25°/45°
Z240107-5	$\Phi 65 \times 105 \times 113 / H170$	5W	440lm	13°/23°/38°
Z240108-5	$\Phi 65 \times 148 \times 113 / H170$	5W	400lm	13°/23°/38°

✧ Color Option

Body color:Sandy black/Sandy white/Sandy brown/
Dark sandy brown...

※ Usage Scenario



※ Package

Part No.	QTY/ Carton	Master Box(cm)	N.W.(KG)	G.W.(KG).
Z240105-3*1	12	415*365*210	10. 1	11. 3
Z240106-3*1	12	415*365*210	10. 1	10. 1
Z240107-5	8	38*26*22	7. 4	8
Z240108-5	8	38*26*22	7. 4	8

✂ installation information

Installation Instruction

Model: Z240105-3*1 Input: DC24V Power: 3*1W		FLG-1 	FLG-2
Safety Notice: Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt. 1. When use product, please pay attention to voltage. 2. Please use our local standard identification cable, and must be higher than product voltage and constant current. 3. Please power off before wiring or any operation. 4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional. If not be handled properly, it will lead to electric shock or other harmful effects. 5. Cable connection parts of outdoor lighting fixture need to be ensured waterproof.		FLG-3 	FLG-4
		ACCESSORY BAG	

Installation Instruction

Model: Z240106-3*1 Input: AC100-240V Power: 3*1W		FLG-1 	FLG-2
Safety Notice: Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt. 1. When use product, please pay attention to voltage. 2. Please use our local standard identification cable, and must be higher than product voltage and constant current. 3. Please power off before wiring or any operation. 4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional. If not be handled properly, it will lead to electric shock or other harmful effects.		FLG-3 	FLG-4
		ACCESSORY BAG	