



Pivon – IP65 30W Outdoor LED Garden Spotlight, Adjustable Angle Tree Uplight, Landscape Flood Light





※ Features:

- ◆ IP Rate: IP65;
- ◆ Working Temp: -20°C~+45°C;
- ◆ Lumens: Depends on the chip CRI, decorative cup color, etc..
- ◆ Lifetime: 50,000Hrs;
- ◆ Light source : CREE;
- ◆ Materials: Aluminum;
- ◆ With CE, RoHs;
- ◆ 5 years' warranty;
- ◆ Function: ON/OFF / DALI / Traic/ 0-10V...
- ◆ AC 220- 240V, DC24V.

※ Application:


An outdoor projector mounted on surfaces with an adjustable head for precise positioning. Point its lens and hit the target. Specially designed for facade applications. Ideal for urban areas, facades, architecture, industry or any application. The definitive answer to how to light tall trees in the garden.

- ◆ Garden , Landscape, space outdoor area of a homestay;
- ◆ Courtyard , Park , Outer corridor, Trees, Passageway;
- ◆ Balconies, Villas entrances, Hotel exterior wall;



※Drawing

unit:mm



※Parameters

CCT: 3000K-4000K-5000K-6000K



SMD

CRI
>80CRI
>90

10°

15°

30°

Item No	Dimension (mm)	Power	Lumen ±10%
Z240116-30	Φ168*200*240	30W	2400lm

※Color Option

Body color:Sandy black/Sandy white/Sandy brown/
Dark sandy brown...







※Package

Part No.	QTY/ Carton	Master Box(cm)	N.W.(KG)	G.W.(KG)
Z240116-30	4	37.5*37.5*32.5	15.3	16.5

※ Usage Scenario



※ installation information

Installation Instruction			
Model: Z240116-30 Input: AC220-240V Power: 30W	CE V E IP65 CREE	FLG-1	FLG-2
Safety Notice: Please read this installation instruction before you install, and must install by professional. If do not follow installation instruction, maybe lead to damage, fire or body hurt. 1. When use product, please pay attention to voltage. 2. Please use our local standard identification cable, and must be higher than product voltage and constant current. 3. Please power off before wiring or any operation. 4. If need to replace parts or repair, please ensure use specified parts of supplier and changed by supplier or other professional .If not be handled properly, it will lead to electric shock or other harmful effects. 5. Cable connection parts of outdoor lighting fixture need to be ensured waterproof.			
		FLG-3	FLG-4
			
		 ACCESSORY BAG	