



Email: irving@jgdfastener.com

CONTENTS


ABOUT US	1
CERTIFICATE	1
High-Strength Hex Nut	2
Hex Flange Nut	2
Hex Nut	3
Thin Hex Nut	3
Self-Locking Nut	4
Nylon Insert Lock Nut	4
Hex Nut	5
Low-Profile Hex Nut	5
Hex Nut	6
Nyloc Hex Nuts	6
Hex Flange Nut	7
Serrated Lock Nut	7
Hex Flange Nylon Insert Lock Nut	8
Flanged Nut	8
Hex Fine Nut	9
Left-Hand Hex Nut	9
Left-Hand Hex Nut	10
Metal Lock Nut	10
Hex Nut	11

Nylon Hex Nut		11
Cap Nut		12
Nylon Cap Nut		12
Colored Lock Nut		13
Flanged Self-Locking Nut		13
Wing Nut		14
Serrated Hex Nut		14
Rivet Nut		15
Self-Clinching Blind Nut		15
Sequare Weld Nut		16
High Head Knurled Nut		16
Internal and External Thread Nut		17
Thin Hex Nut with Fine Pitch		17


ABOUT US:

Sichuan Jingguda Fastener Co., Ltd. is a leading fastener manufacturer with 20+ years of industry expertise, integrating R&D, production, and global sales. Equipped with cutting-edge technology and precision craftsmanship, we specialize in high-performance anchoring solutions for diverse specifications. Our advanced production facilities, mature logistics network, and 24/7 customer support ensure reliable service worldwide.

CERTIFICATE:



High-Strength Hex Nut




unit:mm

Nominal Diameter(d)	Pitch(P)	m		S	
		max	min	max	min
M1	0.25	0.65	0.55	2.5	2.4
M1.2	0.25	0.85	0.75	2.8	2.7
M1.4	0.3	1.05	0.95	3.1	3.0
M1.6	0.35	1.2	1.1	3.3	3.2
M2	0.4	1.7	1.6	4	3.8
M2.5	0.45	2	1.9	5	4.8
M2.6	0.45	2.25	2.15	5	4.8
M3	0.5	2.4	2.55	5.5	5.32
M4	0.7	3.2	2.9	7	6.78
M5	0.8	4	3.7	8	7.78
M6	1	5.1	5.0	10	9.78
M8	1/1.25	6.6	6.5	13	12.73



Surface Treatment	Black Oxide Coating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction for the Automotive Industry

Hex Flange Nut




unit:mm

Specification	Pitch	m	s	dc
M3	0.5	3.7	5.3	7.8
M4	0.7	4.4	6.9	9.2
M5	0.8	4.8	7.8	10.5
M6	1	5.4	9.8	12.7
M8	1.25	7.0	12.7	17.0
M10	1.5	8.4	13.8	18.7
M12	0.75	10.7	17.8	23.4



Surface Treatment	Black Oxide,Zinc Plating,304Stainless Steel
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Rail Construction Industry

Hex Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M1	0.25	1.2	1.1	2.5	2.4
M1.2	0.25	1.2	1.1	2.5	2.4
M1.4	0.3	1.2	1.1	2.6	2.5
M1.6	0.35	1.3	1.15	3.2	3.02
M1.7	0.35	1.4	1.15	3.5	3.38
M2	0.4	1.6	1.35	4	3.82
M2.3	0.45	1.8	1.55	4.5	4.32
M2.5	0.45	2	1.75	5	4.82
M2.6	0.45	2	1.75	5	4.82
M3	0.5	2.4	2.15	5.5	5.32
M3.5	0.6	2.8	2.55	6	5.82
M4	0.7	3.2	2.9	7	6.78
M5	0.8	4	3.7	8	7.78
M6	1	5	4.7	10	9.78



Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN 934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Thin Hex Nut




unit:mm

Specification	M1.6	M2	M2.5	M2.6	M3	M3.5	M4	M5	M6	M8	M10	M12	M14	M16	M18
Pitch(P)	0.35	0.4	0.45	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5
Across Flats(s)	3.11	3.91	4.91	4.91	5.41	5.91	6.89	7.82	9.82	12.79	15.79	17.79	20.58	23.58	26.58
Height(m)	1.18	1.48	1.88	2.08	2.48	2.85	3.45	5	5.65	7.15	8.75	11.3	13	15	16

Surface Treatment	Zinc Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB52
Applicable industries	General Construction

Self-Locking Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	h	m	S
		≈	min ≈	≈
M2	0.4	2.8	2.0	4
M2.5	0.45	3	2.3	4.8
M3	0.5	3.5	2.4	5.4
M4	0.7	4	2.9	6.8
M5	0.8	4.9	3.2	7.8
M6	1	5.9	4	9.8
M8	1.0/1.25	7.7	5.5	12.8
M10	1.0/1.25/1.5	9.6	6.5	16.6
M12	1.25/1.5	11.7	8	18.7
M14	1.5/2	13.7	9.5	21.7
M16	1.5/2	14.5	10.5	23.6
M18	1.5/2.5	18.2	13.5	26.3
M20	1.5/2.5	19.5	14	30
M24	3	23.2	18	35.1



Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction Industry

Nylon Insert Lock Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	h	m	S
		≈	min ≈	≈
M2	0.4	2.8	2.0	4
M2.5	0.45	3	2.3	5
M3	0.5	3.9	2.4	5.5
M4	0.7	5	2.9	7
M5	0.8	5	3.2	8
M6	1	5.9	4	10
M8	1.25	7.9	5.5	13
M10	1.5	9.8	6.5	17
M12	1.75	12	8	19
M14	2	13.7	9.5	22
M16	2	15.7	10.5	24
M20	2.5	19.5	14	30



Surface Treatment	white zinc plated
Material	Carbon Steel
Standard	DIN985,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Telecommunications Construction

Hex Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M1	0.25	0.65	0.55	2.5	2.4
M1.2	0.25	0.85	0.75	2.8	2.7
M1.4	0.3	1.05	0.95	3.1	3.0
M1.6	0.35	1.2	1.1	3.3	3.2
M2	0.4	1.7	1.6	4	3.8
M2.5	0.45	2	1.9	5	4.8
M2.6	0.45	2.25	2.15	5	4.8
M3	0.5	2.4	2.55	5.5	5.32
M4	0.7	3.2	2.9	7	6.78
M5	0.8	4	3.7	8	7.78
M6	1	5.1	5.0	10	9.78
M8	1.25	6.6	6.5	13	12.73
M10	1.5	8.2	8.1	16.1	15.9
M12	1.75	10.6	10.5	18.1	17.9



Surface Treatment	Nickel Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction Industry

Low-Profile Hex Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	Height(m)	Across Flats(s)
M4	0.7	2.05	6.85
M5	0.8	2.61	7.9
M6	1	3.05	9.9
M8	1.25	3.8	12.95
M10	1.5	4.9	16.7
M12	1.75	5.73	18.75
M14	2	6.8	21.85
M16	2	7.8	23.78
M18	2.5	8.9	26.38
M20	2.5	9.76	29.61
M24	3	11.73	35.22
M30	3.5	14.15	45.52



Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN439,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction Industry

Hex Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M1.6	0.35	1.3	1	3.2	3
M2	0.4	1.6	1.3	4	3.8
M2.5	0.45	2	1.7	5	4.8
M2.6	0.45	2.2	1.7	5	4.8
M3	0.5	2.4	2.1	5.5	5.3
M3.5	0.6	2.8	2.5	6	5.8
M4	0.7	3.2	2.9	7	6.7
M5	0.8	4	3.7	8	7.7
M6	1	5	4.7	10	9.7
M8	1.25	6.5	6.1	13	12.7
M10	1.5	8	7.6	17	16.7
M12	1.75	10	9.6	19	18.7
M14	2	11	10.3	22	21.6
M16	2	13	12.3	24	23.6



Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Nyloc Hex Nuts




unit:mm

Type	Inside Diameter(D)	Across Flats(L)	Height(m)
M2	2	3.8	1.2
M2.5	2.5	5	2
M3	3	5.6	2.5
M4	4.5	7.7	3.6
M5	5	7.9	4
M6	5.5	9.9	5.1
M8	8	12.4	6.4
M10	10	15.3	8.8
M12	12	17.4	9.9
M14	14	20.5	13.0
M16	16	23.5	14.5
M18	18	26.0	16.0



Surface Treatment	Plain
Material	Nyloc
Standard	DIN934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Hex Flange Nut




unit:mm

Specification	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18
Pitch(P)	0.5	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5
Diameter(dc)	7.8	9.8	11.8	14.2	17.9	21.8	26	29.9	34.2	42.8
Across Flats(s)	5.5	7	8	10	13	15	18	21	24	30
Height(m)	3.5	4	5	6	8	10	12	14	16	20

Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Serrated Lock Nut




unit:mm

Specification	Pitch(P)	m	s	dc
M3	0.5	3.7	5.5	7.8
M4	0.7	4.4	6.8	9.9
M5	0.8	4.8	7.8	11.3
M6	1	5.8	9.8	12.48
M8	1/1.25	7.7	12.7	17.5
M10	1.25/1.5	9.7	14.6	21.05
M12	1.25/1.5/1.75	11.7	17.6	25.2
M14	2	13.6	20.7	29.5
M16	2	15.5	23.7	33.3
M20	2.5	19.3	30.7	41.9

Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN6923,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction Industry

Hex Flange Nylon Insert Lock Nut




unit:mm

Specification	M5	M6	M8	M10	M12	M14	M16	M20
Pitch(P)	0.8	1	1.25	1.5	1.5	2	2	2.5
Diameter(dc)	11.8	14.2	17.9	21.8	26	29.9	34.5	42.8
Across Flats(s)	8	10	13	15	18	21	24	30
Height(m)	4.7	5.7	7.64	9.64	11.57	13.3	15.3	18.7

Surface Treatment	Zinc Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Flanged Nut




unit:mm

Specification	Width Across Flats		Flange Diameter		Overall Height	
	max	min	max	min	max	min
M8	16.7	16.5	23.5	23.3	17.1	16.9
M10	16.9	16.5	25.5	23.7	17.7	17.0
M12	19.1	18.6	26.2	25.3	18.1	17.3
M14	21.5	20.6	27.5	26.9	18.9	18.1
M16	24.7	23.3	33.3	32.5	23.5	22.6
M18	26.8	25.2	36.9	35.7	23.6	22.7
M20	29.9	29.2	40.5	39.0	27.9	27.2
M22	31.0	30.3	43.2	42.1	35.8	35.1
M24	36.0	35.1	46.8	46.1	36.5	35.1
M30	45.4	45.0	59.6	59.1	44.9	44.5

Surface Treatment	Black Oxide
Material	Carbon Steel
Standard	DIN6923,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Hex Fine Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M5	0.8	4	3.7	8	7.78
M6	1	5	4.7	10	9.78
M7	1	5.5	5.2	11	10.73
M8	1/1.25	6.5	6.14	13	12.73
M10	1/1.25/1.5	8	7.64	17	16.73
M12	1.25/1.5/1.75	10	9.64	19	18.67
M14	1.5/2	11	10.3	22	21.67
M16	1.5/2	13	12.3	24	23.67
M18	1.5/2/2.5	15	14.3	27	26.16
M20	1.5/2/2.5	16	14.9	30	29.16
M22	1.5/2/2.5	18	16.9	32	31
M24	2/3	19	17.7	36	35
M27	2/3	22	20.7	41	40
M30	2/3.5	24	20.7	46	45



Surface Treatment	Plain
Material	304Carbon Steel
Standard	DIN934,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Left-Hand Hex Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M1	0.25	0.8	0.55	2.5	2.4
M1.2	0.25	1	0.75	3	2.9
M1.4	0.3	1.2	0.95	3	2.9
M1.6	0.35	1.3	1.05	3.2	3.02
M1.7	0.35	1.4	1.15	3.5	3.38
M2	0.4	1.6	1.35	4	3.82
M2.3	0.45	1.8	1.55	4.5	4.32
M2.5	0.45	2	1.75	5	4.82
M2.6	0.45	2	1.75	5	4.82
M3	0.5	2.4	2.15	5.5	5.32
M3.5	0.6	2.8	2.55	6	5.82
M4	0.7	3.2	2.9	7	6.78
M5	0.8	4	3.7	8	7.78
M6	1	5	4.7	10	9.78



Surface Treatment	Black Oxide,White Zinc Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB6717
Applicable industries	Construction Equipment Manufacturing

Hex Weld Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S		m h14	S h13	dy d11	Mass ≈ kg
		nominal	Tolerance	nominal	Tolerance				
M3	0.5	0.55	0 -0.1	0.25	0 -0.1	3	7.5	4.5	0.78
M4	0.7	0.65		0.35		3.5	9	6	1.13
M5	0.8	0.7		0.4		4	10	7	1.73
M6	1	0.75	0 -0.15	0.4	0 -0.15	5	11	8	2.5
M8	1/1.25	0.9		0.5		6.5	14	10.5	5.27
M10	1/1.25/1.5	1.15		0.65		8	17	12.5	9.58
M12	1.25/1.5/1.75	1.4	0 -0.2	0.8	0 -0.2	10	19	14.8	13.7
M14	1.5/2	1.8		1		11	22	16.8	21.3
M16	1.5/2	1.8		1		13	24	18.8	28.5



Surface Treatment	Plain
Material	304Carbon Steel
Standard	DIN929,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Metal Lock Nut




unit:mm

Nominal Diameter(D)	Pitch(P)	m		S	
		max	min	max	min
M4	0.7	4.2	4.0	6.9	6.78
M5	0.8	4.9	4.8	7.83	7.78
M6	1	5.8	5.4	9.82	9.78
M8	1/1.25	7.4	7.1	12.82	12.73
M10	1/1.25/1.75	9.08	8.93	16.92	16.73
M12	1.25/1.5/1.75	11.08	10.93	18.72	18.62



Surface Treatment	Plain
Material	Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB6184
Applicable industries	Construction Equipment Manufacturing

Hex Nut




unit:mm

Specification	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36	M42	M48
Across Flats	13mm	16mm	18mm	20.8mm	24mm	26.3mm	29.7mm	31.3mm	35.2mm	40.2mm	44.5mm	49.4mm	54.2mm	63.3mm	73.2mm
Height	6mm	8.2mm	10.6mm	12.2mm	14.3mm	15.3mm	17.5mm	18.2mm	20.4mm	23.6mm	25.1mm	28mm	30.6mm	32.6mm	37mm

Surface Treatment	Hot-dip Galvanized
Material	Grade 8.8 High Strength
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB6170
Applicable industries	General Construction

Nylon Hex Nut




unit:mm

Diameter	Across Flats	Height
M2	4mm	1.6mm
M2.5	5mm	2mm
M3	5.5mm	2.4mm
M4	7mm	3.2mm
M5	8mm	4.7mm
M6	10mm	5.2mm
M8	12.73-13mm	6.4-6.8mm
M10	15.73-16mm	8.04-8.4mm
M12	17.73-18mm	10.37-10.8mm
M14	20.67-21mm	12.1-12.8mm
M16	23.67-24mm	14.1-14.8mm
M18	26.16-27mm	15.1-15.8mm
M20	29.16-30mm	16.9-18mm

Surface Treatment	Plain
Material	PEEK
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Cap Nut




unit:mm

Nominal Diameter(d)	Pitch(P)	K	h	S	
				max	min
M3	0.5	2.5	6.2	5.5	5.32
M4	0.7	3	7.8	7	6.78
M5	0.8	4	9.8	8	7.78
M6	1	5	11.7	10	9.78
M8	1/1.25	6	14.7	13	12.73
M10	1/1.25/1.75	8	17.9	17	16.73
M12	1.25/1.5/1.75	10	22	19	18
M14	1.5/2	11	24.6	22	21.67
M16	1.5/2	13	28	24	23.67
M20	1.5/2/2.5	16	34	30	29.16

Surface Treatment	Zinc Plated, White
Material	304Stainless Steel
Standard	DIN985,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Nylon Cap Nut




unit:mm

Diameter	M3	M4	M5	M6	M8
Across Flats	5.6	7	8	10	12.8
Hex Height	2.9	3.1	4	5	6.5
Overall Height	6	7.8	9.8	11.6	14.7

Surface Treatment	Plain
Material	Nylon
Standard	DIN1587,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Colored Lock Nut




unit:mm

Specification	Inside Diameter	Across Flats	Height
M2	2	4.3	2.8
M2.5	2.5	4.8	3.5
M3	3	5.5	3.7
M4	4	7	4.3
M5	5	7.8	5
M6	6	9.9	6.1
M8	8	12.9	9.7

Surface Treatment	Anodized
Material	Color Aluminum Alloy
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Flanged Self-Locking Nut




unit:mm

Specification	Inside Diameter	Across Flats	Height	Outside Diameter
M2	2	4.5	2.9	6
M2.5	2.5	4.8	4.4	6.8
M3	3	5.4	4.5	7.4
M4	4	7	5.4	9.4
M5	5	7.9	6	10.8
M6	6	9.8	6	12.8
M8	8	12.9	11	18

Surface Treatment	Anodized
Material	Color Aluminum Alloy
Standard	DIN,ASTM,ISO9002,JIS,BS,AS,GB
Applicable industries	General Construction

Wing Nut




unit:mm

Specification	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20
Pitch(P)	0.7	0.8	1	1.25	1.5	1.75	2	2	2.5	2.5
D	7.5	8.6	12	14	17.5	21	-	28	-	33
G	10.9	13.3	15.2	16.7	20.7	25.5	-	34.3	-	40.9
B	6.5	7	8.4	12	15	18	-	19.6	-	23
L	23.7	28	32	39.3	47.4	57	-	70	-	83.3
E	6.2	8	10	11	13.5	16.5	-	23.5	-	25.5
dk	2.2	2.7	3	3.9	4.5	5.0	-	5.8	-	7.4

Surface Treatment	Polished Natural Finish
Material	304Stainless Steel
Standard	DIN 315,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Serrated Hex Nut




unit:mm

Specification	M3	M4	M5	M6	M8	M10
Across Flats(s)	5.5	7	8	10	13	17
Outside Serration Diameter	7.2	8	9.3	11.1	15	19
Height	3.9	4.1	5.2	6.3	7.6	9.6

Surface Treatment	No Finish
Material	304Stainless Steel
Standard	DIN,ASTM,ISO9002,JIS,BS,AS,GB
Applicable industries	General Construction

Rivet Nut




unit:mm

Thread Diameter(D)	Pitch(P)	Carbon Steel	Stainless Steel	(A)Max Shank Length	(C)Max Size	(E)± 0.25	(T)± 0.25
M2.5	0.45	S	CLS	0.77	4.2	6.3	1.5
				0.97			
				1.38			
M3	0.5	S	CLS	0.77	4.2	6.3	1.5
				0.97			
				1.38			
M4	0.7	S	CLS	0.77	5.38	7.9	2
				0.97			
				1.38			
M5	0.8	S	CLS	0.77	6.33	8.7	2
				0.97			
				1.38			
M6	1.0	S	CLS	1.15	8.72	11.05	4.08
				1.38			
				2.21			
M8	1.25	S	CLS	1.38	10.47	12.65	5.47
				2.21			
				3.05			



Surface Treatment	Unfinished / Zinc Plated
Material	304Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Self-Clinching Blind Nut




unit:mm

Thread Size*Pitch	Material	Specifi- cation	A	Panel Thick- ness	Pilot Hole Size	B	C	E	T	L
M3*0.5	B	BS	0	0.77	0.8	4.25	3.84	4.22	6.35	8.5
			1	0.97						
			2	1.38						
M4*0.7	B	BS	0	0.77	0.8	5.4	5.2	5.38	7.95	9.8
			1	0.97						
			2	1.38						
M5*0.8	B	BS	0	0.77	0.8	6.4	6.02	6.38	8.75	9.8
			1	0.97						
			2	1.38						
M6*1	B	BS	0	1.15	1.2	8.75	7.8	8.72	11.5	12.7
			1	1.38						
			2	2.21						
M8*1.25	B	BS	0	1.15	1.2	10.5	9.52	10.4	12.7	15.6
			1	1.38						
			2	2.21						



Surface Treatment	Plain / Zinc Plated
Material	304Stainless Steel/Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Sequare Weld Nut




unit:mm

Nominal Diameter(d)	Pitch(P)	h1		m	S	Weight of Steel Product ≈kg
		max	min			
M4	0.7	0.7	0.5	3.5	7	0.81
M5	0.8	0.9	0.7	4.2	9	1.70
M6	1	0.9	0.7	5	10	2.40
M8	1/1.25	1.1	0.9	6.5	14	6.50
M10	1/1.25/1.5	1.3	1.1	8	17	11.3

Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN928,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

High Head Knurled Nut




unit:mm

Specification	P	dk			ds		h		k		r
	Pitch	Nominal	max	min	max	min	max	min	max	min	
M2	0.4	9	9.29	8.71	4.5	4.2	5.3	5	2	1.75	0.5
M2.5	0.45	11	11.35	10.65	5	4.7	6.5	6.14	2.5	2.25	0.5
M3	0.5	12	12.35	11.65	6	5.7	7.5	7.14	2.5	2.25	0.5
M4	0.7	16	16.35	15.65	8	7.64	9.5	9.14	3.5	3.2	0.5
M5	0.8	20	20.42	19.58	10	9.64	11.5	11.07	4	3.7	1
M6	1	24	24.42	23.58	12	11.57	15	14.57	5	4.7	1
M8	1.25	30	30.42	29.58	16	15.57	18	17.57	6	5.7	2
M10	0.5	36	36.5	35.5	20	19.48	23	22.48	8	7.64	2

Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN466,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Internal and External Thread Nut




unit:mm

Product Specification	Max Outer Diameter	Min Outer Diameter	Washer Diameter	Wrench Size	Recommended Bore Size
M6	10.5	8.1	12	6	9
M8	12.5	10	14	8	11
M10	14.1	12.5	16.9	10	13

Surface Treatment	Color Zinc Plated
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction

Thin Hex Nut with Fine Pitch



unit:mm

Specification	Inner Diameter(D)	Across Flats(S)	Length(L)
M5*8*15	5	8	15
M6*10*15	6	10	15
M6*10*18	6	10	18
M6*10*25	6	10	25
M8*12*14	8	12	14
M8*13*20	8	13	20
M8*13*24	8	13	24
M10*17*22	10	17	22
M10*17*30	10	17	30
M10*17*40	10	17	40
M12*19*36	12	19	36

Surface Treatment	Polished
Material	304Stainless Steel
Standard	DIN6334,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	General Construction