



SELF-TAPPING SCREW



Perry

TEL:+86 15102895219

Wechat/WhatsApp:+86 15102895219

Email:perry@jingguda.ltd

Irving

TEL:+86 15184374052

Wechat/WhatsApp:+86 15184374052

Email:irving@jgdfastener.com

CONTENTS

ABOUT US	1
CERTIFICATE	1
Countersunk cross head screw	2
Phillips pan head self-tapping screw -wood screw	2
Phillips pan head self-tapping screw	3
Phillips flat head self-tapping screw -wood screw	3
Phillips pan head self-tapping screw -small screw	4
Small countersunk phillips self-tapping screw	4
Countersunk cross head wood screw -extra long	5
Hex washer head phillips self-tapping screw	5
Pan head machine screw with attached washer	6
Phillips pan head tapping screw	6
Phillips pan head self-tapping screw	7
Phillips pan head screw with washer	7
Phillips flat head machine screw	8
Phillips flat head flat point machine screw	8
Phillips flat head self-tapping wood screw	9
Phillips flat head wood screw	9

Pan head phillips wood screw	10
Low profile socket head self-tapping screw	10
Phillips countersunk flat point self-tapping screw	11
Phillips pan head self-tapping screw	11
Phillips countersunk head self-tapping screw	12
Phillips flat countersunk head thread forming screw	12
Hardened phillips pan head self-tapping screw	13
Hex socket self-tapping screw (small wood screw)	13
Small phillips countersunk head self-tapping screw	14
Phillips pan head thread forming screw	14
Flat socket head cap machine screw	15
Cross recessed countersunk head self-tapping screw (long wood screw)	15
Phillips pan head self-tapping screw with washer	16
Phillips pan head self-tapping screw with washer and flat end	16
Low-profile flat head phillips self-tapping screw with flat end	17
Phillips pan head screw with washer	17
Socket countersunk head self-tapping screw	18
Hardened coarse thread self-tapping wood screw	18


Phillips pan head self-tapping screw with flat end	19
Phillips wafer head screw	19
Phillips pan head type AB tapping screw with coarse thread	20
Phillips type F head flat point self-tapping screw	20
Cross pan head type AB tapping screw with sharp point	21
Countersunk head sharp point tappingscrew	21
Phillips pan head flat tail machine screw	22
Countersunk head torx tapping screw	22
Small phillips pan head washer tapping screw	23
Phillips pan head wood screw	23
Button head hex socket tapping screw	24
Countersunk hex socket screw	24
Phillips flat head self-tapping screw	25
Phillips round head self-tapping screw	25
Hex washer head tri-lobular screw	26
Cross recessed pan head self-tapping screw	26
Phillips flat head flat tip self-tapping Screw	27
Phillips pan head self-tapping screw	27
Phillips round head self-tapping screw (coarse thread)	28

Phillips flat head self-tapping screw		28
Phillips truss head self-tapping screw		29
Hex socket round head self-tapping screw		29
Socket flat countersunk head self-tapping screw		30



ABOUT US:

Sichuan Jingguda Fastener Co., Ltd. is a leading fastener manufacturer with 20+ years of industry expertise, integr-ating R&D, production, and global sales. Equipped with cutting-edge technology and precision craftsmanship, we specialize in high-performance anchoring solutions for diverse specifications. Our advanced production facilities, mature logistics network, and 24/7 customer support ensure reliable service worldwide.

CERTIFICATE:



Countersunk Cross Head Screw





unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter (d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.75	1.82	2.43	3.27	3.7	4.2	4.5	4.6	5.3	6.5	7	8.7	8.7
Head thickness(k)	0.65	0.7	0.98	1.13	1.21	1.5	1.6	1.7	2	2.5	2.6	3	3

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Phillips Pan Head Self-Tapping Screw -Wood Screw




unit:mm

Specification	M2	M2.5	M3	M3.5	M4	M4.5	M5	M6
Pitch(P)	0.4	0.45	0.5	0.6	0.7	0.75	0.8	1
Thread diameter (d)	2	2.5	3	3.5	4	4.5	5	6
Head diameter(dk)	4.3	5.5	6.8	8	9	10.4	11.5	13.8
Head thickness(k)	1.2	1.5	1.9	2.2	2.5	2.8	3	3.8

Surface Treatment	Oxidative blackening
Material	Plain carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Phillips Pan Head Self-Tapping Screw




unit:mm

Thread diameter (d)	M2	M3	M3.5	M4	M5
Head diameter(dk)	3.4	5.3	6.4	7.1	9.0
Head thickness(k)	1.3	1.9	2.1	2.3	2.8

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Phillips Flat Head Self-Tapping Screw -Wood Screw




unit:mm

Diameter	Head diameter(dk)	Head thickness(k)
M2	0.85mm	3.8mm
M2.3	0.9mm	4.4mm
M2.6	1mm	4.8mm
M3	1mm	5.8mm
M3.5	1.1mm	6.9mm
M4	1.1mm	8mm
M5	1.2mm	9mm
M6	1.6mm	11.9mm
M8	2.3mm	15.8mm



Surface Treatment	Plain ,black nickel (electro)plating
Material	304 stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Phillips Pan Head Self-Tapping Screw -Small Screw




unit:mm

Thread diameter d	M1.2	M1.4	M1.5	M1.7	M2	M2.2	M2.6	M3	M3.5	M4	M4.2	M5	M6	M8
Head diameter dk	1.9	2.3	2.7	3.1	3.4	3.8	4.2	5.3	6.4	6.9	7.8	9.0	11.9	13.0
Head thickness k	0.6	0.8	0.8	1.0	1.3	1.5	1.7	1.9	2.1	2.3	2.4	2.8	4.0	5.0

Surface Treatment	Oxidative blackening
Material	Plain carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Small Countersunk Phillips Self-tapping Screw





unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter (d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.75	1.82	2.43	3.27	3.7	4.2	4.5	4.6	5.3	6.5	7	8.7	11.8
Head thickness(k)	0.65	0.7	0.98	1.13	1.21	1.5	1.6	1.7	2	2.5	2.6	3	3.8

Surface Treatment	Oxidative blackening
Material	Carbon steel 45H
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Countersunk Cross Head Wood Screw -Extra Long





unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter (d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter (dk)	1.75	1.82	2.43	3.27	3.7	4.2	4.5	4.6	5.3	6.5	7	8.7	11.8
Head thickness(k)	0.65	0.7	0.98	1.13	1.21	1.5	1.6	1.7	2	2.5	2.6	3	3.8

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Hex Washer Head Phillips Self-tapping Screw




unit:mm

Thread specification	Thread diameter(d)	Head diameter(dk)	Gasket diameter(dc)	Head thickness(k)
M1.4	1.4	3.3	3.9	1.1
M1.7	1.7	3.4/3.5	4.5/4.9	1.1/1.2
M2	2	3.5	4.9	1.2
M2.3	2.3	3.7	5.8	1.4
M2.6	2.6	4.3/4.5	5.9/6.4	1.5/1.6
M3	3	5.5	6.9	2.0
M4	4	6.9	7.9	2.4

Surface Treatment	Plain,Black electroplating, Iron nickel plating
Material	304 stainless steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Pan Head Machine Screw with Attached Washer




unit:mm

Nominal diameter (d)	Pitch(p)	h		dk		dc		k	
		max	min	max	min	max	min	max	min
M3	0.5	0.7	0.55	5.7	5.4	6.32	6.9	1.65	1.40
M4	0.7	1.0	0.7	9.2	8.8	7.2	6.5	3.20	2.85
M5	0.8	1.3	1	10.6	10.2	9.0	8.4	3.5	3.0
M6	1	1.5	1.2	13.2	12.7	10.2	9.8	4.0	3.5

Surface Treatment	Iron nickel plating
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB.
Applicable industries	Construction industry, general

Phillips Pan Head Tapping Screw




unit:mm

Thread diameter(d)	M2	M2.5	M3	M3.5	M4	M4.5	M5	M6
Pitch(P)	0.4	0.45	0.5	0.6	0.7	0.75	0.8	1
Head diameter(dk)	4.3	5.5	6.8	8	9	10.4	11.5	13.8
Head thickness(k)	1.2	1.5	1.9	2.2	2.5	10.6	3	3.8

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN571,ASTM,ISO,JISB1111,AS,GB
Applicable industries	Construction industry, general

Phillips Pan Head Self-tapping Screw




unit:mm

Thread diameter(d)	Head size	Head diameter(dk)	Head thickness(k)
M1	1.8	1.71-1.77	0.7
M1.2	2.0	1.97-2.0	0.6
	2.5	2.35-2.48	0.7
M1.4	2.5	2.44-2.49	0.7
	2.8	2.75-2.82	0.8
M1.5	2.5	2.48-2.53	0.7
	2.8	2.75-2.82	0.8
	2.8	2.51-2.59	1
M1.7	3.2	3.06-3.14	1
	3.2	3.18-2.21	1
M2	3.5	3.38-3.46	1.2
	3.7	3.52-3.55	1.3
M2.3	4.0	3.84-3.88	1.2
	3.7	3.62-3.75	1.4
M2.5	4.2	4.05-4.13	1.4
M2.6	5.2	4.95-5.12	1.6
M3	-	5.55-5.74	1.8
M3.5	-	6.33-6.55	2.6
M4	-		

Surface Treatment	Nickel plating
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB845
Applicable industries	Construction industry, general

Phillips Pan Head Screw with Washer





unit:mm

Thread specification	M2	M2.5	M3	M3.5	M4	M5	M6
Thread diameter(d)	2	2.5	3	3.5	4	5	6
Head diameter(dk)	4.0	4.4	5.4	5.9	6.9	8.9	10
Gasket diameter(dc)	4.8	5.9	7.0	7.9	8.0	10.9	12.0
Head thickness(k)	1.2	1.5	1.72	2.24	2.3	3.4	3.3

Surface Treatment	Plain
Material	Iron black, 304 stainless steel, Nickel plating
Standard	DIN967,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Head Machine Screw





unit:mm

Specification	M2	M2.5	M3	M3.5	M4	M4.5	M5	M6	M8
Pitch(P)	0.4	0.45	0.5	0.6	0.7	0.75	0.81	1	1.2
Thread diameter(d)	2	2.5	3	3.5	4	4.5	5	6	8
Head diameter(dk)	4.5	5.7	6.5	8.1	8.8	10.6	11.1	13.2	17.2
Head thickness(k)	1.3	1.6	1.7	2.5	2.2	2.95	2.9	3.4	4.9

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN,ASTM,ISO,JISB1111,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Head Flat Point Machine Screw




unit:mm

Specification	M2	M2.5	M3	M3.5	M4	M4.5	M5	M6	M8
Pitch(P)	0.4	0.45	0.5	0.6	0.7	0.75	0.81	1	1.2
Thread diameter(d)	2	2.5	3	3.5	4	4.5	5	6	8
Head diameter(dk)	4.5	5.7	6.5	8.1	8.8	10.6	11.1	13.2	17.8
Head thickness(k)	1.3	1.6	1.7	2.5	2.2	2.95	2.9	3.4	4.9

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN,ASTM,ISO,JISB1111,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Head Self-tapping Wood Screw




unit:mm

Specification	M3	M3.5	M4	M5	M6
Thread diameter(d)	3	3.5	4	5	6
Head diameter(dk)	6.7	7.8	8.8	11.0	13.1
Head thickness(k)	1.7	2.1	2.1	2.8	3.3

Surface Treatment	Electroplated black
Material	304 stainless steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Head Wood Screw




unit:mm

Thread specification	Thread diameter (d)	Head diameter (dk)	Head thickness (k)	Angle of inclination
M1	1	1.7	0.6	90°
M1.2 countersunk wood screw, 2.0mm head	1.2	1.8	0.6	
M1.2 countersunk wood screw, 2.5mm head	1.2	2.4	0.6	
M1.4 countersunk wood screw, 2.5mm head	1.4	2.4	0.7	
M1.4 countersunk wood screw, 2.8mm head	1.4	2.7	0.7	
M1.5 countersunk wood screw, 2.5mm head	1.5	2.5	0.7	
M1.7 countersunk wood screw, 2.8mm head	1.7	2.8	0.9	
M1.7 countersunk wood screw, 3.2mm head	1.7	3.1	0.9	
M2	2	3.6	1.1	
M2.3	2.3	3.7	1.3	
M2.6	2.6	3.9	1.5	
M3 countersunk wood screw, 5.2mm head	3	5.3	1.7	
M3 countersunk wood screw, 5.8mm head	3	5.7	1.9	
M3.5	3.5	6.5	2.2	
M4	4	7.2	2.5	
M5	5	6.4	1.3	

Surface Treatment	Nickel plating
Material	Q235 carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Pan Head Phillips Wood Screw




unit:mm

Thread diameter (d)	M1.2	M1.4	M1.7	M2	M2.3	M2.6	M3	M3.5	M4	M5	M6
Head diameter (dk)	1.7	2.46	3.2	3.9	4.1	4.3	5.5	6.8	7.5	9.3	11.8
Head thickness (k)	0.7	0.96	1.18	1.5	1.8	2	2.3	2.6	2.9	3.5	4.5

Surface Treatment	Plain
Material	Stainless steel A2-70
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Low Profile Socket Head Self-tapping Screw




unit:mm

Dimeter(d)	M2	M2.3	M2.6	M3	M3.5	M4	M5	M6	M8
Dimeter of the head	4	4.6	5	6	7	8	9.5	12	16
Head thickness	0.8	0.9	0.9	1	1.1	1.2	1.4	1.5	2.3
Opposite side(s)	1.3	1.5	1.5	2	2.5	2.5	3	4	5

Surface Treatment	Plain
Material	304Stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB/T 7380
Applicable industries	Construction industry, general

Phillips Countersunk Flat Point Self-Tapping Screw




unit:mm

Thread diameter(d)	1	1.2	1.4	1.5	1.7	2	2.3	2.6	3	3.5	4
Head diameter(dk)	1.9	2.1	2.5	3.1	3.2	3.6	3.7	4.1	5.1	6.6	7.0
Head thickness	0.6	0.7	0.7	0.9	0.9	1.1	1.2	1.5	1.5	2.2	2.2

Surface Treatment	Plain
Material	Iron plated with nickel, Iron black, 304 stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB846
Applicable industries	Construction industry, general

Phillips Pan Head Self-tapping Screw




unit:mm

Thread diameter(d)	M1.2	M1.4	M1.5	M1.7	M2	M2.2	M2.6	M3	M3.5	M4	M4.2	M5	M6	M8
Head diameter(dk)	1.9	2.3	2.7	3.1	3.4	3.8	4.2	5.3	6.4	6.9	7.8	9.0	11.9	13.0
Head thickness	0.6	0.8	0.8	1.0	1.3	1.5	1.7	1.9	2.1	2.3	2.4	2.8	4.0	5.0

Surface Treatment	Nigrescence
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Phillips Countersunk Head Self-tapping Screw




unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter(d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.75	1.82	2.43	3.27	3.7	4.2	4.5	4.6	5.3	6.5	7	8.7	11.8
Head thickness	0.65	0.7	0.98	1.13	1.21	1.5	1.6	1.7	2	2.5	2.6	3	3.8

Surface Treatment	Nigrescence
Material	304 stainless steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Countersunk Head Thread Forming Screw





unit:mm

Thread diameter(d)	1	1.4	1.7	2	2.3	2.6	3	3.5	4
Head diameter(dk)	1.7	2.5	3.2	3.6	3.7	4.2	5.1	6.5	7.8

Surface Treatment	Nickel plating
Material	Carbon steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Hardened Phillips Pan Head Self-Tapping Screw





unit:mm

Thread diameter(d)	M1	M2.5	M3	M3.5	M4	M4.5	M5	M6
Pitch(p)	0.4	0.45	0.5	0.6	0.7	0.75	0.8	1
Head diameter(dk)	4.3	5.5	6.8	8	9	10.4	11.5	13.8
Head thickness(k)	1.2	1.5	1.9	2.2	2.5	2.8	3	3.8

Surface Treatment	Galvanizing with blue zinc and hardening
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB102-86
Applicable industries	Construction industry, general

Hex Socket Self-Tapping Screw (Small Wood Screw)





unit:mm

Nominal diameter (d)	dk		k		S		
	max	min	max	min	nominal	max	min
M2	3.98	3.62	2.00	1.86	1.5	1.580	1.520
M2.5	4.68	4.32	2.50	2.36	2	2.280	2.020
M3	5.68	5.32	3.00	2.86	2.5	2.580	2.520
M3.5	6.22	6.32	3.50	3.36	3	2.780	2.520
M4	7.22	6.78	4.00	3.82	3.5	3.080	3.020
M5	8.72	8.28	5.00	4.82	4	4.095	4.020
M6	10.22	9.78	6.00	5.70	5	5.140	5.020

Surface Treatment	Galvanizing with blue zinc and hardening
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB102-86
Applicable industries	Construction industry, general

Small Phillips Countersunk Head Self-tapping Screw




unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter(d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.75	1.82	2.43	3.27	3.7	4.2	4.5	4.6	5.3	6.5	7	8.7	11.8
Head thickness(k)	0.65	0.7	0.98	1.13	1.21	1.5	1.6	1.7	2	2.5	2.6	3	3.8

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN553,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Pan Head Thread Forming Screw




unit:mm

Specification	M2	M2.5	M3	M3.5	M4	M5
Thread diameter(d)	2	2.5	3	3.5	4	5
Head diameter(dk)	3.3	4.3	5.3	5.9	6.8	8.8
Head thickness(k)	1.3	1.8	2.1	2.4	2.7	3.4

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN553,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Flat Socket Head Cap Machine Screw




unit:mm

Thread diameter(d)	3	4	5	6
Head diameter(dk)	2.3	3.1	4	4.5
The side opposite the hexagon(s)	2	2.5	3	4
Submerged angle	90°			

Surface Treatment	Iron black
Material	Carbon steel
Standard	DIN7991,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Cross Recessed Countersunk Head Self-tapping Screw (Long Wood Screw)




unit:mm

Thread diameter(d)	M1	M1.2	M1.4	M1.7	M2	M2.2	M2.6	M3	M3.5	M4	M4.2	M5	M6	M8
Head diameter(dk)	1.75	1.82	2.5	3.27	3.7	3.98	4.2	5.3	6.5	7.2	7.6	8.7	11.8	14.1
Head thickness(k)	0.65	0.7	0.8	1.13	1.21	1.3	1.6	2	2.5	2.6	2.7	3	4.75	5.2
Submerged angle	90°													

Surface Treatment	Plain
Material	316 stainless steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Pan Head Self-tapping Screw with Washer




unit:mm

Thread specification	Thread diameter (d)	Head diameter (dk)	Gasket diameter (dc)	Head thickness (k)
M1	1.4	2.6	4	0.8
M1.7	1.7	3.4	5	1.0
M2	2	3.4	5	1.0
M2.3 PH Screw / 5mm Washer	2.3	3.9	4.9	1.2
M2.3 PH Screw / 5.5mm Washer	2.3	3.9	5.6	1.3
M2.3 PH Screw / 6mm Washer	2.3	3.9	5.8	1.4
M2.3 PH Screw / 7mm Washer	2.3	3.9	7.0	1.3
M2.3 PH Screw / 8mm Washer	2.3	3.9	7.7	1.5
M2.6 PH Screw / 6mm Washer	2.6	4.4	5.8	1.5
M2.6 PH Screw / 7mm Washer	2.6	4.4	6.9	1.5
M3 PH Screw / 7mm Washer	3	5.4	7.0	2.1
M3 PH Screw / 8mm Washer	3	5.4	8.1	1.8
M3 PH Screw / 10mm Washer	3	5.3	9.7	1.9

Surface Treatment	Black Oxide
Material	Carbon steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB818
Applicable industries	Construction industry, general

Phillips Pan Head Self-tapping Screw with Washer and Flat End




unit:mm

Nominal diameter	M2	M2.2	M2.3	M2.6	M3	M4	M5	M6
d	2	2.2	2.3	2.6	3	4	5	6
dk	5	5.2	5.3	6	7	8	-	-
k	1.39	1.6	1.6	1.6	1.7	2.2	3	4

Surface Treatment	Black Oxide
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB9074.18-2
Applicable industries	Construction industry, general

Low-profile Flat Head Phillips Self-tapping Screw with Flat End




unit:mm

Specification	Head thickness	Head diameter
M2	0.8mm	3.85mm
M2.3	0.8mm	4.5mm
M2.6	0.9mm	4.8mm
M3	0.98mm	5.8mm
M3.5	1.1mm	6.85mm
M4	1.2mm	8mm
M5	1.44mm	9.2mm
M6	1.4mm	11.8mm

Surface Treatment	Black Oxide
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB9074.18-2
Applicable industries	Construction industry, general

Phillips Pan Head Screw with Washer




unit:mm

Thread specification	M2	M2.5	M3	M3.5	M4	M5	M6
Thread diameter(d)	2	2.5	3	3.5	4	5	6
Head diameter(dk)	4.0	4.4	5.4	5.9	6.9	8.9	10
Gasket diameter(dc)	4.8	5.9	7.0	7.9	8.0	10.9	12.0
Head thickness(k)	1.2	1.5	1.72	2.24	2.3	3.4	3.3

Surface Treatment	Plain, Black Oxide
Material	304 stainless steel
Standard	DIN967,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Socket Countersunk Head Self-tapping Screw




unit:mm

Nominal diameter (d)	dk		k		s		t
	max	min	max	min	max	min	
M2	3.3	3.2	1.55	1.40	1.27	1.26	0.7
M2.6	4.4	4.24	1.85	1.71	1.51	1.48	0.9
M3	5.7	5.4	1.95	1.65	2.045	2.020	1.04
M4	7.6	7.24	2.30	2.20	2.56	2.52	1.3
M5	9.6	9.14	2.95	2.75	3.071	3.020	1.56
M6	10.5	10.07	3.3	3.0	4.084	4.020	2.08

Surface Treatment	Plain
Material	304 stainless steel
Standard	DIN,ASTM,ISO7380,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Hardened Coarse Thread Self-tapping Wood Screw




unit:mm

Specification	Thread diameter (d)	Head diameter (dk)	Head thickness(k)
M1	1	1.75	0.65
M1.2	1.2	1.82	0.7
M1.4	1.4	2.43	0.98
M1.7	1.7	3.27	1.13
M2	2	3.7	1.21
M2.3	2.3	4.2	1.5
M2.6	2.6	4.6	1.7
M3	3	5.3	2
M3.5	3.5	6.5	2.5
M4	4	7	2.6
M5	5	8.7	3

Surface Treatment	Black Oxide
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Phillips Pan Head Self-tapping Screw with Flat End




unit:mm

Specification	M1	M1.2	M1.4	M1.6	M1.7	M2	M2.3	M2.6	M3	M3.5	M4
Thread diameter(d)	1.02	1.26	1.43	1.6	1.66	2.03	2.33	2.65	3.03	3.45	4.01
Head diameter(dk)	1.84	1.94	2.6	2.81	2.8	3.67	3.7	4.45	4.09	6.65	6.88
Head thickness(k)	0.78	0.81	0.96	1.18	1.25	1.35	1.4	1.72	1.82	1.9	2.34

Surface Treatment	Plain
Material	304Stainless Steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Wafer Head Screw




unit:mm

Diameter	Thread thickness	Head diameter
M3	1.8mm	6.3mm
M4	2.2mm	8.5mm
M5	2.8mm	10.2mm
M6	3.1mm	12mm
M8	3.8mm	16mm

Surface Treatment	Zinc Plated White
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general



Phillips Round Head Flat Point Self-Tapping Screw (Coarse Thread)




unit:mm

Nominal diameter d	Head thickness k	Head diameter dk
M2.3	1.2	3.5
M2.5	1.3	3.8
M2.6	1.3	3.9
M3	1.8	4.7
M3.5	2	5.2
M4	2	6.3
M5	3	8

Surface Treatment	Black Electrocoating
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Type F Head Flat Point Self-Tapping Screw




unit:mm

Nominal diameter	M2	M2.2	M2.3	M2.6	M3	M4	M5	M6
d	2	2.2	2.3	2.6	3	4	5	6
dk	5	5.2	5.3	6	7	8	-	-
k	1.39	1.6	1.6	1.6	1.7	2.2	3	4

Surface Treatment	Nickel Plating
Material	Q235 carbon steel
Standard	DIN968,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Cross Pan Head Type AB Tapping Screw with Sharp Point




unit:mm

Nominal diameter(d)	M2	M2.3	M2.6	M3	M3.5	M4
Head diameter(dk)	3.4	3.8	4.1	5.1	5.5	6.3
Head thickness(k)	1.3	1.4	1.6	1.7	1.9	2.2

Surface Treatment	Nickel Plating
Material	Q235 carbon steel
Standard	DIN968,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Countersunk Head Sharp Point Tapping Screw





unit:mm



Diameter	Head diameter	Head thickness
M1.7	3.2mm	1mm
M2	3.7mm	1.48mm
M2.3	4.5mm	1.65mm
M2.6	4.5mm	1.65mm
M3	5.1mm	1.93mm
M3.5	6.5mm	2.2mm
M4	6.9mm	2.4mm
M5	8.5mm	3.3mm

Surface Treatment	Black Oxide,Zinc-Nickel Plated
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Pan Head Flat Tail Machine Screw





unit:mm

Thread diameter (d)	Thread pitch (p)	Head diameter(dk)		Head thickness(k)	
		max	min	max	min
M2	0.4	4.5	4.2	1.3	1.1
M2.5	0.45	5.7	5.4	1.5	1.2
M3	0.5	6.9	6.3	2.05	1.6
M4	0.7	9.4	8.8	2.65	2.3
M5	0.8	11.7	11.1	3.25	2.7
M6	1.0	14	13.2	3.5	3.1
M8	1.25	17.8	17.3	4.8	4.3

Surface Treatment	Plain
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB818-85
Applicable industries	Construction industry, general

Countersunk Head Torx Tapping Screw




unit:mm

Thread specification	M2	M2.6	M3	M3.5	M4	M5	M6
Head diameter	3.5	4.5	5.4	6.5	7.4	9.6	12
Wrench size	T6	T8	T10	T15	T20	T25	T30

Surface Treatment	Plain
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Small Phillips Pan Head Washer Tapping Screw




unit:mm

Thread specification (d)	M1.7	M2	M2.3	M2.6	M3	M4
Head diameter(dk)	3.56	3.8	3.99	4.05	5.08	6.67
Gasket diameter(dc)	5	5.1	6	6	6.95	8.51
Head thickness (k)	1.03	1.3	1.41	1.79	2.53	3.17

Surface Treatment	Nickel Plating
Material	Carbon Steel
Standard	DIN968,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Pan Head Wood Screw




unit:mm

Thread specification	Thread diameter (d)	Head diameter (dk)	Gasket diameter (dc)	Head thickness (k)
M1.4	1.4	3.3	3.9	1.1
M1.7	1.7	3.4/3.5	4.5/4.9	1.1/1.2
M2	2	3.5	4.9	1.2
M2.3	2.3	3.7	5.8	1.4
M2.6	2.6	4.3/4.5	5.9/6.4	1.5/1.6
M3	3	5.5	6.9	2.0
M4	4	6.9	7.9	2.4

Surface Treatment	Black Oxide
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Button Head Hex Socket Tapping Screw




unit:mm

Diameter	Head thickness	Across flats	Head diameter
M2	1.2mm	1.4mm	3.5mm
M2.3	1.6mm	1.5mm	4mm
M2.6	1.6mm	1.5mm	4.5mm
M3	1.9mm	2mm	5.7mm
M3.5	1.9mm	2.5mm	6.5mm
M4	2.3mm	2.5mm	7.6mm
M5	2.9mm	3mm	9.5mm
M6	3.3mm	4mm	10.5mm
M8	4.2mm	5mm	13.5mm
M10	5.2mm	6mm	17mm

Surface Treatment	Black,Plain
Material	304 Stainless Steel
Standard	DIN7380,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Countersunk Hex Socket Screw




unit:mm

Specification	Pitch	dk	k	S
M6	1	12.65	2.35	4.05
M8	1.25	14.05	3.35	5.05

Surface Treatment	Black Oxide,Zinc Plated
Material	304 Stainless Steel,Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-76/85
Applicable industries	Construction industry, general

Phillips Flat Head Self-Tapping Screw





unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter(d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.8	2	2.5	3.5	4	4.2	4.5	4.6	5.3	6.6	7.2	8.7	10.8
Head thickness(k)	1.2	1.2	1.3	1.4	1.5	1.5	1.6	1.7	2	2.5	2.6	3	3.6

Surface Treatment	Black Zinc Plated
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB845-76
Applicable industries	Construction industry, general

Phillips Round Head Self-Tapping Screw




unit:mm

Thread diameter (d)	M2	M3	M3.5	M4	M5
Head diameter (dk)	3.4	5.3	6.4	7.1	9.0
Head thickness	1.3	1.9	2.1	2.3	2.8

Surface Treatment	Black Electroplated, Plain
Material	304 Stainless Steel
Standard	DIN571,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Hex Washer Head Tri-Lobular Screw




unit:mm

Thread specification (d)	M4	M5	M6	M8
Washer outside diameter (dc)	9.5	11	13	17
Head thickness (k)	4	5	5.8	7
Width Across Flats (s)	7	8	10	13

Surface Treatment	Blue&White Zinc Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Cross Recessed Pan Head Self-Tapping Screw




unit:mm

Nominal diameter (d)	Head thickness (k)	Head diameter (dk)
M3	1.5	7
M4	1.8	8.5
M5	2.1	10.5
M6	2.6	12.5
M8	3	13.5

Surface Treatment	Plain
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Phillips Flat Head Flat Tip Self-Tapping Screw




unit:mm

Thread diameter(d)	1	1.2	1.4	1.5	1.7	2	2.3	2.6	3	3.5	4
Head diameter(dk)	1.9	2.1	2.5	3.1	3.2	3.6	3.7	4.1	5.1	6.6	7.0
Head thickness(k)	0.6	0.7	0.7	0.9	0.9	1.1	1.2	1.3	1.5	2.2	2.2

Surface Treatment	Plain
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Phillips Pan Head Self-Tapping Screw




unit:mm

Thread diameter(d)	M1.7	M2	M2.2	M2.6	M3	M4
Head diameter(dk)	3.7	4	4.4	5	5.9	7.4
Head thickness(k)	1.2	1.2	1.3	1.4	1.9	2.3

Surface Treatment	Black Oxide Finish
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Phillips Round Head Self-Tapping Screw (Coarse Thread)




unit:mm

Thread diameter(d)	M1.2	M1.4	M1.7	M2	M2.3	M2.6	M3	M3.5	M4	M5	M6
Head diameter(dk)	1.7	2.46	3.2	3.9	4.1	4.3	5.5	6.8	7.5	9.3	11.8
Head thickness(k)	0.7	0.96	1.18	1.5	1.8	2	2.3	2.6	2.9	3.5	4.5

Surface Treatment	Plain
Material	304 Stainless Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB70-85
Applicable industries	Construction industry, general

Phillips Flat Head Self-Tapping Screw





unit:mm

Specification	M1	M1.2	M1.4	M1.7	M2	M2.3	M2.5	M2.6	M3	M3.5	M4	M5	M6
Thread diameter(d)	1	1.2	1.4	1.7	2	2.3	2.5	2.6	3	3.5	4	5	6
Head diameter(dk)	1.75	1.86	2.43	3.27	3.7	4.2	4.5	4.6	5.3	7	8.3	9.1	11.3
Head thickness(k)	0.65	0.7	0.9	1	1.1	1.3	1.4	1.5	1.7	2.35	2.6	2.8	3.15

Surface Treatment	Blue Zinc Plated & Hardened
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB102-86
Applicable industries	Construction industry, general

Phillips Truss Head Self-Tapping Screw





unit:mm

Thread diameter(d)	M2	M2.5	M3	M3.5	M4	M4.5	M5	M6
Pitch(p)	0.4	0.45	0.5	0.6	0.7	0.75	0.8	1
Head diameter(dk)	4.3	5.5	6.8	8	9	10.4	11.5	13.5
Head thickness(k)	1.2	1.5	1.9	2.2	2.5	2.8	3	3.8

Surface Treatment	Black Oxide / Nickel Plating
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB102-86
Applicable industries	Construction industry, general

Hex Socket Round Head Self-Tapping Screw




unit:mm

Nominal diameter(d)	dk		k		s		t
	max	min	max	min	max	min	min
M3	5.7	5.4	1.55	1.30	2.045	1.920	1.04
M4	7.6	7.24	2.10	1.75	2.46	2.32	1.3
M5	9.5	9.14	2.55	2.20	3.071	2.920	1.56
M6	10.5	10.07	3.1	2.85	4.084	3.971	2.08

Surface Treatment	Black Oxide
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general

Socket Flat Countersunk Head Self-Tapping Screw



unit:mm

Specification	Head diameter	Head thickness	Hex width across flats
M3	6.6mm	1.5mm	2mm
M3.5	8.4mm	1.6mm	2.5mm
M4	9.7mm	2mm	2.5mm
M5	11.7mm	2.4mm	3mm
M6	11.9mm	2.5mm	4mm

Surface Treatment	White Zinc Plated
Material	Carbon Steel
Standard	DIN,ASTM,ISO,JIS,BS,AS,GB
Applicable industries	Construction industry, general