

Contact Person: Kevin Pan
WhatsApp: +86 18569402986
Tel: +86 18569402986
Email: Sales@lab-yr.com




CONTENTS

目录

公司简介 ABOUT SAN GROUP	01 - 02
水龙头 FAUCETS	03 - 12
纯水龙头 PURE WATER FAUCETS	13 - 14
气阀 GAS FITTINGS	15 - 20
新品阀门 NEW PRODUCTS VALVES	21
遥控装置 REMOTE CONTROLS	22 - 25
滴水架 PEGBOARDS	26 - 28
台式/壁式洗眼器 EYE WASHES	29 - 31
水槽杯槽 SINKS	32 - 35
万向抽气罩 FUME EXTRACTORS	36 - 43
应急喷淋洗眼装置 EMERGENCY SHOWERS & EYE WASHES	40 - 46
通风柜及家具零配件 LAB EQUIPMENT ACCESSORIES & PARTS	47 - 50
附录 APPENDIX	51 - 52

注: 所有产品图纸尺寸单位均为mm。
Note: All dimensions are in millimeters.



FAUCETS
水龙头



特殊安全紧固结构，避免因台面吸水膨胀而引起龙头断裂，使用寿命更长。
Unique fastening structure can prolong product lifespan by preventing fixture failure due to water absorption by deck causing expansion.

台雄首创龙头第一道过滤装置，净化水流，大大降低陶瓷阀芯损坏的机率。
Filtration unit can purify water and protect the ceramic cartridge from damage.

主体	优质铜材
涂层	高亮度环氧树脂涂层，耐腐蚀，防紫外线辐射
阀体	陶瓷阀芯，可90°旋转
水嘴	可拆卸，材质可选铜质或PP
鹅颈管	可360°旋转
折角管	可360°旋转
旋钮把手	高强度PP，耐腐蚀，人体工学设计，手感舒适
肘动把手	高强度PP，耐腐蚀，人体工学设计，防止二次污染


Body	Solid brass
Coating	High gloss epoxy finish, UV and chemical resistant
Valve Unit	Ceramic headwork, 90° turn; For details on handle's life cycle, pressure and other data, please refer to ASME A112.18-2012/CSA B12.1-12 standard
Nozzle	Brass or PP, detachable
Gooseneck	Available for 360 °swing
Angled Neck	Available for 360 °swing
Knob	High grade PP, ergonomic design and resistant to chemicals
Wrist blade lever	High grade PP, ergonomic design, resistant to chemicals and prevent secondary pollution

配件


SAN-9105A
铜质防溅滤水器
Brass filter

SAN-9105C
PP防溅滤水器
PP filter

台式低位单口水龙头
Single Faucet, Deck Mounted



SAN-1103




SAN-1103AM

★ 台式低位单口水龙头
Single Faucet, Deck Mounted




可根据需求安装于中央台和通风柜等不同位置。
Available for island bench and fume hood per request


台式肘动鹅颈单口水龙头
Single Faucet, Deck Mounted, Swing Gooseneck, Wrist Blade Lever



SAN-1101




SAN-1111




SAN-1103A


台式鹅颈单口水龙头
Single Faucet, Deck Mounted, Swing Gooseneck



SAN-1102



SAN-1112



SAN-S102




台式鹅颈单口感应水龙头

Sensor Faucet, Deck Mounted, Swing Gooseneck

- 采用瑞士先进的数字电路技术和红外线感应原理，通过微电脑智能控制，实现水流自动开关。
- 感应控制，避免直接接触，防止二次污染。
- 二次感应，节约用水。
- 实现交直流互动转换，无停电之忧。


- Using advanced digital circuits technology from Switzerland and infrared sensing principle, the faucet can operate through microcomputer
- Sensor control can prevent secondary pollution
- Two-time sensor control helps control flow rate and save water.
- No worry for power failure due to A.C. & D.C. conversion.




SAN-1601B

台式折角单口水龙头

Single Faucet, Deck Mounted, Swing Angled Neck




SAN-1104



SAN-1114


抽真空水嘴

Vacuum Pump, Venturi hose



SAN-9103

使用示意图




台式肘动双口水龙头

Double Faucet, Deck Mounted, U-Shaped, Wrist Blade Lever

肘动开关使用方便，避免双手直接接触，防止二次污染。


Wrist blade lever can avoid direct contact for hands and prevent secondary pollution.



SAN-1201

台式双口水龙头


Double Faucet, Deck Mounted, U-Shaped



SAN-1204

台式T型双口水龙头


Double Faucet, Deck Mounted, T-Shaped



SAN-1202

悬挂式双口水龙头


Double Faucet, Suspended



SAN-1203

台式高低位折角双口水龙头


Double Faucet, Deck Mounted, Swing Angled Neck



SAN-1205A

台式高低位鹅颈双口水龙头

Double Faucet, Deck Mounted, Swing Gooseneck




SAN-1206A



台式鹅颈三口水龙头

Triple Faucet, Deck Mounted, Swing Gooseneck



SAN-1304A


适用于大型器皿清洁，
可与大水槽配套使用。

Suitable for large ware
cleansing combined with sinks.




台式鹅颈三口水龙头


Triple Faucet, Deck Mounted, Swing Gooseneck




SAN-1304




SAN-1314



SAN-1314A




SAN-M302A



PP水嘴

SAN-M302B





SAN-S302



台式鹅颈三口水龙头

Triple Faucet, Deck Mounted, Swing Gooseneck




在台式鹅颈三口水龙头的基础
上加接防溅滤水器，防止水流
飞溅，并可过滤水中杂质，确保
出水洁净。

The filter can avoid splash and filter
impurities to assure clean water from
outlet.

加接一个PP防溅滤水器SAN-9105C （位置可选）

SAN-M302B/9105C1




加接两个PP防溅滤水器SAN-9105C （位置可选）

SAN-M302B/9105C2




台式肘动鹅颈三口水龙头


Triple Faucet, Deck Mounted, Swing Gooseneck, Wrist Blade Lever



SAN-1301




SAN-1311




SAN-M301

台式折角三口水龙头

Triple Faucet, Deck Mounted, Swing Angled Neck




SAN-1305A




SAN-1315A

台式折角三口水龙头


Triple Faucet, Deck Mounted, Swing Angled Neck



SAN-1305




SAN-1315




SAN-1307

台式平行三口水龙头

Triple Faucet, Deck Mounted, M-Shaped



SAN-1306A



SAN-1306




台式鹅颈三口冷热水龙头

Triple Mixing Faucet, Deck Mounted, Swing Gooseneck



安装方式
Installation
台面开孔 Φ37
Deck Hole Size: Φ37




SAN-1407A

适用大型器皿清洁, 还可调节水温, 满足不同的使用需求。


Suitable for large ware cleansing and temperature control at the same time.

台式鹅颈单口冷热水龙头

Single Mixing Faucet, Deck Mounted, Swing Gooseneck




SAN-1401A



SAN-1401B

台式鹅颈单口冷热水龙头


Single Mixing Faucet, Deck Mounted, Swing Gooseneck



SAN-1402

台式肘动鹅颈单口冷热水龙头

Single Mixing Faucet, Deck Mounted, Swing Gooseneck, Wrist Blade Lever



SAN-1402A




台式鹅颈单口不锈钢冷热水龙头

Single Mixing Faucet, Deck Mounted, Swing Gooseneck

304不锈钢材质，内壁洁净，不含有害化学元素，防止水质二次污染；产品耐腐蚀，结实耐用，外表美观，适用于高要求的使用环境。

Body made of 304 Stainless Steel, is smooth inside and doesn't contain toxic chemicals. Faucet is sturdy, durable, chemical resistant while meeting design and quality standards expected by the most demanding laboratories.



主体: 304不锈钢

SAN-1402S




立式单口水阀

Single Water Valve, Deck Mounted

可接软管用作引流，适用于实验台、通风柜或离水源较远的场所。


Suitable for laboratory bench, fume hood or the place far away from water source, combined with hoses.



SAN-2101

壁式单口冷热水龙头


Single Mixing Faucet, Panel Mounted, S-Shaped



SAN-1403

壁式单口冷热水龙头


Single Mixing Faucet, Panel Mounted, U-Shaped



SAN-1404

台式双口冷热水龙头


Single Mixing Faucet, Deck Mounted, M-Shaped



SAN-1405

立式180°双口水阀


Double Water Valve, Deck Mounted, 180 Degrees



SAN-2201

立式三口水阀


Triple Water Valve, Deck Mounted



SAN-2301

立式四口水阀


Quadruple Water Valve, Deck Mounted



SAN-2401

台式鹅颈单口不锈钢水龙头

Single Faucet, Deck Mounted, Swing Gooseneck




主体: 304不锈钢

SAN-1112S

台式鹅颈三口不锈钢水龙头

Triple Faucet, Deck Mounted, Swing Gooseneck




主体: 304不锈钢

SAN-1314AS

立式90°双口水阀


Double Water Valve, Deck Mounted, 90 Degrees



SAN-2202

壁式/悬挂式单口水阀


Single Water Valve, Panel Mounted / Overhead



SAN-2102

壁式单口水阀

Single Water Valve, Panel Mounted



SAN-2103

PURE WATER FAUCETS 纯水龙头

特制双软管结构

台雄特制双软管结构，加接水泵实现纯水循环流动，保证实验用水纯度。

Unique double hose design, along with the pump, can recirculate the water and ensure the purity.




循环纯水龙头

Recirculating Pure Water Faucet,
Polypropylene-Lined, Deck Mounted

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 全塑料阀芯
- 水嘴: 可拆卸PP水嘴
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 塑料软管: 实现循环流动, 避免纯水与金属接触, 保证水质纯度

- Body: Solid Brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: All-plastic valve
- Nozzle: PP, detachable
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Plastic Hose: Recirculate the water and avoid contact with metals to ensure the purity




SAN-1504

不锈钢蒸馏水龙头

Distilled Water Faucet, Deck Mounted

- 主体: 304不锈钢
- 阀体: 全塑料阀芯
- 水嘴: 可拆卸不锈钢水嘴
- 表面处理: 哑光
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适

- Body: 304 Stainless Steel
- Valve Unit: All-plastic valve
- Nozzle: Stainless steel, detachable
- Finish: Matte Finish
- Knob: High grade PP, ergonomic design and resistant to chemicals




SAN-1501

不锈钢纯水龙头

Pure Water Faucet, Plastic Lined, Deck Mounted

- 主体: 304不锈钢
- 阀体: 全塑料阀芯
- 水嘴: 可拆卸PP水嘴
- 表面处理: 哑光
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 塑料软管: 防止水流与金属接触

- Body: 304 Stainless Steel
- Valve Unit: All-plastic valve
- Nozzle: PP, detachable
- Finish: Matte Finish
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Plastic Hose: Avoid contact between water and metal



SAN-1502

PP纯水龙头

Pure Water Faucet, Deck Mounted

- 主体: 加强PP
- 阀体: 全塑料阀芯
- 水嘴: 不可拆卸PP水嘴
- 旋钮把手: 高密度PP, 耐腐蚀, 人体工学设计, 手感舒适

- Body: Reinforced PP
- Valve Unit: All-plastic valve
- Nozzle: PP, detachable
- Knob: High grade PP, ergonomic design and resistant to chemicals



SAN-1505

铜质纯水龙头

Pure Water Faucet, Plastic Lined, Deck Mounted

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 全塑料阀芯
- 水嘴: 可拆卸PP水嘴
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 塑料软管: 防止水流与金属接触

- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: All-plastic valve
- Nozzle: PP, detachable
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Plastic Hose: Avoid contact between water and metal



SAN-1503

GAS FITTINGS

气阀

权威的AGA认证



通过澳大利亚燃气行业的权威认证——AGA认证, 并达到标准: AS 4617-2004。该认证遵循专业和严谨的检测流程, 确保产品的高品质及安全性。

Approved by Australian Gas Association
- AGA certification which complies with strict and professional testing procedure to ensure the quality and safety of products. (Standard No.: AS 4617-2004).

我们的高压气阀

台雄自主设计并研发出新产品系列——高压气阀, 可精控调节, 承受更大的压力, 适合高压或高纯度气体使用。

Proprietary high pressure valve is capable of fine control and can bear higher pressure to fit for high pressure or high purity gas.



多款创新把手设计 满足不同需求



下压旋转式把手



下压旋转式弹扣把手



上提旋转式把手



高压针阀



低压针阀



下压旋转式弹扣气阀



下压旋转式气阀



上提旋转式气阀

高压针阀

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 不锈钢针阀, 高精度调节
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 开启方式: 旋转式
- 测试耐压: 17 bar / 1700 Kpa
- 额定耐压: 10 bar / 1000 Kpa

自主研发设计的高压气阀采用不锈钢针阀, 可承受更大的压力; 经过特殊清洁处理后亦可用于高纯度气体; 阀芯与阀座形成良好的契合, 实现高精度调节。



- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: Stainless needle valve for fine control
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Operating Mode: Turn
- Testing pressure: 17 bar / 1700 Kpa
- Rated pressure: 10 bar / 1000 Kpa

Proprietary high pressure valve uses stainless steel needle valve which can bear higher pressure. The valve is also available for high purity gas after special cleaning measures. Fine control is available due to plug and seat conjunction.



立式180°双口高压气阀


Double Fine Control Needle Valve, Deck Mounted, 180 Degrees



SAN-3201H

立式单口高压气阀


Single Fine Control Needle Valve, Deck Mounted



SAN-3101H

壁式/悬挂式单口高压气阀


Single Fine Control Needle Valve, Panel Mounted / Overhead



SAN-3102H

立式90°双口高压气阀


Double Fine Control Needle Valve, Deck Mounted, 90 Degrees



SAN-3202H

立式三口高压气阀


Triple Fine Control Needle Valve, Deck Mounted



SAN-3301H

立式四口高压气阀

Quadruple Fine Control Needle Valve, Deck Mounted




SAN-3401H



立式90°双口气阀

Double pop-up Valve, Deck Mounted, 90 Degrees



SAN-3202B

下压旋转式弹扣气阀

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 陶瓷阀芯, 可90°旋转
- 旋钮把手: 合金材质, 人体工学设计, 手感舒适
- 开启方式: 下压旋转式

旋钮把手在开启的过程中, 红色弹扣凸起, 用于辨别阀芯开闭状态, 减少危险发生。

- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: Ceramic headwork, 90° turn
- Knob: Alloy, ergonomic design
- Operating Mode: Press & Turn (Pop up)

While operating the knob, the red button will pop up to tell the status of the valve and reduce danger.

低压针阀

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 不锈钢针阀, 高精度调节
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 开启方式: 旋转式

可承受一定的压力, 密封性能好。


- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: Needle valve
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Operating Mode: Turn

The valve has excellent sealing performance and can bear certain pressure.



壁式/悬挂式单口气阀


Single Needle Valve, Panel Mounted / Overhead



SAN-3102

立式单口气阀


Single pop-up Valve, Deck Mounted



SAN-3101B

壁式/悬挂式单口气阀


Single pop-up Valve, Panel Mounted / Overhead



SAN-3102B

立式单口气阀


Single Needle Valve, Deck Mounted



SAN-3101

立式180°双口气阀


Double Needle Valve, Deck Mounted, 180 Degrees



SAN-3201

立式180°双口气阀


Double pop-up Valve, Deck Mounted, 180 Degrees



SAN-3201B

立式三口气阀


Triple pop-up Valve, Deck Mounted



SAN-3301B

立式四口气阀


Quadruple pop-up Valve, Deck Mounted



SAN-3401B

立式90°双口气阀


Double Needle Valve, Deck Mounted, 90 Degrees



SAN-3202

立式三口气阀


Triple Needle Valve, Deck Mounted



SAN-3301

立式四口气阀

Quadruple Needle Valve, Deck Mounted




SAN-3401



立式90°双口气阀

Double Lift & Turn Ball Valve, Deck Mounted, 90 Degrees



SAN-3202M

上提旋转式气阀

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 球阀
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 开启方式: 上提旋转式

使用特制球阀, 流体通过阻力小, 测量误差小, 经久耐用。

- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: Ball valve
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Operating Mode: Lift & Turn

Special ball valve is extremely durable and can reduce the flow resistance and measurement error.

下压旋转式气阀

- 主体: 优质铜材
- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 阀体: 陶瓷阀芯, 可90°旋转
- 旋钮把手: 高强度PP, 耐腐蚀, 人体工学设计, 手感舒适
- 开启方式: 下压旋转式

独特旋钮设计防止意外碰触而打开开关, 减少危险发生。


- Body: Solid brass
- Coating: High gloss epoxy finish, UV and chemical resistant
- Valve Unit: Ceramic headwork, 90°turn
- Knob: High grade PP, ergonomic design and resistant to chemicals
- Operating Mode: Press & Turn

Unique knob design prevents the danger from accidental contact.



立式单口气阀


Single Press & Turn Valve, Deck Mounted



SAN-3101A

立式单口气阀


Single Lift & Turn Ball Valve, Deck Mounted



SAN-3101M

壁式/悬挂式单口气阀


Single Lift & Turn Ball Valve, Panel Mounted / Overhead



SAN-3102M

壁式/悬挂式单口气阀


Single Press & Turn Valve, Panel Mounted / Overhead



SAN-3102A

立式180°双口气阀


Double Press & Turn Valve, Deck Mounted, 180 Degrees



SAN-3201A

壁式/悬挂式单口气阀

Single Lift & Turn Ball Valve, Panel Mounted / Overhead




SAN-3107



立式180°双口气阀


Double Lift & Turn Ball Valve, Deck Mounted, 180 Degrees



SAN-3201M

立式三口气阀


Triple Lift & Turn Ball Valve, Deck Mounted



SAN-3301M

立式四口气阀


Quadruple Lift & Turn Ball Valve, Deck Mounted



SAN-3401M

立式90°双口气阀


Double Press & Turn Valve, Deck Mounted, 90 Degrees



SAN-3202A

立式三口气阀


Triple Press & Turn Valve, Deck Mounted



SAN-3301A

立式四口气阀

Quadruple Press & Turn Valve, Deck Mounted




SAN-3401A

★ 恒温混水阀
Thermostatic Mixing Valve

- 恒温出水
- 带过热保护
- 可作为任何水龙头配合使用

- Water flow at constant temperature
- With overheating protection device
- Suitable for any faucets



SAN-9104

★ 三角阀
Angle Valve


- 优质原料，采用安全环保PP材料，不产生金属离子等污染
- 耐腐蚀耐磨损、耐锈蚀
- 冷热水通用
- 耐油污，易清洁，轻轻一抹光亮如初
- 加厚主体，质地厚实，使用寿命
- 加厚手柄不易断裂，开合顺滑不卡
- 适用于酸碱腐蚀介质的作业环境

- High-quality raw materials: Made of safe and eco-friendly PP material, free from metal ion contamination.
- Suitable for both cold and hot water.
- Corrosion-resistant, wear-resistant, and rust-resistant: Oil-resistant, easily wiped clean to restore its shine with a simple wipe.
- Reinforced body: Dense structure ensures long service life.
- Thickened handle: Resistant to breakage, ensures smooth operation without sticking.
- Ideal for working environments with acidic/alkaline corrosive media.


- 独创改良PP材质,强韧性,强刚性
- 尤其适用腐蚀性较强的恶劣环境
- 使用寿命长,安全环保,不产生金属离子等污染

- Modified PP material is of strong tenacity and solidness
- Suitable for harsh corrosive environment
- Environment friendly, safe, durable, no emitting metal ion, etc.


壁式/悬挂式单口水阀
Water Valve, Panel Mounted / Overhead



SAN-3106



SAN-9101M
三角阀 (外螺纹)
Angle Valve (Male Thread)



SAN-9101F
三角阀 (内螺纹)
Angle Valve (Female Thread)



REMOTE CONTROLS 遥控装置



便于检修和保养

分体式结构设计的遥控阀便于检修和保养。

Split-type remote control valve is easy for maintenance.



主体	优质铜材
涂层	高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
PP旋钮把手	耐腐蚀, 人体工学设计, 手感舒适
合金旋钮把手	高亮环氧树脂涂层, 耐腐蚀, 手感舒适
Body	Solid brass
Coating	High gloss epoxy finish, UV and chemical resistant
PP Knob	Ergonomic design and resistant to chemicals
Alloy Knob	High gloss epoxy finish, UV and chemical resistant

配件





遥控水嘴:
配合遥控水阀使用
Water Outlet: for water valves



遥控气嘴:
配合遥控气阀使用
Gas Outlet: For gas valves

壁式遥控水嘴

Outlet Fitting, Water, Panel Mounted, 90 Degrees




SAN-4205



壁式遥控水阀


Water Valve, Panel Mounted, Rod-Type



- 分体式结构设计的遥控水阀, 便于检修和保养
- 阀体: 陶瓷阀芯, 可90°旋转


- Split-type remote control valve is easy for maintenance
- Valve: Ceramic headwork, 90° turn

SAN-4105



壁式遥控气嘴

Outlet Fitting, Panel Mounted, 45 Degrees



SAN-4206




壁式遥控气阀

Needle Valve, Panel Mounted, Rod-Type



- 高压遥控气阀采用不锈钢针阀, 可承受更大的压力, 实现高精度调节;
- 分体式结构设计便于检修和保养。
- High pressure remote control valve is capable of fine control and can bear higher pressure
- Split-type remote control valve is easy for maintenance

SAN-4106



壁式遥控气阀

Needle Valve, Panel Mounted




SAN-4102

开启方式: 旋转式
Operating Mode: Turn



SAN-4102A

开启方式: 下压旋转式
Operating Mode: Press & Turn



旋钮把手: 合金材质
开启方式: 下压弹扣旋转式
Handle: Alloy knob
Operating Mode: Press & Turn (Pop up)

SAN-4102B





SAN-4104

开启方式: 旋转式
Operating Mode: Turn

SAN-4104A

开启方式: 下压旋转式
Operating Mode: Press & Turn



旋钮把手: 合金材质
开启方式: 下压弹扣旋转式
Handle: Alloy knob
Operating Mode: Press & Turn (Pop up)

SAN-4104B

壁式遥控气嘴

Outlet Fitting, Panel Mounted, 45 Degrees




氮气
Nitrogen

压缩空气
Compressed air



煤气
Gas

真空
Vacuum




SAN-4202

★ 壁式遥控水阀
Water Valve, Panel Mounted


- 阀体: 陶瓷阀芯, 可90°旋转
- 两种开孔尺寸可选——Φ33mm/Φ42mm, 符合不同需求; 配有塑料安装套件, 防止通风柜表面磨损; 可从通风柜正面拆卸, 便于检修和保养。

- Valve Unit: Ceramic headwork, 90° turn
- Please indicated the fixture diameter required - Ø33mm or Ø42mm
- Plastic washer avoids abrasion on the surface of the fume hood during installation
- The valve can be removed in front of the fume hood which is easy for maintenance.



SAN-4103

壁式遥控水嘴
Water Valve, Panel Mounted




阀体: 陶瓷阀芯, 可90°旋转
Valve: Ceramic headwork, 90° turn

SAN-4101

壁式遥控水嘴

Outlet Fitting, Water, Panel Mounted, 90 Degrees




L段长度可选110mm

SAN-4204

壁式遥控水嘴


Outlet Fitting, Water, Panel Mounted, 45 Degrees



SAN-4202W

台式鹅颈遥控水嘴


Outlet Fitting, Deck Mounted, Swing Gooseneck



SAN-4201

台式折角遥控水嘴


Outlet Fitting, Deck Mounted, Swing Angled Neck



SAN-4203

电动脚踏水阀

Electric Foot Treadle



控制方式: 常闭型黄铜电磁阀使用范围: -5°C-80°C
类型: 常闭、常开型
外壳材质: 绝缘塑料外壳工作电压: AC 220V
额定电流: 10A
产品认证: CE
使用场景: 与水龙头连接, 脚踏出水

SAN- 9106X

PEGBOARDS 滴水架

创新锁紧结构

拥有主体设计专利, 专利号 201520578042.3。
创新锁紧结构设计: 滴水棒卡扣与主板卡槽紧密契合, 不易松动, 极好地保护实验器具。

Patented Body Design (Patent No.: ZL 201520578042.3)
Innovative latch design can fasten the the peg and body through groove that protects labwares.

拆装方便的滴水棒


可拆卸式滴水棒, 使用方便, 拆卸后可盖上孔塞, 美观实用。

Pegs are detachable. Insert the cover into the hole after peg removal for better appearance.

一体成型的主板

模具一体成型, 底部集水盘设有排水孔及软管。

Integrated body with drip trough and hose at the bottom.



材 质	高强度PP新材料, 耐腐蚀, 不易老化
类 型	单面/双面
主板颜色	黑色/灰色/白色
安装方式	壁挂式/台式
滴水棒	黑色/灰色, 可拆卸, 具有锁扣功能, 方便使用

Body	High grade PP, fresh material, chemical and aging resistance
Type	Single faced / Double faced
Color	Black / Grey
Installation Type	Panel mounted / Deck mounted
Peg	Black / White; Detachable; Latch design for convenient use

配件



可选择120mm、150mm、180mm 三种长度的滴水棒, 适配不同尺寸和形状的器皿。

Drip sticks are available in three lengths: 120mm, 150mm, and 180mm, suitable for various containers and sizes.



单面PP滴水架

PP Pegboard, Single Faced



灰色 Grey


黑色 Black

白色 White

SAN-8101G SAN-8101B SAN-8101W

常用于中央台的两端和边台墙壁上, 多用于晾晒试管烧杯等器皿。创新的锁紧结构, 稳定性强, 防止实验器材掉落破损。

Available for either side of island bench or wall bench and used for hanging glasswares such as beakers and tubes. Innovative latch design protects labwares from falling.



滴水棒数量:

120mm 14根
150mm 9根
180mm 4根


Pegs:

14 pcs for 120mm
9 pcs for 150mm
4 pcs for 180mm



滴水架背板

Back Panel



- 材质: 冷轧钢
- 颜色: 灰色/黑色

Body: Cold rolled steel
Color: Grey

SAN-8100A 配SAN-8101G
SAN-8100C SAN-8101B
SAN-8100W-S SAN-8101W



单面PP滴水架

PP Pegboard, Single Faced



灰色 Grey

黑色 Black


白色 White

SAN-8103G SAN-8103B SAN-8103W

滴水棒数量:
120mm 28根
150mm 18根
180mm 10根


Pegs:

28 pcs for 120mm
18 pcs for 150mm
10 pcs for 180mm



滴水架背板

Back Panel



- 材质: 冷轧钢
- 颜色: 灰色


Body: Cold rolled steel
Color: Grey

SAN-8100B 配 SAN-8103G
SAN-8100D SAN-8103B
SAN-8100W-L SAN-8103W



双面PP滴水架

PP Pegboard, Double Faced




滴水棒数量:
120mm 28根
150mm 18根
180mm 8根

Pegs:

28 pcs for 120mm
18 pcs for 150mm
8 pcs for 180mm

SAN-8102G
SAN-8102B
SAN-8102W



滴水棒数量:
120mm 56根
150mm 36根
180mm 20根

Pegs:

56 pcs for 120mm
36 pcs for 150mm
20 pcs for 180mm

SAN-8104G
SAN-8104B
SAN-8104W





单面不锈钢滴水架

Stainless Steel Pegboard, Single Faced

- 304不锈钢材质的滴水架主体更加稳固; 滴水棒的位置可自由选定, 安装拆卸方便。
- 材质: 304不锈钢标配304不锈钢背板
- 滴水棒数量: 建议120mm 25根

Body is manufactured using sturdy and durable 304 stainless steel; Pegs are located freely and easily for assembling and disassembling.



- Body: 304 Stainless Steel
- Back panel is available
- Pegs: 25 for 120mm (Recommended)



SAN-8101S

- 材质: 304不锈钢标配304不锈钢背板
- 滴水棒数量: 建议120mm 36根

- Body: 304 Stainless Steel
- Back panel is available
- Pegs: 36 for 120mm (Recommended)




SAN-8103S

PP滴水棒

PP Peg for Stainless Steel Pegboard

与不锈钢滴水架搭配

Extra pegs for stainless steel pegboard



SAN-8012B
SAN-8012G
SAN-8012W

EYE WASHES

台式/壁式洗眼器



独特的台式/壁式洗眼器

水流开关按压后自动锁定，持续出水，一步到位，使用方便快捷，环保卫生。

The flow switch can be operated and locked at the same time for convenient use and environmental protection.

采用限流型止逆阀门，防止因水压过大二次伤害眼睛。

Backflow preventer limits the water flow to prevent secondary injury to the eye from high pressure.

采用不锈钢编织高压进水管，耐强腐蚀，避免造成身体伤害或水管爆裂。

Inlet pipe is stainless steel braided hose which is chemical resistant and can prevent harm from burst.

根据客户需求定制产品，可承受更大工作压力。

Eyewash can be customized to bear higher pressure.



主体	优质铜材
阀体	止逆阀门可自动关闭
喷头	优质铜材，环氧树脂涂层外加软性橡胶，出水经缓压处理呈泡沫状水柱，防止二次伤害眼睛
防尘盖	PP材质，使用时可自动被水冲开
进水管	软性PVC管外覆不锈钢编织网，外层包裹PE管，有效防止生锈、渗漏
Body	Solid brass
Valve Unit	Self-close backflow preventer
Spray Head	Solid brass with epoxy powder and soft rubber. Outlet water is foamed and depressured to prevent secondary injury to the eye
Dust Cap	PP, removed automatically when eyewash is operating
Inlet Pipe	Soft PVC hose braided by stainless steel, covered by PE pipe, resistant to rust and leakage



台式双口洗眼器

Eyewash, Drench Hose, Deck Mounted


新品



SAN-7201P



SAN-E7201



喷头中心距离与角度依照面部比例设计，可同时冲洗双眼，方便安全。


The center distance between two spray heads are in accordance with facial propotion, which allows two eyes washing at the same time.

台式单口洗眼器

Eyewash, Drench Hose, Deck Mounted



SAN-7301P




台式单口洗眼器

Eyewash, Drench Hose, Deck Mounted



SAN-7304





壁式单口洗眼器

Eyewash, Drench Hose, Wall Mounted



SAN-7301A



SAN-7304A

★ 台式侧折叠旋转式洗眼器


Eyewash, Drench Hose, Rotary type, Side fold, Deck Mounted

- 主体: 优质铜材
- 喷头: 优质铜材
- 防尘盖: PP 材质

- Body: Solid brass
- Spray Head: Solid brass
- Dust Covers: PP

开关方式: 旋转至水槽中央即自动出水, 复原即关闭。

Switch method: Turn to the center of sink to dispense water automatically; release to shut off.



SAN-E7208

★ 折叠台式双口洗眼器


Eyewash, Drench Hose, Fold, Deck Mounted

- 主体: 优质铜材
- 喷头: 优质铜材
- 防尘盖: PP 材质

- Body: Solid brass
- Spray Head: Solid brass
- Dust Covers: PP

开关方式: 手动, 往下拉平时开启, 往上推直时关闭。


Switch method: Manual operation, Pull down to horizontal position to turn on; push up to vertical position to turn off.



SAN-7207

壁式双口洗眼器

Eyewash, Wall Mounted



涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射

Coating: High gloss epoxy finish, UV and chemical resistant

SAN-7202A

台式双口洗眼器

Eyewash, Deck Mounted




涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射

Coating: High gloss epoxy finish, UV and chemical resistant

SAN-7202

壁式双口洗眼器


Eyewash, Drench Hose, Wall Mounted



SAN-7201A

台式洗瓶器

Bottle Washer, Drench Hose, Deck Mounted



洗瓶嘴: 304不锈钢

Nozzle: 304 Stainless Steel

SAN-7302P

SINKS

水槽杯槽

槽沿平整, 契合台面

The edge is flat and fits into the worktop.



我们的原材料

采用高品质PP新材料注塑成型, 致密性高, 稳定性强, 并具弹性、韧性, 不易老化变形。

Sink, which is injection molded and made of high grade PP fresh material, is of high density, stability and elasticity. Also it is aging resistant.

实用的PP提笼

首创PP过滤提笼, 可解决杂质堵塞管道及不易清洁的问题

Innovative PP basket trap solves the jamming problem caused by impurities.


标准附件

标配附件: 高强度PP去水, 含阻水盖、PP过滤提笼


Accessories: High grade PP overflow, including stopper and basket trap



可选附件




SAN-5300
存水器接头
Connector



SAN-5301B/W

PP防虹吸瓶式存水器:
防止下水管道中臭气回流

PP anti-siphon bottle trap, block the backflow to the noxious gas in the sewer





SAN-G1

PP下水管: 可选用存水器
接头SAN-5300与存水器
搭配使用

PP hose, combined with bottle
trap and connector (SAN-5300)

PP水槽

PP Sink




**SAN-5104B
SAN-5104G
SAN-5104W**

- 溢水装置与水槽一体注塑成型，坚韧耐用，安全可靠。
- 自带溢水功能，预防实验过程中发生溢水，损毁仪器。
- 附件：高强度PP阻水盖、溢水盖、连接链

- The overflow unit and the body are integrated during injection which is durable and reliable.
- Overflow function will prevent appliance damage from overflowing during experiment.
- Included: High grade PP drainage cap, overflow cap with chain

PP水槽


PP Sink



**SAN-5102B
SAN-5102G**

PP水槽


PP Sink



**SAN-5103B
SAN-5103G**

PP水槽


PP Sink



**SAN-5101B
SAN-5101G**

PP椭圆杯槽

PP Oval Cupsink




**SAN-5201B
SAN-5201G**

**SAN-5204B
SAN-5204G**

PP圆杯槽


PP Round Cupsink



**SAN-5203B
SAN-5203G**

PP方杯槽

PP Rectangular Cupsink



**SAN-5202B
SAN-5202G**



不锈钢水槽




Stainless Steel Sink

304不锈钢
采用精细磨砂拉丝
标配过滤提笼
自带溢水功能, 质感强, 耐腐蚀, 易清洁




304 stainless steel
Fine matt finish
Basket trap
Equipped with overflow, fine texture, corrosion
resistant and easy to clean



SAN-5103S



SAN-5101S



FUME EXTRACTORS

万向 抽气罩

上翻支撑气弹簧。
Lift Support Gas Spring.

象鼻式抽气罩
Elephant Trunk Universal Exhaust Hood

SAN-661275XBG/C

360°底座旋转装置。
360° swing device at the bracket.

关节处配置PP折叠弯管, 耐腐蚀抗
老化性能优异, 满足实验需求。
The joint is equipped with PP folding
elbow, which has excellent corrosion
resistance and aging resistance and
meets the experimental requirements.

上翻支撑气弹簧	液压杆, 更稳定; 加厚缸体、QPQ氮化处理, 经久耐用
PP折叠伸缩风管	可任意定向; 耐酸碱、零异味, 安全无害
万向底座	可360°任意旋转
伸缩导管	直径75mm铝合金管, 伸缩范围最大300mm, 可定制; 表面摩擦力小, 不卡顿
气流调节阀	手动调节外部阀门旋钮, 控制进入气体流量

Lift Support Gas Spring	Hydraulic rod for enhanced stability; Thickened cylinder with QPQ nitriding treatment ensures long-lasting durability
PP Collapsible Flexible Duct	Adjustable direction; Acid/alkali resistant, odorless, safe and non-toxic
Swivel Base	Allows smooth 360° rotation
Telescopic Conduit	75mm diameter aluminum alloy tube, extends up to 300mm (customizable); Low surface friction enables smooth operation
Air Flow Control Valve	Manually adjust external valve knob to regulate gas intake volume

可选附件

拱形集气罩


Arched Fume Extractor




吊顶孔罩

Ceiling Hole Cover

用于吸顶式抽气罩
Cover for cutout of ceiling



SAN-6100A



SAN-6100

我们的调节阀专利

拥有气流调节阀专利, 可在
360°范围内手动任意调节, 有
效控制气流量; 密封性能好,
不产生噪音。

Patented Damper allows manual adjustment at 360° to control flow rate.
Upgraded seal performance
eliminates leaks and operates quietly.

实用美观的吊顶孔罩

拥有吊顶孔罩设计专利, 避免开
孔处灰尘散落, 并使抽气罩安
装后更加美观。

Patented Cover avoids dust fall
from the cut-out in the ceiling and
performs better appearance at
the same time.

任意角度旋转装置

首创360°底座旋转装置。
Innovative 360° Innovative 360 bracket

可随意定位, 不松动下垂

抽气罩关节可随意调节定位,
独创紧固装置, 关节不会松动
下垂。


Joints can be freely located without the
extractor moving out of adjustment.

吸顶式三节PP抽气罩

PP Fume Extractor, Ceiling Mounted



SAN-63XX/64XX




型号 Model	导管 材质 Material	导管 管径 Duct Dia.	最大活动 半径 Max. Radius	A (mm)	B (mm)	C (mm)	D (mm)	底座 材质 Bracket
吸顶式 Ceiling Mounted								
6312	PP	100mm	1200	300	350	550	350	PVC
6315	PP	100mm	1500	300	500	700	350	
6318	PP	100mm	1800	300	650	850	350	
6321	PP	100mm	2100	300	800	1000	350	
6324	PP	100mm	2400	300	950	1150	350	
吸顶式 Ceiling Mounted								
6412	PP	75mm	1200	300	350	550	350	PVC
6415	PP	75mm	1500	300	500	700	350	
6418	PP	75mm	1800	300	650	850	350	
6421	PP	75mm	2100	300	800	1000	350	
6424	PP	75mm	2400	300	950	1150	350	

吸顶式三节PP抽气罩

PP Fume Extractor, Ceiling Mounted



SAN-63XXA/64XXA




型号 Model	导管 材质 Material	导管 管径 Duct Dia.	最大活动 半径 Max. Radius	A (mm)	B (mm)	C (mm)	D (mm)	底座 材质 Bracket
吸顶式 Ceiling Mounted								
6312A	PP	100mm	1200	300	350	550	350	铝合金 Aluminum Alloy
6315A	PP	100mm	1500	300	500	700	350	
6318A	PP	100mm	1800	300	650	850	350	
6321A	PP	100mm	2100	300	800	1000	350	
6324A	PP	100mm	2400	300	950	1150	350	
吸顶式 Ceiling Mounted								
6412A	PP	75mm	1200	300	350	550	350	铝合金 Aluminum Alloy
6415A	PP	75mm	1500	300	500	700	350	
6418A	PP	75mm	1800	300	650	850	350	
6421A	PP	75mm	2100	300	800	1000	350	
6424A	PP	75mm	2400	300	950	1150	350	

吸顶式三节铝合金抽气罩

Aluminum Alloy Fume Extractor, Ceiling Mounted



SAN-65XX/66XX




型号 Model	导管 材质 Material	导管 管径 Duct Dia.	最大活动 半径 Max. Radius	A (mm)	B (mm)	C (mm)	D (mm)	底座 材质 Bracket
吸顶式 Ceiling Mounted								
6512		100mm	1200	300	350	550	350	PVC
6515	铝合金	100mm	1500	300	500	700	350	
6518	Aluminum	100mm	1800	300	650	850	350	
6521	Alloy	100mm	2100	300	800	1000	350	
6524		100mm	2400	300	950	1150	350	
吸顶式 Ceiling Mounted								
6612		75mm	1200	300	350	550	350	PVC
6615	铝合金	75mm	1500	300	500	700	350	
6618	Aluminum	75mm	1800	300	650	850	350	
6621	Alloy	75mm	2100	300	800	1000	350	
6624		75mm	2400	300	950	1150	350	

吸顶式三节铝合金抽气罩

Aluminum Alloy Fume Extractor, Ceiling Mounted




SAN-65XXA/66XXA



型号 Model	导管 材质 Material	导管 管径 Duct Dia.	最大活动 半径 Max. Radius	A (mm)	B (mm)	C (mm)	D (mm)	底座 材质 Bracket
吸顶式 Ceiling Mounted								
6512A		100mm	1200	300	350	550	350	铝合金 Aluminum Alloy
6515A	铝合金	100mm	1500	300	500	700	350	
6518A	Aluminum	100mm	1800	300	650	850	350	
6521A	Alloy	100mm	2100	300	800	1000	350	
6524A		100mm	2400	300	950	1150	350	
吸顶式 Ceiling Mounted								
6612A		75mm	1200	300	350	550	350	铝合金 Aluminum Alloy
6615A	铝合金	75mm	1500	300	500	700	350	
6618A	Aluminum	75mm	1800	300	650	850	350	
6621A	Alloy	75mm	2100	300	800	1000	350	
6624A		75mm	2400	300	950	1150	350	

台式双节PP抽气罩

PP Fume Extractor, Deck Mounted




底座材质: PP材质
Bracket: PP

SAN-6408
SAN-6308

不锈钢原子吸收罩

Stainless Steel Atomic Absorption Extractor



· 主体材质: 304不锈钢
· 导管: 可在一定范围内自由伸缩

Body: 304 Stainless Steel
Duct: Adjustable range in 300mm (see catalog drawing)

SAN-6105

抽气罩底座

Bracket for Fume Extractor

模具注塑一体成型, 牢度强, 不脱底。安装更方便, 且安装后外观平整度高, 光滑无凹凸, 不易变形。
High-strength injection-molded base prevents detachment; easy installation with smooth, flat finish resistant to deformation.



材质:
铝合金

Material:
Aluminum Alloy

SAN-6200ALBT
用于Φ75的吸顶式抽气罩
Bracket for Φ75 Fume Ex-tractors,
Ceiling Mounted

SAN-6200ALDT
用于Φ100的吸顶式抽气罩和象鼻
式抽气罩
Bracket for Φ100 Fume Extractors, Ceiling
Mounted & Telescopic Air Pump



材质:
PVC

Material:
PVC

SAN-6200BTW
用于Φ75的吸顶式抽气罩
Bracket for Φ75 Fume Extractors,
Ceiling Mounted

SAN-6300BTW
用于Φ100的吸顶式抽气罩
Bracket for Φ100 Fume Extractors,
Ceiling Mounted



材质:
碳钢

Material:
Carbon Steel

SAN-6200ABT
用于Φ75 Φ100壁式抽气罩
Bracket for Φ75 Φ100 Fume
Extractors, Wall Mounted


无极抽气罩

Infinitely Adjustable Fume Extractor Hood



· 管身: 竹节设计, 可360°任意弯曲
· 材质: 高强度PP材质, 抗摔、耐热、耐腐蚀、密封性好
· 集气罩: 易拆卸, 更换方便
· 风门组件: 可手动调整阀门, 轻松控制进风量


· Tube: Bamboo-joint design enables 360° free positioning
· Material: High-strength PP - impact-resistant, heatproof, corrosion-resistant & superior sealing
· Hood: Detachable for quick replacement
· Damper assembly: Manual valve adjustment for effortless airflow control



SAN-6488A/6488ABDW

EMERGENCY SHOWERS & EYE WASHES

应急喷淋洗眼装置



不锈钢球阀为自主开模精铸, 可单独拆卸, 检修方便。

Stainless steel ball valve is self molded and precision casting which can be dismantled separately.

水压调节阀: 可调节水压装置, 适用不同地区水压。
Water regulating valve adjusts the water pressure to adapt different places

洗眼喷头: 内置减压装置, 防止二次伤害眼睛。
Spray head has a decompression device inside to prevent secondary injury to the eye.

SAN-7100: 304不锈钢脚踏板, 控制洗眼开关。
SAN-7100: 304 stainless steel foot treadle controls the eyewash valve.

SAN-7102HX

主体	304不锈钢
涂层	高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
喷淋开关	304不锈钢球阀
喷淋盘	304不锈钢
喷淋拉杆	304不锈钢
洗眼开关	304不锈钢球阀
洗眼喷头	增压洗眼喷头, 优质铜材外加软性橡胶
洗眼盘	304不锈钢
防尘盖	PP材质, 使用时可自动被水冲开
管径	45mm
Body	304 Stainless Steel
Coating	High gloss epoxy finish, UV and chemical resistant
Shower Valve Unit	304 Stainless Steel ball valve
Shower Head	304 Stainless Steel
Pull Rod	304 Stainless Steel
Eyewash Valve Unit	304 Stainless Steel ball valve
Spray Head	Solid brass with soft rubber
Eyewash Bowl	304 Stainless Steel
Dust Cap	PP, removed automatically when eyewash is operating
Pipe Diameter	45mm



我们的双认证

获得双认证: TÜV、CE
符合双标准: 美国ANSI/ISEA Z358.1-、欧盟EN 15154。

The only Chinese manufacturer approved by TWO organization: TÜV & CE
US Standard: ANSI / ISEA Z358.1
EN Standard: EN 15154.

一插即装, 降低安装时间与人力成本, 并解决管道连接处漏水问题
Plug and install, minimizing setup time and labor costs, while eliminating leakage at pipe joints




★ 组合式测试型应急喷淋洗眼器

Emergency Showers & Eyewashes With Testing Pan

特殊的盛水盘设计可防止在进行洗眼器检测维护时水流四溅，保持地面清洁。检测完毕后，可将盛水盘移开，以便紧急使用。


- Our innovative and uniquely designed spill containment pan will allow the user to eliminate spilling during the routine maintenance and testing of this unit. When the unit is in the end use position, the pan can easily be moved out of the way for normal operation.

SAN-7102AHTX



组合式应急喷淋洗眼器

Emergency Showers & Eyewashes




SAN-7102AHX



- 喷淋盘: PP材质
- 洗眼盘: PP材质
- 洗眼喷头: 增强尼龙

- Shower Head: PP
- Eyewash Bowl: PP
- Spray Head: Reinforced nylon




SAN-7102APHX

组合式应急喷淋洗眼器

Emergency Showers & Eyewashes

- 涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射
- 喷淋盘: PP材质
- 洗眼盘: PP材质
- 洗眼喷头: 增强尼龙

- Coating: High gloss epoxy finish, UV and chemical resistant
- Shower Head: PP
- Eyewash Bowl: PP
- Spray Head: Reinforced nylon




SAN-7102PHX

应急喷淋器

Emergency Shower, Free Standing

涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射

Coating: High gloss epoxy finish, UV and chemical resistant.




SAN-7103H



SAN-7103AH

立式应急洗眼器

Emergency Eyewash, Pedestal Mounted



SAN-7104HX



SAN-7104AHX

涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射

Coating: High gloss epoxy finish, UV and chemical resistant

壁式应急喷淋器


Emergency Shower, Horizontally Mounted

涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射

Coating: High gloss epoxy finish, UV and chemical resistant

SAN-7105H

SAN-7105AH




吊顶式应急喷淋器

Emergency Shower, Vertically Mounted

涂层: 高亮度环氧树脂涂层, 耐腐蚀, 防紫外线辐射


Coating: High gloss epoxy finish, UV and chemical resistant

SAN-7108H



★ 壁式应急洗眼器

Emergency Eyewash, Wall Mounted



体积小, 安装简便; 壁式安装可节省地面空间, 同时增加美观度, 符合现代实验室设计理念。

- Convenient size for mounting
- Easy installation
- Wall mounting saves space and increases aesthetics at the same time which complies with modern laboratory design parameters.

SAN-7203AHX

应急喷淋器

Emergency Shower, Free Standing



- 主体: 316不锈钢
- 喷淋盘: 316不锈钢
- Body: 316 Stainless Steel
- Shower Head: 316 Stainless Steel

SAN-7103AS




- 主体: 304不锈钢
- 喷淋盘: PP
- Body: 304 Stainless Steel
- Shower Head: PP

SAN-7103APH




- 主体: 304不锈钢
- 喷淋盘: PP
- Body: 304 Stainless Steel
- Shower Head: PP

SAN-7103PH



立式应急洗眼器

Emergency Eyewash, Pedestal Mounted



- 主体: 304不锈钢
- 防尘盖: 304不锈钢
- 洗眼盘: 304不锈钢
- 洗眼喷头: 优质铜材+软性橡胶
- Body: 304 Stainless Steel
- Shower Head: 304 Stainless Steel
- Eyewash Bowl: 304 Stainless Steel
- Spray Head: Copper+Soft Rubber

SAN-7104ACHX



- 主体: 316不锈钢
- 防尘盖: PP
- 洗眼盘: 316不锈钢
- 洗眼喷头: 优质铜材+软性橡胶
- Body: 316 Stainless Steel
- Shower Head: PP
- Eyewash Bowl: 316 Stainless Steel
- Spray Head: Copper+Soft Rubber

SAN-7104ASX



- 主体: 304不锈钢
- 防尘盖: PP
- 洗眼盘: PP
- 洗眼喷头: PP
- Body: 304 Stainless Steel
- Shower Head: PP
- Eyewash Bowl: PP
- Spray Head: PP

SAN-7104APHX




PP应急喷淋洗眼房

PP, Emergency Showers & Eye Washes Booth

- 主体: PP
- 房体: PP
- 洗眼喷头: PP+软性橡胶
- Body: PP
- House body: PP
- Spray Head: PP+Soft Rubber

SAN-7102PRHX




不锈钢应急喷淋洗眼房

Stainless Steel, Emergency Showers & Eye Washes Booth

- 主体: 304不锈钢
- 房体: 304不锈钢
- 洗眼喷头: 优质铜材+软性橡胶
- Body: 304 Stainless Steel
- House body: 304 Stainless Steel
- Spray Head: Copper+Soft Rubber

SAN-7102ARH




复合式自排空应急喷淋洗眼器

Combined Type, Self Draining, Emergency Showers & Eye Washes Booth

- 主体: 304不锈钢
- 洗眼盘: 304不锈钢
- 洗眼喷头: 优质铜材+软性橡胶
- Body: 304 Stainless Steel
- Eyewash Bowl: 304 Stainless Steel
- Spray Head: Copper+Soft Rubber

SAN-7102AF5H




复合式自排空应急喷淋洗眼器


Combined Type, Self Draining, Emergency Showers & Eye Washes Booth

- 主体: 304不锈钢
- 洗眼盘: 304不锈钢
- 洗眼喷头: 优质铜材+软性橡胶

- Body: 304 Stainless Steel
- Eyewash Bowl: 304 Stainless Steel
- Spray Head: Copper+Soft Rubber



SAN-7102AF1CH




SAN-7102AF1H

电伴热防冻型应急喷淋洗眼器

Electric Heating, Antifreeze Type, Emergency Showers & Eye Washes Booth

- 主体: 304不锈钢
- 洗眼盘: 304不锈钢
- 洗眼喷头: 优质铜材

- Body: 304 Stainless Steel
- Eyewash Bowl: 304 Stainless Steel
- Spray Head: Copper




SAN-7601CH

电伴热防冻型应急喷淋洗眼器

Electric Heating, Antifreeze Type, Emergency Showers & Eye Washes Booth

- 主体: 304不锈钢
- 洗眼盘: 304不锈钢
- 洗眼喷头: 优质铜材

- Body: 304 Stainless Steel
- Eyewash Bowl: 304 Stainless Steel
- Spray Head: Copper



SAN-7601H

安全岛 - 应急救援站

Recessed Safety Showers & Eyewashes

安全岛是为实验室人员提供应急救援需求的设备。它是一款集成了应急喷淋、应急洗眼、消防设备、医疗箱、个人防护用品等模块的综合性多功能产品，更好地保障了实验室人员的安全。当眼睛或身体裸露部位接触到有毒有害或腐蚀性化学物质时，在安全岛的区域，可以进行冲洗、医疗、消防等系列的应急处置。主要适用于研究或使用有毒有害危险品的场所。

- 外观尺寸: 1500mm*1355*2210mm
- 喷淋: 喷淋站高度<2000mm
- 洗眼: 洗眼高度<1150mm;低头略微弯腰

SAN-791500+75001




A Safety Island is an emergency response equipment designed to meet the rescue needs of laboratory personnel. As a comprehensive multi-functional product integrating emergency showers, eyewash stations, firefighting equipment, medical kits, and personal protective equipment modules, it effectively ensures the safety of laboratory staff. When eyes or exposed body parts come into contact with toxic, hazardous, or corrosive chemicals, a series of emergency responses including rinsing, medical assistance, and firefighting measures can be performed within the Safety Island area. It is primarily suitable for facilities engaged in research or handling of dangerous chemicals and hazardous substances.

- Size: 1500mm*1355mm*2210mm
- Height of the shower station: <2000mm
- Eyewash: Height of the Eye-washing<1150mm; Bend head slightly and lean forward a little



组合嵌入式应急喷淋洗眼器


Recessed Safety Showers & Eyewashes



SAN-71091

嵌入式应急喷淋器


Recessed Safety Shower



SAN-7205AH

嵌入式应急洗眼器

Recessed Safety Eyewash



SAN-7204AH

便携式洗眼器


Portable Eyewash



- 主体: PE
- 容量: 35L
- 可壁挂或配套移动推车使用

- Body: PE
- Volume: 35L
- Available for wall mounting or trolley

SAN-7402



- 主体: PE
- 洗眼喷头: 加强尼龙
- 容量: 5L/8L

- Body: PE
- Spray Head: Reinforced nylon
- Volume: 5L / 8L



SAN-7401A

SAN-7401B



LAB EQUIPMENT
ACCESSORIES & PARTS

通风柜 及家具零配件


作为实验室安全的赋能者，台雄致力于为实验室通风柜及家具等关键功能单元提供全方位支持。从通风柜配件到水龙头、遥控阀、导轨、铰链等，台雄全面覆盖实验室通风柜及家具，凭借强大的非标定制与模块化整合能力，为实验室人员构建更可靠、更安全的实验环境，无死角守护实验安全与工作效率。

As an enabler of laboratory safety, SAN GROUP is dedicated to providing comprehensive support for key functional units such as laboratory fume hoods and furniture. From fume hood accessories to faucets, remote control valves, guide rails, hinges, etc., SAN GROUP covers laboratory fume hoods and furniture in all aspects. With its strong capabilities in non-standard customization and modular integration, it builds a more reliable and safer experimental environment for laboratory personnel, ensuring all-round safeguarding of experimental safety and work efficiency without any blind spots.




通风柜 配件

Fume Hood Components



1 过线孔盖片 HDSP-1001

Cap for Wiring Hole




2 抽屉缓冲垫 / 门挡缓冲垫 HDSP-1004/HDSP-1008

Rubber Bumper for Drawer / Cabinet



4 导流板支撑架 HDSP-1015/HDSP-1016/HDSP-1017

Liner Bracket



● 玻璃橡胶条 HDSP-1014

Rubber Buffer Rail



6 调整脚 GLSP-1105

Adjustable Leg



3 检修窗框套件

HDSP-1005/HDSP-1009

Service Hole Frame

尺寸: 500x360mm
自行开模的检修窗框套件
结构: 独家创新设计
材质: PP

Size: 500x360mm
Own molding service
hole frame
Structure: unique
design
Material: PP



8 孔盖

Hole Cap


GLSP-1201 Φ 16mm
GLSP-1202 Φ 23mm
GLSP-1203 Φ 40mm
GLSP-1204 Φ 41-42mm
GLSP-1207 Φ 41-42mm
GLSP-1208 Φ 23mm

材质: PP
Material: PP



7 三角垫板 GLSP-1106

Triangle Piece



● 防水插座

Waterproof Socket



10 陶纤板

Ceramics Fiber Lining
Board



11 阳角 GLSP-1112

PP Angle Bead




12 门锁套件


GLSP-1213

Lock






3 不锈钢铰链套件 GLSP-1100
304 Stainless Steel Hinge Kit



4 PP铰链 GLSP-1210
PP Hinge Kit




5 门卡 GLSP-1108
Latch




6 PP拉手 GLSP-1209
Plastic Handle




1 导轨套件 GLSP-1001
Drawer Slide




自吸式全伸缩导轨 GLSP-1211
Full Extension Drawer Slide, Self-closing




非自吸式全伸缩导轨 GLSP-1212
Full Extension Drawer Slide



嵌入式拉手 GLSP-1110
Recessed Handle




锌合金拉手 GLSP-1109
Zinc Alloy Handle



调整脚 GLSP-1104
Adjustable Leg



层板挂耳 GLSP-1107
Shelf Hanger



PP盖帽 GLSP-1205
Plastic Cap



台雄以标准化设计保障实验安全与设备兼容性。台雄防水插座及插座盒不仅通过国家3C强制认证，更专为实验室场景深度优化；集成通风柜、实验台等设备标准开孔尺寸，无需定制，即装即用；并配备抗腐蚀PP材质防护翻盖，有效阻隔试剂飞溅，规避短路风险。

SAN GROUP ensures laboratory safety and equipment compatibility through standardized design. Our Waterproof Sockets & Junction Boxes are CCC-certified and engineered specifically for laboratory environments. Pre-configured to standard cutout dimensions of fume hoods, workbenches, and lab equipment, requiring no customization and ready for immediate installation. Equipped with chemical-resistant PP flip covers to effectively block reagent splashes and prevent short-circuit risks.

- 实验室专用插座，专为严苛实验环境设计
- 具备防水、防溅、防尘三重防护
- 采用透明PP材质，耐酸碱、抗腐蚀、化学稳定性高
- 阻燃防火设计，提升用电安全性
- 卫生无毒，符合环保要求
- 结构稳固，不变形、不褪色，使用寿命长
- 体积小巧，美观实用，适配实验室通风柜及家具

- Laboratory-specific sockets, designed for demanding experimental environments
- Featuring triple protection, waterproof, splash-proof, and dustproof
- Made of transparent PP material, resistant to acids, alkalis, corrosion, with high chemical stability
- Flame-retardant and fireproof design enhances electrical safety
- Non-toxic and hygienic, meeting environmental standards
- Sturdy structure, resistant to deformation and fading, with a long service life
- Compact size, stylish yet practical, compatible with laboratory ventilation hoods and furniture



Name 产品名称	Model No. 型号	Specification 规格	Type 类型
Waterproof Socket(white) 防水插座 (白)	GLSP-2001	Three-phase 三相 25A380V	GB 4 Holes 国标4孔
Waterproof Socket(white) 防水插座 (白)	GLSP-2002	Three-phase 三相 16A380V	GB 4 Holes 国标4孔
Waterproof Socket(grey) 防水插座 (灰)	GLSP-2006	Three-phase 三相 25A380V	GB 4 Holes 国标4孔
Waterproof Socket(grey) 防水插座 (灰)	GLSP-2007	Three-phase 三相 16A380V	GB 4 Holes 国标4孔
Waterproof Socket (champagne gold) 防水插座 (香槟金)	GLSP-2004	Single-phase 单相 10A250V	Multi 3 Holes 万用3孔
Waterproof Socket(white) 防水插座 (白)	GLSP-2009	Single-phase 单相 10A250V	Multi 3 Holes 万用3孔
Waterproof Socket(grey) 防水插座 (灰)	GLSP-2003	Single-phase 单相 10A250V	GB 3 Holes 国标3孔
Waterproof Socket(white) 防水插座 (白)	GLSP-2008	Single-phase 单相 16A250V	GB 3 Holes 国标3孔
Waterproof Socket (champagne gold) 防水插座 (香槟金)	GLSP-2011	Single-phase 单相 16A250V	GB 3 Holes 国标3孔
Waterproof Socket (champagne gold) 防水插座 (香槟金)	GLSP-2005	Single-phase 单相 10A250V	GB 2 & 3 Holes 国标2、3孔
Waterproof Socket(white) 防水插座 (白)	GLSP-2010	Single-phase 单相 10A250V	GB 2 & 3 Holes 国标2、3孔

Name 产品名称	Model No. 型号	Specification 规格	Type 类型
Waterproof Socket(white) 防水插座 (白)	GLSP-2021	Single-phase 单相 13A250V	BSI 3 Holes 英标3孔
Switch(champagne gold) 防水开关 (香槟金)	GLSP-2101	10A250V	/
Switch(white) 防水开关 (白)	GLSP-2102	10A250V	/
Network Interface (champagne gold) 网线插座 (香槟金)	GLSP-2201	/	/
Network Interface(white) 网线插座 (白)	GLSP-2203	/	/
Telephone Interface (champagne gold) 电话线插座 (香槟金)	GLSP-2202	/	/
Telephone Interface(white) 电话线插座 (白)	GLSP-2204	/	/
Electrical Box, Single faced, One holes 单面一位插座盒	GLSP-2301	/	/
Electrical Box, Single faced, Two holes 单面二位插座盒	GLSP-2302	/	/
Electrical Box, Double faced, Two holes 双面二位插座盒	GLSP-2303	/	/
Electrical Box, Double faced, Four holes 双面四位插座盒	GLSP-2304	/	/

把手配色表

EN 13792:2002 Recommendation
Colour Coding of Operating Handles

液体/气体 Media		旋钮 Handle	内环 Ring	中心钮 Button	指示标志 Text symbols
冷水 Cold Water		绿 green	绿 green	蓝 blue	
热水 Hot water		绿 green	绿 green	红 red	
蒸馏水 Distilled water		绿 green	白 white	白 white	
低压蒸汽 Low pressure steam		绿 green	红 red	红 red	
真空 Vacuum		灰 grey	灰 grey	灰 grey	
压缩空气 Compressed air		蓝 blue	蓝 blue	黄 yellow	
氮气 Nitrogen		蓝 blue	绿 green	绿 green	
氩气 Argon		蓝 blue	灰 grey	灰 grey	
氦气 Helium		蓝 blue	灰 grey	白 white	
二氧化碳 Carbon dioxide		蓝 blue	蓝 blue	黑 black	
氧气 Oxygen		蓝 blue	蓝 blue	蓝 blue	
氢气 Hydrogen (burning)		红 red	红 red	红 red	
煤气 Propane/Butane LPG(burning)		黄 yellow	红 red	黄 yellow	
丁烷 Butane(burning)		黄 yellow	蓝 blue	蓝 blue	
丙烷 Propane (burning)		黄 yellow	蓝 blue	红 red	
乙炔 Acetylene (burning)		黄 yellow	白 White	绿 green	

认证 CERTIFICATIONS

应急喷淋洗眼装置

中国国家标准GB/T 38144-2019《眼面部防护 应急喷淋和洗眼设备》GB/T 38144作为中国国家标准，由国家标准化管理委员会发布。其权威性体现在：经科学论证制定，严格规定应急喷淋和洗眼设备的性能参数（如水流强度、持续供水时间），安装维护要求，为事故急救提供可靠依据；该标准常被《安全生产法》等法规引用，是各单位安全生产合规的关键技术准则，在高危行业监管实践中被普遍视为权威基准。

美国标准ANSI/ISEA Z358.1
美国国家标准学会（American National Standards Institute，简称ANSI）成立于1918年，被视为美国国家标准化中心，美国各标准化活动都围绕它进行。ANSI/ISEA Z358.1标准是为保障使用者安全针对洗眼器设计的，是美国规范紧急冲淋洗眼装置设计制作的最高标准。

欧洲标准EN 15154
EN是European Norm欧洲标准的简称。EN 15154是欧洲针对紧急冲淋洗眼装置性能和结构安全的最高检验标准。

德国TÜV认证
TÜV认证机构是德国针对工业产品的权威检测机构，以其严谨、专业、权威的检测，在工业安全领域获得了极高的声誉。

欧盟CE认证
“CE”标志是一种安全认证标志，被视为制造商打开并进入欧洲市场的护照。在欧盟市场“CE”标志属强制性认证标志，是欧盟法律对产品提出的一种强制性要求。

台雄应急喷淋洗眼装置通过德国TÜV认证和欧盟CE认证，达到美国ANSI/ISEA Z358.1和EN 15154标准，是业界首家获得双认证达到三标准的中国企业！

水龙头

节水认证
台雄水龙头凭借国家级节水产品认证，彰显卓越节水性能。该认证由专业机构依据国家标准实施严苛检测，通过颁发《节水产品认证证书》及授权使用专属节水标志，权威验证产品节水效能。一般而言，我国的节水产品认证采用自愿性原则，证书有效期三年。在有效期内，每年会定期对企业进行工厂检查和产品抽查检验，同时要求企业自身每年至少进行一次内审，以确保产品符合相关条款。通过节水认证，有助于生产企业提高产品质量管理水平，也能促进优质节水产品的使用，推动行业科技进步。

十环认证
十环认证即中国环境标志认证，是我国高标准的绿色环保认证。它表明产品不仅质量合格，而且在生产、使用和处理处置过程中符合特定的环境保护要求，与同类产品相比，具有低毒少害、节约资源等环境优势。该认证由中国环境保护部主管和实施，通过对产品整个生命周期，包括设计、生产、使用及废弃处理等各个阶段的环境友好性评价，鼓励企业减少生产对环境的影响，推动绿色消费。十环认证实行分级认证：二级认证代表国内先进环保水平，而一级认证则对标国际顶尖标准，要求产品全生命周期环保管控。台雄水龙头荣获更高等级的一级认证，为您提供更安全、可持续的专业解决方案！

Chinese National Standard GB/T 38144-2019 "Eye and face protection-Emergency shower and eyewash equipment" GB/T 38144, as a Chinese National Standard issued by the Standardization Administration of China, derives its authority from its scientifically rigorous development process. It strictly defines the performance parameters (such as flow rate and minimum flow duration) and installation/maintenance requirements for emergency shower and eyewash equipment, providing a reliable basis for accident first aid. Frequently referenced in regulations like the Work Safety Law, it serves as a critical technical benchmark for corporate safety compliance and is widely recognized as an authoritative standard in regulatory practices for high-risk industries.

American ANSI/ISEA Z358.1 & European standard EN 15154
SAN GROUP is proud to have been certified by ANSI and TÜV which allows us to save the strict quality standards of the American and European markets. We believe that this provides us with the quality and reliability required to meet the needs of the world market. American National Standards Institute, (a.k.a. ANSI), founded in 1918, is a private non-profit organization that oversees the development of voluntary consensus standards for products, services, processes, systems, and personnel in the United States and is referenced around the world. ANSI/ISEA Z358.1 standard is the one for Emergency showers & eye washes equipment and also considered the highest standard in U.S.A. EN standards are created by European Committee for standardization (CEN). EN 15154 standard is the one for Emergency Showers & Eye Washes equipment and also the highest standard in the European Union.

TÜV, short for Technischer Überwachungsverein, is the German authority known for its rigorous and professional testing. And it enjoys a high reputation in industrial safety.

CE marking is a mandatory conformity marking for certain products sold within the European Economic Area. EN and CE certifications are highly valued in the European market to demonstrate a dedication for quality and reliability for our Emergency Showers & Eye Washes. SAN GROUP is the first Chinese based company to get all the certificates for these products.

Water-saving product certification is a process in which a professional certification body verifies a product's compliance with relevant standards and technical requirements, then certifies it as a water-saving product by issuing a water-saving product certification certificate and authorizing the use of a water-saving label. In China, water-saving product certification follows a voluntary principle, with certificates valid for three years. During the validity period, annual factory audits and product sampling inspections are conducted to ensure ongoing compliance. Additionally, certified enterprises are required to perform at least one internal audit per year to maintain conformity with applicable regulations. Water-saving product certification helps manufacturers enhance product quality management and market competitiveness, promotes the adoption of high-efficiency water-saving products, and drives technological advancements in the industry. It also serves as an effective tool for the government to oversee and manage the quality of water-saving products.

China Environmental Labeling Certification (also known as the Ten Rings Certification) is a high-standard green certification in China, indicating that a product not only meets quality requirements but also complies with strict environmental standards throughout its entire life cycle—including production, usage, and disposal. Compared to conventional alternatives, certified products demonstrate environmental advantages, such as lower toxicity, reduced harmfulness, and improved resource efficiency. This certification is administered and supervised by China's Ministry of Ecology and Environment (MEE). By assessing a product's environmental performance across all stages (design, manufacturing, use, and end-of-life treatment), it encourages enterprises to minimize their environmental footprint and promotes sustainable consumption. Companies that obtain the China Environmental Labeling Certification can: Enhance their brand reputation, Access broader market opportunities, Meet growing consumer demand for eco-friendly products, and Drive continuous

