

Wenzhou Hekun Imp.&Exp. Co. Ltd

Address: Floor 4, No. 63, Chengmen Road, Damen
Town, Dongtou District, Wenzhou City,
Zhejiang Province, China.

Email: tinac@hyckon.com

Mobile / whatsapp: 86-15868706614

Team: tina2011chuh@hotmail.com

Website: www.hyckon.com

The logo for HYCKON features the brand name in a bold, italicized, teal-colored sans-serif font. A small orange triangle is positioned between the 'Y' and 'C'.

Personal Care appliance

Wenzhou Hekun Import & Export Co., Ltd.

V.2025.07.001.Tina

About Hyckon



Tina Chuh

General Manager

Motto: sales is not only about money,
but also about communication

Growth-Oriented Brand Incubator
Experienced at One stop order procurement for mixed FCL.
Professional native communication for high efficiency works.

7 years Order Service & 3
years team leader, Over 10
top group buyer cooperated.

Two Groups Agency
service over US
\$500,000 Loaded

2010

Start Export trade
business service at
Electrical Appliance

2020

Hekun Company & Hyckon
brand Launched, designated
handler for buyer

2022

2023

Order handling
over US \$900.000
loaded

2024

About Quality Security



Who is MW inspection

MW inspection is a professional third-party quality control service organization. The company aims to provide global customers with one-stop high-quality product inspection, testing, certification, measurement, factory evaluation, training and technical services. It is committed to transferring trust between enterprises and consumers.

Final Goods
Inspection

01

Factory
Audit

02


Item
Certificate

03

Inline
Inspection

04

Order Service & SCM Source




HYCKON uses a five-tier management system to evaluate suppliers based on their manufacturing capabilities, ensuring the selection of qualified suppliers to meet diverse client needs.

We align supplier delivery capabilities with customer purchasing habits, guaranteeing timely delivery of high-quality products and enhancing overall satisfaction.

For single-item purchases, Hyckon provides personalized one-on-one supplier matching and free intermediary services, facilitating seamless transactions for buyers.

Hyckon's 9+1 pricing model offers one zero-profit item for every ten selected products, ensuring transparency and value with supplier contracts open to customer oversight.





Infrared Ray Hair Straightener

- 1) Floating ceramic coating plates
- 2) Ionic function
- 3) Temperature control
- 4) LED display 100°C-230°C, 10°C per increase
- 5) Anti-scald silica design on the top
- 6) 60 minutes auto-off
- 7) Plates lock function
- 8) 360° swivel cord
- 9) Infrared ray function
- 10) Temperature lock function

FR01314



WIDE PLATE hair straightener

- 1) Extra wide Floating ceramic coating plates 95*62mm
- 2) Temperature control
- 3) LED display 100°C-230°C, 10°C per increase
- 3) Plates lock function
- 4) 360° swivel cord
- 5) Temperature lock function
- 6) 60 minutes auto-off
- 7) Anti-scald silica design on the top

FR01306



Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) temperature control with 5 grades led settings(150°C-170°C-190°C-210°C-230°C)
- 3) plates lock function
- 4) 360° swivel cord with hanging loop
- 5) 60 minutes auto-off

FR01307



Ionic Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function

FR01310



Ionic Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) temperature control with 4 grades led settings(160°C-180°C-200°C-220°C)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Temperature lock function

FR01318

Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) temperature control with 4 grades led settings(140°C-160°C-180°C-200°C)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 30 minutes auto-off
- 6) Plate size:90*23mm
- 7) Product size:245*29*24cm



FR01326



FR01330

Cool Air Hair Styler

- 1) Floating ceramic coating
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) Button & Plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Plate size:120*23.5mm, unit size:310*31.5*33mm
- 7) IONIC function for choice

Cool Air Hair Styler

- 1) ceramic coating plates
- 2) special temperature control with led display (140°C-160°C -180°C-200°C)
- 3) 60 minutes auto-off
- 4) 360° swivel cord with hanging loop
- 5) temperature lock function
- 6) Cool air technology to set the curl immediately after it is formed
- 7) plate size:89.5 x 22.8mm,unit size:284.5*41*.35.5mm



FR01331



FR27305

Infrared Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 55x100mm



Wave plate available

Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Two display options for choice
- 7) Plate size: 56x120mm



FR27302



Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 25x100mm



Brush for curling

FR27306



FR27310



Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (100-230°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 40x100mm

HOT~

Hair Straightener

- 1) AC 110-240V 50/60Hz 35W
- 2) Two temperature control options:
 - a. On/off Switch with Max. 200°C
 - b. Temperature control with LED display (100-230°C, 5°C per increase)
- 3) Indicator light for Power On.
- 4) Plate size 2.6x11cm
- 5) PTC heating element
- 6) 60 minutes auto-off for LCD option
- 7) 360degree swivel cord



LED option



Infrared Hair Straightener

- 1) AC 110-240V 50/60Hz 40W
- 2) Temperature control with LED display (100-230°C, 5°C per increase)
- 3) Infrared function Optional
- 4) Plate size 5x11cm
- 5) PTC heating element
- 6) 60 minutes auto-off
- 7) 360degree swivel cord

FR12310



Infrared Hair Straightener **NEW**

- 1) AC 110-240V 50/60Hz 40W
- 2) Temperature control with LED display (100-230°C, 5°C per increase)
- 3) Infrared function Optional
- 4) Plate size 4.5x10cm
- 5) PTC heating element
- 6) 60 minutes auto-off
- 7) 360degree swivel cord
- 8) Plate with two sides brush

FR12311

FR12301

FR27301

Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (150-230°C, 20°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 25x105mm

Display



Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (150-230°C, 20°C per increase)
- 3) 360° swivel cord
- 4) Plate size: 45x90mm

On/off



LCD



Wave plate available



FR27307

FR27312

Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (80-210°C, 5°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 25x93mm

Display



Hair Straightener

- 1) floating ceramic coating plates
- 2) On/off power switch 200°C
- 3) 360° swivel cord
- 4) Plate size: 20x80mm

FR27303



Travel Hair Straightener

- 1) On/Off switch with power light indicator
- 2) Floating plate for even pressure while styling
- 3) Max. temperature 220°C
- 4) Ceramic heating plate 2.5x10cm
- 5) PTC heating element
- 6) Hinge lock for easy storage
- 7) 360degree swivel cord



FR23304

Travel Hair Straightener

- 1) On/Off switch with power light indicator
- 2) Floating plate for even pressure while styling
- 3) Max. temperature 220°C
- 4) Ceramic heating plate 2.5x10cm
- 5) PTC heating element
- 6) Hinge lock for easy storage
- 7) 360degree swivel cord



FR23302

Hair Straightener

- 1) On/Off switch with power light indicator
- 2) PTC heating element
- 3) Ceramic heating plate 2.5x10cm
- 4) Floating plate for even pressure while styling
- 5 Hinge lock for easy storage
- 6) 360degree swivel cord
- 7) Three options for choice:
 - a) On/Off control with Max. 220°C
 - b) 6 gears from 120~220°C no display
 - c) 6 gears from 120~220°C with display



FR23306

Hair Straightener

- 1) On/Off switch with power light indicator
- 2) PTC heating element
- 3) Ceramic heating plate 2.5x10cm
- 4) Floating plate for even pressure while styling
- 5 Hinge lock for easy storage
- 6) 360degree swivel cord
- 7) Three options for choice:
 - a) 5 gears from 120~220°C no display
 - b) 5 gears from 120~220°C with display



FR23307

Hair Straightener

- 1) AC 110-240V 50/60Hz 35W
- 2) Two temperature with LED display (150-230°C, 20°C per increase)
- 3) Plate size 2.5x10cm
- 5) PTC heating element
- 6) 60 minutes auto-off for LED option
- 7) 360degree swivel cord
- 8) IONIC function optional

FR12303

Hair Straightener

- 1) AC 110-240V 50/60Hz 45W
- 2) Two temperature with LED display (140-220°C, 20°C per increase)
- 3) Plate size 1x10cm
- 5) PTC heating element
- 6) 60 minutes auto-off for LED option
- 7) 360degree swivel cord

FR12312



Digital Hair Straightener

- 1) AC 110-240V 50/60Hz 35W
- 2) Two temperature control options:
 - a. On/off Switch with Max. 200°C
 - b. Temperature control with LED display (100-230°C, 5°C per increase)
- 3) Indicator light for Power On.
- 4) Plate size 3.5x12cm
- 5) PTC heating element
- 6) 60 minutes auto-off for LCD option
- 7) 360degree swivel cord
- 8) IONIC function optional

NEW



FR12302

Digital Hair Straightener

- 1) floating ceramic coating plates
- 2) Temperature control with LED display (120-200°C, 20°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Ionic function
- 7) Plate size: 25x90mm



FR27304

Digital Hair Straightener

- 1) Ceramic coating plates
- 2) Temperature control with LED display (120-200°C, 20°C per increase)
- 3) Plates lock function
- 4) 360° swivel cord
- 5) 17pcs diamond design on surface
- 6) Plate size: 90.5 x 29.5mm



FR29301



On/off



LED 5 temperature

Hair Straightener

- 1) AC 110-240V 50/60Hz 35W
- 2) Two temperature control options:
 - a. On/off Switch with Max. 200°C
 - b. Temperature control with LED light 160-190-210°C
- 3) Indicator light for Power On.
- 4) Plate width 2.5 x 11cm
- 5) PTC heating element
- 6) 60 minutes auto-off for LED option
- 7) 360degree swivel cord



FR12304

Hair Straightener

- 1) Ceramic coating plates
- 2) ON/OFF control MAX 200°C
- 3) Plates lock function
- 4) 360° swivel cord
- 5) 17pcs diamond design on surface
- 6) Plate size: 90 x 31mm



FR29302

FR29304

Digital Hair Straightener

- 1) Floating ceramic coating plates
- 2) Temperature control with LED display (120-200°C, 10°C per increase)
- 3) Plates lock function
- 4) 360° swivel cord
- 5) Plate size: 110 x 25mm
- 6) IONIC for choice
- 7) 30mins automatic power off.

Hair Straightener

- 1) Floating ceramic coating plates
- 2) ON/OFF control MAX 200°C
- 3) Plates lock function
- 4) 360° swivel cord
- 5) Plate size: 90.75 x 23.8mm

FR29305

FR29306

Hair Straightener

- 1) Ceramic coating plates
- 2) ON/OFF control MAX 200°C
- 3) Plates lock function
- 4) 360° swivel cord
- 5) Plate size: 90.7 x 25.5mm

Hair Straightener

- 1) Ceramic coating plates
- 2) ON/OFF control MAX 200°C
- 3) Plates lock function
- 4) 360° swivel cord
- 5) Plate size: 90.7 x 25.5mm

FR29308

Digital Hair Waver

- 1) $\phi 25\text{mm}$ Hidden ceramic coating plates
- 2) Temperature control
- 3) Led display $100^{\circ}\text{C}\sim 200^{\circ}\text{C}$ with 10°C per increase
- 4) 30 minutes auto-off
- 5) 360° swivel cord with hanging loop
- 6) Temperature lock function
- 7) Two options as below:



FR01301



FR01332

Digital Hair Waver

- 1) Hidden $\phi 32\text{mm}$ ceramic coating plates
- 2) temperature control
- 3) **Breathing Led Light** ($160^{\circ}\text{C}\sim 180^{\circ}\text{C}\sim 200^{\circ}\text{C}\sim 220^{\circ}\text{C}$)
- 4) 30 minutes auto-off
- 5) plates lock function
- 6) 360D swivel cord
- 7) temperature lock function
- 8) anti-scald silica gel design on the top



FR01305

Digital Hair Waver

- 1) $\phi 25\text{mm}$ Hidden ceramic coating plates
- 2) temperature control
- 3) Led indicate of $140^{\circ}\text{C}\sim 160^{\circ}\text{C}\sim 180^{\circ}\text{C}\sim 200^{\circ}\text{C}$
- 4) 30 minutes auto-off
- 5) 360° swivel cord with hanging loop
- 6) 2m $2*0.75\text{mm}^2$ rubber power cord, VDE plug
- 7) temperature lock function



FR01302

Top Favor at School



Mini Hair Crimper

- 1) Ceramic coating plate and barrel
- 2) Temperature control with LED display 150°C-210°C, 20°C per increase.
- 3) 60 minutes auto-off
- 4) plate lock function
- 5) 360° swivel cord
- 6) L7 x D32mm barrel size
- 7) IONIC function for choice

FR33301



Digital Hair Crimper

- 1) Ceramic coating barrel
- 2) Temperature control
- 3) LED display 100°C-230°C, 10°C per increase
- 4) 60 minutes auto-off
- 5) plate hinge lock function
- 6) 360° swivel cord with hanging loop
- 7) Curler size: 16mm / 32cm



FR28301



FR28302



FR01319



25mm



FR01320



13mm

Digital Hair Crimper

- 1) Ceramic coating plate and barrel
- 2) Temperature control with LED display 100°C-230°C, 10°C per increase.
- 3) 60 minutes auto-off
- 4) button&plate lock function
- 5) 360° swivel cord
- 6) Temperature lock function
- 7) Anti-scald silica gel design on the top



Digital Hair Crimper

- 1) Ceramic coating plates
- 2) Temperature control
- 3) LED display 100°C-200°C, 10°C per increase
- 4) 60 minutes auto-off
- 5) Button & plate lock function
- 6) 360° swivel cord with hanging loop
- 7) Temperature lock function



FR01321



FR01322



Digital Hair Waver

- 1) Ceramic coating barrel
- 2) Temperature control with LED display (160-210°C, 20°C per increase)
- 3) 5 tubes PTC heating
- 4) 60 minutes auto-off
- 5) 360° swivel cord
- 6) Handle travel lock
- 7) tube size adjustable: ϕ 19/25/28/32mm x 110mm

NEW

Back for size

FR29312

Digital Hair Brush styler

- 1) 220-240V 50/ 60HZ 60W
- 2) 360 degree swivel cord
- 3) Temperature control with Digital display (150-230 °C, 10°C per increase)
- 4) On/Off switch
- 5) Auto shut off function after 1 hour
- 6) Floating plate for even pressure while styling
- 7) Ceramic coating plates 110x31 X7.3mm
- 8) PTC heating element
- 9) Corn brush heating plate
- 10) Hinge lock for easy storage



FR23308

Digital Hair Waver

- 1) Ceramic coating barrel
- 2) Temperature control with LED display (140-200°C, 20°C per increase)
- 3) 60 minutes auto-off
- 4) 360° swivel cord
- 5) Foldable handle design
- 6) tube size: ϕ 19/25/28/32mm x 120mm



FR29307



FR01315



FR01316



FR01317

Volumizing Hair Iron

- 1) Ceramic coating plates
- 2) Ionic function
- 3) Temperature control
- 4) LED display 100°C-230°C, 10°C per increase
- 5) Pump up hair's volume with special design plate
- 6) Anti-scald design on the top
- 7) 60 minutes auto-off
- 8) Plates lock function
- 9) 360° swivel cord
- 10) Temperature lock function



FR01327

Volumizing Hair Iron

- 1) Ceramic coating plates
- 2) Pump up hair's volume with special design plate
- 3) special round design
- 4) temperature control with 3 grades LED settings
- 5) plates lock function
- 6) 360° swivel cord
- 7) 30 minutes auto-off
- 8) Plate size:85*20mm

Ionic Digital Hair Curler

- 1) Ceramic coating barrel
- 2) Temperature control with 4 grades LED setting(140°C-160°C-180°C-200°C)
- 3) Rotary switch for adjusting hair clip tightness
- 4) 360° swivel cord
- 5) 30 minutes auto-off
- 6) PTC heater
- 7) Barrel size: ϕ 32mm/36/40, 140 length
- 8) Ionic function

FR01303



NEW



FR01304



FR01329

Ionic Digital Curling Iron

- 1) Ceramic coating/Tourmaline barrel
- 2) Temperature control
 - 4 grades LED light (140°C-160°C-180°C-200°C)
 - 6 grades Digital LED (100°C-120°C-140°C-160°C-180°C-200°C)
- 3) Anti-scald design on the top of barrel
- 4) silicon ionic vent on barrel
- 5) 360° swivel cord
- 6) 60 minutes auto-off
- 7) PTC heater
- 8) Barrel size: ϕ 25mm/32mm/40mm, 140 length
- 9) Product size: 340 x 55 x (29)mm

Digital Hair Curler

- 1) ceramic coating barrel
- 2) temperature control with 5 grades led settings (120°C- 140°C- 160°C- 180°C- 200°C)
- 3) button lock function
- 4) 360° swivel cord with hanging loop
- 5) 60 minutes auto-off

FR01308



Hair Curler

- 1) ceramic coating barrel
- 2) On/off power switch 200°C
- 3) plates lock function
- 4) 360° swivel cord
- 5) tube size: $\phi 25/32/38\text{mm} \times 140\text{mm}$



FR27311



FR01311

Ionic Digital Hair Curler

- 1) ceramic coating barrel
- 2) Temperature control with LED display (100-200°C, 10°C as a increment)
- 3) temperature lock function
- 4) 360° swivel cord with hanging loop
- 5) anti-scald design on the top
- 6) ionic function

Digital Hair Curler

- 1) ceramic coating barrel
- 2) Temperature control with LED display (80-210°C, 5°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) ionic function
- 7) Plate size: $\phi 25/32/38\text{mm} \times 140\text{mm}$



FR27314



FR27308

Digital Hair Curler

- 1) ceramic coating barrel
- 2) Temperature control with LED display (100-210°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Plate size: $\phi 25/32\text{mm} \times 140\text{mm}$



On/off



LCD



FR27309

Digital Hair Curler

- 1) ceramic coating barrel
- 2) Temperature control with LED display (120-200°C, 10°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Plate size: $\phi 9/19\text{mm} \times 140\text{mm}$



FR29303

Hair Curler

- 1) ceramic coating barrel
- 2) On/off power switch 200°C
- 3) plates lock function
- 4) 360° swivel cord
- 5) tube size: $\phi 25/32\text{mm} \times 125\text{mm}$



FR29309

Digital Hair Curler

- 1) ceramic coating barrel
- 2) Temperature control with LED display (120-200°C, 20°C per increase)
- 3) plates lock function
- 4) 360° swivel cord
- 5) 60 minutes auto-off
- 6) Plate size: $\phi 25/32\text{mm} \times 180\text{mm}$

On/off Automatic hair curler

- 1) Fully automatic, tangle-free, fast and easy hair curler
- 2) Ceramic coating barrel
- 3) Curl dial catches hair and creates curls for you
- 4) On/off switch
- 6) Left/right directional switch
- 7) 360° swivel cord with hanging loop
- 8) Max temperature 200°C

FR01324

Digital Automatic hair curler

- 1) Fully automatic, tangle-free, fast and easy hair curler
- 2) Ceramic coating barrel
- 3) Curl dial catches hair and creates curls for you
- 4) Temperature control with led display (120°C-220°C, 10°C per increase)
- 5) 11 grades speed control with led display
- 6) Left/right directional switch
- 7) Removable anti-scald device
- 8) 60 minutes auto-off
- 9) 360° swivel cord with hanging loop

FR01323

Rechargeable Styler Mini style

- 1) Temperature control with 3 heat settings (160-180-200°C) .
- 2) 2-in-1 design: Special rounded design for a straight or wavy hairstyle.
- 3) Switch lock protection to prevent accidental start up and heating.
- 4) Standby time: 40mins
- 5) Charge time: 1A, 210mins
- 6) Low battery indicator
- 7) Battery capacity: 4000mAh; voltage:3.7VDC;
- 8) Plate size: 70x17mm/unit size: 220*30*40mm/unit weight:201g
- 9) Accessories: Charging dock, Magnetic charging cable



FR01328



Digital Hair Brush Styler

- 1) 220-240V 50/ 60HZ 30W
- 2) On/Off switch
- 3) Temperature control with Digital display
- 4) Circulating switch adjust the temperature : 120°C-200°C, 20°C per increase
- 5) Auto shut off function after 1 hour
- 6) PTC heating element
- 7) Aluminium brush heating plate



FR23309

Ionic Hot Brush

- 1) Ceramic coating brush
- 2) 4 grades led temperature setting(160°C-180°C-200°C-220°C)
- 3) 60 minutes auto-off
- 4) Curling and straightening function
- 5) Ionic function
- 6) 360° swivel cord with hanging loop
- 7) Temperature lock function



FR01312

Digital Hair Brush styler

- 1) Ceramic coating combs
- 2) Temperature control
- 3) LED display 120°C-200°C, 20°C per increase
- 4) 60 minutes auto-off
- 5) 360° swivel cord
- 7) Two options for choice



On/off



LED 5 temperature **FR29310**

Digital Hair Brush styler

- 1) Ceramic coating combs
- 2) Temperature control with LED display (120-200°C, 10°C per increase)
- 3) Plates lock function
- 4) 360° swivel cord
- 5) IONIC for choice
- 6) 60mins automatic power off.



On/off



FR29311

Digital Hair Brush Styler

- 1) Ceramic coating combs
- 2) Temperature control with LED display (100-230°C, 5°C per increase)
- 3) 360° swivel cord
- 4) 60mins automatic power off.



FR12307

Digital Hair Brush Styler

- 1) Ceramic coating combs
- 2) Temperature control with LED display (100-230°C, 5°C per increase)
- 3) 360° swivel cord
- 4) 60mins automatic power off.



FR12309



FR12308

Digital Hair Straightening Brush

- 1) AC 110-240V 50/60Hz 35W
- 2) Ceramic coating combs
- 3) Temperature control with LED display (100-230°C, 5°C per increase)
- 4) 360° swivel cord
- 5) 60mins automatic power off.
- 6) Hinge Lock for storage



Hot air brush

- 1) 220-240V~ 50/60Hz 1000-1200W
- 2) DC motor
- 3) Cool shot function
- 4) Slide switch provide 0-C-1-2 heat setting
- 5) 360° swivel cord
- 6) Product size: 100*77*380mm
- 7) Detachable head
- 8) Hang up loop.
- 9) Ionic function for choice.



Hot air brush

- 1) Ergonomic design
- 2) DC motor
- 3) 220-240v ~ 50/ 60hz 1200w; dual voltage for optional
- 4) Tangle-free combination bristles
- 5) cool tips
- 6) Three speed & temperature
- 7) Rotation switch
- 8) Overheat protection
- 9) Ionic function for optional



Hot air brush

- 1) 220-240V 50/ 60HZ 1200W
- 2) 0-C-1-2 Speed / Heat settings
- 3) Cool air function
- 4) 360 degree swivel cord
- 5) Hanging loop for easy storage
- 6) Red/blue light for choice
- 7) Detachable head
- 8) 9 Additional Accessories as optional



Hot air brush

- 1) 220-240V~ 50/60Hz 1000-1100W
- 2) DC motor
- 3) Cool shot function
- 4) Slide switch provide 0-C-1-2 heat setting
- 5) 360° swivel cord
- 6) Detachable head
- 7) Hang up loop.
- 8) Ionic function for choice.



Hot air brush

- 1) 220-240V 50/ 60HZ 500W
 - 2) 360 degree swivel cord
 - 3) hanging loop for easy storage
 - 4) PTC brush
 - 5) 0-1-2 -3 Speed / Heat settings
- 0-power off
1-heating from heating wire
2- heating from heating wire +PTC brush
3- heating from PTC brush



FR23208


Hot air brush

- 1) Power: 220-240V/50HZ/1000W
- 2) Three speed setting
 - a) Low speed with low temperature
 - b) High speed with middle temperature
 - c) High temperature without wind for hair straightening
- 3) Ionic function available for choice
- 4) Product size: 28cm x 5.2cm x 6.4cm



FR05201

HOT~



Multi head super hair styler

- 1) DC motor
- 2) Removable 4 head accessories for blowing, straightening & Curling..
- 3) Automatic curl from left or right side
- 4) Cool shot button
- 5) 1 Switch Provide 0-1-2 speed
- 6) 1 Switch Provide 0-1-2 heat temperature
- 7) 360° swivel cord
- 8) Hang up loop design
- 9) IONIC function available



FR05403

Multi head super hair styler

- 1) DC motor
- 2) Removable 3 head accessories for blowing, straightening & Curling..
- 3) Automatic curling from left or right side
- 4) 1 Switch Provide 0-1-2 speed
- 5) 1 Switch Provide 0-1-2 heat temperature
- 6) With LED indicator light
- 7) 360° swivel cord

BLDC Tooling to be finished within 3 months if need.

FR05401



NEW

BLDC Hot air brush

- 1) Ergonomic design
- 2) Ultra-light weight design
- 3) BLDC motor with 110000RPM
- 4) 220- 240V ~ 50/ 60Hz 1600W
- 5) Three speed & four temperature
- 6) Electronic switch
- 7) With cool shot function
- 8) With LED indicator to show air speed and temperature
- 9) With ionic function
- 10) Overheat protection
- 11) Straight handle
- 12) Removable filter cover
- 13) With concentrator
- 14) Diffuser for option



FR10201

Multi head super hair styler

NEW

- 1) High speed BLDC motor (110,000RPM)
- 2) Outlet Temperature: TBC
- 3) Air speed: TBC
- 4) Removable 4 head accessories for blowing (with magnetic concentrator), straightening & Curling..
- 5) 1 slide switch provide ON/OFF
- 6) 1 electric button Provide 1-2 speed
- 7) 1 Switch Provide 0-1-2 heat temperature
- 8) With LED indicator light
- 9) 360° swivel cord
- 10) Product size: TBC

Tooling to be finished within 3 months

FR05402



Multi head super hair styler

NEW

- 1) High speed BLDC motor (96,000RPM)
- 2) Outlet Temperature: 80- 100°C
- 3) Air speed: 17m/s
- 4) Removable inlet cover & metal net filter
- 5) Removable 3 head accessories for blowing (with magnetic concentrator), straightening & Curling..
- 6) 1 slide switch provide ON/OFF
- 7) 1 Switch button Provide cool function
- 8) 1 Switch button Provide 1-2-3 heat settings
- 9) With LED indicator light
- 10) 360° swivel cord
- 11) Hanging loop
- 12) Product size: handle $\phi 40 \times 226\text{mm}$

FR09401





FR09201

DC professional hair dryer

- 1) 220-240V~ 50/60Hz 1800-2100W
- 2) DC motor
- 3) Cool shot function
- 4) Slide switch provide 0-1-2 settings
- 5) Removable filter cover with two designs
- 6) With dual layer concentrator
- 7) Product size:125*76*250 mm
- 8) Ionic function & Big diffuser for choice




FR09206

- 1) Not removable filter cover
- 2) Single layer concentrator



FR09208



Foldable handle



FR09207

DC professional hair dryer

- 1) Three powers options for customize:
 - a. 220-240V~ 50/60Hz 1200-1500W
 - b. 220-240V~ 50/60Hz 1600-1800W
 - c. 220-240V~ 50/60Hz 1800-2100W
- 2) DC motor
- 3) Cool shot and Cool Switch function
- 4) Slide switch provide 0-1-2 settings
- 5) With Professional use concentrator
- 6) Product size:120*70*245 mm
- 7) Ionic function for choice.



FR09202



FR09203

Foldable handle

DC professional hair dryer

- 1) Two powers options for customize:
 - a. 220-240V~ 50/60Hz 1850-2200W
 - b. 220-240V~ 50/60Hz 2000-2400W
- 2) DC motor
- 3) Cool shot function
- 4) 2 Slide switch provide 2 speed and 3 temperature settings
- 5) Removable filter cover
- 6) With Professional use concentrator
- 7) Product size:210*86*282 mm
- 8) Ionic function & Big diffuser for choice.



FR09204

DC professional hair dryer

- 1) 220-240V~ 50/60Hz 1850-2200W
- 2) DC motor
- 3) Cool shot function
- 4) Slide switch provide 0-1-2 settings
- 5) Removable filter cover
- 6) With Professional use concentrator
- 7) Product size:173*83*264 mm
- 8) Ionic function & Big diffuser for choice.



FR09209

DC professional hair dryer

- 1) 220-240V 50/60Hz 1800-2200W
- 2) DC motor
- 3) Two buttons for 2 speed & 2 heat settings
- 4) With Magnetic concentrator
- 5) Cool shot button with thermocycling wind: 3s for hot, 3s for cold.
- 6) Ionic function for choice



FR30201

DC professional hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) With turbo feature
- 6) Power Indicator Light
- 7) Hang Up Hook
- 8) With removable filter
- 9) Diffusor B for option



FR10212

DC professional hair dryer

- 1) DC motor
- 2) 220- -240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) Ionic function
- 5) with on/off switch
- 6) cool Shot function
- 7) Hang Up Hook
- 8) With removable back cover
- 9) Diffusor B for option



FR10219

DC professional hair dryer

- 1) DC motor
- 2) 20- -240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) Ionic function
- 5) with on/off switch
- 6) cool Shot function
- 7) Hang Up Hook
- 8) With removable back cover
- 9) Diffusor B for option



FR10220

DC professional hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) Hang Up Hook
- 6) With removable filter



DC professional hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) Hang Up Hook
- 6) With removable filter



DC professional hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 2000-2200W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) Hang Up Hook
- 6) With removable filter



DC professional hair dryer

- 1) Ergonomic design
- 2) DC motor
- 3) 220- 240V ~ 50/ 60Hz 2200W
- 4) Two speed and three temperature
- 5) Cool shot
- 6) Toggle switch
- 7) Overheat protection
- 8) Hang up hook
- 9) Removable filter cover
- 10) Diffuser for option



DC Foldable travel hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 1800-2000W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) Hang Up Hook
- 6) Foldable handle



FR10215

DC Foldable travel hair dryer

- 1) DC motor
- 2) 220-240V~ 50/60Hz 1800-2000W
- 3) Two Speed and three temperature
- 4) cool Shot
- 5) Hang Up Hook
- 6) Foldable handle



FR10216

DC Foldable travel hair dryer

- 1) Ergonomic design
- 2) DC motor
- 3) 220-240V ~ 50/60Hz 1350-1600W; 100-127V ~ 50/60Hz 750-1200W; Dual voltage for option
- 4) Two speed and two temperature
- 5) Overheat protection
- 6) Foldable handle and Hang up hook



FR10227

DC Foldable travel hair dryer

- 1) Ergonomic design
- 2) DC motor
- 3) 220- 240V ~ 50/ 60Hz 1600W; 110-120V ~ 50/ 60Hz 1200W; Dual voltage for option
- 4) Two speed & temperature
- 5) With cool shot function
- 6) Overheat protection
- 7) Foldable handle with Hang up hook
- 8) Removable filter cover
- 9) Ionic function for option



FR10229

DC Foldable travel hair dryer

- 1) 220-240V 50/60HZ 1800W
- 2) DC motor
- 3) Two speeds and three temperatures
- 4) Cool shot function
- 5) With foldable handle
- 6) Hang up hook



FR10218

DC Foldable travel hair dryer

- 1) Ergonomic design
- 2) DC motor
- 3) 220- 240V ~ 50/60Hz 1200W; 110-120V ~ 50/60Hz 1200W; Dual voltage for option
- 4) Two speed and two temperature
- 5) Overheat protection
- 6) Foldable handle and Hang up hook
- 7) Removable filter cover
- 8) Diffuser for option



FR10225

DC mini travel hair dryer

- 1) 220-240V~ 50/60Hz 1200W
- 2) DC motor
- 3) Slide switch provide 0-1-2 settings
- 4) Hang up loop
- 5) Non-Slip pads on both sides
- 6) Product size:100*75*200 mm



FR09212

AC professional hair dryer

- 1) Two powers options for customize:
 - a. 220-240V~ 50/60Hz 1850-2200W
 - b. 220-240V~ 50/60Hz 2000-2400W
- 2) AC motor
- 3) Cool shot function
- 4) 2 Slide switch provide 2 speed and 3 temperature settings
- 5) Removable filter cover
- 6) With Professional use concentrator
- 7) Product size:210*86*282 mm
- 8) Ionic function & Big diffuser for choice.
- 9) Hang up loop.



FR09210

DC Foldable travel hair dryer

- 1) 220-240V 50/60HZ 1400-1600W
- 2) DC motor
- 3) Two speeds and two heat settings
- 4) Styling concentrator
- 5) With foldable handle
- 6) Hang up hook
- 7) Overheating protection
- 8) Dual voltage for choice: 110-120V 50/60Hz 1000-1200W



FR23201

DC Foldable travel hair dryer

- 1) 220-240V 50/60HZ 1400-1600W
- 2) DC motor
- 3) Two speeds and two heat settings
- 4) Styling concentrator
- 5) With foldable handle
- 6) Hang up hook
- 7) Overheating protection
- 8) Cool Shot function for choice
- 9) Dual voltage for choice: 110-120V 50/60Hz 1000-1200W



FR23202

DC Foldable travel hair dryer

- 1) 220-240V 50/60HZ 1400-1600W
- 2) DC motor
- 3) Two speeds and two heat settings
- 4) Styling concentrator
- 5) With foldable handle
- 6) Hang up hook
- 7) Overheating protection
- 8) Cool Shot function for choice
- 9) Dual voltage for choice: 110-120V 50/60Hz 1000-1200W



FR23203

DC Foldable travel hair dryer

- 1) 220-240V 50/60HZ 1000-1200W
- 2) DC motor
- 3) Two speeds and two heat settings
- 4) Styling concentrator
- 5) With foldable handle
- 6) Hang up hook
- 7) Overheating protection
- 8) Dual voltage for choice: 110-120V 50/60Hz 800-1000W



FR23204

Wenzhou Hekun Imp.&Exp. Co. Ltd

Address: Floor 4, No. 63, Chengmen Road, Damen
Town, Dongtou District, Wenzhou City,
Zhejiang Province, China.

Email: tinac@hyckon.com

Mobile / whatsapp: 86-15868706614

Team: tina2011chuh@hotmail.com

Website: www.hyckon.com