

乘 风 破 浪 ， 坤 鹏 万 里

Brave the wind and waves
Create the future

TIANJIN

EKUN

STEEL GROUP

LIMITED

天津亿坤国际贸易有限公司

Tianjin EKun International Trade Co., Ltd

地址：天津市西青区华苑产业园凯德大厦C座405室

Address: 405, Building C, Kaide Building, Huayuan Industrial
District, Xiqing District, Tianjin

座机：022-68570007

Telephone: 022-68570007


邮箱：sales@ekunintl.com

Email: sales@ekunintl.com



天津亿坤国际贸易有限公司

Tianjin EKun International Trade Co., Ltd



公司标语：亿坤与每一位客户乘风破浪，坤鹏万里

EKun and every customer brave the wind and the waves, create the future together

公司服务：不以订单大小来区分客户，每一位客户不论订单大小，不论最后是否成单，亿坤每一位员工都以热情周到的态度来为客户服务，包括提供报价单，解决客户疑点等问题

We do not distinguish customers with the size of order, ekun every employee services customer in thoughtful and warm attitude, including providing quotation, to solve customer doubts and other problems, regardless of the size of the order and whether the final order.

众志成城，共铸辉煌
Unity Together, Create Prosperity

CONTENTS

Customer Satisfaction is the guarantee of brand
Quality assurance is the soul of brand

1 集团文化
GROUP CULTURE

2 集团介绍
GROUP INTRODUCTION

3 产业链组成
INDUSTRY CHAIN
—螺旋管生产基地
SSAW STEEL PIPE PRODUCTION BASE

4 品质保证
QUALITY CONTROL

5 资质证书
QUALIFICATION

6 工程案例
ENGINEERING CASE

关于我们


天津亿坤国际贸易有限公司是一家集贸易、生产、加工、配送、仓储为一体的综合性公司。工厂位于天津市静海区大邱庄工业园区，临近天津港。亿坤国际贸易有限公司主要负责钢材类出口业务，包括光伏支架，螺旋钢管，无缝钢管，直缝钢管等。

Tianjin EKun International Trade Co., Ltd is a comprehensive enterprise, including trade, produce, process, delivery and inventory. The factory is located in Daqiuzhuang industrial area, Jinghai District, Tianjin. It closes to the Tianjin Port. EKun international trade Co., Ltd takes responsibility to the steel export. Major products are PV supporting bracket, SSAW steel pipe, SMLS steel pipe, LSAW steel pipe, etc.

企业架构 CORPORATION STRUCTURE




Chinese
steel
pipe
forerunner



螺旋钢管生产工艺流程图

SSAW Steel Pipe Production Process Flow Chart



一流设备

国际领先

First-class equipment, Leading international

赢在起跑线上...

Win at the starting line



众志成城，共铸辉煌
Unity Together, Create Prosperity

Φ3000mm 后摆螺旋焊管机组
Backswing spiral welded steel pipe equipment

品质铸就品牌，品牌引领未来

Quality Foster Brand, Brand Lead Future

先进的自动化生产设备，流水线精良制作，尽显一流品质，保证产品的稳定性和可靠性万无一失。依靠核心技术，创造名牌产品，不管世界如何变化，信跃人精益求精的执着精神不变。

With advanced automatic production line and detailed processing control, Xinyue can produce the first-class steel pipe with stable and reliable performance. Strong believing quality and core technology create brand, Xinyue has never changed the spirit of striving for zero defects products, whatever the world change.



众志成城，共铸辉煌
Unity Together, Create Prosperity



精良的设备是产品质量的保证。
Excellent Equipment Guarantee Supreme Quality.

公司引进先进的林肯焊机,采用双面埋弧焊进行钢管内、外连续焊接,实现了生产自动化。操作方便,加工精度高,为良好的产品质量奠定了坚实的基础。

Xinyue has introduced advanced Lincoln welder, applying double submerged-arc welding technique. The production line is automatic controlling, easy operation and precise forming, which has laid a solid foundation of good quality.



在线检测设备

Online inspection facilities


水压测试 Hydrostatic pressure test

2200t hydrostatic test machine and auto computer record system can examine the stable pressure quality of every pipe.



工业电视X射线检测 X-RAY TEST

X-Ray Testing or Radiographic Testing (RT) is a non-destructive testing (NDT), inspecting materials for hidden flaws by using the ability of short wavelength electromagnetic radiation (high energy photons) to penetrate various materials.



品质看得见
过程是关键
Good quality
is achieved
in the
process.

超声波检测 (ULTRASONIC TEST)

Ultrasonic Testing (UT) uses high frequency sound energy to conduct examinations and make measurements. UT can be used for flaw detection & evaluation, dimensional measurements, material characterization, and more.



众志成城，共铸辉煌
Unity Together, Create Prosperity



非常品质

有口皆碑

Top Quality, Everyone Knows

跨出国门有知音，天下谁人不识君 ...

水管

WATER TRANSMISSION PIPE

Out Diameter: 219.1mm – 3048mm

Wall Thickness: 5mm – 25.4mm

Surface Treatment: Fusion Bond Epoxy Coating (FBE), 2PE, 3PE, Cement Mortar Lining, Polyamide Epoxy, Coal Tar Bitumen, Hot Dipped Galvanized, Polyurethane, etc

Steel Grade:

ASTM A36/A36M; ASTM A283/A283M GR C, GR D; ASTM A572/A572M GR 42, 50;

ASTM A570/A570M GR 30, 33, 36, 40, 45, 50; ASTM A607/607M GR 45, 50;

ASTM A907/907M GR 30, 33, 36, 40; ASTM A935/A935M GR 40, 45, 50, etc.

Standard:

AWWA C200: Steel water pipe—6in. and larger

AWWA C203: Coal-Tar Protective Coatings and Linings for Steel Water Pipelines

AWWA C205: Cement Mortar Protective Lining and Coating for Steel Water Pipe

AWWA C208: Standard for Dimensions for Fabricated Steel Water Pipe Fittings

AWWA C210: Liquid-Epoxy Coating Systems for Interior and Exterior of Steel Water Pipelines

AWWA C213: Fusion-Bonded Epoxy Coating for Interior and Exterior of Steel Water Pipelines



管线管

LINE PIPE

Out Diameter: 219.1mm – 3048mm

Wall Thickness: 5mm – 25.4mm

Steel Grade:

API 5L: GR B, X42, X46, X52, X56, X60, X65, X70, X80

ASTM A53: GR A, GR B, GR C, GR D

Ends: Plain Ends, Bevel Ends

Surface Treatment: Anti-rust Coating, Coal Tar Bitumen Coating, Fusion Bond Epoxy Coating, 3PE, Polyurethane, etc

Test: Chemical Composition Analysis, Mechanical Properties (Ultimate Tensile strength, Yield Strength, Elongation), Flattening Test, Bending Test, Impact Test, Hydrostatic Test, X-ray Test, UT test, Visual Inspection, Dimension Checking and etc.





桩管 PILING PIPE

Out Diameter: 219.1mm – 3048mm
Wall Thickness: 5mm – 25.4mm
Max Length: 70m

Steel Grade:
ASTM A588/A588M
ASTM A252: GR 1, GR 2, GR 3
ASTM A572: GR 42, GR 50, GR 55, GR 60, GR 65
API 5L: GR B, X42, X46, X52, X56, X60, X65, X70, X80
EN: S235JR, S275JR, S355JR, S355J0H, S420, S450, S460....
Ends: Plain Ends, Bevel Ends, Welded With Piling Shoes & Reinforcement Ring
Surface Treatment: Bitumen Coating, Fusion Bond Epoxy Coating (FBE), 2PE, 3PE, Polyamide Epoxy, Rich Zinc Primer, Polyurethane, etc

质量控制

亿坤国际拥有专业的工程师，优秀的生产团队以及严格的ISO9001质量管理体系，时刻为客户打造安全、可靠、质量信得过的产品。

Ekun Steel possess with professional engineers and first-class production team and strict ISO9001 quality and safety management system, pursuing to provide customer with safe, credible and quality trustworthy products.

Quality Control

亿坤坚持以质量求生存，以技术进步谋发展，始终把打造精品作为企业生存的基本法则，通过原料质量控制、生产过程质量控制和成品检测控制，保证为客户提供满意合格的产品。

Insisting on the tenet of “Survive With Quality, Develop With Credibility”, Ekun always provide customers with “Quality Trustworthy Products”, under the strict control on the raw material inspection, online production inspection, finished pipe inspection and delivery.

Installed with well equipped laboratory, Ekun can perform full set of experiments according to various domestic and international standards, including Chemical composition Analysis, Metallurgical Analysis, Mechanical Property Test, Tension Test, Bending Test, Flattening Test, Hardness Test, Impact Test, Drop Weight Tear Test, and etc.



众志成城，共铸辉煌
Unity Together, Create Prosperity

QUALIFICATIONS

and honors 资质荣誉.....



Honor Witness History
Strength Prospect Future

HONOR

众志成城，共铸辉煌
Unity Together, Create prosperity

INTEGRITY IS THE FOUNDATION

SERVE THE SOCIETY

客户的满意始终是亿坤的第一位

千锤百炼成就亿坤品质

亿坤，您可以信赖的伙伴

我们坚信品质是永续不变的潮流

亿坤—行业的领航者

Customers' full satisfaction is always Ekun's first priority

Severe controlled and steeled quality is Ekun's soul

Do the respect and trustworthy enterprise

We firmly believe the quality is the permanent core

Ekun- the pionner of the industry

