

Colku Electrical Appliance Ltd.



Add: No.84 Area B, Leping Industry Park,Sanshui
Dist., Foshan City Guangdong Province, China
528137.

V250422

Tel:
+86 757 87363068
Fax:
+86 757 87363067
Wechat :
+86 18028121075

Email:
info@colku.com
Web:
www.colku.com

 **PORTABLE FRIDGE FREEZER
FOR OUTDOOR CAMPING**



● About Colku

Colku Electrical Appliance Ltd. was founded in 1989. With the 50000m³ workshop and 4 automatic assembly lines, we have the production capacity of 2000 units per day.

During the past 25 years, Colku has become a top OEM/ODM manufacturer of truck air conditioner and portable refrigerator.

We offer the service from product design, structure build up, molding producing, first sample making, certificates applying to final production. Our factory covers processes including plastic injection, plastic absorber forming, metal lazer cutting, punching, bending, logo printing, foaming injection, compressor producing and final assembling.

Colku pays high attention to Quality Control System, and implemented the ISO 9001 and IATF 16949 Systems.

With our MES controlling system, we have strict control on each step from incoming materials, semi-products processing, foaming, assembling, electrical testing, leakage detecting, final checking, sampling and ex warehouse.

● Figures

- 36 years of manufacturing experience
- 25 years experience of manufacturing & innovation in mobile refrigeration industry
- 4 factory sites,50000 square meters production workshop
- 4 automatic assembly lines, 300+ employees with 60000 sets monthly output
- 22 cooperation international leading brands
- Products export to 56 countries
- 1 Million units export volume



● Patents and Certificates



IATF16949, ISO9001, ISO14001, ISO45001&ISO10012 Management Systems

Products complies UL ETL SAA GS CE CB Certificates and 100+ Patents

Contents

01-10 Portable Refrigerator

GF45 / GF65D / GF100D

GC15 / GC20 / GC26 / CG26e / GC40 / GC40e / GC45 / GC45e / GC60 / GC60e

TF20 / TF36D / TF40 / DC-15KH / DC-15KC / DC-20KC / DC-25T / DC-35T

DC-26F / DC-32F / DC-42F / TF-30S / TF-38S / TF-45D / DC-60F / DC-62FD

11-14 Rv Refrigerator

DCR50A / DCR75A / DCR105A / DCS90A / DCS130A / DCS150A / DC-40 / DC-50

15-16 Drawer Refrigerator

DC21DRG / DC28DRG / DC-23DR / DC-40DR

17-18 Portable Refrigerator With Battery

GC26P / GC40P / GC45P / GC60P

19-20 Armrest Refrigerator

BF-11H / BF-8H / DC-10F / DC-15F / DC-18F

PORTABLE REFRIGERATOR



Bottle Opener Design



With Battery Compartment



Flexible Dual Zone Design



Stainless Steel Body



Portable Refrigerator GF45

Net Capacity	45L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Material	Aluminum(inner liner), S430 stainless steel(body)
Product Size	L650mm*W410mm*H470mm
Package Size	L710mm*W470mm*H530mm
Weight	23kg/net,28kg/gross
Loading QTY	144PCS/20GP,300PCS/40GP,300PCS/40HQ



Portable Refrigerator GF65D Dual Zone

Net Capacity	65L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Material	Aluminum(inner liner), S430 stainless steel(body)
Product Size	L730mm*W460mm*H470mm
Package Size	L790mm*W520mm*H530mm
Weight	25kg/net,31kg/gross
Loading QTY	116PCS/20GP,232PCS/40GP,232PCS/40HQ



Portable Refrigerator GF100D Dual Zone

Net Capacity	100L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 60W
Input Voltage	DC 12/24V
Material	Aluminum(inner liner), S430 stainless steel(body)
Product Size	L1000mm*W530mm*H470mm
Package Size	L1060mm*W590mm*H530mm
Weight	35kg/net,42kg/gross
Loading QTY	76PCS/20GP,172PCS/40GP,172PCS/40HQ



Compressor
Refrigeration



Variable Zone
Dual/Single



Home/Car



Bluetooth
Function



Portable Refrigerator GC15

Net Capacity	15L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),PP(inner)
Available Colors	Army Green/Desert Sand
Product Size	L452mm*W346mm*H318mm
Package Size	L507mm*W400mm*H378mm
Weight	9kg/net,12kg/gross
Loading QTY	366PCS/20GP,762PCS/40GP,889PCS/40HQ



Portable Refrigerator GC20

Net Capacity	19.3L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),PP(inner)
Available Colors	Army Green/Desert Sand
Product Size	L452mm*W346mm*H368mm
Package Size	L507mm*W400mm*H428mm
Weight	10kg/net,13kg/gross
Loading QTY	305PCS/20GP,635PCS/40GP,762PCS/40HQ



Portable Refrigerator GC26

Net Capacity	26L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W384mm*H365mm
Package Size	L605mm*W440mm*H425mm
Weight	13.3kg/net,15kg/gross
Loading QTY	225PCS/20GP,475PCS/40GP,570PCS/40HQ



Portable Refrigerator GC26e

Net Capacity	26L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W382mm*H365mm
Package Size	L605mm*W440mm*H425mm
Weight	12.8kg/net,14.5kg/gross
Loading QTY	225PCS/20GP,475PCS/40GP,570PCS/40HQ



Portable Refrigerator GC45

Net Capacity	41.5L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W458mm*H445mm
Package Size	L675mm*W475mm*H500mm
Weight	15.5kg/net,20kg/gross
Loading QTY	160PCS/20GP,328PCS/40GP,410PCS/40HQ



Portable Refrigerator GC45e

Net Capacity	41.5L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W420mm*H443mm
Package Size	L675mm*W475mm*H500mm
Weight	14.5kg/net,18kg/gross
Loading QTY	160PCS/20GP,328PCS/40GP,410PCS/40HQ



Portable Refrigerator GC40

Net Capacity	36L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W384mm*H465mm
Package Size	L605mm*W440mm*H525mm
Weight	14.8kg/net,18kg/gross
Loading QTY	180PCS/20GP,380PCS/40GP,475PCS/40HQ



Portable Refrigerator GC40e

Net Capacity	36L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W382mm*H465mm
Package Size	L605mm*W440mm*H525mm
Weight	14.3kg/net,17kg/gross
Loading QTY	180PCS/20GP,380PCS/40GP,475PCS/40HQ



Portable Refrigerator GC60

Net Capacity	57L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W458mm*H545mm
Package Size	L675mm*W475mm*H600mm
Weight	17.5kg/net,22kg/gross
Loading QTY	120PCS/20GP,246PCS/40GP,328PCS/40HQ



Portable Refrigerator GC60e

Net Capacity	57L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W420mm*H543mm
Package Size	L675mm*W475mm*H600mm
Weight	16.5kg/net,19.5kg/gross
Loading QTY	120PCS/20GP,246PCS/40GP,328PCS/40HQ



Portable Refrigerator TF20

Net Capacity	20L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L600mm*W335mm*H300mm
Package Size	L635mm*W370mm*H330mm
Weight	10kg/net,11kg/gross
Loading QTY	288sets/20GP,588sets/40GP,686sets/40HQ



Portable Refrigerator TF36D Dual Zone

Net Capacity	9.5L Freezer; 25L Fridge
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L645mm*W375mm*H445mm
Package Size	L620mm*W410mm*H475mm
Weight	14.5kg/net,15.5kg/gross
Loading QTY	160sets/20GP,332sets/40GP,415sets/40HQ



Portable Refrigerator DC-15KC

Net Capacity	15L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 30W
Input Voltage	DC 12/24V
Product Size	L576mm*W334mm*H235mm
Package Size	L630mm*W390mm*H290mm
Weight	9kg/net,11.8kg/gross
Loading QTY	357PCS/20GP,756PCS/40GP,864PCS/40HQ



Portable Refrigerator DC-20KC

Net Capacity	20L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 30W
Input Voltage	DC 12/24V
Product Size	L576mm*W335mm*H286mm
Package Size	L630mm*W390mm*H340mm
Weight	10kg/net,13kg/gross
Loading QTY	306PCS/20GP,648PCS/40GP,756PCS/40HQ



Portable Refrigerator TF40

Net Capacity	39L
Temperature Range	-20°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L645mm*W375mm*H445mm
Package Size	L620mm*W410mm*H475mm
Weight	14kg/net,15kg/gross
Loading QTY	160sets/20GP,332sets/40GP,415sets/40HQ



Portable Refrigerator DC-15KH

Net Capacity	15L
Temperature Range	-18°C~10°C/10~55°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Heating Principle	Heating wire
Input Power	30W cooling,45W heating
Input Voltage	DC 12/24V
Product Size	L576mm*W334mm*H235mm
Package Size	L630mm*W390mm*H290mm
Weight	9kg/net,11.8kg/gross
Loading QTY	357PCS/20GP,756PCS/40GP,864PCS/40HQ



Portable Refrigerator DC-25T

Net Capacity	18.8L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V
Product Size	L480mm*W329mm*H425mm
Package Size	L535mm*W385mm*H485mm
Weight	10.5kg/net,12kg/gross
Loading QTY	240PCS/20GP,480PCS/40GP,600PCS/40HQ



Portable Refrigerator DC-35T

Net Capacity	30L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 30W
Input Voltage	DC 12/24V
Product Size	L540mm*W379mm*H455mm
Package Size	L595mm*W435mm*H515mm
Weight	12kg/net,16.5kg/gross
Loading QTY	192PCS/20GP,392PCS/40GP,490PCS/40HQ



Portable Refrigerator DC-26F

Net Capacity	26L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L705mm*W350mm*H404mm
Package Size	L640mm*W405mm*H460mm
Weight	16.2kg/net, 18.2kg/gross
Loading QTY	240PCS/20GP,480PCS/40GP,510PCS/40HQ



Portable Refrigerator DC-32F

Net Capacity	32L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L705mm*W350mm*H449mm
Package Size	L640mm*W405mm*H505mm
Weight	17kg/net, 19kg/gross
Loading QTY	204PCS/20GP,408PCS/40GP,510PCS/40HQ



Portable Refrigerator TF-38S

Net Capacity	38L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L586mm*W432mm*H310mm
Package Size	L630mm*W475mm*H365mm
Weight	13.6kg/net, 16kg/gross
Loading QTY	225PCS/20GP,450PCS/40GP,540PCS/40HQ



Portable Refrigerator TF-45D Dual Zone

Net Capacity	42L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L606mm*W436mm*H360mm
Package Size	L665mm*W495mm*H420mm
Weight	17.5kg/net, 19.6kg/gross
Loading QTY	165PCS/20GP,345PCS/40GP,414PCS/40HQ



Portable Refrigerator DC-42F

Net Capacity	42L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L705mm*W350mm*H544mm
Package Size	L640mm*W405mm*H600mm
Weight	18.3kg/net,21kg/gross
Loading QTY	180PCS/20GP,372PCS/40GP,420PCS/40HQ



Portable Refrigerator TF-30S

Net Capacity	30L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	L585mm*W350mm*H380mm
Package Size	L645mm*W410mm*H445mm
Weight	13.6kg/net,16kg/gross
Loading QTY	225PCS/20GP,450PCS/40GP,540PCS/40HQ



Portable Refrigerator DC-60F

Net Capacity	60L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V, AC:220V/50HZ
Product Size	L895mm*W445mm*H458mm
Package Size	L850mm*W510mm*H507mm
Weight	25kg/net,29.5kg/gross
Loading QTY	112PCS/20GP,236PCS/40GP,295PCS/40HQ




Portable Refrigerator DC-62FD Dual Zone

Net Capacity	21L Freezer, 39L Fridge
Temperature Range	-18°C~5°C Freezer, -5°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L945mm*W455mm*H488mm
Package Size	L900mm*W510mm*H540mm
Weight	28kg/net,32kg/gross
Loading QTY	112PCS/20GP,236PCS/40GP,236CS/40HQ



RV REFRIGERATOR



Flexible Removable
Freezer Compartment



Fridge/Freezer Indep.
Temp Control



With Fruit
Crisper Drawer



RV Refrigerator DCR50A

Net Capacity	6.6L Freezer, 36L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 60W
Input Voltage	DC 12/24V
Product Size	W380mm*D510mm*H525mm
Package Size	W435mm*D565mm*H585mm
Weight	13.7kg/net,16.38kg/gross
Loading QTY	208PCS/20GP,432PCS/40GP,432PCS/40HQ



RV Refrigerator DCR75A

Net Capacity	10L Freezer, 62L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 60W
Input Voltage	DC 12/24V
Product Size	W475mm*D536mm*H625mm
Package Size	W530mm*D590mm*H685mm
Weight	19.19kg/net,23.14kg/gross
Loading QTY	108PCS/20GP,240PCS/40GP,240PCS/40HQ



RV Refrigerator DCR105A

Net Capacity	22L Freezer, 82L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 65W
Input Voltage	DC 12/24V
Product Size	W475mm*D536mm*H810mm
Package Size	W530mm*D590mm*H870mm
Weight	23.36kg/net,27.35kg/gross
Loading QTY	84PCS/20GP,172PCS/40GP,258PCS/40HQ



RV Refrigerator DCS90A

Net Capacity	16L Freezer, 74L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 65W
Input Voltage	DC 12/24V
Product Size	W418mm*D485mm*H975mm
Package Size	W475mm*D540mm*H1035mm
Weight	22.33kg/net,26.56kg/gross
Loading QTY	96PCS/20GP,192PCS/40GP,192PCS/40HQ



RV Refrigerator DCS130A

Net Capacity	30L Freezer, 100L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 65W
Input Voltage	DC 12/24V
Product Size	W418mm*D560mm*H1300mm
Package Size	W475mm*D615mm*H1360mm
Weight	30kg/net,32kg/gross
Loading QTY	36PCS/20GP,76PCS/40GP,76PCS/40HQ



RV Refrigerator DCS150A

Net Capacity	30L Freezer, 120L Fridge
Temperature Range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 65W
Input Voltage	DC 12/24V
Product Size	W418mm*D560mm*H1500mm
Package Size	W475mm*D615mm*H1560mm
Weight	33kg/net,40kg/gross
Loading QTY	36PCS/20GP,76PCS/40GP,76PCS/40HQ



RV Refrigerator DC-40

Net Capacity	4L Freezer, 32L Fridge
Temperature Range	-12°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	W446mm*D523mm*H563mm (with mounting frame) W381mm*D523mm*H523mm (without mounting frame)
Package Size	W595mm*D520mm*H630mm
Weight	15kg/net,18kg/gross
Loading QTY	126PCS/20GP,255PCS/40GP,340PCS/40HQ



RV Refrigerator DC-50

Net Capacity	4L Freezer, 43L Fridge
Temperature Range	-12°C Freezer, 0°C~10°C Fridge
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V
Product Size	W446mm*D525mm*H563mm (with mounting frame) W381mm*D525mm*H523mm (without mounting frame)
Package Size	W595mm*D520mm*H630mm
Weight	16kg/net,19kg/gross
Loading QTY	126PCS/20GP,255PCS/40GP,340PCS/40HQ

DRAWER REFRIGERATOR



Built-in Design



For vehicle & boat



Anti-vibration Design



Drawer Refrigerator DC21DRG

Net Capacity	21L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L572mm*W440mm*H270mm
Package Size	L625mm*W495mm*H325mm
Weight	13kg/net,18kg/gross
Loading QTY	280PCS/20GP,588PCS/40GP,672PCS/40HQ



Drawer Refrigerator DC28DRG

Net Capacity	28L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V
Product Size	L682mm*W440mm*H270mm
Package Size	L735mm*W495mm*H325mm
Weight	13.5kg/net,18.5kg/gross
Loading QTY	231PCS/20GP,497PCS/40GP,568PCS/40HQ



Drawer Refrigerator DC-23DR

Net Capacity	23L
Temperature Range	-12°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V
Product Size	L713mm*W440mm*H205mm
Package Size	L770mm*W515mm*H280mm
Weight	16kg/net,21kg/gross
Loading QTY	256PCS/20GP,552PCS/40GP,612PCS/40HQ



Drawer Refrigerator DC-40DR

Net Capacity	40L
Temperature Range	-16°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 40W
Input Voltage	DC 12/24V
Product Size	L836mm*W590mm*H300mm
Package Size	L890mm*W665mm*H390mm
Weight	29kg/net,36kg/gross
Loading QTY	120PCS/20GP,246PCS/40GP,308PCS/40HQ



Fast Cooling



With Detachable
Battery




Variable Zone
Dual/ Single



Pull Rod &
Wheel Design

PORTABLE REFRIGERATOR WITH BATTERY



Battery GP80

Capacity	192Wh
DC Input	DC 10V~30V/100W MAX
DC Output	11-14V/8A
USB-A Output	5V,2.4A
USB-C Output	5V,3A
Available Power	≤ 100W
Product Size	L228mm*W157mm*H44mm
Package Size	L252mm*W132mm*H172mm
Weight	1.96kg/net,2.96kg/gross



Portable Refrigerator with Battery GC26P

Net Capacity	26L
Temperature Range	-20°C~10°C
Maximum Using Time	38h
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 45W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W384mm*H365mm
Package Size	L605mm*W440mm*H425mm
Weight	15.26kg/net,16.96kg/gross
Loading QTY	225PCS/20GP,475PCS/40GP,570PCS/40HQ



Portable Refrigerator with Battery GC40P

Net Capacity	36L
Temperature Range	-20°C~10°C
Maximum Using Time	33h
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L616mm*W384mm*H465mm
Package Size	L605mm*W440mm*H525mm
Weight	16.76kg/net,19.96kg/gross
Loading QTY	180PCS/20GP,380PCS/40GP,475PCS/40HQ



Portable Refrigerator with Battery GC45P

Net Capacity	41.5L
Temperature Range	-20°C~10°C
Maximum Using Time	30h
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W458mm*H445mm
Package Size	L675mm*W475mm*H500mm
Weight	17.46kg/net,21.96kg/gross
Loading QTY	160PCS/20GP,328PCS/40GP,410PCS/40HQ



Portable Refrigerator with Battery GC60P

Net Capacity	57L
Temperature Range	-20°C~10°C
Maximum Using Time	22h
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 55W
Input Voltage	DC 12/24V;AC 100-240V
Material	PP(outer),HIPS(inner)
Available Colors	Army Green/Dark Grey/Desert Sand
Product Size	L702mm*W458mm*H545mm
Package Size	L675mm*W475mm*H600mm
Weight	19.46kg/net,23.96kg/gross
Loading QTY	120PCS/20GP,246PCS/40GP,328PCS/40HQ



Cooling &
Warming Function



Overvoltage
Protection



Dual Cup Holder



Armrest Refrigerator BF-11H

Net Capacity	11L
Temperature Range	-18°C~10°C/10°C~55°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Heating Principle	Heating Element
Input Power	30W cooling,45W heating
Input Voltage	DC 12/24V
Product Size	W553mm*D237mm*H342mm
Package Size	W590mm*D295mm*H398mm
Weight	8.5kg/net,9.6kg/gross
Loading QTY	330PCS/20GP,700PCS/40GP,840PCS/40HQ



Armrest Refrigerator BF-8H

Net Capacity	8L
Temperature Range	-18°C~10°C/10°C~55°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Heating Principle	Heating Element
Input Power	30W cooling,45W heating
Input Voltage	DC 12/24V
Product Size	L493mm*W248mm*H220mm
Package Size	L550mm*W305mm*H280mm
Weight	9kg/net,11kg/gross
Loading QTY	608PCS/20GP,1248PCS/40GP,1404PCS/40HQ



Armrest Refrigerator DC-10F

Net Capacity	10L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 30W
Input Voltage	DC 12/24V
Product Size	L459mm*W210mm*H320mm
Package Size	L515mm*W275mm*H385mm
Weight	8kg/net,9.8kg/gross
Loading QTY	496PCS/20GP,996PCS/40GP,1172PCS/40HQ



Armrest Refrigerator DC-15F

Net Capacity	14L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 35W
Input Voltage	DC 12/24V
Product Size	L532mm*W230mm*H334mm
Package Size	L600mm*W295mm*H395mm
Weight	9kg/net,11.5kg/gross
Loading QTY	320PCS/20GP,665PCS/40GP,798PCS/40HQ



Armrest Refrigerator DC-18F

Net Capacity	16L
Temperature Range	-18°C~10°C
Refrigerant	R134a/R600a
Isolation	C-pentane
Input Power	DC 35W
Input Voltage	DC 12/24V
Product Size	L532mm*W230mm*H384mm
Package Size	L600mm*W295mm*H445mm
Weight	9.5kg/net,12kg/gross
Loading QTY	330PCS/20GP,665PCS/40GP,762PCS/40HQ