



# Colku RV Refrigerator

## Colku Electrical Appliance Ltd.

Tel:  
+86 757 87363068

Email:  
info@colku.com

Fax:  
+86 757 87363067

WeChat:  
+86 18028121075

WhatsApp:  
+852 95188163

Web:  
www.colku.com

Add: No.84 Area B, Leping Industry Park, Sanshui Dist,  
Foshan City, Guangdong Province, China 528137.

V250422



Cool Pleasure Anywhere






### Model No.DCS90A




|                   |                                        |
|-------------------|----------------------------------------|
| Capacity          | 16L Freezer, 74L Fridge                |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge    |
| Input voltage     | DC 12V/24V                             |
| Input power       | DC 65W                                 |
| Isolation         | C-pentane                              |
| Refrigerant       | R134a/R600a                            |
| Produce size      | W418mm*D485mm*H975mm                   |
| Package size      | W475mm*D540mm*H1035mm                  |
| Weight            | 22.33kgkg/net,26.56kg/gross            |
| Loading QTY       | 96PCS/20GP,192PCS/40GP,<br>192PCS/40HQ |



### Model No.DCS130A




|                   |                                      |
|-------------------|--------------------------------------|
| Capacity          | 30L Freezer, 100L Fridge             |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge  |
| Input voltage     | DC 12V/24V                           |
| Input power       | DC 65W                               |
| Isolation         | C-pentane                            |
| Refrigerant       | R134a/R600a                          |
| Produce size      | W418mm*D560mm*H1300mm                |
| Package size      | W475mm*D615mm*H1360mm                |
| Weight            | 30kg/net,32kg/gross                  |
| Loading QTY       | 36PCS/20GP,76PCS/40GP,<br>76PCS/40HQ |



### Model No.DCS150A



|                   |                                      |
|-------------------|--------------------------------------|
| Capacity          | 30L Freezer, 120L Fridge             |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge  |
| Input voltage     | DC 12V/24V                           |
| Input power       | DC 65W                               |
| Isolation         | C-pentane                            |
| Refrigerant       | R134a/R600a                          |
| Produce size      | W418mm*D560mm*H1500mm                |
| Package size      | W475mm*D615mm*H1560mm                |
| Weight            | 33kg/net,40kg/gross                  |
| Loading QTY       | 36PCS/20GP,76PCS/40GP,<br>76PCS/40HQ |



Adjustable Shelves



Removable Freezer  
Compartment




Fridge/Freezer  
Indep. Temp Control




### Model No.DCR50A

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 6.6L Freezer, 36L Fridge                |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge     |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 60W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | W380mm*D510mm*H525mm                    |
| Package size      | W435mm*D565mm*H585mm                    |
| Weight            | 13.7kg/net,16.38kg/gross                |
| Loading QTY       | 208PCS/20GP,432PCS/40GP,<br>432PCS/40HQ |




### Model No.DCR75A

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 10L Freezer, 62L Fridge                 |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge     |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 60W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | W475mm*D536mm*H625mm                    |
| Package size      | W530mm*D590mm*H685mm                    |
| Weight            | 19.19kg/net,23.14kg/gross               |
| Loading QTY       | 108PCS/20GP,240PCS/40GP,<br>240PCS/40HQ |



### Model No.DCR105A

|                   |                                        |
|-------------------|----------------------------------------|
| Capacity          | 22L Freezer, 82L Fridge                |
| Temperature range | -18°C~-5°C Freezer, 0°C~10°C Fridge    |
| Input voltage     | DC 12V/24V                             |
| Input power       | DC 65W                                 |
| Isolation         | C-pentane                              |
| Refrigerant       | R134a/R600a                            |
| Produce size      | W475mm*D536mm*H810mm                   |
| Package size      | W530mm*D590mm*H870mm                   |
| Weight            | 23.36kg/net,27.35kg/gross              |
| Loading QTY       | 84PCS/20GP,172PCS/40GP,<br>258PCS/40HQ |




Door Latch Design



Fruit Crisper Drawer



Drain Hole



LED Control Panel



Safety Latch




Built in Freezer




## Model No.DC-40

|                   |                                                  |
|-------------------|--------------------------------------------------|
| Capacity          | 4L Freezer,32L Fridge                            |
| Temperature range | -12°C Freezer, 0°C~10°C Fridge                   |
| Input voltage     | DC 12V/24V                                       |
| Input power       | DC 45W                                           |
| Isolation         | C-pentane                                        |
| Refrigerant       | R134a/R600a                                      |
| Produce size      | W446mm*D523mm*H563mm<br>(with mounting frame)    |
| Produce size      | W381mm*D523mm*H523mm<br>(without mounting frame) |
| Package size      | W595mm*D520mm*H630mm                             |
| Weight            | 15kg/net,18kg/gross                              |
| Loading QTY       | 126PCS/20GP 255PCS/40GP,<br>340PCS/40HQ          |



## Model No.DC-50




|                   |                                                  |
|-------------------|--------------------------------------------------|
| Capacity          | 4L Freezer,43L Fridge                            |
| Temperature range | -12°C Freezer, 0°C~10°C Fridge                   |
| Input voltage     | DC 12V/24V                                       |
| Input power       | DC 45W                                           |
| Isolation         | C-pentane                                        |
| Refrigerant       | R134a/R600a                                      |
| Produce size      | W446mm*D525mm*H563mm<br>(with mounting frame)    |
| Produce size      | W381mm*D525mm*H523mm<br>(without mounting frame) |
| Package size      | L595mm*W520mm*H630mm                             |
| Weight            | 16kg/net,19kg/gross                              |
| Loading QTY       | 126PCS/20GP,255PCS/40GP,<br>340PCS/40HQ          |







### Model No.DC21DRG

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 21L                                     |
| Temperature range | -18°C~10°C                              |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 55W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | L572mm*W440mm*H270mm                    |
| Package size      | L625mm*W495mm*H325mm                    |
| Weight            | 13kg/net,18kg/gross                     |
| Loading QTY       | 280PCS/20GP,<br>588PCS/40GP,672PCS/40HQ |



### Model No.DC28DRG

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 28L                                     |
| Temperature range | -18°C~10°C                              |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 55W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | L682mm*W440mm*H270mm                    |
| Package size      | L735mm*W495mm*H325mm                    |
| Weight            | 13.5kg/net,18.5kg/gross                 |
| Loading QTY       | 231PCS/20GP,497PCS/40GP,<br>568PCS/40HQ |



Reliable Door Latch



LED Control Panel



Removable Drawer



Removable Compressor



Stainless Steel Slide




Adjustable Dividers



Model No.DC-23DR

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 23L                                     |
| Temperature range | -12°C~10°C                              |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 40W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | W440mm*D715mm*H215mm                    |
| Package size      | W515mm*D770mm*H280mm                    |
| Weight            | 16kg/net,21kg/gross                     |
| Loading QTY       | 256PCS/20GP,552PCS/40GP,<br>612PCS/40HQ |



Model No.DC-40DR

|                   |                                         |
|-------------------|-----------------------------------------|
| Capacity          | 40L                                     |
| Temperature range | -16°C~10°C                              |
| Input voltage     | DC 12V/24V                              |
| Input power       | DC 40W                                  |
| Isolation         | C-pentane                               |
| Refrigerant       | R134a/R600a                             |
| Produce size      | W590mm*D836mm*H300mm                    |
| Package size      | W665mm*D890mm*H390mm                    |
| Weight            | 29kg/net,36kg/gross                     |
| Loading QTY       | 120PCS/20GP,246PCS/40GP,<br>308PCS/40HQ |

