



Colku RV Refrigerator

Colku Electrical Appliance Ltd.

Tel:
+86 757 87363068

Email:
info@colku.com

Fax:
+86 757 87363067

WeChat:
+86 18028121075

WhatsApp:
+852 95188163

Web:
www.colku.com

Add: No.84 Area B, Leping Industry Park, Sanshui Dist,
Foshan City, Guangdong Province, China 528137.

V250530




Cool Pleasure Anywhere






Model No.DCS90A

Capacity	16L Freezer, 74L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 65W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W420mm*D490mm*H975mm
Package size	W475mm*D545mm*H1025mm
Weight	22.3kg/net, 26.6kg/gross
Loading QTY	96PCS/20GP, 192PCS/40GP, 192PCS/40HQ




Model No.DCS130A

Capacity	30L Freezer, 100L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 65W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W420mm*D560mm*H1300mm
Package size	W475mm*D615mm*H1345mm
Weight	30kg/net, 32kg/gross
Loading QTY	42PCS/20GP, 86PCS/40GP, 86PCS/40HQ



Model No.DCS150A

Capacity	30L Freezer, 120L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 65W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W420mm*D560mm*H1500mm
Package size	W475mm*D615mm*H1545mm
Weight	33kg/net, 40kg/gross
Loading QTY	42PCS/20GP, 86PCS/40GP, 86PCS/40HQ



Adjustable Shelves



Removable Freezer
Compartment




Fridge/Freezer
Indep. Temp Control



Model No.DCR50A




Capacity	6.6L Freezer, 36L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 60W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W380mm*D510mm*H525mm
Package size	W435mm*D565mm*H570mm
Weight	13.7kg/net,16.4kg/gross
Loading QTY	208PCS/20GP,432PCS/40GP, 432PCS/40HQ



Model No.DCR75A




Capacity	10L Freezer, 62L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 60W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W475mm*D535mm*H625mm
Package size	W530mm*D590mm*H670mm
Weight	19.2kg/net,23.1kg/gross
Loading QTY	108PCS/20GP,240PCS/40GP, 240PCS/40HQ



Model No.DCR105A



Capacity	22L Freezer, 82L Fridge
Temperature range	-18°C~-5°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 65W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W475mm*D535mm*H810mm
Package size	W530mm*D590mm*H855mm
Weight	23.4kg/net,27.4kg/gross
Loading QTY	72PCS/20GP,160PCS/40GP, 240PCS/40HQ



Door Latch Design



Fruit Crisper Drawer



Drain Hole



LED Control Panel



Safety Latch




Built in Freezer




Model No.DC-40

Capacity	4L Freezer,32L Fridge
Temperature range	-12°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 45W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W446mm*D523mm*H563mm (with mounting frame)
Produce size	W381mm*D523mm*H523mm (without mounting frame)
Package size	W595mm*D520mm*H630mm
Weight	15kg/net,18kg/gross
Loading QTY	126PCS/20GP 255PCS/40GP, 340PCS/40HQ



Model No.DC-50




Capacity	4L Freezer,43L Fridge
Temperature range	-12°C Freezer, 0°C~10°C Fridge
Input voltage	DC 12V/24V
Input power	DC 45W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W446mm*D525mm*H563mm (with mounting frame)
Produce size	W381mm*D525mm*H523mm (without mounting frame)
Package size	L595mm*W520mm*H630mm
Weight	16kg/net,19kg/gross
Loading QTY	126PCS/20GP,255PCS/40GP, 340PCS/40HQ







Model No.DC21DRG

Capacity	21L
Temperature range	-18°C~10°C
Input voltage	DC 12V/24V
Input power	DC 55W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	L572mm*W440mm*H270mm
Package size	L625mm*W495mm*H325mm
Weight	13kg/net,18kg/gross
Loading QTY	280PCS/20GP, 588PCS/40GP,672PCS/40HQ



Model No.DC28DRG

Capacity	28L
Temperature range	-18°C~10°C
Input voltage	DC 12V/24V
Input power	DC 55W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	L682mm*W440mm*H270mm
Package size	L735mm*W495mm*H325mm
Weight	13.5kg/net,18.5kg/gross
Loading QTY	231PCS/20GP,497PCS/40GP, 568PCS/40HQ



Reliable Door Latch



LED Control Panel



Removable Drawer



Removable Compressor



Stainless Steel Slide




Adjustable Dividers



Model No.DC-23DR

Capacity	23L
Temperature range	-12°C~10°C
Input voltage	DC 12V/24V
Input power	DC 40W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W440mm*D715mm*H215mm
Package size	W515mm*D770mm*H280mm
Weight	16kg/net,21kg/gross
Loading QTY	256PCS/20GP,552PCS/40GP, 612PCS/40HQ



Model No.DC-40DR

Capacity	40L
Temperature range	-16°C~10°C
Input voltage	DC 12V/24V
Input power	DC 40W
Isolation	C-pentane
Refrigerant	R134a/R600a
Produce size	W590mm*D836mm*H300mm
Package size	W665mm*D890mm*H390mm
Weight	29kg/net,36kg/gross
Loading QTY	120PCS/20GP,246PCS/40GP, 308PCS/40HQ

