

Industrial Plugs and Sockets

Industrial connecting devices

CE RoHS



DTCEE

www.dtcee.com



About us

Yueqing Datong Electric Co., Ltd. stands out as a distinguished industrial electrical manufacturer, specializing in the production of industrial plugs, sockets, and couplers. With a comprehensive approach that integrates research and development, manufacturing, and production, our company boasts a large-scale operation offering a diverse range of high-quality products. We take pride in providing both OEM/ODM services and a wide array of products that play a crucial role in ensuring the safety of various electrical equipment in specialized environments, making us the ideal choice for a new generation of power connector devices.

Our dedicated team includes a group of high-quality management personnel and skilled production employees, working in conjunction with advanced production lines and professional testing equipment. Committed to adhering to IEC/CEE international standards, we manufacture industrial products ranging from 1000V, 16A to 420A. Our product line encompasses plugs, sockets, connectors, plastic power socket boxes, stainless steel power socket boxes, detachable power socket boxes, and multi-functional booth boxes, etc.

Emphasizing functionality, our products are designed to be dust-proof, waterproof, splash-proof, moisture-proof, anti-corrosive, anti-misinsertion, flame retardant, and possess high temperature resistance. They exhibit anti-aging properties, good toughness, excellent impact resistance, high gloss, and feature high-current soft contacts. The ease of plug-and-play connectivity ensures stable connections, contributing to the global recognition and appreciation from our customers.

To ensure the delivery of high-quality products, we have implemented and maintained an international quality management system that aligns with established standards. Recognizing that the pursuit of excellence requires effective modern management and quality systems, we remain committed to continuous improvement of our Quality Assurance System.

Guided by the principle that "quality first is our eternal theme, quality service is our sacred responsibility, and customer satisfaction is our goal of success," our business philosophy centers around honesty and trustworthiness.

Our aim is to win customer satisfaction and build a brand synonymous with "first-class quality and first-class service." We extend a sincere welcome to customers worldwide, inviting them to visit us and collaborate with us to shape a brilliant future together.


Table of Contents

A Industrial Plugs and Sockets

A series	01~17
B series	18~38
C series	39~66
Multifunction socket	67~68
High current series	69~76

B Industrial Socket Boxes

Distribution boxes	77~78
Combined socket distribution boxes	79
Portable socket distribution boxes	80~82



A

CE RoHS

Industrial Plugs and Sockets

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------


AMPERE	POLES	3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT013
- DT023



IP44 Plugs					
16A	3	DT013-4	DT013		
	4			DT014	
	5			DT015	
32A	3	DT023-4	DT023		
	4			DT024	
	5			DT025	


- DT014
- DT024



- DT015
- DT025



Current	16A			32A		
Pole	3	4	5	3	4	5
a	115	115	125	134	134	138
b	59	65	72	75	75	78
c	6	6	8	8	8	8
d	51	54	63	64	64	69.5
e						
f						
g						
h						
Cable size (mm ²)	1~2.5			2.5~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DT013L
- DT023L



IP44 Plugs					
16A	3	DT013L-4	DT013L		
	4			DT014L	
	5			DT015L	
32A	3	DT023L-4	DT023L		
	4			DT024L	
	5			DT025L	


- DT014L
- DT024L



- DT015L
- DT025L



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		145	145	158	167	167	178
b		59	65	72	75	75	78
c		6	6	8	8	8	10
d		51	54	63	64	64	69.5
e							
f							
g							
h							
Cable size (mm ²)		1-2.5			2.5-6		



A

CE RoHS

Industrial Plugs and Sockets

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

**>50-
250** ---


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT013S
- DT023S



IP44 Plugs					
16A	3	DT013S-4	DT013S		
	4			DT014S	
	5			DT015S	
32A	3	DT023S-4	DT023S		
	4			DT024S	
	5			DT025S	


- DT014S
- DT024S



- DT015S
- DT025S



Current	16A			32A		
Pole	3	4	5	3	4	5
a	120	120	130	139	139	143
b	59	65	72	75	75	78
c	6	6	8	8	8	8
d	51	54	63	64	64	69.5
e						
f						
g						
h						
Cable size (mm ²)	1~2.5			2.5~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DT113
- DT123



IP44 Wall Mounted Socket

Current	Poles	Model	Model	Model	Model
16A	3	DT113-4	DT113		
	4			DT114	
	5			DT115	
32A	3	DT123-4	DT123		
	4			DT124	
	5			DT125	


- DT114
- DT124



- DT115
- DT125



Current	16A			32A		
	3	4	5	3	4	5
a	131	132	132	140	140	140
b	88	91	96	100	100	104
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1-2.5			2.5-6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT213
- DT223



IP44 Coupler

Current	Poles	DT213-4	DT213	DT214	DT215
16A	3	DT213-4	DT213		
	4			DT214	
	5				DT215
32A	3	DT223-4	DT223		
	4			DT224	
	5				DT225


- DT214
- DT224



- DT215
- DT225



Current	16A			32A		
Pole	3	4	5	3	4	5
a	128	128	141	151	151	155
b	70	74	83	83	83	94
c	6	6	6	8	8	8
d						
e						
f						
g						
h						
Cable size (mm ²)	1~2.5			2.5~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT213L
- DT223L



IP44 Coupler

Current	Poles	3 Pole	4 Pole	5 Pole
16A	3	DT213L-4	DT213L	
	4			DT214L
	5			DT215L
32A	3	DT223L-4	DT223L	
	4			DT224L
	5			DT225L


- DT214L
- DT224L



- DT215L
- DT225L



Current	16A			32A		
	3 Pole	4 Pole	5 Pole	3 Pole	4 Pole	5 Pole
a	158	158	174	184	184	195
b	70	74	83	83	83	94
c	6	6	8	8	8	10
d						
e						
f						
g						
h						
Cable size (mm ²)	1-2.5			2.5-6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT213S
- DT223S



IP44 Coupler					
16A	3	DT213S-4	DT213S		
	4			DT214S	
	5			DT215S	
32A	3	DT223S-4	DT223S		
	4			DT224S	
	5			DT225S	


- DT214S
- DT224S



- DT215S
- DT225S



Current	16A			32A		
Pole	3	4	5	3	4	5
a	133	133	146	156	156	160
b	70	74	83	83	83	94
c	6	6	8	8	8	8
d						
e						
f						
g						
h						
Cable size (mm ²)	1~2.5			2.5~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT313
- DT323




IP44 Panel Mounted Socket

Current	Poles	DT Model	DT Model	DT Model	DT Model
16A	3	DT313-4	DT313		
	4			DT314	
	5			DT315	
32A	3	DT323-4	DT323		
	4			DT324	
	5			DT325	

- DT314
- DT324




Dimension (mm)



- DT315
- DT325



Current	16A			32A		
	Pole	3	4	5	3	4
a	70	70	70	70	70	70
b	70	70	70	70	70	70
c	56	56	56	56	56	56
d	56	56	56	56	56	56
e	49	49	49	59	59	59
f	55	55	55	55	55	55
g						
h						
Cable size (mm ²)	1-2.5			2.5-6		



CE RoHS

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DT413-4
- DT423-4



- DT413
- DT423



- DT414
- DT424




- DT415
- DT425




IP44 Panel Mounted Socket(Angle)

16A	3	DT413-4	DT413		
	4			DT414	
	5			DT415	
32A	3	DT423-4	DT423		
	4			DT424	
	5			DT425	

Dimension (mm)



Current	16A			32A		
Pole	3	4	5	3	4	5
a	62	73	76	80	80	81
b	68	80	86	96	96	96
c	47	58	60	60	60	60
d	48	60	61	70	70	70
e	36	36	47	42	42	42
f	37	37	37	43	43	47
g	55	64	72	75	75	81
h						
Cable size (mm ²)	1~2.5			2.5~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT513
- DT523



IP44 Wall Mounted Plug

Current	Poles	Model	Model
16A	3	DT513	
	4		DT514
	5		DT515
32A	3	DT523	
	4		DT524
	5		DT525


- DT514
- DT524



- DT515
- DT525



Current	16A			32A		
Pole	3	4	5	3	4	5
a	121	124	126	131	131	142
b	76	76	79	83	83	88
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1-2.5			2.5-6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------



AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT613
- DT623




		IP44 Panel Mounted Plug				
16A	3	DT613				
	4				DT614	
	5				DT615	
32A	3	DT623				
	4				DT624	
	5				DT625	


- DT614
- DT624



- DT615
- DT625



Current	16A			32A		
Pole	3	4	5	3	4	5
a	69	69	69	69	69	69
b	69	69	69	69	69	69
c	56	56	56	56	56	56
d	56	56	56	56	56	56
e	43	43	43	52	52	52
f	43	43	55	55	55	60
g	56	56	56	56	56	60
h						
Cable size (mm ²)	1~2.5			2.5~6		




CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT033
- DT043



IP67 Plugs					
63A	3		DT033		
	4			DT034	
	5			DT035	
125A	3		DT043		
	4			DT044	
	5			DT045	


- DT034
- DT044



- DT035
- DT045



Current	63A			125A		
Pole	3	4	5	3	4	5
a	205	205	205	260	260	260
b	110	110	110	125	125	125
c	75	75	75	87	87	87
d	230	230	230	293	293	293
e	65	65	65	73	73	73
f	16-38	16-38	16-38	30-50	30-50	30-50
g						
h						
Cable size (mm ²)	6-16			16-50		



A


CE RoHS

Industrial Plugs and Sockets

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h



- DT133
- DT143



IP67 Wall Mounted Socket

Current	Poles	3 pole	4 pole	5 pole
63A	3		DT133	
	4			DT134
	5			DT135
125A	3		DT143	
	4			DT144
	5			DT145


- DT134
- DT144



- DT135
- DT145



Current	63A			125A		
Pole	3	4	5	3	4	5
a	270	270	270	343	343	343
b	135	135	135	153	153	153
c	107	107	107	122	122	122
d	109	109	109	132	132	132
e	163	163	163	185	185	185
f	111	111	111	131	131	131
g						
h						
Cable size (mm ²)	6~16			16~50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT233
- DT243




IP67 Coupler

63A	3		DT233	
	4			DT234
	5			DT235
125A	3		DT243	
	4			DT244
	5			DT245

- DT234
- DT244




Dimension (mm)



- DT235
- DT245



Current	63A			125A		
	3	4	5	3	4	5
a	240	240	240	303	303	303
b	112	112	112	127	127	127
c	16-38	16-38	16-38	30-50	30-50	30-50
d						
e						
f						
g						
h						
Cable size (mm ²)	6-16			16-50		



A

CE RoHS

Industrial Plugs and Sockets

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DT333
- DT343



		IP67 Panel Mounted Socket										
63A	3						DT333					
	4									DT334		
	5									DT335		
125A	3						DT343					
	4									DT344		
	5									DT345		


- DT334
- DT344



- DT335
- DT345



Current	63A			125A		
Pole	3	4	5	3	4	5
a	107	107	107	122	122	122
b	88	88	88	95	95	95
c	52	52	52	58	58	58
d	7	7	7	7	7	7
e	9	9	9	9	9	9
f	80	80	80	101	101	101
g	100	100	100	120	120	120
h	75	75	75	88	88	88
Cable size (mm ²)	6~16			16~50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT533
- DT543



IP67 Wall Mounted Plug

Current	Poles	Model	Model
63A	3	DT533	
	4		DT534
	5		DT535
125A	3	DT543	
	4		DT544
	5		DT545


- DT534
- DT544



- DT535
- DT545



Current	63A			125A		
	3	4	5	3	4	5
a	290	290	290	310	310	310
b	126	126	126	126	126	126
c	109	109	109	132	132	132
d	163	163	163	185	185	185
e	111	111	111	131	131	131
f						
g						
h						
Cable size (mm ²)	6~16			16~50		



CE RoHS

110V
50 a. 60 Hz


230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250 ---

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DT633
- DT643




IP67 Panel Mounted Plug

Current	Pole	DT633	DT634	DT635	DT643	DT644	DT645
63A	3						
	4					DT634	
	5					DT635	
125A	3				DT643		
	4					DT644	
	5					DT645	


- DT634
- DT644




Dimension (mm)



- DT635
- DT645



Current	63A			125A		
Pole	3	4	5	3	4	5
a	128	128	128	142	142	142
b	100	100	100	115	115	115
c						
d						
e						
f	80	80	80	102	102	102
g	100	100	100	122	122	122
h	75	75	75	95	95	95
Cable size (mm ²)	6~16			16~50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT0131
- DT0231




IP44 Plugs

Current	Poles	DT0131-4	DT0131	DT0141	DT0151
16A	3				
	4			DT0141	
	5				DT0151
32A	3	DT0231-4	DT0231		
	4			DT0241	
	5				DT0251

- DT0141
- DT0241




Dimension (mm)



- DT0151
- DT0251



Current	16A			32A		
	3	4	5	3	4	5
a	118	128	140	158	158	163
b	82	88	100	110	110	115
c	47	53	61	63	63	70
d	6-15	6-15	8-16	10-20	10-20	10-20
e	42	42	46	54	54	54
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



A

Industrial Plugs and Sockets

CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT1131
- DT1231



IP44 Wall Mounted Socket

Current	Poles	DT1131-4	DT1131	DT1141	DT1151
16A	3				
	4				
	5				
32A	3	DT1231-4	DT1231		
	4			DT1241	
	5			DT1251	


- DT1141
- DT1241



- DT1151
- DT1251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	151	155	153	165	165	166
b	96	98	103	107	107	109
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT2131
- DT2231



IP44 Coupler					
16A	3	DT2131-4	DT2131		
	4			DT2141	
	5			DT2151	
32A	3	DT2231-4	DT2231		
	4			DT2241	
	5			DT2251	


- DT2141
- DT2241



- DT2151
- DT2251



Current	16A			32A		
	Pole 3	Pole 4	Pole 5	Pole 3	Pole 4	Pole 5
a	129	135	145	170	170	180
b	76	80	89	92	92	100
c	6-15	6-15	6-15	10-20	10-20	10-20
d						
e	43	43	46	54	54	54
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DT3131
- DT3231



IP44 Panel Mounted Socket					
16A	3	DT3131-4	DT3131		
	4			DT3141	
	5			DT3151	
32A	3	DT3231-4	DT3231		
	4			DT3241	
	5			DT3251	


- DT3141
- DT3241



- DT3151
- DT3251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	75	75	75	75	75	75
b	75	75	75	75	75	75
c	61	61	61	61	61	61
d	61	61	61	61	61	61
e	16	17	18	20	20	22
f	60	60	58	70	70	71
g	5.5	5.5	5.5	5.5	5.5	5.5
h	46	53	58	58	60	63
i	85	88	91	95	95	98
Cable size (mm ²)	1~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT4131
- DT4231



IP44 Panel Mounted Socket (Angle)

Current	Poles	DT4131-4	DT4131	DT4141	DT4151
16A	3				
	4				
	5				
32A	3				
	4				
	5				


- DT4141
- DT4241



- DT4151
- DT4251



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		93	93	93	93	93	93
b		101	101	101	101	101	101
c		78	78	78	78	78	78
d		86	86	86	86	86	86
e		34	34	34	40	40	41
f		52	52	52	60	60	60
g		78	78	78	78	78	78
h		86	86	86	86	86	86
Cable size (mm ²)		1.5~2.5			4~6		



A

CE RoHS

Industrial Plugs and Sockets

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250 ---

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT5131
- DT5231



IP44 Wall Mounted Plug

Current	Poles	DT5131-4	DT5131	DT5141	DT5151
16A	3				
	4				
	5				
32A	3	DT5231-4	DT5231		
	4			DT5241	
	5			DT5251	


- DT5141
- DT5241



- DT5151
- DT5251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	133	133	133	143	143	143
b	81	81	81	81	81	81
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT6131
- DT6231



IP44 Panel Mounted Plug

Current	Poles	DT6131-4	DT6131	DT6141	DT6151
16A	3	DT6131-4	DT6131		
	4			DT6141	
	5				DT6151
32A	3	DT6231-4	DT6231		
	4			DT6241	
	5				DT6251


- DT6141
- DT6241



- DT6151
- DT6251



Current	16A			32A			
	Pole	3	4	5	3	4	5
a	75	75	75	75	75	75	
b	75	75	75	75	75	75	
c	65	65	65	73	73	73	
d	60	60	60	60	60	60	
e	60	60	60	60	60	60	
f							
g							
h	50	50	50	50	50	50	
Cable size (mm ²)		1.5~2.5			4~6		



A


CE RoHS

Industrial Plugs and Sockets

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT6331
- DT6431




IP44 Panel Mounted Plug					
Current	Poles	DT6331-4	DT6331	DT6341	DT6351
63A	3				
	4			DT6341	
	5				DT6351
125A	3	DT6431-4	DT6431		
	4			DT6441	
	5				DT6451

- DT6341
- DT6441




Dimension (mm)



- DT6351
- DT6451



Current	63A			125A			
	Pole	3	4	5	3	4	5
a		100	100	100			
b		100	100	100			
c		99	99	99			
d		80	80	80			
e		80	80	80			
f							
g							
h		75	75	75			
Cable size (mm ²)		10~16					



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT0132
- DT0232




IP67 Plugs					
16A	3	DT0132-4	DT0132		
	4			DT0142	
	5			DT0152	
32A	3	DT0232-4	DT0232		
	4			DT0242	
	5			DT0252	


- DT0142
- DT0242




Dimension (mm)



- DT0152
- DT0252



Current	16A			32A		
Pole	3	4	5	3	4	5
a	118	128	140	158	158	163
b	82	82	87	100	100	100
c						
d	6-15	6-15	8-16	10-20	10-20	10-20
e	42	42	46	54	54	54
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



A

Industrial Plugs and Sockets

CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------



AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT0332
- DT0432



IP67 Plugs					
63A	3	DT0332-4	DT0332		
	4			DT0342	
	5			DT0352	
125A	3	DT0432-4	DT0432		
	4			DT0442	
	5			DT0452	


- DT0342
- DT0442



- DT0352
- DT0452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	240	240	240	295	295	295
b	115	115	115	126	126	126
c	30	30	30	44.5	44.5	44.5
d						
e						
f						
g						
h						
Cable size (mm ²)	10-16			16-50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT1132
- DT1232



IP67 Wall Mounted Socket

Current	Pole	DT1132-4	DT1132	DT1142	DT1152
16A	3				
	4				
	5				
32A	3				
	4				
	5				


- DT1142
- DT1242



- DT1152
- DT1252



Current	16A			32A		
Pole	3	4	5	3	4	5
a	151	155	153	165	165	166
b	96	98	103	107	107	109
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



A

CE RoHS

Industrial Plugs and Sockets

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DT1332
- DT1432



IP67 Wall Mounted Socket

Current	Poles	Model	Model	Model	Model
63A	3	DT1332-4	DT1332		
	4			DT1342	
	5			DT1352	
125A	3	DT1432-4	DT1432		
	4			DT1442	
	5			DT1452	


- DT1342
- DT1442



- DT1352
- DT1452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	175	175	175	190	190	190
b	170	170	170	260	260	260
c	230	230	230	330	330	330
d	118	118	118	160	160	160
e	136	136	136	240	240	240
f	104	104	104	140	140	140
g						
h						
Cable size (mm ²)	10-16			16-50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT2132
- DT2232




IP67 Coupler

Current	Poles	3 Pole	4 Pole	5 Pole
16A	3	DT2132-4	DT2132	
	4			DT2142
	5			DT2152
32A	3	DT2232-4	DT2232	
	4			DT2242
	5			DT2252

- DT2142
- DT2242




Dimension (mm)



- DT2152
- DT2252



Current	16A			32A		
	3 Pole	4 Pole	5 Pole	3 Pole	4 Pole	5 Pole
a	133	139	145	162	170	180
b	78	84	92	96	96	102
c	6-15	6-15	8-16	10-20	10-20	10-20
d						
e	42	42	46	54	54	54
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT2332
- DT2432



IP67 Coupler							
63A	3	DT2332-4	DT2332				
	4				DT2342		
	5				DT2352		
125A	3	DT2432-4	DT2432				
	4				DT2442		
	5				DT2452		


- DT2342
- DT2442



- DT2352
- DT2452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	261	261	261	305	305	305
b	114	114	114	130	130	130
c	30	30	30	44,5	44,5	44,5
d	112	112	112	122	122	122
e						
f						
g						
h						
Cable size (mm ²)	10-16			16-50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT3132
- DT3232




IP67 Panel Mounted Socket

Current	Poles	Model	Model	Model	Model
16A	3	DT3132-4	DT3132		
	4			DT3142	
	5			DT3152	
32A	3	DT3232-4	DT3232		
	4			DT3242	
	5			DT3252	

- DT3142
- DT3242




Dimension (mm)



- DT3152
- DT3252



Current	16A			32A		
Pole	3	4	5	3	4	5
a	75	75	75	75	75	75
b	75	75	75	75	75	75
c	61	61	61	61	61	61
d	61	61	61	61	61	61
e	16	17	17	20	20	22
f	61	61	62	74	74	73
g	5.5	5.5	5.5	5.5	5.5	5.5
h	46	53	60	60	60	60
i	80	84	91	98	98	102
Cable size (mm ²)	1.5~2.5			4~6		



A

CE RoHS

Industrial Plugs and Sockets

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250 ---


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DT3332
- DT3432



IP67 Panel Mounted Socket					
63A	3	DT3332-4	DT3332		
	4			DT3342	
	5			DT3352	
125A	3	DT3432-4	DT3432		
	4			DT3442	
	5			DT3452	


- DT3342
- DT3442



- DT3352
- DT3452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	100	100	100	120	120	120
b	100	100	100	120	120	120
c	80	80	80	101	101	101
d	80	80	80	101	101	101
e	35	35	35	45	45	45
f	96	96	96	106	106	106
g	80	80	80	95	95	95
h	80	80	80	95	95	95
Cable size (mm ²)	10-16			16-50		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT4132
- DT4232




IP67 Panel Mounted Socket (Angle)

Current	Poles	DT4132-4	DT4132	DT4142	DT4152
16A	3				
	4				
	5				
32A	3	DT4232-4	DT4232		
	4			DT4242	
	5			DT4252	

- DT4142
- DT4242




Dimension (mm)



- DT4152
- DT4252



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		93	93	93	93	93	93
b		101	101	101	101	101	101
c		78	78	78	78	78	78
d		86	86	86	86	86	86
e		34	34	34	40	40	40
f		52	52	52	60	60	60
g		78	78	78	78	78	78
h		86	86	86	86	86	86
Cable size (mm ²)		1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT4332
- DT4432



IP67 Panel Mounted Socket(Angle)					
63A	3		DT4332		
	4			DT4342	
	5			DT4352	
125A	3		DT4432		
	4			DT4442	
	5			DT4452	


- DT4342
- DT4442



- DT4352
- DT4452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	101	101	101	120	120	120
b	113	113	113	131	131	131
c	80	80	80	100	100	100
d	89	89	89	108	108	108
e	64	64	64	87	87	87
f	83	83	83	82	82	82
g	81	81	81	92	92	92
h	92	92	92	105	105	105
Cable size (mm ²)	10~16			25~35		




CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT5132
- DT5232



IP67 Wall Mounted Plug

Current	Poles	DT5132-4	DT5132	DT5142	DT5152
16A	3				
	4			DT5142	
	5			DT5152	
32A	3	DT5232-4	DT5232		
	4			DT5242	
	5			DT5252	


- DT5142
- DT5242



- DT5152
- DT5252



Current	16A			32A		
Pole	3	4	5	3	4	5
a	133	133	133	143	143	143
b	81	81	81	81	81	81
c						
d						
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DT6132
- DT6232



IP67 Panel Mounted Plug

Current	Poles	DT6132-4	DT6132	DT6142	DT6152
16A	3				
	4			DT6142	
	5			DT6152	
32A	3	DT6232-4	DT6232		
	4			DT6242	
	5			DT6252	


- DT6142
- DT6242



- DT6152
- DT6252



Current	16A			32A		
Pole	3	4	5	3	4	5
a	75	75	75	75	75	75
b	75	75	75	75	75	75
c	65	65	65	73	73	73
d	60	60	60	60	60	60
e	60	60	60	60	60	60
f						
g						
h	50	50	50	50	50	50
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DT6332
- DT6432




IP67 Panel Mounted Plug

Current	Poles	DT6332-4	DT6332	DT6342	DT6352
63A	3				
	4				DT6342
	5				DT6352
125A	3	DT6432-4	DT6432		
	4				DT6442
	5				DT6452

- DT6342
- DT6442




Dimension (mm)



- DT6352
- DT6452



Current	63A			125A		
	Pole 3	Pole 4	Pole 5	Pole 3	Pole 4	Pole 5
a	100	100	100			
b	100	100	100			
c	99	99	99			
d	80	80	80			
e	80	80	80			
f						
g						
h	75	75	75			
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

**>50-
250**

AMPERE	POLES	3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DTN0131
- DTN0231



IP44 Plugs

Current	Poles	DTN0131-4	DTN0131	DTN0141	DTN0151
16A	3				
	4				
	5				
32A	3	DTN0231-4	DTN0231		
	4			DTN0241	
	5			DTN0251	


- DTN0141
- DTN0241



- DTN0151
- DTN0251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	47	53.5	60	63	63	70
b	96.5	100	103	121	121	121
c	17	17	17	24	24	24
d	133	136	140	167	167	167
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250
----------------------------	----------------------------	----------------------------	------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN0331
- DTN0431



IP44 Plugs					
63A	3	DTN0331-4	DTN0331		
	4			DTN0341	
	5			DTN0351	
125A	3	DTN0431-4	DTN0431		
	4			DTN0441	
	5			DTN0451	


- DTN0341
- DTN0441



- DTN0351
- DTN0451



Current	63A			125A		
	3	4	5	3	4	5
a	101	101	101			
b	75.5	75.5	75.5			
c	36.5	36.5	36.5			
d	240	240	240			
e	174	174	174			
f						
g						
h						
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DTN1131
- DTN1231



IP44 Wall Mounted Socket

Current	Poles	3 Pole	4 Pole	5 Pole
16A	3	DTN1131-4	DTN1131	
	4			DTN1141
	5			DTN1151
32A	3	DTN1231-4	DTN1231	
	4			DTN1241
	5			DTN1251


- DTN1141
- DTN1241



- DTN1151
- DTN1251



Current	16A			32A		
	3 Pole	4 Pole	5 Pole	3 Pole	4 Pole	5 Pole
a	104	110	115	115	115	120
b	80	80	80	80	80	80
c	60.5	60.5	60.5	60.5	60.5	60.5
d	50	50	50	50	50	50
e	70	70	70	70	70	70
f						
g						
h	170	180	185	190	190	195
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN1331
- DTN1431



IP44 Wall Mounted Socket

Current	Poles	Socket Model	DTN Model	DTN Model	DTN Model
63A	3	DTN1331-4	DTN1331		
	4			DTN1341	
	5			DTN1351	
125A	3	DTN1431-4	DTN1431		
	4			DTN1441	
	5			DTN1451	


- DTN1341
- DTN1441



- DTN1351
- DTN1451



Current	63A			125A		
Pole	3	4	5	3	4	5
a	130	130	130			
b	105	105	105			
c	77	77	77			
d	90	90	90			
e	90	90	90			
f						
g						
h	275	275	275			
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h


- DTN2131
- DTN2231



IP44 Coupler

Current	Poles	3 Pole	4 Pole	5 Pole
16A	3	DTN2131-4	DTN2131	
	4			DTN2141
	5			DTN2151
32A	3	DTN2231-4	DTN2231	
	4			DTN2241
	5			DTN2251


- DTN2141
- DTN2241



- DTN2151
- DTN2251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	60	68	76	82	82	90
b	82	93.5	99	101	101	108.5
c	17	17	17	24	24	24
d	151	152.5	158	190	190	191.5
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN2331
- DTN2431




IP44 Coupler

Current	Poles	Model	Code	Code	Code
63A	3	DTN2331-4	DTN2331		
	4			DTN2341	
	5			DTN2351	
125A	3	DTN2431-4	DTN2431		
	4			DTN2441	
	5			DTN2451	

- DTN2341
- DTN2441




Dimension (mm)



- DTN2351
- DTN2451



Current	63A			125A		
Pole	3	4	5	3	4	5
a	95	95	95			
b	110	110	110			
c	36.5	36.5	36.5			
d	256	256	256			
e						
f						
g						
h						
Cable size (mm ²)	10~16					



A

Industrial Plugs and Sockets

CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------

AMPERE	POLES	3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h
--------	-------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

- DTN3131
- DTN3231



- DTN3141
- DTN3241




- DTN3151
- DTN3251




IP44 Panel Mounted Socket

Current	Poles	Socket Model	Plug Model	Plug Model	Plug Model
16A	3	DTN3131-4	DTN3131		
	4			DTN3141	
	5			DTN3151	
32A	3	DTN3231-4	DTN3231		
	4			DTN3241	
	5			DTN3251	

Dimension (mm)



Current	16A			32A		
Pole	3	4	5	3	4	5
a	82	82	82.5	100	100	100
b	60	68	75	72	72	75
c	30.5	30.5	31	38.5	38.5	39
d	90	96	99	101	101	108.5
e	12.7	21	23.5	22.5	22.5	22.5
f						
g						
h						
Cable size (mm ²)	1~2.5			4~6		



CE RoHS

New

- DTN3331
- DTN3431



- DTN3341
- DTN3441



- DTN3351
- DTN3451




110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


IP44 Panel Mounted Socket

Current	Poles	Model	Socket Type	Terminal
63A	3	DTN3331-4	DTN3331	
	4			DTN3341
	5			DTN3351
125A	3	DTN3431-4	DTN3431	
	4			DTN3441
	5			DTN3451

Dimension (mm)



Current	63A			125A		
Pole	3	4	5	3	4	5
a	132	132	132			
b	95	95	95			
c	55	55	55			
d	112	112	112			
e	5	5	5			
f						
g						
h						
Cable size (mm ²)	10~16					



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	-----------------------

AMPERE	POLES	3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h
--------	-------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

- DTN4131
- DTN4231




IP44 Panel Mounted Socket (Angle)

		DTN4131-4	DTN4131		
16A	3				
	4			DTN4141	
	5			DTN4151	
32A	3	DTN4231-4	DTN4231		
	4			DTN4241	
	5			DTN4251	

- DTN4141
- DTN4241




Dimension (mm)



- DTN4151
- DTN4251



Current	16A			32A		
Pole	3	4	5	3	4	5
a	91	92.5	95	111	111	111
b	60	68	75	82	82	90
c	40	40	41	56	56	56
d	89	96.5	101.5	103.5	103.5	110.5
e	3	1.5	4.5	7.5	7.5	12
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN4331
- DTN4431



IP44 Panel Mounted Socket (Angle)

Current	Poles	Model	Model	Model	Model
63A	3	DTN4331-4	DTN4331		
	4			DTN4341	
	5			DTN4351	
125A	3	DTN4431-4	DTN4431		
	4			DTN4441	
	5			DTN4451	


- DTN4341
- DTN4441



- DTN4351
- DTN4451



Current	63A			125A		
Pole	3	4	5	3	4	5
a	144	144	144			
b	95	95	95			
c	66	66	66			
d	122	122	122			
e	13	13	13			
f						
g						
h						
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DTN5131
- DTN5231



- DTN5141
- DTN5241




- DTN5151
- DTN5251




IP44 Wall Mounted Plug

Current	Pole	DTN5131-4	DTN5131	DTN5141	DTN5151
16A	3				
	4				
	5				
32A	3	DTN5231-4	DTN5231		
	4			DTN5241	
	5			DTN5251	

Dimension (mm)



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		95	95	95	120	120	120
b		102	102	102	112	112	112
c		102	122	130	145	145	145
d		64.2	64.2	64.2	90.2	90.2	90.2
e		77.5	77.5	77.5	79	79	79
f		5.5	5.5	5.5	5.5	5.5	5.5
g		5	5	5	5	5	5
h		148.5	148.5	148.5	186	186	186
i		88	88	88	98.5	98.5	98.5
Cable size (mm ²)		1.5-2.5			4-6		



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

**>50-
250**

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN5331
- DTN5431



- DTN5341
- DTN5441




- DTN5351
- DTN5451




IP44 Wall Mounted Plug

Current	Poles	Model	Product Code	Dimensions
63A	3	DTN5331-4	DTN5331	
	4			DTN5341
	5			DTN5351
125A	3	DTN5431-4	DTN5431	
	4			DTN5441
	5			DTN5451

Dimension (mm)



Current	63A			125A		
Pole	3	4	5	3	4	5
a	171	171	171			
b	157	157	157			
c	181	181	181			
d	133	133	133			
e	108	108	108			
f	6	6	6			
g	5	5	5			
h	247	247	247			
i	136	136	136			
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DTN6131
- DTN6231



- DTN6141
- DTN6241




- DTN6151
- DTN6251




IP44 Panel Mounted Plug

Current	Pole	3 pole	4 pole	5 pole
16A	3	DTN6131-4	DTN6131	
	4			DTN6141
	5			DTN6151
32A	3	DTN6231-4	DTN6231	
	4			DTN6241
	5			DTN6251

Dimension (mm)



Current	16A			32A		
Pole	3	4	5	3	4	5
a	85.7	85.7	85.7	85.7	85.7	85.7
b	85.7	85.7	85.7	85.7	85.7	85.7
c	72	72	72	90	90	90
d	69.5	69.5	69.5	69.5	69.5	69.5
e	69.5	69.5	69.5	69.5	69.5	69.5
f	5.5	5.5	5.5	5.5	5.5	5.5
g	11	11	11	11	11	11
h	50	50	50	50	50	50
Cable size (mm ²)	1.5~2.5			4~6		




CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN6331
- DTN6431



IP44 Panel Mounted Plug

Current	Poles	Model	Part Number	Part Number	Part Number
63A	3	DTN6331-4	DTN6331		
	4			DTN6341	
	5			DTN6351	
125A	3	DTN6431-4	DTN6431		
	4			DTN6441	
	5			DTN6451	


- DTN6341
- DTN6441



- DTN6351
- DTN6451



Current	63A			125A			
	Pole	3	4	5	3	4	5
a		110	110	110			
b		106	106	106			
c		85	85	85			
d		90	90	90			
e		90	90	90			
f		5.5	5.5	5.5			
g		12	12	12			
h		73	73	73			
Cable size (mm ²)		10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DTN0132
- DTN0232




IP67 Plugs

Current	Poles	DTN0132-4	DTN0132	DTN0142	DTN0152
16A	3	DTN0132-4	DTN0132		
	4			DTN0142	
	5				DTN0152
32A	3	DTN0232-4	DTN0232		
	4			DTN0242	
	5				DTN0252


- DTN0142
- DTN0242



- DTN0152
- DTN0252



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		47	53.5	60	63	63	70
b		96.5	100	103	121	121	121
c		17	17	17	24	24	24
d		133	136	140	167	167	167
e		75.5	83	92	99	99	101
f		108.5	112	115.5	135	135	135
g							
h							
Cable size (mm ²)		1.5~2.5			4~6		



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

**>50-
250**

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN0332
- DTN0432



IP67 Plugs

63A	3	DTN0332-4	DTN0332		
	4			DTN0342	
	5			DTN0352	
125A	3	DTN0432-4	DTN0432		
	4			DTN0442	
	5			DTN0452	


- DTN0342
- DTN0442



- DTN0352
- DTN0452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	133	133	133			
b	75.5	75.5	75.5			
c	36.5	36.5	36.5			
d	240	240	240			
e	188	188	188			
f						
g						
h						
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DTN1132
- DTN1232



IP67 Wall Mounted Socket

Current	Poles	3 pole	4 pole	5 pole
16A	3	DTN1132-4	DTN1132	
	4			DTN1142
	5			DTN1152
32A	3	DTN1232-4	DTN1232	
	4			DTN1242
	5			DTN1252


- DTN1142
- DTN1242



- DTN1152
- DTN1252



Current	16A			32A		
	3	4	5	3	4	5
a	95	100	105	100	102	108
b	80	80	80	80	80	80
c	60.5	60.5	60.5	60.5	60.5	60.5
d	50	50	50	50	50	50
e	70	70	70	70	70	70
f						
g						
h	180	185	190			
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN1332
- DTN1432




IP67 Wall Mounted Socket

Current	Pole	DTN1332-4	DTN1332	DTN1342	DTN1352
63A	3				
	4			DTN1342	
	5			DTN1352	
125A	3	DTN1432-4	DTN1432		
	4			DTN1442	
	5			DTN1452	

- DTN1342
- DTN1442




Dimension (mm)



- DTN1352
- DTN1452



Current	63A			125A			
	Pole	3	4	5	3	4	5
a		130	130	130			
b		105	105	105			
c		77	77	77			
d		90	90	90			
e		90	90	90			
f							
g							
h		275	275	275			
Cable size (mm ²)		10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DTN2132
- DTN2232




IP67 Coupler

Current	Poles	DTN2132-4	DTN2132	DTN2142	DTN2152
16A	3	DTN2132-4	DTN2132		
	4			DTN2142	
	5				DTN2152
32A	3	DTN2232-4	DTN2232		
	4			DTN2242	
	5				DTN2252

- DTN2142
- DTN2242




Dimension (mm)



- DTN2152
- DTN2252



Current	16A			32A		
	3	4	5	3	4	5
a	77	82	95	101	101	101
b	78.5	88.5	96.5	98	98	105
c	17	17	17	24	24	24
d	155	157	161.5	200	200	201
e						
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN2332
- DTN2432



IP67 Coupler

Current	Poles	3 Pole	4 Pole	5 Pole
63A	3	DTN2332-4	DTN2332	
	4			DTN2342
	5			DTN2352
125A	3	DTN2432-4	DTN2432	
	4			DTN2442
	5			DTN2452


- DTN2342
- DTN2442



- DTN2352
- DTN2452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	114.5	114.5	114.5			
b	113	113	113			
c	36.5	36.5	36.5			
d	258	258	258			
e						
f						
g						
h						
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DTN3132
- DTN3232



IP67 Panel Mounted Socket

Current	Poles	Socket Model	Plug Model	Plug Model	Plug Model
16A	3	DTN3132-4	DTN3132		
	4			DTN3142	
	5			DTN3152	
32A	3	DTN3232-4	DTN3232		
	4			DTN3242	
	5			DTN3252	


- DTN3142
- DTN3242



- DTN3152
- DTN3252



Current	16A			32A		
	Pole 3	Pole 4	Pole 5	Pole 3	Pole 4	Pole 5
a	87	87	87.5	108	108	109
b	77	82	95	100	100	110
c	30.5	30.5	31	38.5	38.5	39
d	80.5	88.5	96	98	98	105
e	2	1.5	7	10	10	13.5
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN3332
- DTN3432



IP67 Panel Mounted Socket

Current	Poles	DTN3332-4	DTN3332	DTN3342	DTN3352
63A	3	DTN3332-4	DTN3332		
	4			DTN3342	
	5				DTN3352
125A	3	DTN3432-4	DTN3432		
	4			DTN3442	
	5				DTN3452


- DTN3342
- DTN3442



- DTN3352
- DTN3452



Current	63A			125A		
	3	4	5	3	4	5
a	100	100	100	130	130	130
b	115	115	115	135	135	135
c	55	55	55	43	43	43
d	107	107	107	130	130	130
e	5	5	5	6.5	6.5	6.5
f	85	85	85	104	104	104
g	77	77	77	104	104	104
h	90	90	90	110	110	110
Cable size (mm ²)	10~16			25~35		



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole 4h	4 pole 4h	5 pole 4h	3 pole 6h	4 pole 9h	5 pole 9h	3 pole 9h	4 pole 6h	5 pole 6h	3 pole 7h	4 pole 7h	5 pole 7h

- DTN4132
- DTN4232




IP67 Panel Mounted Socket (Angle)

Current	Poles	Model	Model	Model	Model
16A	3	DTN4132-4	DTN4132		
	4			DTN4142	
	5			DTN4152	
32A	3	DTN4232-4	DTN4232		
	4			DTN4242	
	5			DTN4252	

- DTN4142
- DTN4242




Dimension (mm)



- DTN4152
- DTN4252



Current	16A			32A		
	3	4	5	3	4	5
a	95	96	99.5	117	117	114
b	77	82	95	100	100	100
c	40	40	41	56	56	42.5
d	67	91.5	99.5	101	101	108
e	2.5	6	11	14.5	14.5	18
f						
g						
h						
Cable size (mm ²)	1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------


AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN4332
- DTN4432



IP67 Panel Mounted Socket (Angle)					
63A	3	DTN4332-4	DTN4332		
	4			DTN4342	
	5			DTN4352	
125A	3	DTN4432-4	DTN4432		
	4			DTN4442	
	5			DTN4452	


- DTN4342
- DTN4442



- DTN4352
- DTN4452



Current	63A			125A			
	Pole	3	4	5	3	4	5
a		106	106	106	110	110	110
b		115	115	115	135	135	135
c		66	66	66	47	47	47
d		110	110	110	114	114	114
e		15	15	15	21	21	21
f		85	85	85	91	91	91
g		77	77	77	91	91	91
h		94	94	94	102	102	102
Cable size (mm ²)		10~16			25~35		



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

**>50-
250** ---

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h


- DTN5132
- DTN5232



IP67 Wall Mounted Plug

Current	Poles	DTN5132-4	DTN5132	DTN5142	DTN5152
16A	3	DTN5132-4	DTN5132		
	4			DTN5142	
	5			DTN5152	
32A	3	DTN5232-4	DTN5232		
	4			DTN5242	
	5			DTN5252	


- DTN5142
- DTN5242



- DTN5152
- DTN5252



Current	16A			32A		
	3	4	5	3	4	5
a	95	95	95	120	120	120
b	102	102	102	112	112	112
c	102	102	130	145	145	145
d	64.2	64.2	64.2	90.2	90.2	90.2
e	77.5	77.5	77.5	79	79	79
f	5.5	5.5	5.5	5.5	5.5	5.5
g	5	5	5	5	5	5
h	148.5	148.5	148.5	186	186	186
i	88	88	88	98.5	98.5	98.5
Cable size (mm ²)	1.5-2.5			4-6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DTN5332
- DTN5432




IP67 Wall Mounted Plug

Current	Poles	Model	Code	Code	Code
63A	3	DTN5332-4	DTN5332		
	4			DTN5342	
	5			DTN5352	
125A	3	DTN5432-4	DTN5432		
	4			DTN5442	
	5			DTN5452	

- DTN5342
- DTN5442




Dimension (mm)



- DTN5352
- DTN5452



Current	63A			125A		
Pole	3	4	5	3	4	5
a	171	171	171			
b	157	157	157			
c	180	181	181			
d	133	133	133			
e	108	108	108			
f	6	6	6			
g	5	5	5			
h	247	247	247			
i	136	136	136			
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DTN6132
- DTN6232



- DTN6142
- DTN6242




- DTN6152
- DTN6252




IP67 Panel Mounted Plug

Current	Pole	16A	32A
16A	3	DTN6132-4	DTN6132
	4		DTN6142
	5		DTN6152
32A	3	DTN6232-4	DTN6232
	4		DTN6242
	5		DTN6252

Dimension (mm)



Current	16A			32A			
	Pole	3	4	5	3	4	5
a		85.7	85.7	85.7	85.7	85.7	85.7
b		85.7	85.7	85.7	85.7	85.7	85.7
c		72	72	72	90	90	90
d		69.5	69.5	69.5	69.5	69.5	69.5
e		69.5	69.5	69.5	69.5	69.5	69.5
f		5.5	5.5	5.5	5.5	5.5	5.5
g		11	11	11	11	11	11
h		50	50	50	50	50	50
s		71	79	89	94	94	102
Cable size (mm ²)		1.5~2.5			4~6		



CE RoHS

New

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50-250 ---
----------------------------	----------------------------	----------------------------	--------------------------

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	


- DTN6332
- DTN6432



IP67 Panel Mounted Plug

Current	Poles	Model	Code	Code	Code
63A	3	DTN6332-4	DTN6332		
	4			DTN6342	
	5			DTN6352	
125A	3	DTN6432-4	DTN6432		
	4			DTN6442	
	5			DTN6452	


- DTN6342
- DTN6442



- DTN6352
- DTN6452



Current	63A			125A		
	3	4	5	3	4	5
a	110	110	110			
b	106	106	106			
c	86	86	86			
d	90	90	90			
e	90	90	90			
f	5.5	5.5	5.5			
g	12	12	12			
h	73	73	73			
s	113	113	113			
Cable size (mm ²)	10~16					



CE RoHS

New

110V
50 a. 60 Hz

230V
50 a. 60 Hz

400V
50 a. 60 Hz

>50-250

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	9h	6h	6h	7h	7h	7h

- DT1012
- DT1022




- DT1013
- DT1023



- DT1014
- DT1015
- DT1024
- DT1025




Dimension (mm)



Current	(IP44)16A			(IP44)32A			
	Pole	DT1012	DT1014/2	DT1015/2	DT1022	DT1024/2	DT1025/2
a		205	210	260	280	280	280
b		185	185	230	245	245	260

Current	(IP44)16A			(IP44)32A			
	Pole	DT1013	DT1014	DT1015	DT1023	DT1024	DT1025
a		225	230	275	300	300	300
b		220	220	280	300	300	300



CE RoHS

110V 50 a. 60 Hz	230V 50 a. 60 Hz	400V 50 a. 60 Hz	>50- 250 ---
----------------------------	----------------------------	----------------------------	----------------------------


New

AMPERE	POLES	110V			230V			400V			>50-250		
		3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole	3 pole	4 pole	5 pole
		4h	4h	4h	6h	9h	9h	6h	6h	7h	7h	7h	

- DT10132
- DT10232




- DT10142
- DT10242




- DT10152
- DT10252



Dimension (mm)



Current	(IP67)16A			(IP67)32A			
	Pole	DT10132	DT10142	DT10152	DT10232	DT10242	DT10252
a		235	290		330	330	
b		230	280		325	325	




CE RoHS


Description	Ampere	Poles	Type
Watertight and dustproof, with control signal pin.	200	4	DT75241
	200	5	DT75246
☔ IP67	250	4	DT75041
	250	5	DT75131
	400	4	DT75046
	400	5	DT75136


Dimension (mm)

- Socket
- 160A/200A



- Socket
- 250A/400A






CE RoHS


Description	Ampere	Poles	Type
Watertight and dustproof, with control signal pin.	200	4	DT75201
	200	5	DT75206
♦♦ IP67	250	4	DT75001
	250	5	DT75091
	400	4	DT75006
	400	5	DT75096


Dimension (mm)

- Plugs
- 160A/200A



- Plugs
- 250A/400A






CE RoHS


Description	Ampere	Poles	Type
Watertight and dustproof, with control signal pin.	200	4	DT75211
	200	5	DT75216
☔ IP67	250	4	DT75011
	250	5	DT75101
	400	4	DT75016
	400	5	DT75106


Dimension (mm)

- Coupler
- 160A/200A



- Coupler
- 250A/400A





CE RoHS


A

Industrial Plugs and Sockets


Description	Ampere	Poles	Type
With switch and mechanical interlock, with incoming ducts at the top and bottom for cables up to and including 65mm, please specify this in the order. Stainless steel shell that is coated with color RAL1021. ▲▲ IP55	200	4	DT75231
	200	5	DT75236
	250	4	DT75031
	250	5	DT75121
	400	4	DT75036
	400	5	DT75126


Dimension (mm)

- Surface Mounted Outlet Box
- 160A/200A



- Surface Mounted Outlet Box
- 250A/400A





A


CE RoHS

Industrial Plugs and Sockets


Description	Ampere	Poles	Type
Type A	200	4	DT75251A
Flange fixed, bottom incoming, watertight and dustproof. Signal control cable can be led in from the top or shell respectively if it is necessary.	200	5	DT75256A
	250	4	DT75172A
	250	5	DT75173A
	400	4	DT75389A
400	5	DT75398A	


Dimension (mm)

- Surface Mounted Plug
- 160A/200A



- Surface Mounted Plug
- 250A/400A





CE RoHS


A

Description	Ampere	Poles	Type
Type A	200	4	DT75221A
Flange fixed, bottom incoming, watertight and dustproof. Signal control cable can be led in from the top or shell respectively if it is necessary.	200	5	DT75226A
	250	4	DT75021A
	250	5	DT75111A
	400	4	DT75026A
400	5	DT75116A	


☔ IP67


Dimension (mm)

- Surface Mounted Socket
- 160A/200A



- Surface Mounted Socket
- 250A/400A






A

CE RoHS


Description	Ampere	Poles	Type
Type B	200	4	DT75251B
Bracket fixed, top incoming, with cable buckle. Signal control cable can be led in from the top or shell respectively if it is necessary.	200	5	DT75256B
	250	4	DT75172B
	250	5	DT75173B
☉ IP67	400	4	DT75389B
	400	5	DT75398B


Dimension (mm)

- Surface Mounted Plug
- 160A/200A



- Surface Mounted Plug
- 250A/400A







CE RoHS

A


Description	Ampere	Poles	Type
Type B	200	4	DT75221B
Bracket fixed, top incoming, with cable buckle. Signal control cable can be led in from the top or shell respectively if it is necessary. ▲▲ IP67	200	5	DT75226B
	250	4	DT75021B
	250	5	DT75111B
	400	4	DT75026B
	400	5	DT75116B

Dimension (mm)

- Surface Mounted Socket
- 160A/200A



- Surface Mounted Socket
- 250A/400A




CE RoHS

- Executive standard: EN60309
- Protection degree: IEC60529 IP67




Dimension (mm)


■ DTB282815



■ DTB283815



■ DTB333317




CE RoHS CCC

- Executive standard: EN60309
- Protection degree: IEC60529 IP67




Dimension (mm)


■ DTB334317



■ DTB334317-2



■ DTB335317




CE RoHS



- Executive standard: EN60309
- Protection degree: IEC60529 IP65 IP67

Dimension (mm)


■ DTZB1601




■ DTZB1602



■ DTZB1603



■ DTZB1604




CE RoHS 

■ Executive standard: DIN VDE0623 IEC60309-2


■ Protection degree: IEC60529 IP44 IP67

Dimension (mm)


■ **DT1805**



■ **DT1805C**



■ **DT1805B**




CE RoHS


- Executive standard: DIN VDE0623 IEC60309-2
- Protection degree: IEC60529 IP44 IP67

Dimension (mm)

DT1801



DT1802




CE RoHS CCC


- Executive standard: EN60439-4
- Protection degree: IEC60529 IP44 IP67

Dimension (mm)


■ DT1806




■ DT1807



■ DT1808



Memo





ADOPT ECOLOGICAL PAPER PRINTING FOR THIS MANUAL



YUEQING DATONG ELECTRIC CO.-LTD-ALL RIGHTS RESERVED

This manual is for product selection reference. The product images and installation dimensions are based on the actual product. Any changes will not be notified separately, and we do not assume any legal responsibility.



YUEQING DATONG ELECTRIC CO., LTD.

Contact person: Jessica Chen

Tel: +86 13336970867

Website: www.dtcee.com

Email: info@dtcee.com

Add: Liushi Town, Yueqing City, Zhejiang Province, China.



Wechat



whatsapp